THE BALDWIN LOCOMOTIVE WORKS

LOCOMOTIVE DATA

PHILADELPHIA, PA., U.S.A.

The Edgell Press Philadelphia Landy 8-4 47

,

LOCOMOTIVE DATA

LOCOMOTIVE TYPES

The motive power requirements of railways are so varied, that every system must employ a number of different types of locomotives with which to handle its traffic. It is not possible here to describe all the types in common use, but attention may be called to a few characteristic features of locomotives designed for different classes of service.

Excluding such work as switching, logging and industrial, the majority of locomotives are used in road service, and this may be divided into two general classes, freight and passenger. In freight work, a locomotive is required to exert a high tractive force at comparatively slow speed, while in fast passenger work the tractive force, when running, is comparatively low, while the speed is high. Horse-power is measured by the product of tractive force and speed, hence it is frequently necessary for a passenger locomotive to develop as much horse-power as a freight, even though the tractive forces exerted by the two may be widely different. As the boiler capacity limits the horse-power, it follows that in proportion to the tractive force exerted, a passenger locomotive needs a larger boiler than one intended for freight service. The requirements of fast freight and heavy, mediumspeed passenger service are more nearly alike, and the same type of locomotive can frequently be used for both these classes of work.

4 THE BALDWIN LOCOMOTIVE WORKS

PASSENGER LOCOMOTIVES

The first requirement of a fast passenger locomotive is sufficient boiler capacity. The principal features necessary to secure this are a large firebox with ample grate area, a liberal amount of well disposed heating surface, and proper provision for circulation. If large driving wheels are required. and bituminous coal is used as fuel, the firebox is usually placed back of the driving wheels, and the resulting overhang is carried on a pair of trailing wheels. This allows the necessary room for a wide and deep furnace. The front end of the engine is preferably carried on a four-wheeled truck, and either two or three pairs of driving wheels are used. In this way the Atlantic (4-4-2) and Pacific (4-6-2) types have been developed. If the weight necessary for adhesion can be carried on two pairs of wheels, without overloading the rails, the Atlantic type should be used, as it is the simpler of the two. During recent years, however, the weights of passenger trains have been increased to such an extent that it is frequently necessary to use the Pacific type. The various conditions under which the engine is to work must determine the preferable wheel arrangement.

The American (4-4-0) and Ten-wheeled (4-6-0) types are used to a considerable extent in passenger service, but their capacity is limited owing chiefly to the difficulty of placing a wide and deep firebox above the driving wheels. The Ten-wheeled type, however, with moderate sized driving wheels, is frequently employed in heavy passenger, and fast freight service. These wheel arrangements are also extensively used abroad, where requirements, as a rule, are not as severe as in the United States. The Ten-wheeled type is especially suitable for

passenger service in South America and Colonial countries, and large numbers of these engines have been built by The Baldwin Locomotive Works for export.

When anthracite is used as fuel, a comparatively shallow furnace will suffice, and the grate can often be placed above the driving wheels. In this way trailing wheels can sometimes be omitted where, in a soft coal burning locomotive of similar capacity, they would be necessary on account of the boiler requirements.

FREIGHT LOCOMOTIVES

It is important in a freight locomotive for heavy service, to have the maximum proportion of the total weight available for adhesion consistent with the conditions of service. As a rule, therefore, truck wheels are used only for guiding purposes, and not because the design of the boiler requires their installation, as is the case with the trailing wheels of Atlantic and Pacific type locomotives. The great bulk of the freight traffic in this country is handled by locomotives having three or four pairs of coupled wheels, while in some cases five pairs have been employed.

If service conditions require the engine to run backward frequently, radial trucks at each end of the locomotive are often used. Such trucks aid in preventing derailments, and reduce flange wear on the driving wheels. They are also used at times in locomotives designed to burn low grade fuel, such as lignite, where an exceptionally deep furnace is required, and the grate cannot be placed above the driving-wheels without raising the boiler to an excessive height. In this way the Prairie (2-6-2) and Mikado (2-8-2) types have been developed. The Prairie type has proved specially successful in fast freight service, while the Mikado type is being used,

to an increasing extent, in heavy slow speed service, because both wheel arrangements make possible the use of a larger boiler than could be provided in a similar locomotive with the same weight per driving axle, but without trailing wheels.

ARTICULATED LOCOMOTIVES

In cases where a locomotive of great tractive force is required, and the number of driving wheels necessary is so great that it is not practicable to couple them all in one group, an articulated locomotive may be used. An engine of this type has two sets of frames, which are connected by a hinge, or joint. The driving wheels are divided into two groups, and the wheels of each group are rotated by a separate pair of cylinders. In this way a large number of driving wheels can be used, and a correspondingly high tractive force developed; while the rigid wheel base is that of one group of driving wheels only, and the engine can therefore traverse curves without difficulty.

The type of articulated locomotive most commonly used in America is known, from the name of its inventor, as the "Mallet." This engine operates on the compound principle, and has two high-pressure cylinders, which drive the rear group of wheels, and two low-pressure, which drive the forward group. The hinge pin connecting the front and rear frames is placed on the center line of the engine between the high-pressure cylinders. The boiler is held in alinement with the rear frames, and is supported on the front frames by sliding bearings. When the engine enters a curve the front wheels and frames act like a truck, and swing about the hinge pin as a center. A controlling spring, mounted on the front boiler bearing, is thrown into compression, thus guiding the rear group of wheels into the

curve, and aiding in restoring the alinement after the curve has been passed.

In a locomotive of this type, steam is conveyed from the throttle valve to the high-pressure cylinders through rigid pipes, which may be either inside or outside the boiler according to circumstances. The pipes leading from the high-pressure to the low-pressure cylinders, and from the latter to the smokebox, are necessarily provided with flexible joints. These pipes carry steam at moderate pressures only, a fact which greatly lessens the difficulty of keeping the joints tight.

In the Baldwin Mallet Locomotives, steam at reduced pressure can be admitted direct from the boiler to the low-pressure cylinders by opening a starting valve which is placed in the cab. This enables the locomotive to develop full tractive force in starting a train. As soon, however, as the wheels have made a few revolutions and the low-pressure cylinders are receiving their steam supply from the high pressure, the starting valve should be closed.

Mallet locomotives are built with from two to five pairs of driving wheels in each group, and are frequently fitted with front and rear trucks for the purpose of improving the curving qualities, reducing flange wear on the driving tires and securing a large proportion of heating surface to adhesion. These engines are used to best advantage in heavy freight or pushing service on long grades, where high tractive forces must be exerted for sustained periods of time. A locomotive of this type can be built to develop twice the tractive force of a Consolidation engine having the same load per pair of driving wheels. By using such locomotives, it is often possible to materially reduce the number of engines and of train movements necessary to handle a given tonnage over a division.

SUPERHEATING

The temperature to which it is necessary to raise water before it can be evaporated into steam, depends upon the pressure. For every given pressure there is, therefore, a corresponding minimum temperature at which steam can exist. Steam existing at this temperature is said to be saturated, and any reduction in temperature will cause some of the steam to be condensed as water. If the temperature is above that of saturation the steam is said to be superheated. A device employed for the purpose of raising the temperature of steam above that of saturation, is called a superheater.

The temperature of the cylinder walls of a locomotive is constantly changing, owing to the variation in the steam temperature due to expansion. As a result there is considerable condensation of steam, causing a loss in efficiency. The object in using superheated steam is to reduce this loss, by raising the steam temperature to such a point that condensation is, to a large extent, avoided. Furthermore since the volume per pound of superheated steam is greater than that of saturated steam at the same pressure, there is a gain in efficiency, because each pound of water evaporated forms a larger volume of steam, and therefore fewer pounds of steam are required to fill the cylinders.

Two principal types of superheaters are used in locomotive work—those in which only the waste gases are used for superheating purposes, and those in which the superheater pipes are placed in the fire tubes, so that the steam absorbs heat which would otherwise be imparted to the water. A well known type of waste gas superheater is the Vauclain, which consists of an arrangement of tubes and drums located in the smoke-box. The steam circulates

through the tubes and absorbs, from the smokebox gases, heat which would otherwise escape up the stack. With this arrangement a sufficient degree of superheat is secured to assure substantial economies; while the device is simple in construction, and no difficulty is experienced in lubricating valves and pistons on account of high temperatures. Furthermore, no reduction in the boiler heating surface is necessary, because of the use of the superheater.

The fire-tube type of superheater is usually designed to give from 150 degrees to 200 degrees of superheat. The superheater pipes are placed in a number of large tubes, which are about five and one-half inches in diameter. These tubes, like the small boiler tubes, convey the products of combustion from the firebox to the smoke-box. A double loop of superheater pipes is usually placed in each large tube, and the pipes extend from the headers in the smoke-box, to within a short distance of the firebox. The hot gases passing through the large tubes, both heat the water and superheat the steam. In some forms of fire-tube superheaters, a damper is placed in the smoke-box to cut off the draft through the large tubes when the throttle is closed. This prevents the burning out of the superheater pipes when no steam is passing through them. With this type of superheater, some reduction in the boiler evaporating surface is necessary in order to accommodate the superheating surface.

Superheaters are of value principally on passenger locomotives, which are required to work at high power for sustained periods of time. If the locomotive exerts power only intermittently, as for example in switching service, the temperature of the superheater is comparatively low, and the advantages which should result from its application are not realized.

Superheaters have been applied to Mallet locomotives, sometimes between the throttle valve and high-pressure cylinders, and sometimes between the high and low-pressure cylinders, in which case they are used as reheaters. In some instances, both a superheater and a reheater are used on the same engine.

COMPOUNDING

The object in using compound cylinders in a locomotive, is to expand the steam through a greater range than is possible in a single cylinder, and thus secure increased economy. Further economies due to compounding are a reduction in the amount of temperature change (and consequently condensation) in each cylinder, and less waste of fuel at the stack, as the exhaust is not as violent, when working at long cut-offs, as in a single-expansion locomotive.

Five principal types of compound locomotives are in service in the United States, as follows:

- The two-cylinder, or cross compound, having a high-pressure cylinder on one side and a low-pressure on the other.
- 2. The Vauclain, or four-cylinder type, in which one high and one low-pressure cylinder are placed on each side, one cylinder being above the other. The two pistons on each side are connected to a common crosshead.
- 3. The balanced compound, in which the two high-pressure cylinders are placed between the frames and drive a crank axle, while the two low-pressure are outside and are connected in the usual manner. The two crank pins on the same side of the engine are placed 180 degrees apart, so that the reciprocating parts act against each other, and the disturbing effects of these parts are largely neutralized. This arrangement is specially suitable for high-speed locomotives.

- 4. The tandem compound, having one high and one low-pressure cylinder on each side. The high-pressure cylinder is set in advance of the low-pressure, and both pistons are mounted on a common piston rod.
- 5. The Mallet articulated compound, which has two high-pressure and two low-pressure cylinders. The high-pressure cylinders drive one group of wheels, and the low-pressure a separate group. The principal features of this type have been previously discussed.

The economies resulting from the use of compound cylinders are best realized in locomotives which are worked at high power for sustained periods of time. In any case, when considering the advisability of using such devices as compound cylinders or superheaters, all the conditions under which the engine is to work must be given careful attention.

LOCOMOTIVE CLASSIFICATION

Systems of classifying locomotives have been proposed from time to time, the principles of these being shown on the following pages. The diagram shows graphically in the first column, the arrangement of wheels, and in the second column the generally applied name as used in the United States. The third column shows the Baldwin Locomotive Works' designation, and the fourth that proposed by Mr. F. M. Whyte. The names are largely those applied by the first local users of the respective types of locomotives.

The Baldwin Locomotive Works' notation employs figures and letters to indicate the number of wheels of different kinds and the size of cylinders. A locomotive having one pair of driving wheels is classed as "B," that with two pairs, "C," with three pairs, "D," with four pairs, "E," and with five pairs, "F." The letter "A" is used for a special class of

high-speed locomotive with a single pair of driving wheels, and for a smaller type used for rack rail service. In articulated locomotives a letter, as above, is used to designate the number of driving wheels in each group. A figure is used as an initial to indicate the total number of wheels under the locomotive, and the letter, as stated above, indicates the number of driving wheels. The size of the cylinder is, of course, not shown in the third column, but is represented by a number, which is found by subtracting 3 from the diameter of the cylinder in inches and multiplying the remainder by 2; thus, a 19" cylinder would be represented by the number 32 so that a Mogul locomotive with 19" cylinders would be termed an 8-32-D. Conversely, the size of cylinder may be obtained by dividing the class designation for cylinder by 2 and adding 3.

When there are trucks at both ends of the locomotive the fraction $\frac{1}{4}$ is placed after the cylinder number, and when there is a truck at the rear end and none at the front, the fraction is $\frac{1}{3}$. Thus, a Mikado type locomotive with 19" cylinders would be a 12-32 $\frac{1}{4}$ E, and one of the Forney type would be 8-32 $\frac{1}{4}$ C.

The same rule is carried out in the classification of compound locomotives. In this case, however, a number is given to indicate the diameter of each cylinder, that indicating the high pressure being written over the low pressure. Thus, 10²%₄ D 100 indicates a compound locomotive with ten wheels in all, having high-pressure cylinders 14" in diameter and low-pressure cylinders 24" in diameter, with three pairs of driving wheels and the one-hundredth locomotive of its class.

This final figure indicating the class number of the locomotive is used in connection with all engines regardless of the types to which they belong.

ENGINE CLASSIFICATION

Representation	Type	Baldwin	Whyte Symbol
000	4-Wheeled Switcher	4 -C	0-4-0
0000	6-Wheeled Switcher	Q- 9	0-9-0
00000	8-Wheeled Switcher	8 -E	0-8-0
000000	ro-Wheeled Switcher	IO -F	0-01-0
00□0₽		J- 9	2-4-0
00000	10.300.01	81/4-C	2-4-2
0000□0	A Parish and the second	101/4-C	2-4-4
000□∘₩	Mogul	8 -D	2-6-0
0000□0	Prairie	104-D	2-6-2
40□00000		121/4-D	2-6-4
0000□∘₩	Consolidation	10 -E	2-8-0
00000□0₽	Mikado	121/4-E	2-8-2

14 THE BALDWIN LOCOMOTIVE WORKS

ENGINE CLASSIFICATION

Representation	Type	Baldwin Symbol	Whyte
00000□∘₩	Decapod	12 -F	2-10-0
000000□0	Santa Fe	141/4-F	2-10-2
00000		81/4-A	4-2-2
0000□0₩	American	8 -C	4-4-0
40□0000	Atlantic	101/4-C	4-4-2
0000□0₩	Io-Wheeled	10-D	4-6-0
	Pacific	121/4-D	4-6-2
00000□0₩	12-Wheeled	12 -E	4-8-0
■ 0000000	Sierra	141/4-E	4-8-2
000000□0	Mastodon	14 -F	4
<u> </u> 000°	7	O-8/19	0-4-2
00000	Forney	91%-C	

ENGINE CLASSIFICATION

	Type	Baldwin Symbol	Whyte Symbol
		81/3-D	0-6-2
	Mallet Articulated	8 -CC	0-4-4-0
	" "	Io -CC	
	" "	121/4-CC	
	"	12 -CD	2-4-6-0
	"	161/4-CD	4-4-6-2
	" "	12 -DD	
	" "	164-DD	2-6-6-2
	"	16 -DE	2-6-8-0
000000000000000000000000000000000000000	" "	16 -EE	0-8-8-0
000000000000000000000000000000000000000	" "	18 -EE	2-8-8-0
000000000000000000000000000000000000000	" "	2014-EE	2-8-8-2
00000000000	" "	241/4-FF	2-10-10-2

81/3-C 0-4-4

D-8/8

TRACTIVE FORCE AND HAULING CAPACITY

The hauling capacity of a locomotive is determined by the relation between the tractive force developed and the resistance of the train, and both of these factors are dependent on the speed.

At starting speeds a locomotive will usually develop, at the rim of the driving wheels, the rated tractive force, which is calculated from the dimensions of the engine by the formula:

$$T = \frac{0.85 \text{ P} \times \text{C}^2 \times \text{S}}{\text{D}}$$

where T = the rated tractive force at rim of driving wheels in pounds.

P=the boiler pressure in pounds per square inch.


C = diameter of cylinders in inches.


S =stroke in inches.

D = driving wheel diameter in inches.

A table facilitating the calculation of the rated tractive force, is given on pages 26-34.

As the speed is increased the available tractive force falls off slowly until a point is reached at which the boiler can no longer supply the steam required by the cylinders at full stroke. To attain higher speeds the cut-off must be shortened, after which the available tractive force falls more rapidly. is evident that, under these circumstances, the tractive force that a locomotive can develop is dependent not only on the cylinder and driving wheel dimensions, but also on the steaming capacity of the boiler. For practical purposes this may be taken as directly proportional to the total heating surface. Then, as is shown by the curves on page 17, the available tractive force at any speed will depend on the relation between the rated tractive force and the total heating surface. Each curve corresponds to





a different value of this relation. The vertical scale measures the available tractive force as a percentage of the rated tractive force, while on the horizontal scale the speed is measured in miles per hour. The curves assume that at the high

speeds one horse-power can be developed at the tread of the driving wheels for every two and onehalf square feet of heating surface, and they allow for a lower efficiency at slow speeds.

In assuming as above that the steaming capacity is directly proportional to the total heating surface, it is essential that the ratio of grate area to heating surface be properly suited to the quality of the fuel. It is also assumed that sufficient fuel can be fired to enable the steam production to be pushed to the limit set by the heating surface.

As an example of the use of the curves, suppose it is desired to find the available tractive force at a speed of forty miles per hour, for a locomotive having the following dimensions:


Cylinders, 22" x 28"
Driving wheels, 69" diameter.
Steam pressure, 200 pounds.
Heating surface, 4150 square feet.

From the table on page 31, it is found that the rated tractive force of this locomotive is 33,400 pounds (16,700 \times 2 for 200 pounds boiler pressure). The ratio of rated tractive force to heating surface is therefore $^{34,60}_{-10} = 8.0$. Referring to the curve on page 17, it is seen that the vertical line representing 40 miles per hour intersects the curve marked 8, on a horizontal line representing 47 per cent. Hence, the tractive force developed by this locomotive, at a speed of 40 miles per hour, will be $33,400\times.47 = 15,700$ pounds.

In order that a locomotive may employ all of its rated tractive force in hauling a train, it is desirable that the weight on driving wheels be at least 4 times the rated force; or, in other words, not more than 25 per cent. of the adhesive weight can be utilized as tractive force.

In the case of locomotives equipped with compound cylinders or superheaters, the proportion of the rated tractive force developed at any speed will be from 10 to 20 per cent. higher than that shown by the curves.

Resistance of Freight Cars in Pounds per Ton at Various Speeds Weight of Car and Load.



V=Speed in Miles per hour

RELATION OF RATED TRACTIVE FORCE TO HEATING SURFACE

Average values of the quotient obtained by dividing the rated tractive force in pounds by the total heating surface in square feet, for different classes of engines, are given below:

Atlantic	(4-4-2) type, 8
Pacific	(4-6-2) type, 9
American	(4-4-0) type, 10
Mikado	(2-8-2) type, 10
Ten-Wheeled	(4-6-0) type, I
Consolidation	(2-8-0) type, I

TRAIN RESISTANCE

The chart on page 19, represents the resistance, in pounds per ton, for freight cars of different weights, at speeds varying from 5 to 40 miles per hour, on straight level track. These curves are based on the results of experiments conducted by Prof. Edward C. Schmidt, on the Illinois Central Railroad. Recent tests show that the resistance of light cars is greater, in pounds per ton, than that of heavy cars. Thus, a car weighing 75 tons is seen, from the table, to have a resistance of 5 pounds per ton at a speed of 35 miles per hour, while a car weighing only 20 tons has a resistance of 11.1 pounds per ton at the same speed.

A formula which gives results approximately agreeing with the curves, is as follows:


$$R = 1.8 T + 100 N$$

where R=total resistance of train in pounds.
exclusive of engine and tender.

T = weight of train in tons, exclusive of engine and tender.

N = number of cars in train.

This formula is worked out for a speed of 5 miles per hour. For higher speeds, add 2 per cent. for



This Curve is based on the Formula R=4.3+0.0017 V², and should be used for Cars weighing 45 Tons and upwards. For lighter Cars, use Curves for Freight Cars of Corresponding Weights.

each mile per hour above 5. The formula should not be used for speeds exceeding 30 miles per hour.

The resistance of passenger cars in pounds per ton on straight, level track, is represented by the diagram on page 21. The curve here shown is based on the results of recent experiments with modern rolling stock, and is applicable to cars weighing 45 tons and upward. For lighter cars, use the diagram on page 19, selecting the line which applies to the particular weight of cars in question.

The diagram on page 23, represents the resistance of the locomotive and tender in pounds per ton. Two lines are shown, the lower one being applicable to heavy standard gauge engines, and the upper one to narrow gauge and light standard gauge engines. These curves generally follow that for passenger cars, plus an amount sufficient to cover the head end resistances.


The resistance due to grades is discussed on page 40, and that due to curves on page 42.

Two examples will now be given to illustrate the methods of calculating hauling capacities of freight and passenger locomotives, respectively.

Freight.—What weight of train composed of cars weighing 60 tons each, can be hauled up a grade of 0.5 per cent. combined with 6 degree curves, at a speed of 10 miles per hour, by a locomotive of the following dimensions:

Cylinders, 24" x 32"
Driving wheels, 56" diameter
Steam pressure, 180 pounds
Total heating surface, 4466 sq. ft.
Total weight, locomotive and tender, 200
tons

From the table on page 33, it is found that the rated tractive force of this locomotive is 50,400



Lower Line applies to heavy standard gauge Locomotives and Tenders, and is based on Formula R=4.3+0.0030 V². Upper Line applies to narrow gauge and light standard gauge Locomotives and Tenders, and is based on Formula R=5.0+0.0040 V².

pounds $(28,000 \times 1.8 = 50,400)$. Hence the ratio rated tractive force heating surface is $\frac{50400}{4466} = 11.3$. From the curves on page 17 it is found that, for this ratio, the tractive force developed at a speed of 10 miles per hour will be about 97 per cent. of the rated tractive

force, or 50,400 × .97 = 48,900 pounds. This tractive force is available at the rim of the driving wheels, for moving the locomotive, tender and train.

The resistance of the locomotive and tender is calculated as follows:

```
Resistance due to speed =200×6 =1200 lbs.
" " grade =200×10 =2000 lbs.
" " curves=200×.8×6 = 960 lbs.
```

Total resistance, engine and tender = 4160 lbs.

The tractive force at the tender draw bar, available for hauling the train, will therefore be 48,900 — 4160 = 44,740 pounds.

The resistance of the train is calculated as follows:

Total resistance, pounds per ton = 18.5

Hence the number of tons that the engine can haul back of the tender will be $\frac{44740}{18.5} = 2418$. This is approximately equivalent to 40 cars weighing 60 tons each.

Passenger.—What weight of train can be hauled up a straight grade of 0.2 per cent., at a speed of 50 miles per hour, by a locomotive of the following dimensions:

Cylinders, 22"×28"

Driving wheels, 72" diameter

Steam pressure, 200 pounds

Total heating surface, 3935 sq. ft.

Total weight, locomotive and tender, 175 tons.

From the table on page 32, it is found that the

rated tractive force of this locomotive is 32,200

pounds. (16,100 \times 2=32,200). Hence the ratio rated tractive force heating surface is $\frac{32200}{3935}$ =8, very nearly.

From the curves on page 17, it is found that, for this ratio, the tractive force developed at a speed of 50 miles per hour will be about 38 per cent. of the rated tractive force, or $32,200 \times .38 = 12,200$ pounds. This tractive force is available at the rim of the driving wheels, for moving the locomotive, tender and train.

The resistance of the locomotive and tender is calculated as follows:

Resistance due to speed =
$$175 \times 11.8$$
 = 2060 lbs.
" " grade = $175 \times .2 \times 20$ = $\frac{700}{2760}$ "
Total resistance, engine and tender = $\frac{700}{2760}$ "

The tractive force at the tender draw bar, available for hauling the train, will therefore be 12,200 – 2760 = 9440 pounds.

The resistance of the train is calculated as follows:

Hence the number of tons that the engine can haul back of the tender will be $\frac{9440}{12.6} = 750$.

RATED TRACTIVE FORCE OF LOCOMOTIVES

The following tables contain the rated tractive forces of locomotives having various sizes of cylinders and driving wheels. The calculations are based on the formula given on page 16. The boiler pressure is assumed to be 100 pounds per square

26 THE BALDWIN LOCOMOTIVE WORKS
RATED TRACTIVE FORCE OF LOCOMOTIVES
Boiler Pressure 100 Lbs. Per Square Inch

Cyli	Cylinders				DIAM	DIAMETER OF DRIVING	F DRI	VING	WHEE	WHEELS-INCHES	CHES				
Dia. Ins.	Stroke Ins.	30	32	34	36	38	40	42	44	46	48	50	51	52	53
6	14	3200	3000	2800	2700	2500	2400	2300	2200	2100	2000	1900			
10	14	3900	3700	3500	3300	3100	3000	2800	2700	2600	2500	2400			
II	14	4800	4500	4200	4000	3800	3600	3400	3250	3100	3000	2900			
6	91	3700	3450	3200	3050	2900	2750	2600	2500	2400	2300	2200	2150	2,100	2070
OI	16	4500	4250	4000	3800	3600	3400	3200	3150	2950	2800	2700	2650	2600	2550
II	91	5500	5100	4800	4550	4300	4100	3900	3700	3550	3400	3300	3200	3150	3100
12	91	6500	0019	5700	5400	5100	4900	4600	4400	4250	4100	3000	3850	3750	3650
13	16	2700	7200	6800	6400	0019	5800	5500	5250	2000	4800	4600	4550	4450	4350
01	18		4800	4500	4250	4050	3800	3600	3500	3300	3200	3050	3000	2950	2900
II	18		5800	5400	5150	4850	4650	4400	4200	4050	3850	3700	3650	3550	3500
12	18		0069	6500	0019	5800	5500		5000	4800	4600	4400	4300	4250	4150
13	18		8100	2600	7200	6800	6450		5900	2600	5400	5200	5100	5000	4900
14	18		0046	8800	8350	2000	7500			6500	6250	0009	5900	5750	5650
15	18		10800	10100	9550	9050	8600		7850	7500	7150	0069	6750	0099	6500
16	18		12200	11500	10000	10300	9800	9350		8500	8150		7700	7550	7400
12	20			7200	0089	6450	6150	5850	5550	5300	5100	4900	4800	4700	4600
13	20			8450	8000	7550	7200	6850	6550	6250	0009	5750	5650	5500	5400
14	20			0860	9300	8800	8350	7950	2600	7250	6950	0049	6550	6400	6300
15	20			11300	10700	10100	0096		8700	8350	8000	7700	7550	7400	7250
91	20			12800	12100	11450	10000	10350	0066	9450	9050	8700	8550	8400	8250
17	20			14400	13650	12950	12300	11700	11150	10700	10250	9850	9650	9450	9250
18	20			16200	15300	14500	13750	13750 13100 12500 12000 11500	12500	12000		11000	10800	10600 10400	10400

LOCOMOTIVE DATA

RATED TRACTIVE FORCE OF LOCOMOTIVES

Boiler Pressure 100 Lbs. Per Square Inch

Cyli	Cylinders				DIAN	AETER	OF DRI	VING W	DIAMETER OF DRIVING WHEELS—INCHES	-INCH	ES			
Dia. Ins.	Stroke Ins.	54	55	26	57	58	59	09	19	62	63	64	65	99
6	16	2030	2000	1960	1930	1900								
IO	16	2500	2460	2420	2380	2340								
II	91	3050	3000	2940	2880	2830								
12	91	3600	3550	3500	3440	3380								
13	91	4250	4180	4110	4040	3970								
OI	18	2850	2800	2750	2700	2650								
II	18	3450	3350	3300	3250	3200							-	
12	18	4100	4000	3950	3850	3800								
13	18	4800	4700	4600	4550	4450								
14	18	5550	5450	5350	5250	5150								
15	18	6400	6250	6150	6050	5950								
10	18	7250	7100	2000	6850	6750		-						
12	20	4550	4450	4350	4300	4200	4150	4080	4020	3950	3880	3830	3770	3720
13	20	5300	5200	5150	5050	4950	4850	4780	4710	4630	4560	4500	4420	4360
14	20	6200	0019	5950	5850	5750	5650	5580	5470	5390	5300	5210	5130	5060
15	20	7100	6950	6850	0029	0099	6500	6390	6280	6180	6080	5990	5900	5810
16	20	8100	2000	7750	7650	7500	7400	7250	7120	7010	0069	6800	6700	9
17	20	0016	8950	8800	8600	8450	8350	8200	8050	2000	7800	7700	7550	7450
18	20	10200	10000	9850	9650	9500	9350	9200	9050	8900	8750	8600	8450	8350

5	Cymnders				DIAM	DIAMETER OF DRIVING	OF DRI	VING	WHEELS-INCHES	LS-II	CHES		The state of		
Dia. Ins.	Stroke Ins.	42	44	46	48	20	51	52	53	54	55	26	57	58	59
14	22	8750	8350	7950	7650	7350	7200	7050	0069	6800	6650	6550	6450	6300	6200
15	22	10000	9550	9150	8750	8400	8250	8100	7950	7800	16				7150
91	22	11400	10000	10400	10000	0096	0400	9200	9050	8850			8400	8250	
17	22	12850	12300	11750	11250	10800	10600	10400	10200	10000	0860	9650	9450		
18	22	14450	13750	13200	12600	12100	11900	11650	11450	11200	11000	10800	10650	\mathbf{H}	10250
61	22	16100	I5350	14700	14100	13600	13300	13000	12750	12500	12300	12050	11850	11650	11450
14	24		0016	8700	8350	8000	7850			7400	7250	7150	7000	0069	6800
15	24		10450	10000	0096	9200	0006		8650	8500	8350	82	8050		
91	24		11850	11350	10000	10450	10250	10050		9650	9500	9350			
17	24		13400	12800	12300	11800	11550	11350		00601	10700	Н	Н	10150	
18	24		15000	14400	13800	13200	12950	12700	12450	12250	12000	-		11400	11200
61	24		16700	16000	15350	14700	14400	14150	13850	13600	13350	13200	12950		12500
20	24		18500	17700	16950	16250	16000	15700	15400	15100	14800	14550	14300	14050	13850
21	24		20500	19600	18750	18000	17650	17300	17000	16700	16400	16100	16100 15800	Н	15250
22	24		22300	21400	20500	19650	19300	18900	18550	18200	17900	17600	17300	\neg	16700
23	24		24500	23500	22500	21500	21100	20700	20300	19900	19600	19200			18300
17	56					12800	12500	12300	12050 11800 11600 11400 11200 11000 10850	11800	11600	11400	11200	11000	10850
18	26					14350	14100	13800	13550	13300	13050	12800	12550	12350	12100
61	56					16000	15700	15400	15100	14850	14550	14250	14000	13750	13500
20	56					17700	17400	17100	16700	16400	16100		15500	15300	H
21	26					19500	19100	18800	18400	18100	17750	17400	17100	16800	
22	56					21300	21000	20600	20200	19800	19500	19100	18700	18400	18100
23	56				A. S	23300	23000	22600	22200	21700	21300	20800	20500	20100	19800
24	56	:::::				25500	_	25100 24600	24100	23700	23300	23300 22800		21900	21600
25	26					27600	OUTTO	00996	octoc	00920	OCTAC	00440	00000	00000	22400

Januar 60 61 62 63 64 65 66 22 6000 5900 5800 5750 5650 5550 22 7000 6800 7700 6700 6870 640 550 22 7000 8850 8700 8600 7500 7500 7500 22 10100 9900 9750 9600 9450 9300 9200 24 7650 11050 10950 10750 10400 10250 24 7650 7400 7500 9450 9500 9500 24 7650 7400 7300 9500 9500 9500 9500 24 7650 8550 8400 8300 8150 8050 7000 9500 9500 9500 9500 9500 9500 9500 9500 9500 9500 9500 9500 9500 9500 9500 9500 9500 950		ş	, v												
22 6100 6000 5900 5800 5750 5650 5650 6450 6450 6450 6450 6450 6450 6450 6450 6450 6450 6450 6450 6450 6450 6450 6450 7500 7300 7	2222222222	,	5	62	63	64	9	99	67	89	69	20	71	73	73
22 7000 6900 6800 6700 6550 6450 6490 22 8000 7850 7700 7500 7500 7200 22 10100 9900 9750 9600 9450 8300 8200 22 111250 11050 10550 10450 10400 10250 24 7650 6550 6450 650 650 650 24 1760 8550 9400 9300 970 6050 24 1760 8550 950 950 1050 1050 24 1760 1350 1030 1030 1050 1050 24 1760 1310 1170 1150 11350 11200 24 1360 1310 1410 1350 1240 24 1640 1710 1710 1350 1400 24 1640 1670 1350 1400 1360	2 2 2 2	0019	0009	5900	5800	5750	5650	5550	5450	5400	5300	5250	5150	5100	5050
22 8000 7850 7700 7600 7500 7350 7350 22 10100 9800 9750 9600 9450 9300 9200 22 110100 9900 9750 9600 9450 9300 9200 22 11125 11050 10550 10400 10550 10400 1050 1050 9200 <th>222</th> <th>2000</th> <th>0069</th> <th>6800</th> <th>00/9</th> <th>6550</th> <th>6450</th> <th>6400</th> <th>6300</th> <th>6200</th> <th>0019</th> <th></th> <th>2000</th> <th>5850</th> <th>5750</th>	222	2000	0069	6800	00/9	6550	6450	6400	6300	6200	0019		2000	5850	5750
22 9000 8850 8700 8600 8450 8300 8300 8200 22 10100 9950 9750 10550 1050	7 22	8000	7850	2700	2600	7500	7350		7150	7050	6950		6750	960	6550
22 10100 99900 9750 9600 9450 9300 9750 24 7650 7550 7400 730 700 10050 10400 10250 24 7650 7550 7400 730 7100 6050 24 7650 8550 8400 8300 8150 800 700 24 1800 8550 950 950 9050 8950 700 24 1300 1310 11700 11700 1350 11200 1000 24 13600 1310 1290 1410 1350 11200 24 15000 13750 1420 1350 1420 1369 1420 1369 1420 1369 1420 1420 1450 1450 1450 1450 1450 1450 1450 1450 1450 1450 1450 1450 1450 1450 1450 1450 1450 1450 1450	-	0006	8850	8700	8600	8450	8300		8050	7950	7850	1700	2600	7500	7400
22 1125G 1105G 1095G 1075G 1055G 1040G 1055G 24 665G 655G 645G 635G 635G 655G 125G 125G <td< th=""><th>8 22 1</th><th>0010</th><th>0066</th><th>9750</th><th>0096</th><th>9450</th><th>9300</th><th></th><th>9050</th><th>8900</th><th>8800</th><th></th><th>8550</th><th>8400</th><th>8300</th></td<>	8 22 1	0010	0066	9750	0096	9450	9300		9050	8900	8800		8550	8400	8300
24 6650 6550 6450 6350 6550 6650 6550 6650 6	9 22 1	1250	11050	10950	10750	10550	10400	10250	10100	9950	0860	9200	9550	9400	9250
24 7650 7550 7400 7300 7100 6550 24 8700 8550 8400 8300 8150 8050 7900 24 11000 10850 10650 1050 10350 10200 10000 24 12300 12400 11700 11700 11350 11200 1000 24 13500 13400 1350 12750 1250 1250 12400 24 13600 14750 1450 1350 1350 1340 1350 1240 24 18000 17700 15700 1440 1390 1360 1450 1250 1210	4 24	6650	6550	6450	6350	6250	6150			5900	5800		5650	5550	5500
24 8700 8550 8400 8300 8150 8650 7000 24 11000 10850 950 950 9050 8050 7000 24 12300 12100 11500 11700 11500 11350 11200 24 13600 13190 13190 14700 1350 11200 24 15000 14750 14700 14350 12400 1350 12400 24 1600 17500 17100 13500 14400 13600 14400 13600 14400 13600 14500 12500 12100 12000 12100 12100 12100 12100 12100 <th>5 24</th> <th>7650</th> <th>7550</th> <th>7400</th> <th>7300</th> <th>7200</th> <th>7100</th> <th>6950</th> <th></th> <th>6750</th> <th>9650</th> <th></th> <th>6450</th> <th>9400</th> <th>6300</th>	5 24	7650	7550	7400	7300	7200	7100	6950		6750	9650		6450	9400	6300
24 9850 9550 9350 9350 9500 8500 24 17300 10850 10550 10350 10350 10350 10350 10350 10350 11350 11350 11200 11200 11200 11200 11200 11350 11200 11400 11600 11600 11600 11600 11600 11600 11600 11600 11600 11600 11600 11600 11600 11600	6 24	8700	8550	8400	8300	8150	8050	7900		1700	7550		7350	7250	7150
24 11000 10850 10650 10350 10	7 24	9850	9650	9500	9350	9200	9050		8800	8650	8550		8300		8100
24 12300 12100 11500 11350 11350 11350 11350 11350 11350 11350 11350 11350 11450 14400 13090 13400 13400 1350 1350 1350 1350 1350 1350 1350 1350 1350 1350 1350 1350 1350 1350 1350 14400 1300 1360 1450 1450 1450 1450 1450 1450 1450 1450 1450 1450 1450 1450 1450 1450 1450 1250 1210 1260 1260 1260 1260 1260 1270 1260 1260 1270 1260 1270 1260 1270<	8 24 I	1000	10850	10650	10500	10350	10200	10000	0066	9750	9650		9350	9200	9100
24 13600 13450 1350 12550 12550 12550 12400 13500 14500 12500 15700 15500 15500 15400 15300 14500 165	24 1	2300	12100	11900	11700	11500	11350	11200	10001	10850	10700	10500	10400	10250	00101
24 I 5000 14750 14500 14300 13900 13500 13500 13500 13500 13500 13500 13500 13500 13500 13500 13500 13500 13500 13500 16500 16500 16500 16500 16500 16500 16500 16500 16500 16500 16500 16500 16500 16500 16500 18500 12000 1850 12000 1850 12000 1850 12100 1850 12100 1850 12100 12000 18700<	24	3600	13400	13150	12950	12750	12550	12400	12200	12000	11850	11650	11500	11350	11200
24 16400 16100 15900 15700 15400 15200 14950 24 18000 17700 17100 16600 16600 16600 165350 26 1900 17700 10350 10000 9850 9750 26 1330 13100 12850 12700 12300 12100 12800 12100 26 14750 1450 1450 12300 12100 12100 26 17800 17500 1540 1500 12400 14700 26 17800 17500 17250 17000 16500 16500 16500	7	2000	14750	14500	14300	14100	13900		13450	13250	13050	12850	12850 12650	12500	12350
24 18000 17700 17400 17100 16800 16600 16550 26 10650 10450 10300 10000 9850 9750 26 10500 11700 11850 11300 11000 10850 26 13300 13100 12850 12700 12500 12300 12100 26 14750 1450 14500 14500 13600 12100 26 1750 14500 14550 15500 13800 13400 26 17800 17500 17500 17500 16500 16500	24	9400	16100	15900	15700	15400	15200	14950	14700	14500	14300	14100	13900	14500 14300 14100 13900 13700 13500	13500
26 10650 10450 10300 10150 10500 10	24	8000	17700	17400	17100	16800			16100	15850	15600		15400 15200	15000	14800
26 11900 11700 11550 11350 11200 11000 10850 26 13300 13100 12850 12700 12500 12300 13100 26 14750 14500 13800 13600 13400 13600 13400 13600 13400 26 1750 16700 15450 15900 14750 15900 14750 26 17800 17250 17000 16700 16500 16500	56	0650	10450	10300	10150	10000	9850	9750	9550	9450	9300	9150	0006	8900	8800
26 13300 13100 12850 12700 12500 12300 12100 26 14750 14500 14250 14350 13800 13800 13400 26 16250 16000 15700 15750 15250 15000 14750 26 17800 17500 17250 17000 16700 16500 16200	50	0061	11700	11550	11350	11200		10850		10500		10400 10250	10100	9950	9800
26 14750 14500 14250 14050 13800 13600 13400 25 16250 16000 15700 15450 15250 15000 14750 25 17800 17500 17250 17250 17000 16500 16500 16200	50	3300	13100	12850	12700	12500	12300	12100	00611	11700	11550	11400	11250	11100	10950
26 16250 16000 15700 15450 15250 15000 14750 26 17800 17500 17250 17000 16700 16500 16200	50	4750	14500	14250	14050	13800	13600	13400		13000	12800	12650			12100
26 17800 17500 17250 17000 16700 16500 16200	50	6250	16000	15700	15450	15250	15000	14750		14350	14100	13900	13750	13550	13350
	22 26 1	2800	17500	17250	17000	16700	16500	16200	16000	15800	15500	15500 15300	15100	14900	14700
20 19500 19200 18900 18500 18250	23. 26 I	19500	19200	18900	18500	18250	18000	17700	17400	17200	16950	16950 16700 16450	16450	16200	16000
24 26 21200 20900 20600 20200 19900 19600 19300 19000 18700 18450 18200 17950	24 26 2	1200	20000	20600	20200	19900	19600	19300	00061	18700	18450	18200	17950	17700,17450	1450
25 26 23000 22700 22300 22000 21700 21300 21000 20600	25 26 2	3000	22700	22300	22000	21700				20300	20100	19800	19500 19250		19000

30 THE BALDWIN LOCOMOTIVE WORKS
RATED TRACTIVE FORCE OF LOCOMOTIVES
Boiler Pressure 100 Pounds Per Square Inch

C	Cylinders				DIAM	ETER (OF DRI	DIAMETER OF DRIVING WHEELS-INCHES	HEELS-	-INCHI	Sa			
Dia. Ins.	Stroke Ins.	7.4	7.5	92	77	78	62	80	18	8.2	83	84	85.	98
14		5400	5350	5250	5200	5150	5050							
15	24	6200	0019	6050		2000	5800							
16	-	7050	6950	6850		0049	0099							
I	-	7950	7850	7750	7650	7550	7450							
IS	-	8950	8850	8750	8650	8500	8400							
19	-	10000	0860	0026	0096	9500	9300							
20	-	11050	10000	10750	10000	10500	10350							
21	-	12200	12000	11850	11700	11550								
22		13350	13150	13000	12800	12650	12500							
23		14600	14400	14200	14000	13800								
I7	-	8650	8550	8450	8350	8200	8100	8000	0064	7800	7750			7450
18	56	0016	9550	9450	9350	9200	0016	8950	8850	8750	8650			8350
1g	-	10800	10650	10500	10350	10250	10100	10000	9850	9750	9650			9250
20		11950	11800	11650		11350	11200	11050	10000	10800	10650		10400	10300
21	26	13150	13000	12850		12500	12350	12200	12050	11900	11750		11600 11450	11350
22	_	14500	14300			13700	13550	13400	13250	13100	12900	12750	12750 12600	12450
23	_	15800	15600			15000	14800	14600	14450	14250	14100	13900	13900 13750	13600
24	26	17200	17000			16300	16100	15900	15700	15500	15350		15200 15000	14800
25		18700	18450		18000	17800	17550	17300	17100	16900	16700		16500 16300	16100
	Section 2					1								

DIAMETER OF DRIVING WHEELS—INCHES 69 60 70 71 72 12300 12500
ST 58 59 60 61 62 63 64 65 66 67 68 69 70
DIAMETER OF DRIVING WHERLS—INCHES 58 59 60 61 62 63 64 65 66 67 68 69 60 61 62 63 64 65 65 66 67 68 69 60 61 62 63 64 65 65 65 65 65 65 65
DIAMETER OF DRIVING WHEELS—INCHES 58 59 60 61 62 63 64 65 66 67 68 60 61 62 63 64 65 66 67 68 60 61 62 63 64 65 66 67 68 60 61 62 63 64 65 66 67 68 60 61 62 62
S7 S8 S9 60 61 62 63 64 65 66 67
S7 S8 S9 60 61 62 63 64 65 66 61 62 63 64 65 66 61 62 63 64 65 66 61 62 63 64 65 66 61 62 63 64 65 66 61 62 63 64 65 66 61 62 63 64 65 66 61 62 63 64 65 65 65 65 65 65 65
DIAMETER OF DRIVING WHERELS S7 S8 S9 60 61 62 63 64 65 65 65 65 65 65 65
ST S8 S9 60 61 62 63 64
S7 S8 S9 60 61 62 63 61 62 63 64 62 64 64 64 64 64 64
S7 S8 S9 60 61 62
DIAMET 57 58 59 60 61 10 12059 1850 1650 11300 10 12059 1850 1650 11450 11300 10 15100 14850 14600 14300 14100 10 15100 14850 14600 15000 12500 10 15100 15100 15000 12500 10 15100 15100 1500 1500 10 15100 15100 1500 1500 10 15100 15100 1500 1500 10 10 10 10 10 10 10
S7 S8 S9 60
S7 S8 S9 S9 S9 S9 S9 S9 S9
57 58 0 13550 11850 01850 01510 01850 01510 01
57 10 13 55 10 15 55 10
, , , , , , , , , , , , , , , , , , , ,
2410 2200 2200 2200 2200 2200 2200 2200
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
9 19 1 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2

32 THE BALDWIN LOCOMOTIVE WORKS

Cylinders	ders					DIAME	TER C	F DR	DIAMETER OF DRIVING WHEELS—INCHES	WHEE	LS-II	CHES				
Die.	Stroke					,		9				6	6	:	5	8
į	Ins.	73	73	74	7.5	2	11	78	2	00	81	82	93	4	8	
1	80	0550	0400	0300	0200	0000	8000	8800	8700	8600	8500	8400	8300	8200	8100	8000
8	800	10700		10400	10300	10150	10000	0066		00/6				9200	9100	0006
01	8	11050	11950 11800 11650 11500 11300 11150 11000 10900	11650	11500	11300	11150	11000	10900	10750	10000	10500	10350	10750 10600 10500 10350 10250	10100	
200	82	13200	13200 13050 12850 12700	12850	12700	12550	12350	12200	12050	11900	11750	11600	11450	12550 12350 12200 12050 11900 11750 11600 11450 11350 11200	11200	11050
21	8	14600	14600 14400 14200 14000 13800 13650 13450 13300 13100 12950 12800 12650 12500 12350	14200	14000	13800	13650	13450	13300	13100	12950	12800	12650	12500	12350	
22	28	16100	16100 15850 15600 15400 15200 15000 14800 14650 14500 14300 14100 13900 13750 13000	15600	15400	15200	15000	14800	14650	14500	14300	14100	13900	13750	13000	13500
23	8	17500	17500 17250 17000 16800 16600 16350 16100 15900 15800 15800 15350 15200 15900 14850 14700	17000	16800	16600	16350	16100	15000	15800	15000	15350	15200	15000	14850	14700
4	82	19100	19100 18800 18500 18300 18000 17800 17600 17400 17100 1600 16700 16550 16350 16150 1600	18500	18300	18000	17800	17600	17400	17100	16900	16700	16550	16350	16150	16000
. 7.	8	20700	<u>20700 20400 20100 19900 19650 19350 19100 18900 18650 18400 18150 17950 1750 17300 17300 </u>	20100	19900	19650	19350	19100	18900	18650	18400	18150	17950	17750	17500	17300
200	28	22400	22400 22100 21800 21500 21200 20900 20700 20400 20100 19900 19700 19400 19200 19000 18700	21800	21500	21200	20000	20700	20400	20100	19900	19700	19400	19200	19000	18700
7	8	24100	24100 23800 23500 23100 22800 22500 22200 22200 21700 21700 21400 21100 20900 20700 20500 20200	23500	23100	22800	22500	22200	22000	21700	21400	21100	20900	20700	20500	20200
8.	82	26000	26000 25600 25300 24900 24600 24300 24000 23700 23400 23100 22800 22500 22200 22800 21800	25300	24900	24600	24300	24000	23700	23400	23100	22800	22500	22200	22000	21800
8	e	11500	11500 11350 11200 11050 10900 10750 10600 10500 10350 10200 10100 10000	11200	11050	10000	10750	10600	10500	10350	10200	00101	10000	0066	9750	9650
01	90	12800	12800 12600 12450 12300 12150 11950 11800 11650 11500 11350 11250 11100 11000 10850 10700	12450	12300	12150	11950	11800	11650	11500	11350	11250	11100	11000	10850	10700
20	30	14200	14200 14000 13850 13700 13500 13300 13100 12950 12800 12650 12500 12300 12200 12050	13850	13700	13500	13300	13100	12950	12800	12650	12500	12300	12200	12050	11900
21	30	15600	15600 15400 15200 15000 14800 14600 14600 14400 14250 14050 13900 13700 13550 13400 13250 13100	15200	15000	14800	14600	14400	14250	14050	13900	13700	13550	13400	13250	13100
22	30	17200	17200 16900 16700 16450 16250 16650 15850 15860 15400 15250 15050 14850 14700 14500 14350	16700	16450	16250	16050	15850	15600	15400	15250	15050	14850	14700	14500	14350
23	30	18750	18750 18500 18250 18000 17750 17500 17300 17100 16850 16650 16450 16250 10100 15900 15700	18250	18000	17750	17500	17300	17100	16850	10050	16450	16250	10100	15900	15700
24	30	20400	20400 20100 19850 19600 19350 19100 18800 18600 18350 18150 17900 17700 17500 17300 17100	19850	19600	19350	19100	18800	18600	18350	18150	17900	17700	17500	17300	17100
22	30	22100	22100 21800 21500 21200 21200 20700 20500 20500 19950 19700 19450 19200 19000 18750 18500	21500	21200	21000	20700	20500	20200	19950	19700	19450	19200	19000	18750	18500
90	30	23900	23900 23600 23300 23000 22700 22400 22100 21800 21500 21300 21300 2000 20700 20500 20300 20050	23300	23000	22700	22400	22100	21800	21500	21300	21000	20700	20500	20300	2002
27	3	25800	25800 25400 25100 24800 24500 24100 23800 23500 23200 22900 22000 22400 22100 21800 21000	25100	24800	24500	24100	23800	23500	23200	22900	22000	22400	22100	21800	21000
28	30	27800	27800 27400 27100 26700 26300 26000 25600 25300 25000 24700 24400 24100 23800 23500 23300	27100	26700	26300	26000	25600	25300	25000	24700	24400	24100	23800	23500	23200

ΰ	Cylin.					DI	DIAMETER OF DRIVING WHEELS—INCHES	R OF	DRIVI	NG W	HEELS	INC	HES				
DE	Г. Г.	8	57	28	20	8	20	62	63	2	65	8	62	89	8	20	7.1
ĭ	33	19 32 17550 17250 16950 16650 16530 16100 15850 15600 15350 15100 14900 14650 14450 14400 14600 13850	17250	16950	16650	16350	16100	15850	15600	15350	15100	14900	14650	14450	14200	14000	13850
ĕ	32	20]32 19400 19100 18750 18450 18150 17850 17350 17300 17000 16700 16500 16250 16000 15800 15600 1535 0	19100	18750	18450	18150	17850	17550	17300	17000	16700	16500	16250	16000	15800	15600	15350
R	32	21 32 21400 21000 20700 20300 20000 19700 19400 19050 18750 18450 18200 17900 17650 17400 17150 16900	21000	20700	20300	20000	19700	19400	19050	18750	18450	18200	17900	17650	17400	17150	16900
ñ	232	22,322350023100227002230022000 21600 21200 20900 20600 20200 19950 19650 19350 19100 18800 18550	23100	22700	22300	22000	21600	21200	20000	20000	20200	19950	19650	19350	19100	18800	18550
ď	332	23 322570025300248002440024000 23600 23200 22900 22500 22100 21800 21500 21200 20800 20500 20300	25300	24800	24400	24000	23600 2	23200	22900	22500	22100	21800	21500	21200	20800	20500	20300
ñ	432	24 32 28000 27500 27000 26500 26100 25700 25300 24900 24500 24100 23100 23400 23100 22700 22400 22100	27500	27000	26500	26100	25700	25300	24900	24500	24100	23700	23400	23100	22700	22400	22100
N	532	25 32 30300 29800 29300 28800 28300 27300 27500 27000 26600 26200 25800 25400 25000 24600 24300 24000	29800	29300	28800	28300	27900	27500	27000	26600	26200	25800	25400	25000	24600	24300	24000
ĕ	32	26/32/32900/32/300/31/700/31200/30700/30200/29700/28700/28700/28300/27900/27500/27100/26700/26300/25900	32300	31700	31200	3020	30200	29700	29200	28700	28300	27900	27500	27100	26700	26300	25900
'n	732	27 32 35400 34800 34200 33500 33000 32500 32000 31500 31000 30500 30000 29600 29200 28700 28300 27900	34800	34200	33600	33000	32500	32000	31500	31000	30500	30000	29600	29200	28700	28300	27900
ñ	332	38100	37400	36800	36200	35600	35000	34400	33900	33400	32800	32300	31800	31400	30900	30500	30100
ŏ	332	29/32 40800 40100 39300 38700 38000 37400 36800 36200 35600 35100 34500 33500 33500 33000 32600 32100	40100	39300	38700	38000	37400	36800	36200	35600	35100	34500	34000	33500	33000	32600	32100
ĕ	32	<u>30 324360042900 422004140040700 40000 39400 38800 38200 37000 37000 36500 35900 35400 34400</u>	42900	42200	41400	40200	40000	39400	38800	38200	37600	37000	36500	35000	35400	34900	34400
ñ	5 34	20 34 20700 20300 19950 19600 19300 18950 18700 18400 18100 17800 17500 17250 17000 16750 16500 16300	20300	05661	19600	19300	18950	18700	18400	18100	17800	17500	17250	17000	16750	16500	16300
8	134	21]34 22800 22400 22000 21600 21200 20900 20600 20300 19900 19600 19900 19000 18750 18500 18200 17950	22400	22000	216002	21200	20000	20000	20300	00661	19600	19300	19000	18750	18500	18200	17950
ö	2 34	22] 34 25000 24600 24200 23700 23300 23300 22200 22200 21500 21500 21200 20900 20600 20300 20900 19700	24600	24200	237002	23300	23000	22600	22200	21900	21500	21200	20000	20600	20300	20000	19700
61	334	23 34 27300 26900 26400 25900 25500 25100 24700 24300 23900 23500 23200 22800 22800 22200 22200 21500	26900	26400	25000	25500	25100	24700	24300	23900	23500	23200	22800	22500	22200	21800	21500
č	434	24]34 39800 29200 28700 28200 27800 27400 26800 26400 26000 25700 25300 24800 24500 24200 23800 23500	29200	28700	28200	27800	27400	26800	26400	26000	25700	25300	24800	24200	24200	23800	23500
Ċ,	534	25,343230031800312003070030200 29700 29200 28700 28200 27800 27000 27000 26600 26200 25800 25500	31800	31200	30700	30200	20262	29200	28700	28200	27800	27400	27000	26600	26200	25800	25500
ň	534	26 34 34900 34300 33700 33200 32600 32100 31600 31100 30600 30100 29700 29200 28700 28300 27900 27500	34300	33700	33200	32600	32100	31600	31100	3000	30100	29700	29200	28700	28300	27900	27500
'n	734	27 34 37700 37000 36300 35800 35200 34600 34000 33400 32900 32400 32000 31000 30600 30200 29800	37000	36300.	35800	35200	34600	34000	33400	32900	32400	32000	31500	31000	30600	30200	29800
Ň	8 34	28 3440400 39700 39100 38400 37800 37200 36500 36000 35400 34800 34400 33800 33300 32800 32400 31900	39700	39100	38400	37800	37200	36500	36000	35400	34800	34400	33800	33300	32800	32400	31900
Ø.	934	29 344340042600 41900 41200 40500 39800 39200 38500 37900 37400 36800 36200 35700 35200 34700 34200	42600	41900	412007	10500	30800	39200	38500	37900	37400	36800	36200	35700	35200	34700	34200
Ď	034	30]34[40500 45000449004420043400 42700 42000 41300 40700 40000 39400 38800 38300 37700 37200 30700	450007	44900	442007	134001	1270012	120001	1300	40700	40000	39400	38800	38300	37700	37200	30700

34 THE BALDWIN LOCOMOTIVE WORKS

Cylinders	ders					DIAN	ETER	OF D	DIAMETER OF DRIVING WHEELS-INCHES	WHE	ELS—1	NCHE	Si	Ī		
Ins.	Stroke Ins.	72	73	74	75	2	77	78	79	80	81	83	83	84	85	86
61	32	13650	13450	13300	13100	0621	0 1275	0 1260	13650 13450 13300 13100 12900 12750 12600 12450	12300	12100	00021	0 11850	11850 11700 11550	11550	11400
20	32	15150	14900	14700	1455	0 I435	0 1415	0 1395	15150 14900 14700 14550 14350 14150 13950 13750	13600	13450	13250	0.1310	13100 12950 12800 12650	12800	12650
21	35	16650	16450	16200	16000	0 1580	o 1560	0 I 540	16650 16450 16200 16000 15800 15600 15400 15200 15000 14800 14650 14450 14300 14100 13950	15000	14800	1465	0 I4450	0 14300	14100	13950
22	32	18300	8300 18050 17800	17800	17500	01730	17300 17100	00691 0	o 16700	0 16500	16300	1605	0 15850	16700 16500 16300 16050 15850 15650 15500 1	15500	15300
23	32	20000	19700 19450 19200	19450	19200	0 1895	o 1870	0 1845	18950 18700 18450 18200 18000	18000	17800	1755	0 17350	17800 17550 17350 17150 16950 16750	16950	16750
24	32	21800	21500	21200	20900	2060	0 2040	21800 21500 21200 20900 20600 20400 20100	0 19800	19600	19400	21610	0 18900	19600 19400 19150 18900 18700 18450 18200	18450	18200
2	35	23600	23600 23300 23000	23000	22700	0 22400	0 22 1 0 0	0 2 1 8 0 0	0 21500	21200	21000	2080	0 2050	21500 21200 21000 20800 20500 20200 20000 19750	20000	19750
50	30	25600	25600 25200 24900 24500	24900	24500	0 2420	0.2390	24200 23900 23600	0 23300	23000	22700	2240	23000 22700 22400 22100	21900	21900 21600 21400	21400
27	30	27600	27200	26800	26500	0 2610	0 2580	27600 27200 26800 26500 26100 25800 25500	0 25200	24800	24500	2420	0 23900	24800 24500 24200 23900 23600 23300	23300	23000
28	3	29700	29200	28800	2850	0 2810	02170	29700 29200 28800 28500 28100 27700 27400	0 2 7 0 0 (26700	26300	2600	0 25700	27000 26700 26300 26000 25700 25400 25100	25100	24800
30	77	31800	31300	30800	30400	0 3000	0 2970	0 2930	31800 31300 30800 30400 30000 29700 29300 28900 28500 28200 27800 27500 27200 26500	28500	28200	2780	0 27500	27200	26800	26500
30	32	34000	34000 33500 33100	33100	32600	03220	0 3180	0 3140	32200 31800 31400 31000 30600 30200 29800 29500 29200 28800	30600	30200	2980	0.2950	29200	28800	28500
20	34	16050	15850	15650	1545	0 1525	0 1500	0 1480	<u>16050 15850 15650 15450 15250 15200 14800 14600 14400 14250 14100 13900 13750 13550 13400</u>	14400	14250	01410	0 13900	13750	13550	13400
21	34	17750	17500	17250	1700	0 1680	o 1655	o 1635	17750 17500 17250 17000 16800 16550 16350 16100 15900 15700 15500 15300 15150 15000 14800	1 5900	15700	1550	0 15300	15150	15000	14800
22	34	19450	19200	18900	1865	o 1845	0 1820	0 I 795	19450 19200 18900 18650 18450 18200 17950 17700 17450 17250 17900 16800 16600 16400 16250	17450	17250	0021	0 16800	00991	16400	16250
23	34	21200	21000	20700	2040	0 2010	0 1985	0 1960	21200 21000 20700 20400 20100 19850 19000 19300 19100 18850 18000 18400 18150 17900 17700	0 19100	1885	0081	0 1840	18150	17900	17700
54	34	23200	22800	22500	2200	02190	0.2160	0 2130	23200 22800 22500 22000 21900 21600 21300 21100 20800 20000 20300 20100 19800 19600 19400	20800	20000	2030	0 2010	19800	19600	19400
25	34	25100	24800	24500	2410	0 2380	0.2350	0 2320	25100 24800 24500 24100 23800 23500 23200 22900 22900 22300 22000 21800 21000 21300 21000	22000	22300	2200	0 2180	21000	21300	21000
56	34	27200	26800	26400	2610	0 2580	0.2540	0 2510	27200 26800 26400 26100 25800 25400 25100 24800 24400 24100 23800 23800 23300 23000 22700	24400	24100	2380	0 23000	23300	23000	22700
27	34	29300	28900	28500	2820	0 2 7 8 0	0 2740	0 2 2 0 0	29300 28900 28500 28200 27800 27400 27000 26700 26300 20000 25700 25400 25100 24800	20300	20000	2570	0 25400	25100	24800	24600
8	34	31500	31000	30500	3010	0 2970	0,2940	0 2000	31500 31000 30500 30100 29700 29400 29000 28000 28300 27900 27000 27200 20900 20000 26300	28300	27900	2700	0 27200	20000	20000	26300
50	34	33800	33300	32800	3240	03200	03160	03120	33800 33300 32800 32400 32000 31000 31200 30800 30400 30000 29000 29300 28900 28600 28200	30400	30000	2900	0 2930	28900	28000	28200
30	34	36100	35600	35100	3400	0 3420	03380	3330	36100 35600 35100 34600 34200 33800 33300 32500 32500 32100 31700 31400 31000 30200	32500	32100	3170	03140	31000	30000	30200

inch, and the mean effective pressure on the pistons is therefore 85 pounds. Using this pressure, it is a simple matter to calculate the rated tractive force for a locomotive carrying any other pressure, as the two following examples will show.

1. What is the rated tractive force of a locomotive having 10×16 inch cylinders and driving wheels 36 inches in diameter, with a boiler pressure of 175 pounds?

Referring to the table on page 26, the cylinder dimensions, 10×16, are found in the first two columns on the left hand side.

Following the horizontal line to the intersection of the vertical line headed 36, it is found that the rated tractive force of a locomotive having the given dimensions and carrying a boiler pressure of 100 pounds, is 3800 pounds. Hence the rated tractive force of the locomotive under consideration will be 3800 × 1.75 = 6650 pounds.

2. What is the rated tractive force of a locomotive with 24×32 inch cylinders, driving wheels 63 inches in diameter, and a boiler pressure of 200 pounds?

Referring to the table on page 33, it is found that a locomotive of the dimensions given, and carrying a boiler pressure of 100 pounds, exerts a rated tractive force of 24,900 pounds. The rated tractive force of the engine under consideration will therefore be $24,900 \times 2 = 49,800$ pounds.

RATED TRACTIVE FORCE OF COMPOUND LOCOMOTIVES

The rated tractive forces of the various types of compound locomotives built by The Baldwin Locomotive Works, may be calculated by the following formulas:

Vauclain, Balanced, and Tandem Compound Locomotives

The formula is

$$T = \frac{S \times P}{D} (\frac{2}{3} C^2 + \frac{1}{4} c^2)$$

in which

T = rated tractive force in pounds.

C = diameter of high-pressure cylinders in inches.


c = diameter of low-pressure cylinders in inches.

S=stroke of piston in inches.

P = boiler pressure in pounds.

D=diameter of driving wheels in inches.

Force of Acceleration and Retardation from or to Rest



Two Cylinder or Cross Compound Locomotives

The formula is

in which

$$T = \frac{C^2 \times S \times 0.6 \text{ P}}{D}$$

T = rated tractive force in pounds.

C = diameter of high-pressure cylinder in inches.

S = stroke of piston in inches.

P = boiler pressure in pounds.

D = diameter of driving wheels in inches.

Mallet Compound Locomotives

The formula given above, for cross compound locomotives, is also applicable to Mallet type locomotives, the result being multiplied by two as the Mallet type has four cylinders. The formula thus modified is as follows:


$$T = \frac{C^2 \times S \times I.2 P}{D}$$

The formulas for two-cylinder and Mallet compound locomotives, assume a cylinder ratio of approximately 2.35 to 2.40.

ACCELERATION

The charts on pages 36 and 38 give the resistance in pounds per ton, due to acceleration of speed up to 80 miles per hour. The chart on page 36 gives the resistance due to the acceleration within a given distance, while the chart on page 38 gives the resistance due to the acceleration within a given time.

The principal elements to be considered in determining the resistance due to acceleration are the longitudinal inertia of the engine and train and the rotative inertia of the wheels. The charts above referred to are approximate only, in that the rotative inertia of the wheels is assumed to be equal in amount to five per cent. of the total longitudinal inertia for all cases. In actual cases this approximation has been found to be very close in every instance.



The formulas on which the charts are based are as follows:

A = 70
$$\frac{V_2^2 - V_1^2}{S}$$
 and A = 95.6 $\frac{V_2 - V_1}{t}$ in which

A = force producing acceleration or retardation in pounds per ton.

S = distance in feet through which the force A acts.

t = time in seconds during which the force A acts.

V2 = greater velocity in miles per hour.

 V_1 = smaller velocity in miles per hour.

(In the charts $V_1 = 0$; that is, the train is supposed to start from rest).

HORSE-POWER

While the term horse-power is not generally used with great significance in connection with the work done by locomotives, yet there are times when it may be of interest to make comparisons in this unit. The horse-power is represented by the exertion of a force of 33,000 lbs. through one foot in a minute. If we represent the speed of a locomotive in miles per hour by V and the tractive force exerted by

T, the horse power is
$$\frac{T \times V}{375}$$

If the distance run under these conditions in miles is M the time would be V in hours, and the total


horse-power hours would be $\frac{T\times V}{375}\times \frac{M}{V}=\frac{TM}{375}$. A locomotive will ordinarily consume in the neighborhood of 4 pounds of coal and 28 pounds of water per horse-power hour. Hence, on a run under the conditions noted by the symbols above given the quantity of coal in pounds would be represented

approximately by $\frac{T\times M}{100}$, and as one gallon of water is approximately the evaporation of one pound of coal, the same equation will represent the gallons of water used on the run.

The actual evaporation for any fuel of course depends upon the heat units contained in the fuel. Good coal will liberate about 14,000 heat units per pound while poor coal will run at times below 10,000. Fuel oil will give off about 19,000 heat units per pound, so that oil may be from 1½ to 2 times as valuable a heat agent as coal for the same weight burned in a given time. Wood fuel will average about 5500 heat units per pound, under ordinary conditions, or about 4 the heating value of coal.

Under the conditions in which locomotives are

ordinarily designed it is roughly assumed that one horse-power will be produced for every 3 square feet of heating surface under unfavorable conditions, and a horse-power for 2 square feet of heating surface with compound engines, or with single expansion engines using oil fuel.



GRADES

When a train is hauled up a grade, the resistance due to friction is increased by that due to lifting the train against gravity. The amount of this increased resistance is determined as follows:—One mile equals 5280 feet, and if the grade be one foot per mile, the pull necessary to lift a ton of 2000 pounds will be 2000/5280 = .3788 pounds. Similarly the pull necessary to lift a ton of 2240 pounds will be 2244/5280 = .4242 pounds. Therefore to find the total resistance due to grade in pounds per ton of 2000 pounds, the rise in feet per mile must be multiplied by .3788; while to find the resistance in pounds per ton of

2240 pounds, the rise in feet per mile must be multiplied by .4242.

If the grade is expressed in feet per hundred or per cent., the resistance in pounds per ton of 2000 pounds will be $^{200}\%_{100} = 20$ pounds for each per cent. of grade; while for a ton of 2240 pounds the resistance will be $^{224}\%_{100} = 22.4$ pounds for each per cent. of grade.

Assuming a resistance of .3788 pounds per ton for a straight grade of one foot per mile, the chart gives the resistance for grades from level to 300 feet per mile. To the resistance so obtained, must be added that due to speed and internal friction in order to find the total resistance in pounds per ton.

CURVES

In the United States it is customary to express curvature in degrees noted by the deflection from the tangent measured at stations 100 feet apart. In other words the number of degrees of central angle subtended by a chord of 100 feet represents the "degree curve." One degree of curvature is equal to a radius of 5730 feet. Therefore, the number of degrees divided into 5730 gives the radius in feet, or, per contra, the number of feet radius divided into 5730 gives the number of degrees. This assumes that the 100 feet are measured on the arc instead of the chord, but the error is so slight on curves commonly used that it may be ignored for ordinary calculation.

In Great Britain it is common to define a curve as so many chains (66 ft.) radius. Thus the radius of a one degree curve expressed in chains would be ⁵⁷⁸%66 equals 86.81, therefore 86.81 divided by the degrees equals the radius in chains, or 86.81 divided by the radius in chains equals the degrees.

In the metric system instead of the stations being 100 feet apart they are taken at 20 metres (65.61 ft.). The central angle remaining the same the radius must necessarily be less. This is represented by 65.61/100 for a one degree curve or approximately 5/8 English measurement, which can be used as a factor for converting the English to the French system.


CURVE RESISTANCE


The construction of the road bed, speed, length of train, weight of cars, and various other conditions make it impossible to give an exact rule for computing the resistance due to curves of any given radius. It is generally considered, however, that the resistance amounts to from .7 of a pound to 1.0 pound per ton per degree of curvature, the lower figure being used for large capacity cars and the higher figure for smaller capacity cars, as in the latter case there are more wheels and axles per ton of weight than in the former. Many roads are compensated to an allowance of .035 per cent. in grade for each degree of curve.

RADIUS OF CURVES

To determine the radius of any existing curve, lay off on the inside rail by any convenient means a chord of any desired length as shown on the accompanying diagram on page 44. Note the center height or middle ordinate of the chord in feet, represented by "a" in the diagram, and the radius of curvature may be obtained by the formula $R = \frac{a^2 + b^2}{2a}$, in which all the dimensions are in feet.

The following diagram gives the radius in feet, and the curvature in degrees, for ordinates from one to forty inches measured on a chord of fifty feet in length. An approximate rule which gives results generally close enough for practical purposes is to take the middle ordinate of a 62-foot chord; the length of this middle ordinate in inches equals approximately the degree of curvature.





RAIL ELEVATION ON CURVES

The amount by which the outer rail should be elevated on a curve, may be determined from the following formula, presented at the annual meeting of the American Railway Engineering and Maintenance of Way Association, 1905:

 $E = .00066 DV^2$,

where E = elevation of outer rail in inches,

D = degree of curve,

V = velocity of train in miles per hour.

Since the elevation required is a function of, and depends upon, the train speed, this speed is the first element to be determined. In general, as a matter of safety, the preference should be given to fast passenger service.

Ordinarily an elevation of eight inches is not exceeded, and speed of trains should be regulated to conform to that elevation.

SPREAD OF RAILS ON CURVES

At the convention of the American Railway Master Mechanics Association, 1910, the committee on widening the gauge of tracks at curves recommended as follows:

"Curves eight degrees and under should be standard gauge. Gauge should be widened 1/8 inch for each two degrees or fraction thereof over eight degrees, to a maximum of 4 feet 91/4 inches for tracks of standard gauge. Gauge, including widening due to wear, should never exceed 4 feet 91/4 inches.

"The installation of frogs upon the inside of curves is to be avoided where practicable, but where same is unavoidable, the above rule should be modified in order to make the gauge of the track at the frog standard."

CURVES IN RELATION TO WHEEL BASE

The sharpest curve to which two pairs of flanged wheels will adjust themselves, depends upon their distance apart, the diameter of the wheels and the size and shape of the flanges.

Assuming the M.C.B. standard for flanges and rails and that the gauge is not widened on the curve, a sufficiently accurate formula for all practical purposes is as follows:

$$R = \frac{W}{2 \sin a}$$
 in which

R=radius of sharpest curve that can be passed.

W = wheel base.

a = angle the flanged wheels make with the rails. The value of sin a, for various diameters of wheels, is given below.

Diameter of wheels, 20" 24'', $\sin a = .117$ to 25" to 30", =.107 31" 40", to 00. =" 44 50". " 41" =.08to " .. " " 51" to =.075 If intermediate wheels are introduced between the two pairs of flanged wheels their relation with the rail requires a separate consideration. If these wheels are plain, the tires must be of sufficient width to prevent them from dropping between the rails, or an additional rail must be introduced at the curve. If single rails be used, then the approximate radius of the sharpest curve is found by the formula on page 42, by taking $a = \frac{1}{2}$ width of plain tire $-\frac{1}{2}$ the play $-\frac{1}{2}$ width of rail. If the intermediate wheels are flanged the sharpest curve is dependent upon the play allowed between the flanges and the rails, and its radius is also found by the formula on page 42 by taking $a = \frac{1}{2}$ the total play. In each case b is made equal to $\frac{1}{2}$ the rigid wheel base.

When a truck is used the swing must be sufficient to allow the locomotive to pass the curve. The relationship between the truck swing, wheel base and radius of curve, is given by the following formula, which is only approximate, but for all practical purposes sufficiently accurate;

$$\frac{W T}{2 S} = R$$
 in which


W = distance from center pin of truck to rear of of rigid wheel base.


T = Distance from center pin of truck to front of rigid wheel base.

S = one-half of the total swing of the truck.

R = radius of sharpest curve which can be passed.

All dimensions must be in the same unit. The sketches below show how these dimensions are taken for two-wheeled and four-wheeled trucks.





Where the curves are very sharp, as in logging camps, quarries, etc. (where radii less than 50 feet are often found), or where extreme accuracy is required, the following methods may be used:

Let: Swing of Four-wheeled Truck

A = length of rigid wheel base.

B = distance from center of front driving wheel to center-pin of truck when engine is on a straight track.


S = one-half the total swing of the truck.

R = radius of curve of track,

all dimensions to be expressed in the same unit.

The formula is as follows:

$$S = \sqrt{R^2 + B(A+B)} - R$$



Swing of Pony Truck

Let:

A = length of rigid wheel base.

B = distance from center of front driving wheel to center-pin of truck when engine is on straight track.

a = distance from center of front driving wheel to radius-bar pin.

b = length of radius bar.

S = one-half the total swing of truck.

R = radius of curve of track,


all dimensions to be expressed in the same unit.

The formula for truck swing is based on the following equations:

$$d = \frac{1}{2}\sqrt{4 R^2 - A^2}$$
, $c = \frac{A}{2} + a$ and $b = \frac{(A+B) B}{A+2B}$

The formula is as follows:

$$S = \frac{db^2 + bcR}{b^2 + R^2}$$



S may be taken either as the lateral displacement of the center of the truck with reference to the center line of engine, or as the displacement of the center pin with reference to the center line of truck, as indicated by the two arrows in the above diagram.

LOGARITHMS

A common logarithm is the power to which the base ten must be raised to produce a given number.

RULE I. The sum of the logarithms of two numbers is the logarithm of their product.

RULE II. The logarithm of the quotient of two numbers is the logarithm of the dividend minus the logarithm of the divisor.

RULE III. The logarithm of the power of a number is the logarithm of the number multiplied by the index of the power.

RULE IV. The logarithm of any root of a number is the logarithm of the number divided by the number expressing the degree of the root.

The integral part of a logarithm is called the characteristic, and the decimal part is called the mantissa.

The characteristic of a logarithm of any number greater than unity is positive and is one less than the number of integral figures in the given number.

The characteristic of a number consisting entirely of a decimal fraction is negative and is one more than the number of ciphers immediately following the decimal point.

The mantissa is found from the tables and is the same for all numbers having the same arrangement of figures irrespective of the position of the decimal point, thus:

Number		Logarithm
234.	=	2.369
23.4	=	1.369
2.34	=	0.369
.234	=	1.369
.0234	=	2.369

It must be borne in mind that the negative sign applies only to the characteristics, the mantissæ being positive.

The tables on pages 52-53 contain the decimal parts to three places of the logarithms of numbers from I to 100, and although necessarily condensed, will be found useful for approximate calculations for larger values.

To illustrate the use of the tables take the following example:

Multiply 642 by .0348. The characteristic of 642=2. Look under column N for 64, and to the right three places to the column marked 2; the number found is 808. The logarithm of 642 is therefore 2.808. The characteristic of .0348 is -2. Look under column N for 34, and to the right under column 8; the number found is 542. The logarithm of .0348 is $\overline{2.542}$.

Following Rule I.

$$\begin{array}{rcl} \log 642 & = & 2.801 \\ \log .0348 & = & 2.542 \\ \log \text{ product} & = & 1.350 \end{array}$$

To find the number corresponding to this logarithm, look in the table for number 350, which can be found in line 22, column 4, which gives 224. The characteristic is plus one. The whole number will contain, therefore, two integers, and the result will be 22.4.

Divide 37.3 by .00586. The characteristic of 37.3 is 1, and the mantissa is found in line 37 column 3 to be .572. The characteristic of .00586 is -3, and the mantissa is found in line 58 column 6 to be .768.

Following Rule II.

$$\begin{array}{rcl} \log 37.3 & = & \underline{1.572} \\ \log .00586 & = & \underline{3.768} \\ \log \text{ quotient} & = & \underline{3.804} \end{array}$$

In subtracting the mantissa, one is borrowed from the characteristic of the number leaving zero, and the characteristic —3 from zero equals +3. Consequently the answer will have four figures to the left of the decimal point. The mantissa 804 is found in line 63 column 7 and the quotient therefore is 6370.

Find the fourth power of .38, or .38.

Following Rule III,

$$\log .38 = 1.580$$

$$\log power = \frac{4}{2.320}$$

LOGARITHMS

N	0	1	2	3	4	5 ′	<i>:</i> 6	7	8	9
10	000	004	009	013	017	02 I	025	029	033	037
11	041	045	049	053	057	061	064	068	072	076
12	079	083	086	090	127	097	100	104	107	III
13	114	117	121	124		130 161	134 164	167	170	143
				185	188					201
15 16	176 204	179 207	182 210	212	215	190	193	196 223	199 225	228
17	230	233	236	238	241	243	246	248	250	253
18	255	258	260		265	267	270	272	274	276
19	279	281	283	286	288	290	292	294	297	299
20	301	303	305	307	310	312	314	316	318	320
21	322	324	326	328	330	332	334	336	338	340
22	342	344	346	348	350	352	354	356	358	360
23	362	364	365	367	369	371	373	375	377	378
24	380	382	384	386	387	389	391	393	394	396
25	398	400	401	403	405	407	408	410	412	413
26	415	417	418	420	422	423	425	427	428	430
27	431	433	435	436	438	439	441	442	444	446
28	447	449	450	452 467	453 468	455 470	456 471	458	459	461 476
29	462	464	465					473	474	
30	477	479	480	481 496	483	484 498	486 500	487 501	489 502	490
31 32	49I 505	493 507	494 508	509	497 511	512	513	515	516	504 517
33	519	520	521	522	524	525	526	528	529	530
34	531	533	534	535	537	538	539	540	542	543
35	544	545	547	548	549	550	551	553	554	555
36	556	558	559	560	561	562	563	565	566	567
37	568	569	571	572	573	574	575	576	577	579
38	580	581	582	583	584	585	587	588	589	590
39	591	592	593	594	595	597	598	599	600	601
40	602	603	604	605	606	607	609	610	611	612
41	613	614	615	616	617	618	619	620	621	622
42	623	624	625	626	627	628	629	630	631	632
43	633	634	635	636 646	637	638 648	639 649	640 650	641 651	642 652
44	643	644			647	658		660	661	662
45	653	654	655 665	656 666	657	667	659 668	660	670	671
46 47	663 672	664 673	674	675	676	677	678	679	679	680
48	681	682	683	684	685	686	687	688	688	689
49	690	691	692	693	694		695	696		698
50	699	700	70I	702	702	703	704	705	706	707
51	708	708	709	710	711	712	713	713	714	715
52	716	717	718	719	719	720	721	722	723	723
53	724	725	726	727	728	728	729	730	731	732
54	732	733	734	735	736	736	737	738	739	740

LOGARITHMS

N	0	1	2	3	4	5	6	7	8	9
55	740	741	742	743	744	744	745	746	747	747
56	748	749	750	75I	751	752	753	754	754	755
57	756	757	757	758	759	760	760	761	762	763
58	763	764	765	766	766	767	768	769	769	770
59	77I	772	772	773	774	775	775	776		777
60	778	779	780	780	781	782	782	783	784	785
61	785	786	787	787	788	789	790	790	791	792
62	792	793	794	794	795	796	797	797	798	799
63	799	800	801	801	802	803	803	804	805	806
64	806	807	808	808	809	810	810	811	812	812
65	813	814	814	815	816	816	817	818	818	819
66	820	820	821	822	822	823	823	824	825	825
67	826	827	827	828		829	830	831	831	832
68	833	833	834	834	835	836	836	837	838	838
69	839	839	840	841	841	842	843	843	844	844
70	845	846	846	847	848	848	849	849	850	851
71	851	852	852	853	854	854	855	856	856	857
72	857	858	859	859	860	860	861	862	862	863
73	863	864	865	865	866	866	867	867	868	869
74	869	870	870	871	872	872	873	873	874	874
75	875	876	876	877	877	878	879	879	880	880
76	881	881	882	883	883	884	884	885	885	886
77	886	887	888	888	889	889	890	890	891	892
78	892	893	893	894	894	895	895	896	897	897
79	898	898	899	899	900	900	901	901	902	903
80	903	904	904	905	905	906	906	907	907	908
81	908	909	910	910	911	911	912	912	913	913
82	914	914	915	915	916	916	917	918	918	919
83	919	920	920	921	921	922	922	923	923	924
84	924	925	925	926	926	927	927	928	928	929
85	929	930	930	931	931	932	932	933	933	934
86	934	935	936	936	937	937	938	938	939	939
87	940	940	941	941	942	942	943	943	943	944
88	944	945	945	946	946	947	947	948	948	949
89	949	950	950	951	951	952	952	953	953	954
90	954	955	955	956	956	957	957	958	958	959
91	959	960	960	960	961	961	962	962	963	963
92	964	964	965	965	966	966	967	967	968	968
93	968	969	969	970	970	971	971	972	972	973
94	973	974	974	975.	975	975	976			977
95	978	978	979	979	980	980	980	981	981	982
96	982	983	983	984	984	985	985	985	986	986
97	987	987	988	988	989	989	989	990	990	991
98	991	992	992		993	993	994	994	995	995
99	996	996	997	997	997	998	998	999	999	000

In the above example four times the mantissa (.580) equals +2.320, and four times the characteristic (-1) equals -4; hence the product equals -4+2.320 or $\overline{2.320}$. The number corresponding to this logarithm is found to be .0200.

Find the cube root of 765 or \$765

Following Rule IV,

$$log 765 = 2.884$$

2.884 + 3 = .961 = log of root.

The number corresponding to this logarithm is found to be 9.14.

PISTON SPEED


The figures at the top of the chart on page 55 represent the diameter of the driving wheels in inches, and those at the left hand side indicate the piston speed in feet per minute. The several curves in the body of the chart represent different strokes of piston.

Follow the perpendicular line from the number representing the diameter of wheel selected until it intersects the curve representing the desired stroke; then follow the horizontal line from the point of intersection to the left hand margin, and the figures here given will denote the piston speed.

It will be noted that the calculations are based on an engine speed of ten miles per hour. Greater speed will be determined by multiplying the results by the proper factor indicated by the speed required. In locomotive practice the maximum piston speed should not exceed 1600 feet per minute. The economical speed may be placed at about 1100 feet per minute.

Piston Speeds in Feet per Minute at Engine Speed of Ten Miles per Hour.

Diameter of Driving Wheels in inches.



REVOLUTIONS OF WHEELS PER MINUTE AND PER SECOND AT VARIOUS SPEEDS

			,	
	WHEELS		For Rev.	For Rev.
Diam. in Inches	Circum. in Feet	Revolu- tions per Mile	mult. miles per hour by	per second, mult. miles per hour by
18 20 22 24 26 28 30 32 33 34 36 37 38 40 42 44 46 48 50 52 54 56 58 60 62 64 66 68 70	4.71 5.24 5.76 6.28 6.81 7.36 7.85 8.38 8.64 8.90 9.42 9.69 9.95 10.47 11.00 11.52 12.04 12.57 13.61 14.14 14.66 15.18 15.71 16.23 16.75 17.28 17.80	Mile 1119.8 1008.4 916.8 838.4 775.3 720.3 672.6 630.3 611.1 593.2 560.5 545.1 530.6 504.2 480.0 403.4 387.9 373.4 360.2 347.8 336.1 325.3 315.2 305.5 298.1	18.66 16.81 15.28 13.97 12.92 12.00 11.21 10.50 10.18 9.89 9.34 9.09 8.40 8.00 7.64 7.31 7.00 6.72 6.46 6.22 6.00 5.79 5.60 5.42 5.25 5.09 4.94	.3110 .2801 .2547 .2329 .2153 .2000 .1868 .1751 .1696 .1648 .1556 .1514 .1440 .1401 .1363 .1273 .1218 .1166 .1120 .1073 .1033 .1090 .0965 .0933 .0903 .0848 .0823
72 78 84 90 96	18.36 18.85 20.42 21.99 23.56 25.16	280. I 258. 6 240. I 224. I 210. I	4.80 4.67 4.31 4.00 3.73 3.50	.0798 .0778 .0718 .0666 .0622 .0586
L_ i	_			

SPEED, SECONDS PER MILE IN MILES PER HOUR

Seconds per Mile	Miles per Hour						
24	150.0	54	66.6	84	42.8	114	31.6
25	144.0	55	65.4	85	42.3	115	31.3
26	138.5	56	64.3	86	41.8	116	31.0
27	133.3	57	63.1	87	41.3	117	30.7
28	128.5	58	62.0	88	40.9	118	30.5
29	124. I	59	61.0	89	40.4	119	30.2
30	120.0	60	60.0	90	40.0	120	30.0
31	116.1	61	59.0	91	39.5	121	29.7
32	112.5	62	58.0	92	39.I	122	29.5
33	109.0	63	57.I	93	38.7	123	29.2
34	105.8	64	56.2	94	38.3	124	29.0
35	102.8	65	55.3	95	37.9	125	28.8
36	100.0	66	54.5	96	37.5	126	28.6
37	97.3	67	53.7	97	37 . I	127	28.3
38	94.7	68	52.9	98	36.7	128	28. I
39	92.3	69	52.I	99	36.4	129	27.9
40	90.0	70	51.4	100	36.0	130	27.7
41	87.8	71	50.7	101	35.6	132	27.2
42	85.7	72	50.0	102	35.3	134	26.8
43	83.7	73	49.3	103	34.9	136	26.4
44	81.8	74	48.6	104	34.6	138	26.0
45	80.0	75	48.0	105	34.3	140	25.7
46	78.2	76	47 · 3	106	34.0	142	25.3
47	76.6	77	46.7	107	33 · 7	144	25.0
48	75.0	78	46. I	108	33 · 4	146	24.6
49	73.4	79	45.5	109	33.0	148	24.3
50	72.0	80	45.0	110	32.7	150	24.0
51	70.5	81	44 · 4	111	32.4	152	23.6
52	69.2	82	43.9	112	32.I	154	23.3
53	67.9	83	43.3	113	31.8	156	23.I

SPEED, TIME PER MILE, FEET PER SECONDS

]	P4	Miles	T:		P
Miles Time			Time		Feet
per per Mile	per	per	per Mile		per
Hour Min. Sec.	Second		Min. Sec.		Second
8 = 7 30.0	= 113/4	58	= I 2.I	=	85
15 = 4 0.0	= 22	59	= I I.O	=	861/2
16 = 3 45.0	= 231/2		= I 0.0	=	88
17 = 3 31.8	= 25	61	= 59.0	=	891/2
$18 = 3 \ 20.0$	$= 26\frac{1}{2}$	62	= 58.0	=	91
$19 = 3 \ 9.5$	= 28	63	= 57.1	=	921/2
$20 = 3 \ 0.0$	= 291/4	64	= 56.2	=	94
21 = 2 51.4	= 30%	65	= 55.4	=	951/4
$22 = 2 \ 43.6$	$= 32\frac{1}{4}$	66	= 54.5	=	963/4
23 = 2 36.5	$= 33\frac{3}{4}$	67	= 53.7	=	9814
24 = 2 30.0	$= 35\frac{1}{4}$	68	= 52.9	=	99¾
25 = 2 24.0	= 36%	69	= 52.1	=	1011/4
26 = 2 18.5	$= 38\frac{1}{4}$	70	= 51.4	=	1023/4
27 = 2 13.2	$= 39\frac{1}{2}$	71	= 50.7	=	1041/4
28 = 2 8.6	= 41	72	= 50.0	=	1051/2
29 = 2 4.1	$= 42\frac{1}{2}$	73	= 49.3	=	107
30 = 2 0.0	= 44	74	= 48.6	=	1081/2
31 = 1 56.2	$= 45\frac{1}{2}$		= 48.0	=	110
32 = 152.5	= 47	76	= 47.3	=	1111/2
33 = 149.1	$= 48\frac{1}{2}$		= 46.7	=	11234
34 = 145.8	= 50	78	= 46. I	=	1141/4
35 = 1 42.7	$= 51\frac{1}{4}$	79	= 45.5	=	1151/2
36 = 140.0	$= 52\frac{3}{4}$	80	= 45.0	=	117
37 = I 37.3	$= 54\frac{1}{4}$	81	= 44.4	=	11834
38 = 134.8	$= 55\frac{3}{4}$	82	= 43.9	=	12014
39 = 1 32.3	$= 57\frac{1}{4}$	83	= 43.4	=	12134
40 = 1 30.0	$= 58\frac{3}{4}$ = $60\frac{1}{4}$	84	= 42.8	=	1231/4
4I = I 27.8	$= 60\frac{1}{4}$	85	= 42.3	=	1243/4
42 = 1 25.7	$= 61\frac{1}{2}$		= 41.8	=	12614
43 = 1 23.7	= 63	87	= 41.3	=	127%
44 = 1 21.8	$= 64\frac{1}{2}$		= 40.8	=	129
45 = 1 20.0	= 66	89	= 40.4	=	1301/2
46 = 1 18.2	$= 67\frac{1}{2}$	90	= 40.0	=	132
$47 = 1 \cdot 16.6$	= 69	91	= 39.5	=	1331/2
48 = 1 15.0	= 701/2	92	= 39.1	=	135
49 = 1 13.5	= 71%	93	= 38.7	=	1361/2
50 = 1 12.0	= 7314	94	= 38.2	=	137%
51 = 1 10.6	= 74%	95	= 37.8	=	13914
$52 = 1 \ 9.2$		96	= 37.5	=	140%
53 = 1 7.9	= 77%	97	= 37.I	=	1424
54 = 1 6.7	= 791/4	98	= 36.7	=	143%
55 = 1 5.5	$= 80\frac{34}{4}$	99	= 36.4	=	14514
56 = 1 4.3	$= 82\frac{1}{4}$	100	= 36.0	=	1461/2
57 = I 3.2	$= 83\frac{1}{2}$	101	= 35.6	=	1481/4
		<u> </u>			

MISCELLANEOUS Weight of Various Materials

Water-One cubic inch weighs .036 pounds.

√ One cubic foot at 32°F. weighs 62.4
pounds and contains 7.48 United States
gallons.

One gallon, United States standard, contains 231 cubic inches and weighs 81/3 pounds.

One gallon, Imperial, contains 277 1/4 cubic inches and weighs 10 pounds.

Gravel-One cubic foot weighs 125 pounds.

One cubic yard weighs 3350 pounds.

Wood—A cord of wood measures 8 feet in length, 4 feet in width and 4 feet in height, and contains 128 cubic feet, or 3.625 cubic metres.

Logs—1000 feet of green logs weigh 8,000 to 10,000 pounds.

Lumber-Weight of one cubic inch:

Seasoned oak, .025 pounds Seasoned pine, .018 pounds

Coal—Average weight of one cubic foot:

Bituminous, large size, 52 pounds
Bituminous, run of mine, 54 pounds
Anthracite, large size, 54 pounds
Anthracite, buckwheat, 52 pounds
Average weight of one bushel containing 2500 cubic inches:

Bituminous, 75 pounds Anthracite, 78 pounds

Specific gravity:

Bituminous, I 40 Anthracite, I 60

Average bulk of one ton, (2240 pounds) Bituminous, 43.0 cubic feet

Anthracite, 41.5 cubic feet

Coal-Grade Divisions

In designing a locomotive for a particular quality of coal, the question is likely to arise as to what is anthracite or what is bituminous. The division between the different grades is largely empirical. That given by Kent has been adopted by The Baldwin Locomotive Works as generally satisfactory, and is as follows:

- Anthracite, all coal with less than 7.5 per cent. volatile matter in combustible.
- Semi-anthracite, all coal with 7.5 per cent. to 12.5 per cent. volatile matter in combustible.
- Semi-bituminous, all coal with 12.5 per cent. to 25 per cent. volatile matter in combustible.
- Bituminous, all coal with 25 per cent. to 50 per cent. volatile matter in combustible.
- Lignite, all coal with more than 50 per cent. volatile matter in combustible.
- Relative Heating Value of Fuels—One pound of average soft coal possesses as much heating value as fuel, as 21/4 pounds of average dry wood.

One pound of oil possesses nearly as much heating value as two pounds of average coal.

Weight and Volume of Crude Petroleum

Pound	U. S. Liquid Gal.	Barrel	Gross Ton
I.	. 13158	.0031328	. 0004464
7.6	I.	.02381	.003393
319.2	42.	I.	. 1425
2240.	294.72	7.017	1.

- Rails, Safe Load—Each ten pounds weight per yard of ordinary steel rail, properly supported by cross-ties (not less than 14 for 30-foot rail), is capable of sustaining a safe load per wheel of 3000 pounds.
- Rails, Tons per Mile—The following formula gives the weight of rails required to lay one mile of single track:
- Weight per yard of rail, $\times 11$ = Tons of 2240 lbs.
- Driving Wheels, Minimum Diameter—For proper clearances, the minimum outside diameter of driving wheels should ordinarily be not less than twice the length of the stroke.
- Rules for Driving Wheel Speed—Revolutions per mile—Divide 1680 by the diameter of the driving wheel in feet. Revolutions per minute—Multiply the speed in miles per hour by 28 and divide the product by the diameter of the driving wheel in feet.
- Piston Speeds—Piston speed in feet per minute—
 Multiply revolutions per minute by twice
 the stroke of piston in feet.

TUBE INFORMATION

191	Hea	Heating		193. Deo	essa ress				Weight	Weight Per Foot		
sme	Sur	ace	rea ecti	Veig Waspla	icki e G	rea Met	Ir	Iron	Br	Brass	Cot	Copper
DI	Per Ft. Per In	Per In.		D! OĮ	Th iiW		Tube	Ехсезв	Tube	Excess	Tube	Excess
In.	Sq. Ft.	Sq. Ft.	Sq. In.	Lbs.	Š.	Sq. In.	Lbs.	Lbs.	Lbs.	Lbs.	Lbs.	Lbs.
					13	.347	1.21	.677	1.27	.737	1.33	.797
1,7%	.327	.027	1.227	.533	12	.397	1.37	.837	1 .	.907	1.51	.977
					11	.427	I.50	.967	1.56	1.56 1.03	1.64	1.11
					13	614.	1.47	. 703	I . 54	.773	1.62	.853
11/2	. 393	.033	1.767	.767	12	.480	1.67	.903	1.75	.983	1.84	1.073
					11	.520		1.83 1.06	16.1	1.91 1.143	2.01	1.243
					13	.495	1.74	.701	1.82	.781	16.1	.871
13%	.458	.038	2.405	1.039	12	.565	1.98	.941	2.06	2.06 1.02	2.16	1.12
					11	.615	2.16	2.16 1.12	2.26	2.26 1.22	2.37	1.33
					13	.572	2.00	.639	2.09	.729	2.19	.829
8	.524	.044	3.142	1.361	12	.652	2.28	616.	2.38	2.38 1.02	2.50	1.14
				_	11	.712	2.49 1.23	1.23	2.60	2.60 1.24	2.73	1.37

TUBE INFORMATION

			-	- 0	_	_	_					_	_
	Copper	Excess	Lbs.	.782	I.10	I.38	1.33	1.71	2.09	2.41	1.78	1.89	1.74
	Cop	Tube	Lbs.	2.50	2.83	3.10	3.46	3.84	4.22	16.01	11.15	11.71	12.02
er Foot	SS	Excess	Lbs.	.662	.972	1.23	I.17	1.53	1.89	1.72	1.23	1.16	66.
Weight Per Foot	Brass	Tube	Lbs.	2.38	2.69	2.95	3.30	3.66	4.02	10.22	10.60	86.01	11.27
	u	Excess	Lbs.	.442	.862	I.10	1.03	1.37	I.70	I.44	86.	98.	89.
	Iron	Tube	Lbs.	2.16	2.58	2.82	3.16	3.50	3.83	9.94	10.35	10.68	96.01
30	Meta	V	Sq. In.	.643	.739	.803	06.	66.	60.1	2.84	3/16" 2.98	3,16 " 3.05	3.13
nge	hickner Ga	IM	No.	13	12	11	II	10	6	3/16 "	8/16 "	3/16 "	3/16"
ter	Weigl Wa isplac	D O o	Lbs.		1.718	4		2.13		8.50 3/16" 2.84	9.37	9.82	10.28
	rea Sectio		Sq. In.	* "	3.976			4.908		19.64	21.64	22.69	23.76 10.28 %16" 3.13 10.96
ting	ace	Per In.	Sq. Ft.		.049			.055		601.	1114	711.	.120
Heating	Surface	Per Ft.	Sq. Ft.		.589			.654		1.309	1.374	1.407	I.439 .120
Diameter		In.		21/4			21/2		ın	514	538	51/2	

Weight of water (cubic foot), 62% pounds at atmospheric pressure (62°); 54.4 pounds at 200 pounds gauge pressure (388°). Columns headed "Excess" give excess of weight of tube over weight of water displaced.

64 THE BALDWIN LOCOMOTIVE WORKS
HEATING SURFACE OF BOILER TUBES

nches			Heati	ng Sur	face in	Squar	re Feet		·
Length in Inches				Outs	ide Di	ameter			
Lengt	11/2"	134"	2"	21/4"	21/2"	5"	5¼"	536"	5½"
⅓	.008	.009	.011	.012	.014	.0273	.0286	.0293	.0300
1/2	.016	.019	.022	.025	.027	.0545	.0573	.0586	.06∞
34	.025	.029	.033	.037	.041	.0818	.0859	.0879	.0900
1	.033	.038	.044	.049	.055	.1001	.1145	.1173	.1 200
2	.066	.076	.087	.098	.109	.2182	.2291	.2345	.2400
3	.098	.115	.131	.147	.164	.3272	.3436	.3518	.3600
4	.131	.153	.175	.196	.218	.4363	.4582	.4691	.4800
5	.164	.191	.218	.245	.272	-5454	.5727	.5863	.6000
6	.196	.229	.262	.294	.327	.6545	.6872	.7036	.7200
7	.229	.267	.305	-344	.382	.7636	.8018	.8209	.8400
8	.262	.305	-349	·3 9 3	.436	.8727	.9163	.9381	.9600
,	.295	-344	-3 9 3	.442	.491	.9817	1.0308	1.0554	1.0800
10	.327	.382	.436	.491	-545	1.0908	1.1454	1.1726	L.2000
11	.360	.420	.480	.540	.600	i.1999	1.2599	1.2899	1.3200
12	-393	.458	-524	.589	.654	1.3090	1.3745	1.4072	1.4390
ı									
									.
1									
						ļ.			

HEATING SURFACE OF BOILER TUBES (Continued)

Feet.			Heati	ng Sur	face in	Squar	re Feet		1.75
Length in I				Outs	ide Dia	ameter			10
Leng	1½"	134"	2"	21/4"	2½"	5"	5¼"	53/8"	53/2"
5	1.964	2.291							I
6	2.356	2.749	3.142						
7	2.749	3.207	3.665	4.123	4.581	9.163	9.621	9.850	10.07
8	3,142	3.665	4.189	4.712	5.236	10.472	10.995	11.257	11.51
9	3.534	4.123	4.712	5.301	5.890	11.781	12.369	12.665	12.959
10	3.927	4.582	5.236	5.891	6.545	13.090	13.744	14:072	14.39
II	4.320	5.040	5.760	6.480	7.199	14.399	15.118	15.479	15.83
12	4.712	5.498	6.283	7.069	7.854	15.708	16.493	16.886	17.27
13	5.105	5.956	6.807	7.658	8.508	17.017	17.867	18.293	18.719
14	5.498	6.414	7.330	8.247	9.163	18.326	19.242	19.700	20.15
15	5.891	6.872	7.854	8.836	9.817	19.635	20.616	21.108	21.59
16		7.320	8.378	9.425	10.472	20.944	21.990	22.515	23.03
17		7.788	8.901	10.014	11.127	22.253	23.365	23.922	24.47
18		8.246	9.425	10.603	11.781	23.562	24.739	25.329	25.91
19		8.705	9.948	11.192	12.435	24.871	26.114	26.736	27.35
20		9.164	10.472	11.781	13.090	26.180	27.488	28.143	28.79
21			10.995	12.360	13.744	27.489	28.862	29.551	30.23
22			11.519	12.959	14.398	28.798	30.236	30.958	31.67
23		71.14	12.043	13.549	15.053	30.107	31,610	32.365	33.118
24			12.566	14.138	15.708	31.416	32.984	33.772	34.55
25				14.727	16.363	32.7.25	34.358	35.179	35.99

HEATING SURFACE OF TUBES PER FOOT AND PER INCH OF LENGTH

DIAMETER	PER FOOT	PER INCH
1/7	С Б	6 7 1
1¼ Inches		.0272 Sq. Inches
13/8 "	.3599	.0299 " "
1½ "	.3927 " "	.0327 " "
15/8 "	.4254 " "	.0354 " "
13/4 "	.4580 " "	.0381 " "
17/8 "	.4908 " "	.0409 " "
2 "	.5236 " "	.0436 " "
21/8 "	.5562 " "	.0463 " "
21/4 "	.5890 " "	.0490 " "
23/8 "	.6218 " "	.0518 " "
21/2 "	.6545 " "	.0545 " "
25/8 "	.6872 " "	.0572 " "
23/4 "	.7199 " "	.0599 " "
3 "	.7854 " "	.0655 " "
31/4 "	.8508 " "	.0709 " "
3½ "	.9163 " "	.0763 " "
33/4 "	.9817 " "	.0818 " "
4 "	1.0472 " "	.0872 " "
41/4 "	1.1126 " "	.0927 " "
4½ "	1.1781 " "	.0981 " "
43/4 "	1.2435 " "	.1036 " "
5 "	1.3090 " "	.1090 " "
51/4 "	1.3745 " "	.1140 " "
53/8 "	1.4072 " "	.1173 " "
5½ "	1.4390 " "	,1200 " "
53/4 "	1.5053 " "	.1250 " "
6 "	1.5708 " "	.1309 " "
Ľ	1.3700	.1309

STANDARD SIZES OF WROUGHT IRON PIPE

Size of Pipe	Actual Outside Diameter (Inches)	Actual Inside Diameter (Inches)	External Circumference (Inches)	Length of Pipe per Square Foot of Outside Surface (Feet)	Weight per Foot of Length (Pounds)	Number of Threads per Inch of Screw	Diameter of Drill (Inches)
⅓″	0.405	0.270	1.272	9.434	0.243	27	11/32
1/4"	0.540	0.364	1.696	7.075	0.422	18	29/64
% ″	0.675	0.494	2.120	5.660	0.561	18	37/64
1/2"	0.840	0.623	2.639	4 · 547	0.845	14 .	47/64
84"	1.050	0.824	3.299	3.637	1.126	14	61/64
Ι"	1.315	1.048	4.131	2.904	1.670	11½	I 13/64
11/4"	1.660	1.380	5.215	2.301	2.258	I I ½	I 1/2
11/5"	1.900	1.611	1	2.010	2.694	I I ½	I 4%4
2"	2.375	2.067	7.461	1.608	3.667	I I ½	27/32
21/2"	2.875	2.468	9.032	1.328	5.773	8	2 ¹ /16
3"	3.500	3.067	10.996	1 .091	7.547	8	3%32
31/2"	4.000	3.548	12.566	0.955	9.055	8	3¾
4"	4.500	4.026	14.137	0. 849	10.728	8	41/4
4½″	5.000	4.508	15.708	0.764	12.492	8	4%
5″	5.563	5.045	17.477	0.686	14.564	8	5%16
6"	6.625	6.065	20.813	0.576	18.767	8	65/16
7"	7.625	7.023	23.954	0.501	23.410	8	7%
8"	8.625	7.982	27.096	0.443	28.347	8	8%

ARBAS AND CIRCUMFERENCES OF CIRCLES

Diam. Ins.	Circum. Ins.	Area Sq. Ins.	Diam. Ins.	Circum. Ins.	Area Sq. Ins.	Diam. Ins.	Circum. Ins.	Area Sq. Ins.
1/4	.785398	.04990			:			
% %	.981748 1.17810	.07670						
78 7/16	1.17610	.11045					1	1 1
1/2	1.57080	.19635	2	9.42478	7.0686	514	17.2788	22 758
% % 16	1.76715	.24850		9.62113	7.3662	9/16	17.4751	
5%	1.96350	.30680	3/8	9.81748	7.6600	5/8	17.6715	
11/16	2.15984	.37122	8/16	10.0138	7.9798			
8/4	2.35619	.44179	1/4	10.2102	8.2058	8/4	18.0642	
18/16	2.55254	.51849		10.4065	8.6179	18/16	18.2605	
7/8	2.74889	.60132	8/8	10.6029	8.9462	7/8	18.4569	27.100
15/16	2.94524	.69029	1/16	10.7992	9.2806	15/16	18.6532	
1,	3.14159	.78540	31/2	10.9956	9.6211	6	18.8496	28,274
1/16	3.33794	.88664	%16	11.1919	9.9678		10.2423	
1/8	3.53429	.99402	5%	11.3883	10.321	1/4	19.6350	
% 16	3.73064	1.1075	11/16	11.5846	10.680	3/8	20.0277	
1/4	3.92699	1.2272	8/4	11.7810	11.045	1/2	20.4204	33.183
5/16	4.12334	1.3530	18/16	11.9773	11.416	5/8	20.8131	34.472
8/8	4.31969	1.4849	7/8	12.1737	11.793	8/4	21.2058	35.785
7/16	4.51604	1.6230	15/16	12.3700	12.177	<i>7</i> /8	21.5984	37.122
11/2	4.71239	1.7671	4	12.5664	12.566	7	21.9911	38.485
%16	4.90874	1.9175	1/16	12.7627	12.962	1/8	22.3838	39.871
5%	5.10509	2.0739	1∕8	12.9591	13.364	1/4	22.7765	
11/16	5.30144	2.2365	% 16	13.1554	13.772	8/8	23.1692	
3/4	5-49779	2.4053	1/4	13.3518	14.186	1/2	23.5619	
13/16		2.5802	5/16	13.5481	14.607	%≉	23.9546	
7∕8	5.89049	2.7612	8/8	13.7445	15.033	3/4	24.3473	
15/16	6.08684	2.9483	% 16	13.9408	15.466	7/8	24.7400	48.707
2	6.28319	3.1416	41/2	14.1372	15.904	8	25.1327	50.265
1/16	6.47953	3.3410	%16	14.3335	16.349	1/8	25.5224	
1/8	6.67588	3.5466	5/8	14.5299	16.800	1/4	25.9181	
8/16	6.87223	3.7583	11/16	14.7262	17.257	%	26.3108	
1/4	7.06858	3.9761	8/4	14.9226	17.721	1/2	26.7035	
%16	7.26493	4.2000	13/16	15.1189	18.190	%	27.0962	
8 %	7.46128	4.4301	7/8	15.3153	18.665	8/4	27.4889	
7/16	7.65763	4.6664	15/16	15.5116	19.147	7∕8	27.8816	
21/2	7.85398	4.9087	5	15.7080	19.635	9	28.2743	
%16	8.05033	5.1572	1/16	15.9043	20.129	1/8	28.6670	
%	8.24668	5.4119	3/8	16.1007	20.629	1/4	29.0597	
11/16	8.44303	5.6727	%16	16.2970	21.135	3/8	29.4524	
3/4	8.63938	5.9396	1/4	16.4934	21.648	1/2	29.8451	
18/16		6.2126	5/16 8/8	16.6897	22.166	5/8	30.2378	
7/8 15/	9.03208	6.4918		16.8861	22.691	8/4 7/	30.6305	
1.916	9.22843	6.7771	7/16	17.0824	23.221	7/8	31.0232	170.589

AREAS AND CIRCUMFERENCES OF CIRCLES

Diam. Ins.	Circum. Ins.	Area Sq. Ins.	Diam. Ins.	Gircum. Ins.	Area Sq. Ins.	Diam. Ins.	Circum. Ins.	Area Sq. Ins.
10 1/8 1/4 3/8 1/2 5/8 3/4 2/8	31.4159 31.8086 32.2013 32.5940 32.9867 33.3794 33.7721 34.1648	80.516 82.516 84.541 86.590 88.664 90.763	1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4	47.1239 47.5166 47.9093 48.3020 48.6947 49.0874 49.4801 49.8728	176.71 179.67 182.65 185.66 188.69 191.75 194.83	1/4 3/8 1/2 5/8 3/4	62.8319 63.2246 63.6173 64.0100 64.4026 64.7953 66.1880 65.5807	314.16 318.10 322.06 326.05 330.06 334.10 338.16
11 1/8 1/4 3/8 1/2 5/8 3/4 1/8	34.5575 34.9502 35.3429 35.7356 36.1283 36.5210 36.9137 37.3064	95.033 97.205 99.402 101.62 103.87 106.14 108.43	16 1/8 1/4 3/8 1/2 5/8 3/4 3/8	50.2655 50.6582 51.0509 51.4436 51.8363 52.2290 52.6217 53.0144	201.06 204.22 207.39 210.60 213.82 217.08 220.35 223.65	1/8 1/4 3/8 1/2 5/8	65.9734 66.3661 66.7588 67.1515 67.5442 67.9369 68.3296 68.7223	346.36 350.50 354.66 358.84 363.05 367.28 371.54 375.83
12 1/8 1/4 3/8 1/2 5/8 3/4 7/8	37.6991 38.0918 38.4845 38.8772 39.2699 39.6626 40.0553 40.4480	115.47 117.86 120.28 122.72 125.19 127.68	17 18 14 14 15 15 15 16 17 18	53.4071 53.7998 54.1925 54.5852 54.9779 55.3706 55.7633 56.1560	226.98 230.33 233.71 237.10 240.53 243.98 247.45 250.95	1/8 1/4 8/8 1/2	69.1150 69.5077 69.9004 70.2931 70.6858 71.0785 71.4712 71.8639	380.13 384.46 388.82 393.20 397.61 402.04 406.49 410.97
13 1/8 1/4 3/8 1/2 5/8 3/4 1/8	40.8407 41.2334 41.6261 42.0188 42.4115 42.8042 43.1969 43.5896	135.30 137.89 140.50 143.14 145.80 148.49	18 1/8 1/4 3/8 1/2 5/8 3/4 7/8	56.5487 56.9414 57.3341 57.7268 58.1195 58.5122 58.9049 59.2976	254.47 258.02 261.59 265.18 268.80 272.45 276.12 279.81	1/8 1/4 8/8 1/2	72.2566 72.6493 73.0420 73.4347 73.8274 74.2201 74.6128 75.0055	415.48 420.00 424.56 429.13 433.74 438.36 443.01 447.69
14 1/8 1/4 3/8 1/4 3/8 1/4 3/8 1/4 3/8	43.9823 44.3750 44.7677 45.1604 45.5531 45.9458 46.3385 46.7312	156.70 159.48 162.30 165.13 167.99 170.87	19 1/8 1/4 3/8 1/2 5/8 3/4 7/8	59.6903 60.0830 60.4757 60.8684 61.2611 61.6538 62.0465 62.4392	283.53 287.27 291.04 294.83 298.65 302.49 306.35 310.24	1/8 1/4 8/8 1/2 5/8 3/4	75.3982 75.7909 76.1836 76.5763 76.9690 77.3617 77.7544 78.1471	452-39 457-11 461.86 466.64 471.44 476.26 481.11 485.98

AREAS AND CIRCUMPERENCES OF CIRCLES

Diam. Ins.	Circum. Ins.	Area Sq. Ins.	Diam. Ins.	Circum. Ine.	Area Sq. Ins.	Diam. Ins.	Circum. Ins.	Area Sq. Ins.
3/8 1/2 5/8 3/4	78.5398 78.9325 79.3252 79.7179 80.1106 80.5033 80.8960 81.2887	490.87 495.79 500.74 505.71 510.71 515.72 520.77 525.84	1/8 1/4 8/8 1/2	94.2478 94.6405 95.0332 95.4259 95.8186 96.2113 96.6040 96.9967	706.86 712.76 718.69 724.64 730.62 736.62 742.64 748.69	⅓ ⅓	109.956 110.348 110.741 111.134 111.527 111.919 112.312	969.00 975.91
1/4 8/8 1/2 5/8 8/4	81.6814 82.0741 82.4668 82.8595 83.2522 83.6449 84.0376 84.4303	530.93 536.05 541.19 546.35 551.55 556.76 562.00 567.27	1/8 1/4 1/8 1/2 5/8	97.3894 97.7821 98.1748 98.5675 98.9602 99.3529 99.7456 100.138	754-77 760.87 766.99 773.14 779.31 785.51 791-73 797.98	36 1/8 1/4 1/4 1/4 1/4 1/8 1/4 1/8	113.883 114.275 114.668 115.061 115.454	1032.1 1039.2 1046.3 1053.5 1060.7
1/8 1/4 3/8 1/2 5/8 3/4	84.8230 85.2157 85.6084 86.0011 86.3938 86.7865 87.1792 87.5719	572.56 577.87 583.21 588.57 593.96 599.37 604.81 610.27	1/8 1/4 1/8 1/2 1/8 1/4	100.531 100.924 101.316 101.709 102.102 102.494 102.887 103.280	804.25 810.54 816.86 823.21 829.58 835.97 842.39 848.83	1/8 1/4 3/8 1/2 5/8 3/4	116.239 116.632 117.024 117.417 117.810 118.202 118.596 118.988	1082.5 1089.8 1097.1 1104.5 1111.8 1119.2
1/8 1/4 3/8 1/2 5/8 3/4	87.9646 88.3573 88.7500 89.1427 89.5354 89.9281 90.3208 90.7135	615.75 621.26 626.80 632.36 637.94 643.55 649.18 654.84	⅓ ⅓	103.673 104.065 104.458 104.851 105.243 105.636 106.029 106.421	855.30 861.79 868.31 874.85 881.41 888.00 894.62 901.26	1/8 1/4 3/8 1/2 5/8 3/4	121.737	1141.6 1149.1 1156.6 1164.2 1171.7
	93. 0 697 93.4624	666.23 671.96	1/8 1/4 3/8 1/2 5/8 3/4	106.814 107.207 107.600 107.992 108.385 108.788 109.170 109.563	907.92 914.61 921.32 928.06 934.82 941.61 948.42	1/8 1/4 1/8 1/2 1/8 1/4	123.700 124.093 124.486 124.878	1202.3 1210.0 1217.7 1225.4 1233.2 1241.0

AREAS AND CIRCUMFERENCES OF CIRCLES

Diam. Ins.	Circum. Ins.	Area Sq. Ins.	Diam. Ins.	Circum. Ins.	Area Sq. Ins.	Diam. Ins.	Circum. Ins.	Area Sq. Ins.
40 1/8 1/4 3/8 1/2 5/8 3/4 1/8	125.664 126.056 126.449 126.842 127.235 127.627 128.020 128.413		1/8 1/4 3/8 1/2 5/8 3/4	141.372 141.764 142.157 142.550 142.942 143.335 143.728	1599.3 1608.2	1/8 1/4 1/8 1/4 1/8	157.080 157.472 157.865 158.258 158.650 159.043 159.436	1963.5 1973.3 1983.2 1993.1 2003.0 2012.9 2022.8 2032.8
41 18 14 14 15 15 15 16 17 18	128.805 129.198 129.591 129.993 130.376 130.769 131.161 131.554	1328.3 1336.4 1344.5 1352.7	1/8 1/4 3/8 1/2 5/8	144.513 144.906 145.299 145.691 146.084 146.477 146.869 147.262	1689.1	1/8 1/4 3/8 1/2 5/8 3/4	160.221 160.614 161.007 161.399 161.792 162.185 162.577 162.970	2042.8 2052.8 2062.9 2073.0 2083.1 2093.2 2103.3 2113.5
42 1/8 1/4 3/8 1/2 5/8 3/4 1/8	131.947 132.340 132.732 133.125 133.518 133.910 134.303 134.696		1/8 1/4 3/8 1/2	147.655 148.048 148.440 148.833 149.226 149.618 150.011 150.404	1762.7 1772.1 1781.4	52 1/8 1/4 3/8 1/2 5/8 3/4 7/8	163.363 163.756 164.148 164.541 164.934 165.326 165.719 166.112	2123.7 2133.9 2144.2 2154.5 2164.8 2175.1 2185.4 2195.8
43 1/8 1/4 3/8 1/2 5/8 3/4 1/8	135.088 135.481 135.874 136.267 136.659 137.052 137.445 137.837	1477.6 1486.2 1494.7 1503.3	1/8 1/4 3/8 1/2 5/8 3/4	150.796 151.189 151.582 151.975 152.367 152.760 153.153 153.545	1857.0 1866.5	1/8 1/4 3/8 1/2 5/8 3/4	166.504 166.897 167.290 167.683 168.075 168.468 168.861 169.253	2206.2 2216.6 2227.0 2237.5 2248.0 2258.5 2269.1 2279.6
44 1/8 1/4 1/4 1/2 1/8 1/2 1/8 1/4 1/8 1/2 1/8 1/4 1/8 1/4 1/8 1/4 1/8 1/4 1/8 1/4 1/8 1/4 1/8 1/8 1/8 1/8 1/8 1/8 1/8 1/8	138.230 138.623 139.015 139.408 139.801 140.194 140.586 140.979	1520.5 1529.2 1537.9 1546.6 1555.3 1564.0 1572.8 1581.6	1/8 1/4 3/8 1/2 5/8 3/4	153.938 154.331 154.723 155.116 155.509 155.902 156.294 156.687	1885.7 1895.4 1905.0 1914.7 1924.4 1934.2 1943.9 1953.7	1/8	169.646 170.039 170.431 170.824 171.217 171.609 172.002 172.395	2290.2 2300.8 2311.5 2322.1 2332.8 2343.5 2354.3 2365.0

AREAS AND CIRCUMFERENCES OF CIRCLES

Diam. Ins.	Circum. Ins.	Area Sq. Ins.	Diam. Ins.	Circum. Ins.	Area Sq. Ins.	Diam. Ins.	Circum. Ins.	Area Sq. Ins.
55 1/8 1/4 3/6 1/2 5/8 3/4 7/8	172.788 173.180 173.573 173.966 174.358 174.751 175.144 175.536	2375.8 2386.6 2397.5 2408.3 2419.2 2430.1 2441.1 2452.0	1/8 1/4 3/8 1/2 5/8 3/4	188.496 188.888 189.281 189.674 190.066 190.459 190.852	2827.4 2839.2 2851.0 2862.9 2874.8 2886.6 2898.6	1/8 1/4 3/8 1/2 5/8 3/4	204.204 204.596 204.989 205.382 205.774 206.167 206.560 206.952	
56 1/8 1/4 3/8 1/2 5/8 3/4 7/8	175.929 176.322 176.715 177.107 177.500 177.893 178.285 178.678	2463.0 2474.0 2485.0 2496.1 2507.2 2518.3 2529.4 2540.6	1/8 1/4 3/8 1/2 5/8 3/4	191.637 192.030 192.423 192.815 193.208 193.601 193.993 194.386	2922.5 2934.5 2946.5 2958.5 2970.6 2982.7 2994.8 3006.9	1/8 1/4 8/8 1/2 5/8 8/4	207.345 207.738 208.131 208.523 208.916 209.309 209.701 210.094	3421.2 3434.3 3447.2 3460.2 3473.2 3486.3 3499.4 3512.5
57 1/8 1/4 8/8 1/2 5/8 8/4 1/8	179.071 179.463 179.856 180.249 180.642 181.034 181.427 181.820	2551.8 2563.0 2574.2 2585.4 2596.7 2608.0 2619.4 2630.7	1/8 1/4 3/8 1/2	194.779 195.171 195.564 195.957 196.350 196.742 197.135 197.528	3019.1 3031.3 3043.5 3055.7 3068.0 3080.3 3092.6 3104.9	1/8 1/4 8/8 1/2 5/8 8/4	210.487 210.879 211.272 211.665 212.058 212.450 212.843 213.236	3525.7 3538.8 3552.0 3565.2 3578.5 3591.7 3605.0 3618.3
58 1/8 1/4 3/8 1/2 5/8 3/4 7/8	182.212 182.605 182.998 183.390 183.783 184.176 184.569 184.961	2642.1 2653.5 2664.9 2676.4 2687.8 2699.3 2710.9 2722.4	1/8 1/4 3/8 1/2 5/8 3/4	197.920 198.313 198.706 199.098 199.491 199.884 200.277 200.669	3117.2 3129.6 3142.0 3154.5 3166.9 3179.4 3191.9 3204.4	1/8 1/4 3/8 1/2 5/8 3/4	213.628 214.021 214.414 214.806 215.199 215.592 215.984 216.377	3631.7 3645.0 3658.4 3671.8 3685.3 3698.7 3712.2 3725.7
59 1/8 1/4 3/8 1/2 5/8 3/4 7/8	185.354 185.747 186.139 186.532 186.925 187.317 187.710 188.103	2734.0 2745.6 2757.2 2768.8 2780.5 2792.2 2803.9 2815.7	1/8 1/4 3/8 1/2 5/8	201.062 201.455 201.847 202.240 202.633 203.025 203.418 203.811	3217.0 3229.6 3242.2 3254.8 3267.5 3280.1 3292.8 3305.6	1/8 1/4 3/8 1/2 5/8 3/4	216.770 217.163 217.555 217.948 218.341 218.733 219.126 219.519	3739-3 3752-8 3766-4 3780-0 3793-7 3807-3 3821-0 3834-7

AREAS AND CIRCUMFERENCES OF CIRCLES

Diam. Ins.	Circum. Ins.	Area Sq. Ins.	Diam. Ins.	Circum. Ins.	Area Sq. Ins.	Diam. Ins.	Circum. Ins.	Area Sq. Ins.
70 1/8 1/4 3/8 1/2 5/8 3/4 1/8	219.911 220.304 220.697 221.090 221.482 221.875 222.268 222.660	3848.5 3862.2 3876.0 3889.8 3903.6 3917.5 3931.4 3945.3	1/8 1/4 8/8 1/2 5/8 8/4	235.619 236.012 236.405 236.798 237.190 237.583 237.976 238.368	4417.9 4432.6 4447.4 4462.2 4477.0 4491.8 4506.7 4521.5	1/8 1/4 3/8 1/2 5/8 3/4	251.327 251.720 252.113 252.506 252.898 253.291 253.684 254.076	5042.3 5058.0 5073.8 5089.6 5105.4 5121.2
71 1/8 1/4 8/8 1/2 5/8 8/4 1/8	223.053 223.446 223.838 224.231 224.624 225.017 225.409 225.802	3959.2 3973.1 3987.1 4001.1 4015.2 4029.2 4043.3 4057.4	1/8 1/4 3/8 1/2 5/8 3/4	238.761 239.154 239.546 239.939 240.332 240.725 241.117 241.510	4536.5 4551.4 4566.4 4581.3 4596.3 4611.4 4626.4 4641.5	1/8 1/4 8/8 1/2	254.469 254.862 255.254 255.647 256.040 256.433 256.825 257.218	5168.9 5184.9 5200.8 5216.8 5232.8 5248.9
72 1/8 1/4 3/8 1/2 5/8 3/4 7/8	226.195 226.587 226.980 227.373 227.765 228.158 228.551 228.944	4071.5 4085.7 4099.8 4114.0 4128.2 4142.5 4156.8 4171.1	1/8 1/4 8/8 1/2 5/8 3/4	241.903 242.295 242.688 243.081 243.473 243.866 244.259 244.652		1/8 1/4 8/8 1/2 5/8 8/4	257.611 258.003 258.396 258.789 259.181 259.574 259.967 260.359	5281.0 5297.1 5313.3 5329.4 5345.6 5361.8 5378.1 5394.3
73 1/8 1/4 3/8 1/2 5/8 3/4 7/8	229.336 229.729 230.122 230.514 230.907 231.300 231.692 232.085	4185.4 4199.7 4214.1 4228.5 4242.9 4257.4 4271.8 4286.3	1/8 1/4 8/8 1/2 5/8 3/4	245.044 245.437 245.830 246.222 246.615 247.008 247.400 247.793		1/8 1/4 3/8 1/2 5/8 3/4	260.752 261.145 261.538 261.930 262.323 262.716 263.108 263.501	5459.6 5476.0 5492.4 5508.8
74 1/8 1/4 3/8 1/2 5/8 3/4 1/8	232.478 232.871 233.263 233.656 234.049 234.441 234.834 235.227	4300.8 4315.4 4329.9 4344.5 4359.2 4373.8 4388.5 4403.1	1/8 1/4 3/8 1/2 5/8 3/4	248.186 248.579 248.971 249.364 249.757 250.149 250.542 250.935	4901.7 4917.2 4932.7 4948.3 4963.9 4979.5 4995.2 5010.9	1/8 1/4 3/8 1/2 5/8 3/4	263.894 264.286 264.679 265.072 265.465 265.857 266.250 266.643	5541.8 5558.3 5574.8 5591.4 5607.9 5624.5 5641.2 5657.8

AREAS AND CIRCUMPERENCES OF CIRCLES

	اية ا	e e	ن ا	ا با	e i	ن ا	e l	oi
1 5 6		E u	E 6	5 6	In	8 8	3.6	e a
Diam. Ins.	Circum. Ins.	Area Sq. Ins.	Diam. Ins.	Circum. Ins.	Area Sq. Ins.	Diam. Ins.	Circum. Ins.	Area Sq. Ins.
Į"	O	Ň.	_	ပ	Ň.	_	0	Ň.
I			_	l		—		
85	267.035	5674.5	on	282.743	6361.7	05	298.451	7088.2
1/8	267.428	5691.2		283.136	6379.4		208.844	7106.9
1%	267.821	5707.9		283.529		1/4	299.237	7125.6
1	268.213	5724.7		283.921			299.629	7144.3
	268.606	5741.5		284.314			300.022	7163.0
1/2 5/8							1-	
	268.999	5758.3		284.707	6450.4		300.415	7181.8
34	269.392	5775.1	34 24	285.100		3/4	300.807	7200.6
1∕8	269.784	5791.9	1∕8	285.492	6486.0	1∕8	301.200	7219.4
86	270.177	5808.8	01	285.885	6503.9	06	301.593	7238.2
₩ ₩	270.177	- I	1/8	286.278			301.986	
78 1/4				286.670				
	270.962						302.378	7276.0
% 1/8	271.355			287.063			302.771	7294.9
1/2	271.748			287.456			303.164	7313.8
5/8	272.140	5893.5		287.848			303.556	7332.8
3/4	272.533			288.241		34	303.949	7351.8
₹8	272.926	5927.6	1∕8	288.634	6629.6	1/8	304.342	7370.8
87		5944-7	02	280.027	6647.6	07	304.734	7389.8
	273.319	5944.7			6665.7			
1/8	273.711	5978.9		289.419 289.812	6683.8	1/8 1/4	305.127	7408.9
X	274.104	5996.0					305.520	7428.0
₹ 1/8	274.497		1/8 1/2	290.205		% ½	305.913	7447.1
1/3	274.889	6013.2		290.597	6720.1		306.305	
5/8	275.282			290.990			306.698	7485.3
34	275.675			291.383	6756.4		307.091	7504.5
1∕8	276.067	6 064. 9	1/8	291.775	6774.7	1/8	307.483	7523.7
88	276.460	6082.1	03	202.168	6792.9	08	307.876	7543.0
1/8	276.853	6000.4	1/8	292.561		1/8	308.269	
134	277.246	6116.7		292.954	6820.5	1%	308.661	
% %	277.638			203.346			300.054	
1/3	278.031		13	293.739	:-	13	309.034	
72 5%	278.424					72 5%	309.447	
78 34		6186.2		294.132				
	278.816			294.524		74 76	310.232	
1∕8	279.209	6203.7	⅓ 8	294.917	6921.3	/8	310.625	7678.3
89	279.602	6221.1	94	295.310	6939.8	99	311.018	7697.7
1/8	270.004	6238.6		295.702	6958.2	1/8	311.410	
1%	280.387	6256.1		206.005	6976.7		311.803	7736.6
3/8	280.780	6273.7		205.488	6005.3		312.196	7756.1
1%	281.173	6201.2		206.881	7013.8		312.588	
1 6%	281.565	6308.8		297.273	7032.4		312.981	7795.2
1 %	281.058	6326.4		207.666	7051.0		313.374	7814.8
1/4 1/8	282.351			1 - 1				
1 ⁷⁸	402.351	6344.1	78	298.059	7069.6		313.767	7834.4
						ITOO	314.159	7854.0

DECIMAL EQUIVALENTS

	_		
1/64	.015625	33/64	.515625
1/32	.03125	17/32	. 53125
%4	.046875	35/64	. 546875
1/16	.0625	%16	. 5625
5/64	.078125	87/64	. 578125
3/32	.09375	19/32	- 59375
7/64	. 109375	39/64	.609375
1∕8	. 125	5/8	.625
%4	. 140625	41/64	.640625
5/32	. 15625	²¹ / ₃₂	.65625
11/64	.171875	43/64	.671875
3/16	. 1875	¹ / ₁₆	.6875
13/64	.203125	45/64	.703125
7/82	.21875	23/32	.71875
15/64	.234375	47/64	.734375
1/4	.25	8/4	.75
17/64	. 265625	4%4	.765625
%2	.28125	25/32	.78125
19/64	. 296875	51/64	. 796875
5/16	.3125	¹⁸ ⁄16	.8125
21/64	.328125	53/64	.828125
11/32	34375	27/32	.84375
28/64	-359375	55/64	.859375
%	375	7∕8	.875
25/64	. 390625	57/64	.890625
13/82	.40625	29/32	.90625
27/64	.421875	59/64	.921875
7/16	-4375	¹⁵ /16	.9375
²⁹ ⁄64	.453125	61/64	.953125
15/32	.46875	81/ ₃₂	.96875
81/64	.484375	63/64	.984375
1/2	.5	I	I.

METRIC CONVERSION TABLE

Millimetres \times .03937 = inches. Millimetres + 25.4 = inches.Centimetres \times .3937 = inches. Centimetres + 2.54 = inches. Metres × 39.37 = inches. (Act of Congress.) $Metres \times 3.281 = feet.$ $Metres \times 1.004 = yards.$ Kilometres \times .621 = miles. Kilometres + 1.6003 = miles.Kilometres \times 3280.7 = feet. Square millimetres × .00155 = square inches. Square millimetres + 645.1 = square inches. Square centimetres $\times .155 =$ square inches. Square centimetres +6.451 = square inches. Square metres \times 10.764 = square feet. Square kilometres \times 247.1 = acres. $Hectares \times 2.471 = acres.$ Cubic centimetres + 16.383 = cubic inches. Cubic centimetres + 3.69 = fluid drachms (U.S.P.) Cubic centimetres + 29.57 = fluid ounces (U.S.P.) Cubic metres \times 35.315 = cubic feet. Cubic metres \times 1.308 = cubic yards. Cubic metres × 264.2 = gallons (231 cubic inches.) Litres × 61.022 = cubic inches (Act of Congress.) Litres \times 33.84 = fluid ounces (U.S.P.) Litres X .2642 = gallons (231 cubic inches.) Litres + 3.78 = gallons (231 cubic inches.) Litres + 28.316 = cubic feet. $Hectolitres \times 3.531 = cubic feet.$ Hectolitres × 2.84 = bushels (2150.42 cubic inches.) Hectolitres × .131 = cubic yards. Hectolitres × 26.42 = gallons (231 cubic inches.) Grammes X 15.432 = grains (Act of Congress.) $Grammes \times 981 = dynes.$ Grammes (water) ÷ 29.57 = fluid ounces. Grammes + 28.35 = ounces avoirdupois. Grammes per cubic cent. + 27.7 = pounds per cubic inch. Joules \times .7373 = foot pounds. Kilogrammes \times 2.2046 = pounds. Kilogrammes \times 35.3 = ounces avoirdupois. Kilogrammes + 907.2 = tons (2,000 pounds.) Kilogrammes per square cent. X 14.223 = pounds per sq. inch. Kilogrammes per square metre + 4.89 = pounds per square foot, Kilogrammetres \times 7.233 = foot pounds. Kilogrammes per metre \times .672 = pounds per foot. Kilogrammes per cu. metre × .062 = pounds per cubic foot. Kilogrammes per cheval × 2.235 = pounds per horse-power. Kilowatts \times 1.34 = horse-power. Watts \div 746 = horse-power. Watts \times .7373 = foot pounds per second. Calories \times 3.968 = British thermal units. Cheval vapeur × .9863 = horse-power. Cheval vapeur per square metre of heating surface + 10.9

horse-power per square foot of heating surface. (Centigrade \times 1.8) +32 = degrees Fahrenheit.

Francs X.193 = dollars approximate.

Gravity Paris = 980.94 centimetres per second.

	11	NCHES	IN METRE	s	
Inches	Metres	Inches	Metres	Inches	Metres
1/64	.000397	13/32	.01032	51/64	.02024
1/32	.000794	27/64	.01072	13/16	.02064
8/64	.00119	7/16	.01110	53/64	.02103
1/16	.00159	29/64	.01151	27/32	.02143
5/64	.00198	15/32	.01191	55/64	.02183
3/32	.00238	31/64	.01230	7/8	.02223
7/64	.00278	1/2	.01270	57/64	.02262
1/8	.00318	33/64	.01310	29/32	.02302
.%4	.00357	17/32	.01349	59/64	.02342
5/32	.00397	35/64	.01389	15/16	.02381
11/64	.00437	%16	.01429	61/64	.02421
8/16	.00476	37/64	.01468	31/32	.02461
13/64	.00516	19/32	.01508	63/64	.02500
7/32	.00556	3%4	.01548	1	.02540
15/64	.00595	5%	.01588	2	.05080
1/4	.00635	41/64	.01627	3	.07620
17/64	.00675	21/82	.01667	4	. 1016
%32	.00714	43/64	.01707	5	. 1270
19/64	.00754	11/16	.01746	6	. 1524
5/16	.00794	45/64	.01786	7	. 1778
21/64	.00833	23/32	.01826	8	.2032
11/32	.00873	47/64	.01865	9	.2286
23/64	.00913	3/4	.01905	10	.2540
8 %	.00953	49/64	.01945	.11	.2794
·25/64	.00992	25/32	.01984	12	.3048

		1	NCHES II	M P	ETRES	
Inches	Metres	Inches	Metres	Inches	Metres	Inches Metres
1	.0254	26	.6604	51	1.2954	76 1.9304
2	.0508	27	.6858	52	1.3208	77 1.9558
3	.0762	28	.7112	53	1.3462	78 1.9812
4	. 1016	29	.7366	54	1.3716	79 2.0066
5	. 1270	30	.7620	55	1.3970	80 2.0320
6	.1524	31	.7874	56	I.4224	81 2.0574
7	. 1778	32	.8128	57	1.4478	82 2.0828
8	.2032	33	.8382	58	1.4732	83 2.1082
9	.2286	34	.8636	59	1.4986	84 2.1336
10	.2540	35	.8890	60	1.5240	85 2.1590
11	.2794	36	.9144	61	1.5494	86 2.1844
12	. 3048	37	.9398	62	1.5748	87 2.2098
13	.3302	38	.9652	63	1.6002	88 2.2352
14	.3556	39	.9906	64	1.6256	89 2.2606
15	.3810	40	1.0160	65	1.6510	90 2.2860
16	.4064	41	1.0414	66	1.6764	91 2.3114
17	.4318	42	1.0668	67	1.7018	92 2.3368
18	.4572	43	1.0922	68	I.7272	93 2.3622
19	.4826	44	1.1176	69	1.7526	94 2.3876
20	.5080	45	1.1430	70	1.7780	95 2.4130
21	-5334	46	1.1684	71	1.8034	96 2.4384
22	. 5588	47	i.1938	72	1.8288	97 2.4638
23	.5842	48	1.2192	73	1.8542	98 2.4892
24	.6096	49	1.2446	74	1.8796	99 2.5146
25	.6350	50	I.2700	75	1.9050	100 2.5400

	FEET IN METRES										
Feet	Metres	Feet	Metres	Feet	Metres	Feet	Metres				
1	.3048	26	7.9248	51	15.5448	76	23.1648				
2	.6096	27	8.2296	52	15.8496	77	23.4696				
3	.9144	28	8.5344	53	16.1544	78	23.7744				
4	1.2192	29	8.8392	54	16.4592	79	24.0792				
5	1.5240	30	9.1440	55	16.7640	80	24.3840				
6	1.8288	31	9.4488	56	17.0688	81	24.6888				
7	2.1336	32	9.7536	57	17.3736	82	24.9936				
8	2.4384	33	10.0584	58	17.6784	83	25.2984				
9	2.7432	34	10.3632	59	17.9832	84	25.6032				
10	3.0480	35	10.6680	60	18.2880	85	25.9080				
11	3.3528	36	10.9728	61	18.5928	86	26.2128				
12	3.6576	37	11.2776	62	18.8976	87	26.5176				
13	3.9624	38	11.5824	63	19.2024	88	26.8224				
14	4.2672	39	11.8872	64	19.5072	89	27.1272				
15	4.5720	40	12.1920	65	19.8120	90	27.4320				
16	4.8768	41	12.4968	66	20.1168	91	27.7368				
17	5.1816	42	12.8016	67	20.4216	92	28.0416				
18	5.4864	43	13.1064	68	20.7264	93	28.3464				
19	5.7912	44	13.4112	69	21.0312	94	28.6512				
20	6. 0 960	45	13.7160	70	21.3360	95	28.9560				
21	6.4008	46	14.0208	71	21.6408	96	29.2608				
22	6.7056	47	14.3256	72	21.9456	97	29.5656				
23	7.0104	48	14.6304	73	22.2504	98	29.8704				
24	7.3152	49	14.9352	74	22.5552	99	30.1752				
25	7.6200	50	15.2400	75	22.8600	100	30 .4800				

	MILES IN KILOMETRES											
Miles	Kilo- metres	Miles	Kilo- metres	Miles	Kilo- metres	Miles	Kilo- metres					
I	1.6093	26	41.8423	51	82.0754	76	122.3084					
2	3.2186	27	43.4517	52	83.6847	77	123.9177					
3	4.8280	28	45.0610	53	85.2940	78	125.5270					
4	6.4373	29	46.6703	54	86.9033	79	127 . 1364					
5	8.0466	30	48.2796	55	88.5127	80	128.7457					
6	9.6559	31	49.8890	56	∷90.1220	18	130.3550					
7	11.2652	32	51 . 4983	57	91.7313	82	131.9643					
8	12.8746	33	53 . 1076	58	93.3406	83	133.5736					
9	14.4839	34	54.7169	59	94 · 9499	84	135.1830					
10	16.0932	35	56.3262	60	96.5593	85	136.7923					
11	17.7025	36	57 - 9356	61	98.1686	86	138.4016					
I 2	19.3119	37	59 · 5449	62	.99 .7779	87	140.0109					
13	20.9212	38	61 . 1542	63	101 . 3872	88	141.6202					
14	22.5305	39	62.7635	64	1,02.9965	89	143.2296					
15	24 . 1 392	40	64.3728	65	104.6059	90	144.8389					
16	25.7491	4 I	65.9822	66	106.2152	91	146.4482					
17	27 . 3585	42	67.5915	67	107.8245	92	148.0575					
18	28.9678	43	69.2008	68	109.4338	93	149.6669					
19	30.5771	44	70.8101	69	I-II - 0431	94	151.2762					
20	32.1864	45	72.4194	70	112.6525	95	152.8855					
21	33 - 7957	46	74.0288	71	114.2618	96	154.4948					
22	35.4051	47	75.6381	72	115.8711	97	156.1041					
	!		77 - 2474	73	117.4804	98	157.7135					
24	38.6237	49	78.8567	74	119.0898	99	159.3228					
25	40.2330	50	80.4661	75	120.6991	100	160.9321					

	SQUA	RE	FEET IN	SQU	ARE ME	TRES	
Feet.	Sq. Metres	Sq. Feet	Sq. Metres	Sq. Feet	Sq. Metres	Sq. Feet	Sq. Metres
1	.0929	26	2.4154	51	4.7379	76	7.0604
2	. 1858	27	2.5083	52	4.8308	77	7 - 1533
3	.2787	28	2.6012	53	4.9237	78	7.2462
4	.3716	29	2.6941	54	5.0166	79	7.3391
5	.4645	30	2.7870	55	5.1095	80	7.4320
6	∙5574	31	2.8799	56	5.2024	81	7.5249
7	.6503	32	2.9728	57	5.2953	82	7.6178
8	.7432	33	3.0657	58	5.3882	83	7.7107
9	.8361	34	3.1586	59	5.4811	84	7.8036
.10	.9290	35	3.2515	60	5.5740	85	7.8965
11	1.0219	36	3.3444	61	5.6669	86	7.9894
12	1.1148	37	3.4373	62	5.7598	87	8,0823
13	1.2077	38	3.5302	63	5.8527	88	8.1752
14	1.3006	39	3.6231	64	5.9456	89	8.2681
15	1.3935	40	3.7160	65	6.0385	90	8.3610
16	1.4864	41	3.8089	66	6.1314	91	8.4539
17	1.5793	42	3.9018	67	6.2243	92	8.5468
18	1.6722	43	3.9947	68	6.3172	93	8.6397
19	1.7651	44	4.0876	69	6.4101	94	8.7326
20	1.8580	45	4.1805	70	6.5030	95	8.8255
2,I.	1.9509	46	4.2734	71	6.5959	96	8.9184
22	2.0438	47	4.3663	72	6.6888	97	9.0113
23	2.1367	48	4.4592	73	6.7817	98	9.1042
24	2.2296	49	4.5521	74	6.8746	99	9. 1971
25	2.3225	50	4.6450	75	6.9675	100	9.2900

The Court of the C

	POUNDS IN KILOGRAMMES										
Lbs.	Kilo- grammes	Lbs.	Kilo- grammes	Lbs.	Kilo- grammes	Lbs.	Kilo- grammes				
I	.4536	26	11.7934	51	23.1332	76	34 - 4731				
2	.9072	27	12.2470	52	23.5868	77	34.9267				
3	1.3608	28	12.7006	53	24.0404	78	35.3803				
4	1.8144	29	13.1542	54	24.4940	79	35.8338				
5	2.2680	30	13.6078	55	24.9476	80	36.2874				
6	2.7216	31	14.0614	56	25.4012	81	36.7410				
7	3.1752	32	14.5150	57	25.8548	82	37 . 1946				
8	3.6287	33	14.9686	58	26.3084	83	37.6482				
9	4.0823	34	15.4222	59	26.7620	84	38.1018				
10	4.5359	35	15.8758	60	27.2156	85	38 - 5554				
11	4.9895	36	16.3293	61	27.6692	86	39.0090				
12	5.4431	37	16.7829	62	28.1228	87	39.4626				
13	5.8967	38	17.2365	63	28.5764	88	39.9162				
14	6.3503	39	17.6901	64	29.0300	89	40.3698				
15	6.8039	40	18.1437	65	29.4835	90	40.8234				
16	7.2575	4 I	18.5973	66	29.9371	91	41.2770				
17	7.7111	42	19.0509	67	30.3907	92	41.7306				
18	8.1647	43	19.5045	68	30.8443	93	42.1841				
19	8.6183	44	19.9581	69	31.2979	94	42.6377				
20	9.0719	45	20.4117	70	31.7515	95	43.0913				
21	9.5255	46	20.8653	71	32.2051	96	43 - 5449				
22	9.9790	47	21.3189	72	32.6587	97	43 - 9985				
23	10.4326	48	21.7725	73	33.1123	98	44.4521				
24	10.8862	49	22.2261	74	33 . 5659	99	44 - 9057				
25	11.3398	50	22.6797	75	34.0195	100	45 - 3593				

	GALLON	S (of	231 CUB	IC IN	CHES) IN	LIT	RES
Gal.	Litres	Gal.	Litres	Gal.	Litres	Gal.	Litres
1	3.79	26	98.41	51	193.04	76	287.66
2	7.57	27	102.20	52	196.82	77	291.45
3	11.36	28	105.98	53	200.61	78	295.23
4	15.14	29	109.77	54	204.39	79	299.02
5	18.93	30	113.55	55	208.18	80	302.80
6	22.71	31	117.34	56	211.96	81	306.59
7	26.50	32	121.12	57	215.75	82	310.37
8	30.28	33	124.91	58	219.53	83	314.16
9	34.07	34	128.69	59	223.32	84	317.94
10	37.85	35	132.48	60	227.10	85	321.73
11	41.64	36	136.26	61	230.89	86	325.51
12	45.42	37	140.05	62	234.67	87	329.30
13	49.21	38	143.83	63	238.46	88	333.08
14	52.99	39	147.62	64	242.24	89	336.87
15	56.78	40	151.40	65	246.03	90	340.65
16	60.56	41	155.19	66	249.81	91	344 · 44
17	64.35	42	158.97	67	253.60	92	348.22
18	68.13	43	162.76	68	257.38	93	352.01
19	71.92	44	166.54	69	261.17	94	355.79
20	75.70	45	170.32	70	264.95	95	359.58
21	79.49	46	174.11	71	268.74	96	363.36
22	83.27	47	177.90	72	272.52	97	367.15
23	87.06	48	181.68	73	276.31	98	370.93
24	90.84	49	185.47	74	280.09	99	374.72
25	94.63	50	189.25	75	283.88	100	378.50

PO	POUNDS PER SQUARE INCH IN KILOGRAMMES PER SQUARE CENTIMETRE											
Lbs. per Sq. In.	Kgs. per Sq. Centim.	Lbs. per Sq. In.	Kgs. per Sq. Centim.	Lbs. per Sq. In.	Kgs. per Sq. Centim.	Lbs. per Sq. In.	Kgs. per Sq. Centim.					
1 2 3 4 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	.0703 .1406 .2109 .2812 .3515 .4218 .4921 .5624 .6327 .7734 .8437 .9140 .9843 1.0546 1.1249 1.1952 1.2655 1.3358 1.4062 1.4765	27 28 29 30 31 32 33 34 35 36 37 38 39	1.8280 1.8983 1.9686 2.0389 2.1092 2.1795 2.2498 2.3202 2.3905 2.4608 2.5311 2.6014 2.6717 2.7420 2.8123 2.8826 2.9529 3.0232 3.0936 3.1639 3.2342	52 53 54 55 56 57 58 59	3.5857 3.6560 3.7263 3.7966 3.8669 3.9373 4.0779 4.1482 4.2185 4.2888 4.3591 4.4997 4.5700 4.7107 4.7810 4.8513 4.9919	80 81 82 83 84 85	5.3434 5.4138 5.4841 5.5544 5.6950 5.7653 5.8356 5.9059 5.9762 6.0465 6.1168 6.1872 6.2575 6.3278 6.3981 6.4684 6.5387 6.6090 6.6793 6.7496					
22 23 24 25	1.5468 1.6171 1.6874 1.7577	47 48 49 50	3.3045 3.3748 3.4451 3.5154	72 73 74 75	5.0622 5.1325 5.2028 5.2731	97 98 99 100	6.8199 6.8902 6.9606 7.0309					

	MILLIMETRES IN INCHES											
Mm.	Inches	Mm.	Inches	Mm.	Inches	Mm.	Inches					
ı	0.039	26	I .024	51	2.008	76	2.992					
2	0.079	27	1.063	52	2.047	77	3.031					
3	0.118	28	1.102	53	2.087	78	3.071					
4:	0.158	29	1.141	54	2.126	79	3.110					
5	0.197	30	1.181	55	2.165	80	3.150					
6	0.236	31	1.220	56	2.205	81	3.189					
7	0.276	32	1.260	57:	2.244	82	3.228					
8	0.315	33	1.300	58	2.283	83	3.268					
9	0.354	34	1.338	59.	2.323	84	3.307					
10	0.394	35	1.378	60	2.362	85	3.346					
11	0.433	36	1.417	61	2.401	86	3.386					
12	0.472	37	1.457	62	2.441	87	3.425					
13	0.512	38	1.496	63	.2.480	88	3.465					
14	0.551	39	1.535	64	2.520	89	3.504					
15	0.590	40	1.575	65	2.559	90	3.543					
16	0.630	41	1.614	66	2.598	91	3.583					
17	0.669	42	1.653	67	2.638	92	3.622					
18	0.709	43	1.693	68	2.677	93	3.661					
19	0.748	44	1.732	69	2.717	94	3.701					
20	0.787	45	1.772	70	2.756	95	3.740					
21	0.827	46	1.811	71	2.795	96	3.779					
22	0.866	47	1.850	72	2.835	97	3.819					
23	0.906	48	1.890	73	2.874	98	3.858					
24	0.945	49	1.929	74.	2.913	.99	3.898					
25	0.984	50	1.968	75	2.953	100	3.937					

	metres in feet												
Metrés	Feet	Metres	Feet	Metres	Feet ·	Metres	Feet						
1	3.2809	26	85.3034	51	167.3258	76	249.3483						
2	6.5618	27	88.5843	52	170.6067	77	252.6292						
3	9.8427	28	91.8652	53	173.8876	78	255.9101						
4	13.1236	29	95.1461	54	177.1685	79	259.1910						
5	16.4045	30	98.4270	55	180.4494	80	262.4719						
6	19.6854	31	101.7079	56	183.7303	81	265.7528						
7	22.9663	32	104.9888	57	187.0112	82	269.0337						
8	26.2472	33	108.2697	58	190.2921	83	272.3146						
9	29.5281	34	111.5506	59	193.5730	84	275.5955						
10	32.8090	35	114.8315	60	196.8539	85	278.8764						
11	36.0899	36	118.1124	61	200.1348	86	282.1573						
12	39.3708	37	121.3933	62	203.4157	87	285.4362						
13	42.6517	38	124.6742	63	206.6966	88	288.7191						
14	45.9326	39	127.9551	64	209.9775	89	292,0000						
15	49.2135	40	131.2360	65	213.2584	90	295.2809						
16	52 - 4944	41	134.5169	66	216.5393	91	298.5618						
17	55 - 7753	42	137.7978	67	219.8202	92	301.8427						
18	59.0562	43	141.0787	68	223.1011	93	305.1236						
19	62.3371	44	144.3596	69	226.3820	94	308.4045						
20	65.6180	45	147.6405	70	229.6629	95	311.6854						
21	68.8989	46	150.9214	71	232.9438	96	314.9663						
22	72.1798	47	154.2023	72	236.2247	97	318.2472						
23	75.4607	48	157.4832	73	239.5056	98	321.5281						
24	78.7416	49	160.7641	74	242.7865	99	324.8090						
25	82.0225	50	164.0450	75	246.0674	100	328.0899						

		KIL	OMETRI	S IN	MILES		
Km.	Miles	Km.	Miles	Km.	Miles	Km.	Miles
I	0.621	26	16.156	51	31.690	76	47.225
2	1.243	27	16.777	52	32.312	77	47 . 846
3	1.864	28	17.398	53	32.933	78	48.468
4	2.485	29	18.020	54	33 - 554	79	49.089
5	.3.107	30	18.641	55	34.176	80	49.710
6	3.728	31	19.263	56	34 - 797	81	50.332
7	4.350	32	19.884	57	35.419	82	50.953
8	4.971	33	20.505	58	36.040	83	51.574
9	5.592	34	21.127	59 ·	36.661	84	52.196
10	6.214	35	21.748	60	37.283	85	52.817
11	6.835	36	22.370	61	37.904	86	53 - 439
12	7.456	37	22.991	62	38.525	87	54.060
13	8.078	38	23.612	63	39.147	88	54.681
14	8.699	39	24.234	64	39.768	89	55 - 303
15	9.321	40	24.855	65	40.390	90	55.924
16	9.942	41	25.476	66	41.011	91	56.545
17	10.563	42	26.098	67	41.632	92	57.167
18	11.185	43	26.719	68	42.254	93	57.788
19	11.806	44	27.341	69	42.875	94	58.410
20	12.427	45	27.962	70	43.496	95	59.031
21	13.049	46	28.583	71	44.118	96	59.652
22	13.670	47	29.205	72	44 - 739	97	60.274
23	14.292	48	29.826	73	45.361	98	60.895
24	14.913	49	30.448	74	45.982	99	61.517
25	15.534	50	31.069	75	46.603	100	62 . 138

	SQU	ARE	METRES	IN	SQUARE	FEE	e T
Sq. M.	Sq. Ft.	Sq. M.	Sq. Ft.	Sq. M.	Sq. Ft.	Sq. M.	Sq. Ft.
1	10.764	26	279.872	51	548.979	76	818.087
2	21.528	27	290.636	52	559 - 744	77	828.851
3	32.293	28	301.400	53	570.508	78	839.615
4	43.057	29	312.165	54	581.272	79	850.380
5	53.821	30	322.929	55	592.036	80	861.144
6	64.586	31	333.693	56	602.800	81	871.908
7	75.350	32	344 . 458	57	613.565	82	882.673
8	86.114	33	355.222	58	624.329	83	893.437
9	96.879	34	365.986	59	635.094	84	904.207
10	107.643	35	376.750	60	645.858	85	914.965
11	118.407	36	387.545	61	656.622	86	925.730
12	129.172	37	398.279	62	667.387	87	936.494
13	139.936	38	409.043	63	678.151	88	947.258
14	150.700	39	419.808	64	688.915	89	958.023
15	161.464	40	430.572	65	699.679	90	968.787
16	172.229	41	441.336	66	710.444	91	979.551
17	182.993	42	452.100	67	721.208	92	990.316
18	193.757	43	462.865	68	731.971	93	1001.080
19	204.522	44	473.629	69	742.736	94	1011.844
20	215.286	45	484.393	70	753.501	95	1022.608
21	226.050	46	495.158	71	764.265	96	1033.373
22	236.815	47	505.922	72	775:030	97	1044.137
23	247 · 579	48	516.686	73	785.794	98	1054.901
24	258.343	49	527.450	74	796.558	99	1065.666
25	269. <u>1</u> 07	50	538.215	75	807.322	100	1076.430

	K	ILO	GRAMME	s in	POUND	S	
Kg.	Pounds	Kg.	Pounds	Kg.	Pounds	Kg.	Pounds
1	2.205	26	57.320	51	112.435	76	167.550
2	4.409	27	59.524	52	114.639	77	169.754
3	6.614	28	61.729	53	116.844	78	171.959
4	8.818	29	63.933	54	119.048	79	174.163
5	11.023	30	66.138	55	121.253	80	176.368
6	13.228	31	68.343	56	123.458	81	178.573
7	15.432	32	70.547	57	125.662	82	180.777
8	17.637	33	72.752	58	127.867	83	182.982
9	19.841	34	74.956	59	130.071	84	185.186
10	22.046	35	77.161	60	132.276	85	187.391
11	24.251	36	79.366	61	134.481	86	189.596
12	26.455	37	81.570	62	136.685	87	191.800
13	28.660	38	83.775	63	138.890	88	194.005
14	30.864	39	85.979	64	141.094	89	196.209
15	33.069	40	88.184	65	143.299	90	198.414
16	35.274	41	90.389	66	145.504	91	200.619
17	37.478	42	92.593	67	147.708	92	202.823
18	39.683	43	94.798	68	149.913	93	205.028
19	41.887	44	97.002	69	152.117	94	207.232
20	44.092	45	99.207	70	154.322	95	209.437
21	46.297	46	101.412	71	156.527	96	211.642
22	48.501	47	103.616	72	158.731	97	213.846
23	50.706	48	105.821	73	160.936	98	216.051
24	52.910	49	108.025	74	163.140	99	218.255
25	55.115	50	110.230	75	165.345	100	220.460

1	LITRES IN GALLONS (of 231 CUBIC INCHES)												
Litres	Gallons	Litres	Gallons	Litres	Gallons	Litres	Gallons						
1	. 2642	26	6.8683	51	13.4724	76	20.0765						
2	. 5283	27	7.1324	52	13.7366	77	20.3407						
3	.7925	28	7.3966	53	14.0007	78	20.6048						
4	1.0567	29	7.6608	54	14.2649	79	20.8690						
5	1.3208	30	7.9249	55	14.5290	80	21.1332						
6	1.5850	31	.8.1891	56	14.7932	81	21.3973						
7	1.8491	32	8.4533	57	15.0574	82	21.6615						
8	2.1133	33	8.7174	58	15.3215	83	21.9256						
9	2.3775	34	8.9816	59	15.5857	84	22.1898						
10	2.6416	35	9.2458	60	15.8499	85	22.4540						
11	2.9058	36	9.5099	61	16.1140	86	22.7181						
12	3.1700	37	9.7741	62	16.3782	87	22.9823						
13	3.4341	38	10.0382	63	16.6424	88	23.2465						
14	3.6983	39	10.3024	64	16.9065	89	23.5106						
15	3.9625	40	10.5666	65	17.1707	90	23.7748						
16	4.2266	41	10.8307	66	17.4349	91	24.0390						
17	4.4908	42	11.0949	67	17.6990	92	24.3031						
18	4.7550	43	11.3591	68	17.9632	93	24.5673						
19	5.0191	44	11.6232	69	18.2273	94	24.8315						
20	5.2833	45	11.8874	70	18.4915	95	25.0956						
21	5 - 5475	46	12.1516	71	18.7557	96	25.3598						
22	5.8116	47	12.4157	72	19.0198	97	25.6240						
23	6:0758	48	12.6799	73	19.2840	98	25.8881						
24	6.3399	49	12.9441	74	19.5482	99	26.1523						
25	6.6041	50	13.2082	75	19.8123	100	26.4164						

KI	LOGRAN			SQU/ R SQ	ARE CEN'		TRE IN
Kgs. per Sq. Centim.	Lbs. per Sq. In.	Kgs. per Sq. Centim.	Lbs. per Sq. In.	Kgs. per Sq. Centim.	Lbs. per Sq. In.	Kgs. per Sq. Centim.	Lbs. per Sq. In.
1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 1.9 2.0 2.1 2.2 2.3 2.4 2.5 2.6 2.7 2.8 2.9 3.0 3.1 3.2	29.868 31.291 32.713 34.135 35.558 36.980 38.402 39.824 41.247 42.669 44.091 45.514	3.7 3.8 3.9 4.0 4.1 4.2 4.3 4.4 4.5 4.6 4.7 4.8 4.9 5.1 5.2 5.3 5.5 5.7 5.7	52.625 54.047 55.470 56.892 58.314 59.737 61.159 62.581 64.004 65.426 67.848 68.270 69.693 71.115 72.537 73.960 75.382 76.804 78.227 79.649 81.071 82.493	6.3 6.4 6.5 6.6 6.7 7.1 7.2 7.3 7.4 7.5 7.8 7.9 8.1 8.2 8.3 8.4	92.450 93.872 95.294 96.716 98.139 99.561 100.983 102.406 103.828 105.250 106.673 109.517 110.939 112.362 113.784 115.206 116.629 118.051 119.473	8.9 9.0 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 10.0 10.1 10.2 10.3 10.4 10.5 10.6 10.7 10.8 10.9 11.0	140.808 142.230 143.652 145.074 146.497 147.919 149.341 150.764 152.186 153.608 155.030 156.453
3.4	48.358	6.0	85.338	8.6	120.896 122.318 123.740	11.2	

THE BALDWIN LOCOMOTIVE WORKS

PROPERTIES OF SATURATED STEAM Complied from Peabody's Steam Tables

Pressure above the Atmosphere (Boiler Pressure)	Number of Atmospheres	Temperature of Steam Degrees Fahr.	Total Heat in B. T. U. From Water at 32° Frhr.	Density Weight of one cu. ft. of Steam	Volume of one lb. of Steam in cu. ft.
0 5 15 25 35 55 65 75 85 100 105 110 115 125 130 135 140 145 150 160 160 175 180 175 180 175 180 175 180 175 180 175 180 175 185 190 190 190 190 190 190 190 190 190 190	1. 1.34 2.02 2.70 3.38 4.06 4.74 5.42 6.10 6.78 7.80 8.14 8.82 9.16 9.50 9.84 10.18 10.52 10.86 11.20 11.54 12.22 12.56 12.90 13.58 13.92 14.60 14.94 15.62 15.28 15.69	212.0 227.1 249.7 266.6 280.4 292.2 302.4 331.5 337.7 341.0 349.9 349.9 349.9 355.5 358.1 363.3 363.3 377.3 377.3 379.5 385.8 377.3 385.8 377.3 385.8 377.3 385.8 389.7 395.5	1146. 57 1151. 26 1158. 12 1163. 25 1167. 48 1171. 08 1174. 18 1176. 94 1181. 81 1184. 94 1185. 94 1186. 84 1187. 74 1190. 34 1191. 14 1192. 77 1193. 54 1191. 194. 94 1197. 67 1198. 34 1197. 67 1198. 34 1197. 67 1198. 34 1197. 67 1198. 34 1197. 67 1198. 34 1199. 57 1200. 17 1201. 37 1201. 37 1201. 37 1201. 97 1202. 57	.037489 .049396 .072780 .072780 .095639 .117940 .161940 .18347 .20487 .22617 .25787 .26847 .27887 .28927 .29967 .31007 .32057 .33087 .34137 .35177 .36227 .37237 .38277 .39320 .40350 .41387 .42417 .43430 .44450 .45487 .46527 .495300 .495300 .495300 .495300 .495300 .495300 .495300 .495300	26.67 20.25 13.74 13.74 18.48 7.14 4.88 3.73 3.46 3.34 3.32 2.36 2.69 2.61 2.48 2.42 2.36 2.36 2.36 2.15 2.10 2.06 2.06 2.06
225	16.30	397.3	1203.10	. 51687	1.94

PROPERTIES OF SUPERHEATED STEAM From Tables by Marks and Davis

Boiler Pressure lbs. per Sq. Inch	Superheat, Degrees F	Temp. of Steam Degrees F	Total Heat B. T. U.'s per Pound	Specific Volume, Cubic Feet per Pound	Increase in Volume over Sat. Steam per cent.
150	25	390.9	1210.6	2.87	4.4
	50	415.9	1225.2	2.99	8.7
	75	440.9	1238.8	3.10	12.7
	100	465.9	1252.0	3.21	16.7
	150	515.9	1277.6	3.43	24.7
	200	565.9	1302.5	3.64	32.4
160	25	395.8	1211.8	2.72	4 5
	50	420.7	1226.6	2.83	8 9
	75	445.7	1240 3	2.93	12 6
	100	470.7	1253.6	3.04	16 9
	150	520.7	1279.1	3.24	24 6
	200	570.7	1304.1	3.44	32 3
170	25	400 3	1213.0	2.58	4.4
	50	425 3	1227.9	2.68	8.5
	75	450 3	1241.7	2.78	12.5
	100	475 3	1255.0	2.89	17.0
	150	525 3	1280.6	3.08	24.8
	200	575 3	1305.6	3.27	32.4
180	25	404.6	1214.2	2.45	4.3
	50	429.6	1229.2	2.55	8.5
	75	454.6	1243.1	2.65	12.8
	100	479.6	1256.4	2.75	17.0
	150	529.6	1282.0	2.93	24.7
	200	579.6	1307.0	3.11	32.3
190	25	408.8	1215.2	2.34	4.4
	50	433.8	1230.4	2.44	8.9
	75	458.8	1244.4	2.53	13.0
	100	483.8	1257.7	2.62	17.0
	150	533.8	1283.3	2.80	25.0
	200	583.8	1308.3	2.97	32.7
200	25	412.9	1216.3	2.23	4 3
	50	437.9	1231.6	2.33	8 9
	75	462.9	1245.6	2.42	13 1
	100	487.9	1259.0	2.51	17 3
	150	537.9	1284.6	2.68	25 2
	200	587.9	1309.7	2.84	32 7

CYLINDER VOLUMES IN CUBIC FEET (For One Cylinder Only)

Diam. Inches						Str	oke :	in In	ches				
LE	12	14	16	18	20	22	24	26	28	30	32	34	36
10	.550			.81	.90								
01/2	.601	.70	.80	.90	1.00								
I	.660	.77											
11/2	.721	.84	.96	1.08	1.20	1.32							
12	.780	.QI	1.04	1.17	1.30	1.43	1.56						
121/2	.840	.00	1.13	1.27	1.41	1.55	1.60						
13		1.07	I.23	1.30	1.54	1.60	1.85						
121/0		1.16	I.33	I.40	1.66	1.82	1.00						
14		I.24	I.42	1.60	1.78	I.05	2.13						
T416		-124	T 52	T.72	T.OT	2.10	2.20						1.39
			1.63										
151/2			T 74	T 06	2 18	2 40	2 62						
			1.85					2.02					
161/2								2.02			51		
1072				2.25	2.41	2.72	2.97	3.23	3.69				
17/2				2.30	2.04	2.90	3.1/		3.09				1111
17/2				2.50	2.70	3.00	3.34						
18				2.05	2.94	3.23	3.53	3.82					
181/2								4.04	4.35				
								4.26	4.59	4.92			
191/2								4.50		5.19			
								4.73	5.10				
201/2								4.96		5.73			
21											6.42		
21/2								5.46			6.72		
22						4.84	5.28	5.72	6.16		7.05		
221/2								5.98	6.44	6.90	7.36		
23							5.76	6.24	6.72	7.20	7.68	8.18	
231/2							6.02	6.52	7.02	7.52		8.52	
24							6.27	6.70	7.31	7.83	8.38	8.90	
241/2								7.10	7.65	8.20	8.75	9.30	
25								7.38	7.95	8.52		9.65	
251/2			2					7.68	8.27	8.86	9.45	10.04	10.6
								7.08		9.21			
								8.61		9.93			
28									9.97				
20									10.70				
30									11.45				
31									12.23				
32						Sair	000		13.03	T3.06	14.00	15.84	16.7
33	1					300	300	88 0	13.85	TA 84	15.82	16.82	17.8
34									14.71	15.76	16.82	17.87	18.0
									15.59	16 70	17 ST	18 02	20 T
35 36			08						16.49	17 67	18.8	20.02	21.2
									17.42	18 67	TO OT	21 15	22.4
37									78 20	10.07	27.00	22 27	22.4
38									18.38				
39													
40										21.82	23.27	24.72	20.1
41													
42													
43										25.21	26.89	28.57	30.2
44													
45		12200	1	100	No. of	12.00				27.61	20 45	2T 20	122 T

COMPARATIVE THICKNESS OF WIRE GAUGES IN DECIMALS OF ONE INCH

	ngham ubb		merican 3. & S.	1	nerican w Gauge						
No.	Thickness	No.	Thickness	No.	Thickness						
0000 000 00 00 0 1 2 3 3 4 5 5 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 31 32 32 33 34 34 35 36 36 36 36 36 36 36 36 36 36 36 36 36	. 454 . 425 . 38 . 34 . 259 . 238 . 22 . 203 . 18 . 165 . 148 . 165 . 083 . 072 . 083 . 072 . 083 . 035 . 035 . 025 . 028 . 025 . 022 . 020 . 018 . 010 . 011 . 012 . 013 . 010 . 010 . 011 . 011 . 012 . 013 . 014 . 015 . 016 . 017 . 017 . 018 . 019 . 01	0000 000 00 00 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 20 30 31 31 41 42 43 43 43 43 43 43 43 43 43 43	.46 .40964 .3648 .321186 .2893 .25763 .22942 .20431 .18194 .16202 .14428 .12849 .11443 .10189 .090742 .080808 .071961 .064084 .057068 .05082 .045257 .040303 .03589 .031961 .028462 .025347 .022574 .0201 .01594 .014195 .012641 .011257 .01025 .008928 .00795 .00708 .00708	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 20 22 24 26 28 30	.0578 .0710 .0842 .0973 .1105 .1236 .150 .1631 .1763 .1894 .2026 .2158 .2289 .2421 .2552 .2684 .2816 .2947 .3210 .3474 .3737 .40						

VALUES OF MOMENT OF INTERTIA (I) AND MODULUS OF SECTION (Z) FOR VARIOUS SECTIONS

	T DEC	1011	L) FUR	ARIUUS	SECTION	15
Height	Bars 1 in			Circular	Sections	
or Depth	ror be	ginting	For Be	ending	For Tw	isting
H or Dia. D	$I = \frac{H^2}{I2}$	$Z = \frac{H^2}{6}$	$I = \frac{\pi}{64} D^4$	$Z = \frac{\pi}{32} D^3$	$I = \frac{\pi}{32} D^4$	$Z = \frac{\pi}{16}D$
51/8 1 51/4 1 53/8 1 51/2 1 55/8 1	o. 1628 o. 2166 o. 2812 o. 3578 o. 5493 o. 5493 o. 5493 o. 7996 o. 9492 1. 116 1. 302 1. 1733 1. 733 2. 250 2. 2543 2. 2861 3. 204 4. 349 5. 333 9. 652 6. 3978 7. 594 8. 294 1. 226 12. 04 12. 04 13. 83	0. 0104 0. 0234 0. 0417 0. 0617 0. 1276 0. 1276 0. 1276 0. 2604 0. 3151 0. 3750 0. 4401 0. 5104 0. 7520 0. 6627 0. 8437 0. 9401 1. 1260 1. 378 1. 508 1. 7608 1. 7608 1. 7608 1. 808 2. 042 2. 190 2. 344 2. 503 2. 344 2. 503 3. 3761 4. 1678 4. 1678 5. 1678 5. 1678 6.	0.000192 0.000911 0.000911 0.000911 0.000911 0.000911 0.01553 0.02877 0.04909 0.1755 0.2485 0.3431 0.0667 0.7854 1.001 1.1258 1.562 1.317 2.807 3.354 1.001 1.1258 1.562 1.917 1.258 1.1562 1.917 1.258 1.1562 1.11.17 1.156	0. 00518 0. 01227 0. 04142 0. 06577 0. 04142 0. 06577 0. 09817 0. 1398 0. 1917 0. 2558 0. 1917 0. 2558 0. 3313 0. 4213 0. 4213 0. 4213 0. 4213 0. 4213 0. 7854 0. 9421 1. 118 1. 176 2. 042 2. 051 2.	0.000384 0.001041 0.006136 0.03106 0.05755 0.09817 0.1573 0.2397 0.3509 0.4970 0.6862 0.9208 1.213 1.571 2.002 2.516 3.124 3.125 3.124 3.124 3.124 3.124 3.124 3.124 3.124 3.124 3.124 3.124 3.125 3.124 3.124 3.125 3.124 3.125 3.124 3.125 3.1	0.01035

VALUES OF MOMENT OF INERTIA (I) AND MODULUS OF SECTIONS (Z) FOR VARIOUS SECTIONS

Unioha	Bars I in. Wide		Circular Sections				
Height or	For B	ending	For B	ending	For Twisting		
Depth H or	. H3	, H2	I= TD	$Z = \frac{\pi}{2} D^3$	$I = \frac{\pi}{2} D^4$	7-π D	
Dia. D	I=12	$Z = \frac{1}{6}$	64	32	32	$Z=\frac{\pi}{16}D$	
6	18.00	6.000	63.62	21.21	127.2	42.41	
61/6	19.15	6. 253	60.00	22.56	138.2	45. I2	
61%	20.35	6.510	74.90	23.97	149.8	47.94	
63/8	21.59	6.773	81.08	25.44	162.2	50.87	
61/3	22.89	7.042	87.62	26.96	175.2	53.92	
65%	24. 23 25. 63	7.315 7.594	94.56 101.9	28.55	189. I 203. 8	57.00	
6%	27.08	7.878	100.7	30. IQ 31. QO	219.3	60.39 63.80	
7	28.58	8. 167	117.0	33.67	235.7	67.35	
71/8	30.14	8.461	126.5	35.51	253.0	71.02	
71/4	31.76	8.760	135.6	37.41	271.2	74.82	
73/8	33.43	9.065	145.2	39.38	290.4	78.76	
7½ 7%	35.16 36.04	9.375 9.690	155.3 165.9	41.42 43.52	310.6 331.9	82.84 87.05	
73%	38.79	10.01	177.1	45.70	354.2	91.40	
77/8	40.70	10.34	188.8	47.95	377.6	95.89	
8	42.67	10.67	201.1	50. 27	402. I	100.5	
8½ 8¼	44.70	11.00	213.9	52.66	427.9	105.3	
83%	46.79 48.95	11.34 11.60	227.4 241.5	55.13 57.67	454.8 483.0	110.3	
81%	51.18	12.04	256.2	60.29	512.5	120.6	
85%	53-47	12.40	271.6	62.99	543.3	126.0	
834	55.83	12.76	287.7	65.77	575.5	131.5	
87/8	58.25	13.13	304.5	68.63	609. I	137.3	
9 91/8	63.32	13.50 13.88	322. I 340. 3	71.57	644. I 680. 7	143.1	
91%	65.95	14. 26	359.4	74.59 77.70	718.7	149.2	
93/8	68.66	14.65	379.2	80.89	758.4	161.8	
91/2	71.45	15.04	399.8	84. 17	700.6	168.3	
9%	74.31	15.44	421.3	87.54	842.6	175.1	
9%	77.24 80.25	15.84 16.25	443.6 466.8	90.99	887.2	182.0 189.1	
10	83.33	16.67	490.9	94.54 98.17	933.6 981.7	196.3	
101/8	86.50	17.00	515.8	101.9	1032	203.8	
101/4	89.74	17.51	541.8	105.7	1084	211.4	
103/8	93.06	17.94	568.8	109.6	1138	219.3	
101/2	96.47 99.96	18.38	596.7 625.6	113.6	1193	227.3	
10%	103.5	10.02	655.6	117.8	1251	235.5 243.9	
101/8	107.2	19.71	686.6	126.3	1373	252.5	
11	110.9	20. 17	718.7	130.7	1437	261.3	
111/8	114.7	20.63	751.0	135.2	1504	270.4	
113/8	118.7	21.00	786.3 821.8	139.8	1573	279.6	
111/2	126.7	21.57 22.04	858.5	144.5 149.3	1644	289. 0 298. 6	
115/8	130.9	22.52	896.5	154.2	1793	308.5	
113/4	135.2	23.01	935.7	159.3	1871	318.5	
117/8	139.5	23.50	976. I	164.4	1952	328.8	
12	144.0	24.00	1018	169.6	2036	339.3	
12/2	153.2 162.8	25.01 26.04	1105	180.5	2211 2397	360.9 383.5	
1234	172.7	27.00	1297	203.5	2594	407.0	
13	183.1	28.17	1402	215.7	2804	43T.	

WHITWORTH STANDARD THREADS AND NUTS





SCREW THREADS			HEADS AND NUTS			
Diam. of Bolt Inches	No. of Thr'ads	Diam. at Root	Thick- ness of Head Inches	Thick- ness of Nut Inches	Across Flats Inches	Across Corners Inches
1/8 3/16 1/4 5/16 3/8 7/16 1/2 9/16	40 24 20 18 16 14 12	.093 .134 .186 .241 .295 .346 .393 .456	7/64 5/32 7/32 17/64 21/64 8/8 7/16 31/64	1/8 8/16 1/4 5/16 8/8 7/16 1/2 9/16	11/82 7/16 17/82 89/64 45/64 53/64 59/64 11/64	38/64 89/64 11/16 13/16 61/64 11/16 15/82
5% 11/16 34 13/16 78 15/16 1 11/8	11 10 10 9 9 8 7	.508 .571 .622 .684 .733 .795 .840 .942 I.067	35/64 39/64 21/32 23/32 49/64 53/64 7/8 63/64 13/32	5/8 11/16 3/4 18/16 7/8 15/16 1 11/8	13/32 113/64 119/64 125/64 181/64 187/64 143/64 155/64 23/64	11764 12564 11/2 11932 14564 15864 16164 2532 22864
1% 1½ 1% 1% 1% 2½ 2¼ 2¼ 2% 2½ 2% 2¾	6 6 5 5 4 ¹ / ₂ 4 ¹ / ₂ 4 4 4 4 4 3 ¹ / ₂ 4 4 3 ¹ / ₂	1.161 1.286 1.369 1.494 1.590 1.715 1.840 1.930 2.055 2.180 2.305 2.384 2.509 2.634	115/64 15/16 127/64 117/32 144/64 13/4 155/64 131/82 25/64 23/16 219/64 213/82 283/64 25/8	13/8 13/2 15/8 13/4 13/8 2 21/8 21/4 23/8 23/4 23/8 23/4 23/8 23/8 23/8 23/8 23/8 23/8 23/8 23/8	27/52 213/52 287/64 23/4 31/64 35/52 311/52 385/64 38/4 357/64 43/66 411/52 417/52	285/64 225/82 231/32 33/16 331/64 35/8 37/8 43/82 411/82 411/82 45/84 45/864 53/84 51/864

Œ

303

WHITWORTH STANDARD THREADS




		PIPE	THREADS			
ninal am. Pipe ches	No. Threads	No. Threads Diam. It Root Inches	am. Top	Actual Pipe Diam. Inches		
SO SA	of Th	L Par	D # T	Inside	Outside	
1/8	28	.3367	. 3825	.27	40	
1/4	19	.4506	.518	. 36	54	
3%	19	. 5889	.6563	.49	.67	
1/2	14	.7342	.8257	.62	.84	
5%	14	.8107	.9022			
3/4	14	.9495	1.041	.82	1.05	
7 /8	14	1.0975	1.189			
1	11	1.1925	1.309	1.05	1.31	
11/8	11	1.3755.	1.492			
11/4	11	1.5335	1.65	1.38	1.66	
1%	11	1.6285	1.745	_		
11/2	II.	1.765	1.8825	1.61	1.90	
15%	11	1.905	2.021			
13/4	11	1.9305	2.047			
1%	11.	2.1285	2.245			
2	11	2.2305	2.347	2.07	2.37	
21/4	II	2.471	2.5875			
21/2	II:	2.8848	3.0013	2.47	2.87	
2¾	11	3.1305	3.247			
3	11	3.3685	3.485	3.07	3.5	
31/4	11.	3.582	3.6985			
31/2	11	3 7955	3.912	3.55	4.0	
33/4	II	4.009	4.1255		orto mante	
4	11.	4 223	4 339	4.03	4.5	

U.S. STANDARD SCREW THREADS

Diameter	Threads per Inch	Diameter of Root of Thread	Width of Flat	Area of Bolt Body	Area at Root of Thread	Short Diameter of Nut, Rough	Short Diameter of Nut, Finished	Long Diameter f Hex. Nut, Rough	Long Diameter of Square Nut, Rough	Thickness of Nut, Rough	Thickness of Nut, Finish
Ins.	_	Ins.	Ins.	Sq. Ins.	Sq. Ins.	Ins.	Ins.	Ins.		Ins.	Ins.
1/4 5/16 8/8 7/16	20 18 16	. 240	.0062 .0074 .0078	.049 .077 .110	.027 .045 .068	1½ 19%2 11/16 25/32	7/16 17/32 5/8 28/82	37/64 11/16 51/64 9/10	7/10 19/12 63/64 17/64	1/4 5/16 8/8 7/16	5/16 3/8
1½ 916 5% 84	13 12 11 10	. 454 . 507 . 620	.0096 .0104 .0113 .0125	. 196 . 249 . 307 . 442 . 601	. 202	81/32 11/16	13/ ₁₆ 29/ ₃₂ 1 13/ ₁₆ 13/ ₈	1 1½ 1½ 1½ 1½ 1½ 12½ 2	115/64 123/64 11/2 149/64 21/32	1/2 9/16 5/8 8/4 7/8	%6 %6 11/16 13/16
1 11/8 11/4 11/8	9 7 7 6	.837 .940 1.065	.0138 .0156 .0178 .0178	.785 .994 1.227	. 550 . 694 . 893	15% 118/16 2	1%16	17/8 28/82 25/16 217/32	219/64 29/16 253/64 38/32	11/8 11/4 11/4 13/8	15/16 11/16 18/16 15/16
1½ 15% 18¼ 17%	5 5	1.389 1.491 1.616	.0208	2.074 2.405 2.761	1.515	29/16 528/4 1215/16		284 231/82 33/16 318/82	328/64 35/8 357/64 45/32	15% 13% 17%	13/16 19/16 111/16 118/16 115/16
2 21/4 21/2 28/4 3	41/ ₂ 4 4	1.962 2.176 2.426	.0277 2.0277 5.0312 5.0312	3.976 4.909 5.940	3.023 3.719 4.620	3 31/2 9 37/8	31/16 37/16 313/16 48/16	35% 4½ 4½ 429% 58%	461/64 531/84	21/4 21/3 28/4	28/16 27/16 211/16 215/16
31/4 31/2 33/4 4	31/3 31/3 3	2.879 3.100 3.31	0.0357	8. 290 9. 623 11. 04	6 6.510 7.54 5 8.64 6 9.96	05 8 53% 1 584 3 61%	415/16 55/16 511/16	518/16 67/64 621/82 73/82	789/64	31/2 33/4	38/16 37/16 311/16 315/16
41/4 41/2 43/4 5 51/4	28, 25,	4 4.02 8 4.25 2 4.48	8 . 045 6 . 047 0 . 050	5 14. 18 4 15. 90 6 17. 72 0 19. 63 0 21. 64	4 12. 75 1 14. 22 5 15. 76	3 67/8 6 71/4 3 75/8	67/16 613/16 73/16 79/16 715/16	818/s 827/s 99/82	98/4 101/4 1049/6 1123/6	41/2 48/4 4 5 4 51/4	47/16 411/16 415/16 53/16
51/2 53/4 6	28	84.95 85.20	3 . 052	6 23.75 6 25.96 5 28.27	8 19. 26 7 21. 26	7 83/8 12 83/4	85/16 811/16 91/16	92% 105%		51/ ₂ 58/ ₄	57/16

Standard Axles

Adopted by The Master Car Builders and Master Mechanics Associations



102 THE BALDWIN LOCOMOTIVE WORKS

Driving Wheel Centers.—At the Conventions of 1886, 1893 and 1907, the American Railway Master Mechanics Association adopted as standard the following diameters of Locomotive Driving Wheel Centers:—38, 44, 50, 56, 62, 66, 70, 72, 74, 78, 82, 86 and 90 inches.

Axles.—The cut on page 101 shows the dimensions of axles adopted as standard by the Master Car Builders and Master Mechanics Associations. The following table gives the principal data for these axles.

Type	Journals	Distance Between Hubs Inches	Centers of Journals Inches	Maximum Capacity Pounds	Approximate Weight Rough Turned Pounds
A	3¾ x 7	48 5/8	75	15,000	420
В	41/4 x 8	48 5/8	75	22,000	520
C	5 x 9	48 5/8	76	31,000	680
D	5½ x 10	48 5/8	- 77	38,000	830

INDEX

A	PAGE
Acceleration	37
" force required to overcome	•
· •	68-74
Articulated locomotives	6
Axles, M.C.B. and M.M. standard	01, 102
В	
Balanced compound locomotives, tractive	
force of	36
Bulk of one ton of coal	59
C	
Circles, areas and circumferences of	68-74
Class designation	11-15
Coal, bulk	59
" grade divisions	60
" specific gravity	59
" weight of	. 59
Comparative thickness of wire gauges	95
Compound locomotives, tractive force of	36, 37
Compounding	10
Cord of wood, dimensions of	59
Cross compound locomotives, tractive force	
of	37
Curves	41
" in relation to wheel base	45
" rail elevation on	44
" resistance due to	42
" spread of rails on	45
" to find radius of	4.2
Cylinder volumes in cubic feet	94

104 INDEX

D	PAGE
Decimal equivalents	75
Driving wheel centers, M.M. standard	102
Driving wheels, minimum diameter of	61
" revolutions per mile	56
" revolutions per minute and	
per second at various	
speeds	56
Driving wheels, speed, rules for	61
E	
English measures with metric equivalents	77-84
F	. •
Four-cylinder compound locomotives, trac-	
tive force of	36
Freight cars, resistance of	19
Freight locomotives	5
Fuel consumption	39
Fuels, relative heating value of	39, 60
G	
Gallon of water, weight of	59
Grades	40
" resistance due to	40; 41
н	
Hauling capacity	16-25
Heating surface of tubes	62-66
Heating value of fuels	39,60
Horse-power	39
I	
Imperial gallon	59
Iron pipe, sizes of	67

		Index	105
		L	PAGE
Lignite.		•••••	60
		sification	11
Locomot	tive type	es	3
Locomot		ticulated	6
"	co	mpound	10
44	fre	eight	5
"	M	allet	6
44		ssenger	4
**	res	sistance of	23
Logarith			49-54
, ,		M	17 01
Mallet a	rticulate	ed locomotives	. 6
44	* "	" tractive force	
of	• • • • • •	• • • • • • • • • • • • • • • • • • • •	37
		on table	76
" e	quivaler	its, feet in metres	79
"	"	gallons in litres	83
44	"	inches in metres	77, 78
44	"	kgs. per sq. cm. in lbs.	• • • •
		per sq. in	91
44 .	"	kilogrammes in pounds.	89
44	ü	kilometres in miles	87
"	44	lbs. in kilogrammes	82
44	44	lbs. per sq. in. in kgs. per	
		sq. cm	84
Metric e	quivalen	its, litres in gallons	90
44	"	metres in feet	86
"	"	miles in kilometres	80
44	44	millimetres in inches	85
44	"	sq. feet in sq. metres	81
11	**	sq. metres in sq. feet	88
Metric n	neasures	with English equivalents	85-91
			59-61
		ons (tables)	96, 97
		ertia for various sections	
			96, 97

P	PAGE
Passenger cars, resistance of	21
Passenger locomotives	4
Petroleum, weight and volume of	60
Pipe threads, United States standard	67
" " Whitworth standard	99
Piston speed	54
" " chart	55
" " to find	61
Properties of saturated steam	92
" superheated steam	93
R	
Radius of curves	42
Rail elevation on curves	44
Rails, safe load	61
" tons per mile	61
Resistance due to acceleration of speed	36-38
" " curves	42
" " grades	40
" " " speed	20-25
" of freight cars	19
" locomotives and tenders	23
" passenger cars	21
Revolutions of wheels per mile	56
" " " minute and per	
second at va-	
rious speeds	56
" of wheels, rules to find number	
of	61
S	100 %
Safe loads for steel rails	61
Screw threads, United States standard	100
" "Whitworth standard	98

Index	10
•	PAGI
Specific gravity of coal	59
Speed resistance	20-25
Speed table, seconds per mile, miles per hour	57
" time per mile, feet per second .	58
Standard sizes of wrought iron pipe	67
Spread of rails in curves	45
Steam, properties of saturated	92
" " superheated	93
Superheating	8
Т	
Tandem compound locomotives, tractive	
force of	36
Threads and nuts, United States standard	100
" " Whitworth standard	98, 99
Tractive force	16
" at various speeds	17
" of compound locomotives	35-37
" of single-expansion locomo-	
tives	25-35
" " formulas for 16,	
Train resistance	20
Trucks, swing of	46-49
Tubes, heating surface of	62-66
" information	62, 63
" weight of	62, 63
U	
United States gallon	59
" standard screw threads	100
v	
Vauclain compound locomotives, tractive	
force of	36
Volumes of cylinders (cubic feet)	94
	74

INDEX

	W	PAGE
Water,	weight of	59
Weight	of coal per bushel	59
"	" " cubic foot	59
44	" crude petroleum	60
44	" gravel	59
44	" logs	59
44	" lumber	59
44	" tubes per running foot	62, 63
66	" water	59
Whitwe	orth standard threads and nuts	98, 99
Wire g	auges, thickness of	95
Wood,	heating value of, as fuel	39, 60
	weight of	