


## CD SOUND SKIPS

### INSPECTION PROCEDURE

#### 1 DISC CLEANING



- (a) Disk cleaning  
 (1) If the disk gets dirty, clean the disk by wiping the surface from the center to outside in the radial directions with a soft cloth.

**NOTICE:**

Do not use a conventional record cleaner or anti-static preservative.

Standard: malfunction disappear.

OK

DISC DIRTY

NG

#### 2 REPLACE CD WITH ANOTHER AND RECHECK

- (a) Replace the CD with another and recheck.  
 (1) Check the installation condition of the radio receiver assembly.  
 Standard: malfunction disappear.

OK

CD FAULTY

NG

#### 3 CHECK WHEN THIS HAPPENS

- (a) Check when this happens.  
 (1) Check that in what condition (place) noise occurs.  
 Standard: Driving on the bumpy road.

OK

Go to step 5

NG

#### 4 COMPARE IT WITH ANOTHER CAR OF SAME MODEL

- (a) Compare it with another vehicle of the same model.  
 (1) Compare with the vehicle of the same type which does not have a trouble to see if there is any difference in the condition of trouble occurrence.  
 Standard: No difference found.

OK

SETTING

NG

**5 CHECK OF RADIO RECEIVER ASSEMBLY INSTALLATION**

- (a) Check of radio receiver assembly installation.  
(1) Check the installation condition of the radio receiver assembly.

**Standard: Installed properly.**

NG

**INSTALL THE RADIO RECEIVER ASSEMBLY PROPERLY**

OK

**6 DID THE TEMPERATURE IN THE CABIN CHANGE RAPIDLY?**

- (a) Did the temperature in the cabin change rapidly?  
(1) Check whether or not the rapid temperature change occurred in the cabin.

**Standard: The rapid temperature change occurred.**

Reference:

The rapid temperature change creates condensation inside the CD player, which may disable playing CD.

OK

**CONDENSATION DUE TO TEMPERATURE CHANGE (LEAVE IT AS IT IS FOR A WHILE BEFORE USING)**

NG

**CHECK AND REPLACE RADIO RECEIVER ASSY**