

Leupold Digital Camera Adapter Compatibility Chart

Most recent information in bold red text

Information in this revision supercedes the information in all previous revisions

Company	Model	Leupold Adapter Ring	Necessary Camera Manufacturer's Accessories
Canon	Digital Rebel	58mm	
Canon	PowerShot A10	52mm	Canon (LA-DC52)
Canon	PowerShot A20	52mm	Canon (LA-DC52)
Canon	PowerShot A30	52mm	Canon (LA-DC52B)
Canon	PowerShot A310	n/a	No accessory / filter mounting threads on camera
Canon	PowerShot A40	52mm	Canon (LA-DC52B)
Canon	PowerShot A400	n/a	No accessory / filter mounting threads on camera
Canon	PowerShot A410	n/a	No accessory / filter mounting threads on camera
Canon	PowerShot A510	52mm	Canon (LA-DC52F)
Canon	PowerShot A520	52mm	Canon (LA-DC52F)
Canon	PowerShot A530	52mm	Canon (LA-DC52F)
Canon	PowerShot A540	52mm	Canon LA-DC52F Conversion Lens Adapter
Canon	PowerShot A60	52mm	Canon (LA-DC52C)
Canon	PowerShot A610	58mm	Canon (LA-DC58F)
Canon	PowerShot A620	58mm	Canon (LA-DC58F)
Canon	PowerShot A70	52mm	Canon (LA-DC52C)
Canon	PowerShot A75	52mm	Canon (LA-DC52C)
Canon	PowerShot A700	58mm	Canon LA-DC58G Conversion Lens Adapter
Canon	PowerShot A80	52mm	Canon (LA-DC52D); if an aluminum adapter is desired, Lensmate (www.lensmateonline.com) offers two, one with a 37mm diameter and one with a 52mm diameter
Canon	PowerShot A85	52mm	Canon (LA-DC52C)
Canon	PowerShot A95	52mm	Canon (LA-DC52D); if an aluminum adapter is desired, Lensmate (www.lensmateonline.com) offers two, one with a 37mm diameter and one with a 52mm diameter
Canon	PowerShot G1	58mm	Canon (LA-DC58) (Raynox RT5246G1 will also work to adapt to a 52mm plate)
Canon	PowerShot G2	58mm	Canon (LA-DC58) (Raynox RT5246G1 will also work to adapt to a 52mm plate)
Canon	PowerShot G3	58mm	Canon (LA-DC58B)
Canon	PowerShot G5	58mm	Canon (LA-DC58B) Note: vignetting is always present even at maximum zoom.
Canon	PowerShot G6	58mm	Canon (LA-DC58D)

Leupold Digital Camera Adapter Compatibility Chart

Most recent information in bold red text

Information in this revision supercedes the information in all previous revisions

Company	Model	Leupold Adapter Ring	Necessary Camera Manufacturer's Accessories
Canon	PowerShot Pro 1	58mm	Canon (LA-DC58C)
Canon	PowerShot S1 IS	52mm	Due to the high magnification range and the lens movement of this camera during zoom and focusing, it is not possible to remove all vignetting from the viewing screen. Canon (LA-DC52E) Lens adapter (The LA-DC52E adapter is included with the LAH-DC10 Lens adapter/Hood set) Lensmate also makes a compatible adapter.
Canon	PowerShot S2 IS	58mm	Due to the high magnification range and the lens movement of this camera during zoom and focusing, it is not possible to remove all vignetting from the viewing screen. Canon (LA-DC58E) Lens adapter (The LA-DC58E adapter is included with the LAH-DC20 Lens adapter/Hood set) Lensmate also makes a compatible adapter.
Canon	PowerShot S10	37mm	No accessory / filter mounting threads on camera. Requires special aftermarket adapter (possible source: www.elroyscorner.com)
Canon	PowerShot S100	37mm	No accessory / filter mounting threads on camera. Requires special aftermarket adapter (possible source: www.elroyscorner.com)
Canon	PowerShot S110	37mm	No accessory / filter mounting threads on camera. Requires special aftermarket adapter (possible source: www.elroyscorner.com)
Canon	PowerShot S20	37mm	No accessory / filter mounting threads on camera. Requires special aftermarket adapter (possible source: www.elroyscorner.com)
Canon	PowerShot S200	37mm	No accessory / filter mounting threads on camera. Requires special aftermarket adapter (possible source: www.elroyscorner.com)
Canon	PowerShot S230	37mm	No accessory / filter mounting threads on camera. Requires special aftermarket adapter (possible source: www.elroyscorner.com)

Leupold Digital Camera Adapter Compatibility Chart

Most recent information in bold red text

Information in this revision supercedes the information in all previous revisions

Company	Model	Leupold Adapter Ring	Necessary Camera Manufacturer's Accessories
Canon	PowerShot S30	37mm	No accessory / filter mounting threads on camera. Requires special aftermarket adapter (possible source: www.elroyscorner.com)
Canon	PowerShot S400	37mm	No accessory / filter mounting threads on camera. Requires special aftermarket adapter (possible source: www.elroyscorner.com)
Canon	PowerShot S410	n/a	No accessory / filter mounting threads on camera
Canon	PowerShot S500	n/a	No accessory / filter mounting threads on camera
Canon	PowerShot S60	37mm	Canon (LA-DC10)
Canon	PowerShot S70	37mm	Canon (LA-DC10)
Canon	PowerShot S80	37mm	Canon cites the lens attachment housing as "proprietary." A Canon LA-DC20 accessory adapter is reported to allow use of standard 37mm filters.
Canon	PowerShot SD10	n/a	No accessory / filter mounting threads on camera
Canon	PowerShot SD110	n/a	No accessory / filter mounting threads on camera
Canon	PowerShot SD30	n/a	No accessory / filter mounting threads on camera
Canon	PowerShot SD300	n/a	No accessory / filter mounting threads on camera
Canon	PowerShot SD400	n/a	No accessory / filter mounting threads on camera
Canon	PowerShot SD430 Digital ELPH Wireless	n/a	No accessory / filter mounting threads on camera
Canon	PowerShot SD450	n/a	No accessory / filter mounting threads on camera
Canon	PowerShot SD500	n/a	No accessory / filter mounting threads on camera
Canon	PowerShot SD550	n/a	No accessory / filter mounting threads on camera
Canon	PowerShot SD630 Digital Elph	n/a	No accessory / filter mounting threads on camera
Canon	PowerShot SD700 IS Digital Elph	n/a	No accessory / filter mounting threads on camera
Canon	PowerShot Pro90 IS	52mm	Raynox RA5258 adapter needed
Casio	EXILIM EX-Z30	n/a	No accessory / filter mounting threads on camera
Casio	EXILIM EX-Z40	n/a	No accessory / filter mounting threads on camera
Casio	EXILIM PRO EX-P600	58mm	Casio (LU-60A)
Casio	QV-2300UX	43mm	Casio (LU-8A)
Casio	QV-2400UX	43mm	Casio (LU-8A)
Casio	QV-2800UX	43mm	
Casio	QV-2900UX	43mm	

Leupold Digital Camera Adapter Compatibility Chart

Most recent information in bold red text

Information in this revision supercedes the information in all previous revisions

Company	Model	Leupold Adapter Ring	Necessary Camera Manufacturer's Accessories
Casio	QV-3500EX	52mm	Casio (LU-35A) (Raynox RT52475 adapter will also work)
Casio	QV-4000	52mm	Casio (LU-35A) (Raynox RT52475 adapter will also work)
Casio	QV-5700	52mm	Raynox RT52475 adapter required
Epson	PhotoPC 3000Z	52mm	Raynox RT5246 adapter required
Epson	PhotoPC 3100Z	52mm	Raynox RT5246 adapter required
Fujifilm	FinePix 4900	52mm or 58mm	Fuji (AR-FX9) with either 55-52 or 55-58 step ring. (Raynox RT5255 adapter will also work to interface with 52mm plate)
Fujifilm	FinePix 6900	52mm or 58mm	Fuji (AR-FX9) with either 55-52 or 55-58 step ring. (Raynox RT5255 adapter will also work to interface with 52mm plate)
Fujifilm	FinePix A345	n/a	No accessory / filter mounting threads on camera
Fujifilm	FinePix A350	n/a	No accessory / filter mounting threads on camera
Fujifilm	FinePix E500	43mm	Fujifilm (AR-FXE01)
Fujifilm	FinePix E510	43mm	Fujifilm (AR-FXE01)
Fujifilm	FinePix E550	43mm	Fujifilm's website indicates that their adapter AR-FXE02 accepts 43mm filters. B&H Photo notes that they recommend a 43-49mm step-up ring to be used with this adapter.
Fujifilm	FinePix E900	43mm	Fujifilm's website indicates that their adapter AR-FXE02 accepts 43mm filters. B&H Photo notes that they recommend a 43-49mm step-up ring to be used with this adapter.
Fujifilm	FinePix F10	n/a	No accessory / filter mounting threads on camera
Fujifilm	FinePix F440	n/a	No accessory / filter mounting threads on camera
Fujifilm	FinePix F450	n/a	No accessory / filter mounting threads on camera
Fujifilm	FinePix S20 Pro	58mm	Fujifilm AR-FX9 adapter ring + 55-58mm step ring
Fujifilm	FinePix S3 Pro	varies	Varies by lens used
Fujifilm	FinePix S3000	58mm	included adapter tube + 55-58mm step ring
Fujifilm	FinePix S3100	58mm	included adapter tube + 55-58mm step ring

Leupold Digital Camera Adapter Compatibility Chart

Most recent information in bold red text

Information in this revision supercedes the information in all previous revisions

Company	Model	Leupold Adapter Ring	Necessary Camera Manufacturer's Accessories
Fujifilm	FinePix S5000	52mm	Raynox RT5249 adapter required (Some less scrupulous retailers may try to sell customers the RA5249 instead - the RA5249 will not work for this application.)
Fujifilm	FinePix S5100	52mm or 58mm	Step ring from 55mm to 52mm or 58mm required
Fujifilm	FinePix S5200	52mm or 58mm	Step ring from 55mm to 52mm or 58mm required
Fujifilm	FinePix S5500	52mm or 58mm	Step ring from 55mm to 52mm or 58mm required
Fujifilm	FinePix S602	52mm or 58mm	Fuji (AR-FX9) with either 55-52 or 55-58 step ring. (Raynox RT5255 adapter will also work to interface with 52mm plate)
Fujifilm	FinePix S7000 Zoom	58mm	Fujifilm (AR-FX9) + 55-58mm step ring (Raynox RT5255 adapter will also work to interface with 52mm plate)
Fujifilm	FinePix Z1	n/a	No accessory / filter mounting threads on camera
HP / Hewlett-Packard	PhotoSmart M22	n/a	No accessory / filter mounting threads on camera
HP / Hewlett-Packard	PhotoSmart 435	n/a	No accessory / filter mounting threads on camera
HP / Hewlett-Packard	Photosmart 635	n/a	No accessory / filter mounting threads on camera
HP / Hewlett-Packard	Photosmart 735	n/a	No accessory / filter mounting threads on camera
HP / Hewlett-Packard	Photosmart 945	58mm	HP adapter +55-58mm step ring
HP / Hewlett-Packard	Photosmart M307	n/a	No accessory / filter mounting threads on camera
HP / Hewlett-Packard	Photosmart M407	n/a	No accessory / filter mounting threads on camera
HP / Hewlett-Packard	Photosmart M417	n/a	No accessory / filter mounting threads on camera
HP / Hewlett-Packard	Photosmart M517	n/a	No accessory / filter mounting threads on camera
HP / Hewlett-Packard	Photosmart R607	n/a	No accessory / filter mounting threads on camera
HP / Hewlett-Packard	Photosmart R707	n/a	No accessory / filter mounting threads on camera
JVC	GC-QX3U	n/a	No accessory / filter mounting threads on camera
Kodak	DC4800	43mm	Kodak (FA-4800)
Kodak	DCS Pro SLR/c	varies	Varies by lens used
Kodak	DCS Pro SLR/n	varies	Varies by lens used
Kodak	EasyShare C300	n/a	No accessory / filter mounting threads on camera
Kodak	EasyShare C310	n/a	No accessory / filter mounting threads on camera

Leupold Digital Camera Adapter Compatibility Chart

Most recent information in bold red text

Information in this revision supercedes the information in all previous revisions

Company	Model	Leupold Adapter Ring	Necessary Camera Manufacturer's Accessories
Kodak	EasyShare C330	n/a	No accessory / filter mounting threads on camera
Kodak	EasyShare C340	n/a	No accessory / filter mounting threads on camera
Kodak	EasyShare C360	n/a	No accessory / filter mounting threads on camera
Kodak	EasyShare CX7300	n/a	No accessory / filter mounting threads on camera
Kodak	EasyShare CX7330	n/a	No accessory / filter mounting threads on camera
Kodak	EasyShare CX7430	n/a	No accessory / filter mounting threads on camera
Kodak	EasyShare DX3900	37mm	Kodak DX3900 lens adapter
Kodak	EasyShare DX4330	43mm	Kodak DX4330 lens adapter
Kodak	EasyShare DX4900	37mm	Kodak DX4900 lens adapter
Kodak	EasyShare DX6340	37mm	Kodak adapter
Kodak	EasyShare DX6440	37mm	Kodak adapter
Kodak	EasyShare DX6490	58mm	Kodak adapter +55-58mm step ring
Kodak	EasyShare DX73500	37mm	Kodak adapter
Kodak	EasyShare DX73600	37mm	Kodak adapter
Kodak	EasyShare DX7440	37mm	Kodak adapter
Kodak	EasyShare DX7590	58mm	Kodak adapter +55-58mm step ring
Kodak	EasyShare DX7630	37mm	Kodak Lens adapter (Mfr # 1919125)
Kodak	EasyShare LS743	n/a	No accessory / filter mounting threads on camera
Kodak	EasyShare LS753	n/a	No accessory / filter mounting threads on camera
Kodak	EasyShare P850	58mm	Kodak conversion lens adapter #8252355 required - provides 55mm diameter attachment. 55-58mm step ring also required to attach to base unit of Leupold Digital Camera Adapter
Kodak	EasyShare V530	n/a	No accessory / filter mounting threads on camera
Kodak	EasyShare V550	n/a	No accessory / filter mounting threads on camera
Kodak	EasyShare Z700	n/a	No accessory / filter mounting threads on camera
Kodak	EasyShare Z730	37mm	Kodak adapter
Kodak	EasyShare Z740	58mm	Kodak adapter +55-58mm step ring (It may not be possible to completely eliminate all vignetting from view screen image due to 10x magnification range of camera.)
Kodak	EasyShare Z7590	58mm	Kodak adapter +55-58mm step ring
Kodak	EasyShare Z760	37mm	Kodak adapter

Leupold Digital Camera Adapter Compatibility Chart

Most recent information in bold red text

Information in this revision supercedes the information in all previous revisions

Company	Model	Leupold Adapter Ring	Necessary Camera Manufacturer's Accessories
Kodak	LS 443	37mm	Kodak adapter
Konica Minolta	DiIMAGE A2	52mm	49-52mm step up ring
Konica Minolta	DiIMAGE A200	52mm	49-52mm step up ring
Konica Minolta	DiIMAGE G400	n/a	No accessory / filter mounting threads on camera
Konica Minolta	DiIMAGE G600	n/a	No accessory / filter mounting threads on camera
Konica Minolta	DiIMAGE X31	n/a	No accessory / filter mounting threads on camera
Konica Minolta	DiIMAGE X50	n/a	No accessory / filter mounting threads on camera
Konica Minolta	DiIMAGE Xg	n/a	No accessory / filter mounting threads on camera
Konica Minolta	DiIMAGE Z1	52mm	Konica ZCA-100 adapter
Konica Minolta	DiIMAGE Z10	n/a	No accessory / filter mounting threads on camera
Konica Minolta	DiIMAGE Z2	52mm	Konica ZCA-100 adapter
Konica Minolta	DiIMAGE Z3	52mm	Konica Minolta ZCA-300 adapter
Konica Minolta	DiIMAGE Z5	52mm	Konica Minolta ZCA-300 adapter
Kyocera / Yashica	FineCam L4v	n/a	No accessory / filter mounting threads on camera
Kyocera / Yashica	Finecam M410R	52mm	with included adapter ring
Kyocera / Yashica	Finecam S5R	n/a	No accessory / filter mounting threads on camera
Kyocera / Yashica	Finecam SL300R	n/a	No accessory / filter mounting threads on camera
Kyocera / Yashica	Finecam SL400R	n/a	No accessory / filter mounting threads on camera
Leica	Digilux 2	58mm	Sufficient steps rings to bridge the 58-69mm gap
Leica	D-LUX	n/a	No accessory / filter mounting threads on camera
Microtek	Take-It D3	n/a	No accessory / filter mounting threads on camera
Minolta	Dimage 7Hi	52mm	
Minolta	Dimage 7i	52mm	
Minolta	Z1	52mm	Raynox RT5245MD adapter required
Minolta	Z2	52mm	Raynox RT5245MD adapter required
Minolta	DiMAGE Z3	52mm	Raynox RT5246Z3 adapter required
CAUTION - ALL CURRENT NIKON PRODUCTS ARE NOW USING "PROPRIETARY" (NON-STANDARD SIZE) SIZE ADAPTERS If at all possible "try it before you buy it" to ensure a proper fit.			
Nikon	CoolPix S1	n/a	No accessory / filter mounting threads on camera
Nikon	CoolPix 2000	n/a	No accessory / filter mounting threads on camera
Nikon	CoolPix 2100	n/a	No accessory / filter mounting threads on camera
Nikon	Coolpix 2200	n/a	No accessory / filter mounting threads on camera
Nikon	CoolPix 2500	n/a	No accessory / filter mounting threads on camera

Leupold Digital Camera Adapter Compatibility Chart

Most recent information in bold red text

Information in this revision supercedes the information in all previous revisions

Company	Model	Leupold Adapter Ring	Necessary Camera Manufacturer's Accessories
Nikon	CoolPix 3100	n/a	No accessory / filter mounting threads on camera
Nikon	Coolpix 3200	n/a	No accessory / filter mounting threads on camera
Nikon	CoolPix 3500	n/a	No accessory / filter mounting threads on camera
Nikon	Coolpix 3700	n/a	No accessory / filter mounting threads on camera
Nikon	Coolpix 4100	n/a	No accessory / filter mounting threads on camera
CAUTION - ALL CURRENT NIKON PRODUCTS ARE NOW USING "PROPRIETARY" (NON_STANDARD SIZE) SIZE ADAPTERS If at all possible "try it before you buy it" to ensure a proper fit.			
Nikon	Coolpix 4200	n/a	No accessory / filter mounting threads on camera
Nikon	CoolPix 4300	28mm	Nikon (UR-E4); also Raynox RT28365 will work
Nikon	CoolPix 4500	28mm	Unknown
Nikon	Coolpix 4800	n/a	No accessory / filter mounting threads on camera
Nikon	CoolPix 5000	28mm	Nikon (UR-E6) (Raynox RT5246N will also work to adapt to 52mm plate)
Nikon	Coolpix 5200	n/a	No accessory / filter mounting threads on camera
Nikon	Coolpix 5400	52mm	Nikon (UR-E9) (Raynox RT5245NT adapter will also work)
Nikon	Coolpix 5700	52mm or 58mm	CAUTION - we have received reports that this is not a simple camera adapt to a scope. Nikon has changed much of its adapter mounts to "proprietary" sizes and threads, so recent products may not conform to older products of the same model. Original information indicated that the Nikon adapter ring (UR-E8) + 58-67mm step rings allowed adaption. Recent information indicates this is incorrect. Aftermarket adapters allowing for adaption to the Leupold 52mm ring are on the market.
Nikon	CoolPix 775	28mm	Nikon (UR-E3)
Nikon	CoolPix 7600	n/a	No accessory / filter mounting threads on camera
CAUTION - ALL CURRENT NIKON PRODUCTS ARE NOW USING "PROPRIETARY" (NON_STANDARD SIZE) SIZE ADAPTERS If at all possible "try it before you buy it" to ensure a proper fit.			
Nikon	CoolPix 800	28mm	
Nikon	Coolpix 8700	58mm	Nikon adapter ring (UR-E8) + 58-67mm step rings
Nikon	Coolpix 8800	n/a	Proprietary lens mount design precludes attachments

Leupold Digital Camera Adapter Compatibility Chart

Most recent information in bold red text

Information in this revision supercedes the information in all previous revisions

Company	Model	Leupold Adapter Ring	Necessary Camera Manufacturer's Accessories
Nikon	CoolPix 880	28mm	Nikon (UR-E2); also Raynox RT2841 will work
Nikon	CoolPix 885	28mm	Nikon (UR-E4); also Raynox RT28365 will work
Nikon	CoolPix 950	28mm	
Nikon	CoolPix 990	28mm	
Nikon	CoolPix 995	28mm	
Nikon	CoolPix L1	n/a	No accessory / filter mounting threads on camera
Nikon	CoolPix P1	n/a	No accessory / filter mounting threads on camera
Nikon	CoolPix P2	n/a	No accessory / filter mounting threads on camera
Nikon	CoolPix S1	n/a	No accessory / filter mounting threads on camera
Nikon	CoolPix S2	n/a	No accessory / filter mounting threads on camera
Nikon	CoolPix S3	n/a	No accessory / filter mounting threads on camera
Nikon	CoolPix S4	n/a	No accessory / filter mounting threads on camera
Nikon	D-100	varies	Varies according to the lens used
Nikon	D70	58mm	58-67mm step rings
CAUTION - ALL CURRENT NIKON PRODUCTS ARE NOW USING "PROPRIETARY" (NON-STANDARD SIZE) SIZE ADAPTERS If at all possible "try it before you buy it" to ensure a proper fit.			
Olympus	Camedia C-2000	43mm	Olympus CLA-1
Olympus	Camedia C-2020	43mm	Olympus CLA-1
Olympus	Camedia C-2040	43mm	Olympus CLA-1
Olympus	Camedia C-2100	52mm	
Olympus	Camedia C-3000	43mm	Olympus CLA-1
Olympus	Camedia C-3030	43mm	Olympus CLA-1
Olympus	Camedia C-3040	43mm	Olympus CLA-1 (or Raynox RT5241 adapter will allow interface with the 52mm plate)
Olympus	Camedia C-3100	43mm	Olympus CLA-1
Olympus	Camedia C-4000	43mm	Olympus CLA-1 (or Raynox RT5241 adapter will allow interface with the 52mm plate)
Olympus	Camedia C-4040	43mm	Olympus CLA-1 (or Raynox RT5241 adapter will allow interface with the 52mm plate)
Olympus	Camedia C-4100	43mm	Olympus CLA-1 (or Raynox RT5241 adapter will allow interface with the 52mm plate)
Olympus	Camedia C-50	?	
Olympus	Camedia C-5000	58mm	Olympus CLA-6 + 55-58mm step ring

Leupold Digital Camera Adapter Compatibility Chart
 Most recent information in bold red text
 Information in this revision supercedes the information in all previous revisions

Company	Model	Leupold Adapter Ring	Necessary Camera Manufacturer's Accessories
Olympus	Camedia C-5050	43mm	Olympus CLA-1 (or Raynox RT5241 adapter will allow interface with the 52mm plate)
Olympus	Camedia C-5060	(52mm)	(Olympus CLA-7 is a T-mount adapter) (Raynox offers the RT5248 adapter to interface with a 52mm plate)
Olympus	Camedia C-60	n/a	No accessory / filter mounting threads on camera
Olympus	Camedia C-700	58mm	Olympus CLA-4 + 55-58mm step ring
Olympus	Camedia C-720	58mm	Olympus CLA-4 + 55-58mm step ring
Olympus	Camedia C-730	58mm	Olympus CLA-4 + 55-58mm step ring
Olympus	Camedia C-740	58mm	Olympus CLA-4 + 55-58mm step ring
Olympus	Camedia C-750	58mm	Olympus CLA-4 + 55-58mm step ring
Olympus	Camedia C-750 Ultra Zoom	58mm	Raynox RT5245C7 adapter required
Olympus	Camedia C-755 Ultra Zoom	58mm	Raynox RT5245C7 adapter required
Olympus	Camedia C-760 Ultra Zoom	58mm	Raynox RT5245C7 adapter required
Olympus	Camedia C-765 Ultra Zoom	58mm	Olympus CLA-4 + 55-58mm step ring (Raynox RT5245C7 adapter will also work)
Olympus	Camedia C-770 Ultra Zoom	58mm	Olympus CLA-4 + 55-58mm step ring (Raynox RT5245C7 adapter will also work)
Olympus	Camedia C-8080	58mm	Olympus CLA-8 (Raynox RT5267CT will also work to interface with 52mm plate)
Olympus	Camedia D-435	n/a	No accessory / filter mounting threads on camera
Olympus	Camedia E-10	52mm	Raynox RA5262 adapter needed
Olympus	Camedia E-100RS	52mm	
Olympus	Camedia E-20	52mm	Raynox RA5262 adapter needed
Olympus	FE-100	n/a	No accessory / filter mounting threads on camera
Olympus	FE-110	n/a	No accessory / filter mounting threads on camera
Olympus	FE-120	n/a	No accessory / filter mounting threads on camera
Olympus	IR-300	n/a	No accessory / filter mounting threads on camera
Olympus	IR-500	n/a	No accessory / filter mounting threads on camera
Olympus	SP-310	37mm	Olympus CLA-9 Lens Adapter Tube is reported to accept 34mm-37mm step ring
Olympus	SP-350	37mm	Olympus CLA-9 Lens Adapter Tube is reported to accept 34mm-37mm step ring

Leupold Digital Camera Adapter Compatibility Chart

Most recent information in bold red text

Information in this revision supercedes the information in all previous revisions

Company	Model	Leupold Adapter Ring	Necessary Camera Manufacturer's Accessories
Olympus	SP-500 UZ	58mm	Olympus CLA-4 + 55-58mm step ring (Raynox RT5245C7 adapter will also work)
Olympus	Stylus 500	n/a	No accessory / filter mounting threads on camera
Olympus	Stylus 600	n/a	No accessory / filter mounting threads on camera
Olympus	Stylus 800	n/a	No accessory / filter mounting threads on camera
Panasonic	DMC-LC5	52mm	Panasonic (DMW-LA1)
Panasonic	Lumix DMC-LC33	n/a	No accessory / filter mounting threads on camera
Panasonic	Lumix DMC-FZ3	58mm	included 55mm adapter + 55-58mm step ring
Panasonic	Lumix DMC-FZ10	52mm	Actual lens size is 64mm - a 58-64mm step ring combination is necessary but likely unavailable, even then some vignetting may still occur. Elroy's Corner (www.elroyscorner.com) offers a Raynox adapter that steps from 64mm down to 52mm for interface with the Leupold 52mm plate.
Panasonic	Lumix DMC-FZ15	52mm	Actual lens size is 64mm - a 58-64mm step ring combination is necessary but likely unavailable, even then some vignetting may still occur. Elroy's Corner (www.elroyscorner.com) offers a Raynox adapter that steps from 64mm down to 52mm for interface with the Leupold 52mm plate.
Panasonic	Lumix DMC-FZ20	52mm	Actual lens size is 64mm - a 58-64mm step ring combination is necessary but likely unavailable, even then some vignetting may still occur. Elroy's Corner (www.elroyscorner.com) offers a Raynox adapter that steps from 64mm down to 52mm for interface with the Leupold 52mm plate.
Pentax	*ist D	varies	Varies according to the lens used.
Pentax	Optio 43WR	n/a	No accessory / filter mounting threads on camera
Pentax	Optio 750Z	n/a	No accessory / filter mounting threads on camera
Pentax	Optio S40	n/a	No accessory / filter mounting threads on camera
Pentax	Optio S4i	n/a	No accessory / filter mounting threads on camera
Pentax	Optio S5i	n/a	No accessory / filter mounting threads on camera
Pentax	Optio SV	n/a	No accessory / filter mounting threads on camera

Leupold Digital Camera Adapter Compatibility Chart

Most recent information in bold red text

Information in this revision supercedes the information in all previous revisions

Company	Model	Leupold Adapter Ring	Necessary Camera Manufacturer's Accessories
Pentax	Optio30	n/a	No accessory / filter mounting threads on camera
Pentax	OptioMX	37mm	
Pentax	OptioMX4	37mm	
Samsung	Digimax V70	37mm	SLA-3537 lens adapter
Sony	Cybershot DSC-H1	58mm	Adapter included with camera.
Sony	DCR-PC101	37mm or 28mm	This camera uses a filter size of 30mm. A step down ring of 30-28mm would be the closest size match; if it can be located a 30-37mm step-up ring might be a better choice to prevent vignetting.
Sony	DCR-PC109	28mm	This camera uses a filter size of 25mm, hence a 25-28mm step ring is required.
Sony	DSC-F505V	52mm	
Sony	DSC-F55DX	37mm	
Sony	DSC-F55V	37mm	
Sony	DSC-F707	58mm	Base unit of Leupold adapter connects directly
Sony	DSC-F717	52mm	Raynox RA5258 adapter needed
Sony	DSC-F77	?	
Sony	DSC-FX77	?	
Sony	DSC-P30	37mm	
Sony	DSC-P50	37mm	
Sony	DSC P73	28mm	Sony VAD-PEB Lens Adapter plus a 28mm-30mm step ring required
Sony	DSC P93	28mm	Sony VAD-PEB Lens Adapter plus a 28mm-30mm step ring required
Sony	DSC-P100	28mm	Sony VAD-PHB Lens Adapter plus a 28mm-30mm step ring required
Sony	DSC-P150	28mm	Sony VAD-PHB Lens Adapter plus a 28mm-30mm step ring required
Sony	DSC-S30	37mm	
Sony	DSC-S50	37mm	
Sony	DSC-S70	52mm	Sony (VAD-S70) (or Raynox RT5245 adapter will allow interface with the 52mm plate)

Leupold Digital Camera Adapter Compatibility Chart

Most recent information in bold red text

Information in this revision supercedes the information in all previous revisions

Company	Model	Leupold Adapter Ring	Necessary Camera Manufacturer's Accessories
Sony	DSC-S75	52mm	Sony (VAD-S70) (or Raynox RT5245 adapter will allow interface with the 52mm plate)
Sony	DSC-S85	52mm	Sony (VAD-S70) (or Raynox RT5245 adapter will allow interface with the 52mm plate)
Sony	DSC-S85	52mm	Sony (VAD-S70) (or Raynox RT5245 adapter will allow interface with the 52mm plate)
Sony	DSC-T7	n/a	No accessory / filter mounting threads on camera
Sony	DSC-V3	58mm	Required stock adapter is Sony VAD-VHA.
Sony	DSC-W1	37mm or 52mm	Stock adapter is Sony VAD-WA and necks down to 30mm. Camera attachment is 36mm; requires aftermarket adapter. Elroyscorner.com offers one that is 36mm-37mm; Bug Eye Digital offers two, one 36mm-37mm and one 36mm -52mm.
Sony	DSC-W5	37mm or 52mm	Stock adapter is Sony VAD-WA and necks down to 30mm. Camera attachment is 36mm; requires aftermarket adapter. Elroyscorner.com offers one that is 36mm-37mm; Bug Eye Digital offers two, one 36mm-37mm and one 36mm -52mm.
Sony	DSC-W7	37mm or 52mm	Stock adapter is Sony VAD-WA and necks down to 30mm. Camera attachment is 36mm; requires aftermarket adapter. Elroyscorner.com offers one that is 36mm-37mm; Bug Eye Digital offers two, one 36mm-37mm and one 36mm -52mm.
Sony	MVC-CD1000	52mm	
Sony	MVC-CD200	37mm	
Sony	MVC-CD250	37mm	
Sony	MVC-CD300	52mm	Sony (VAD-S70) (or Raynox RT5245 adapter will also allow interface with the 52mm plate)
Sony	MVC-CD400	52mm	Sony (VAD-S70) (or Raynox RT5245 adapter will also allow interface with the 52mm plate)
Sony	MVC-CD500	52mm	Sony (VAD-S70) (or Raynox RT5245 adapter will also allow interface with the 52mm plate)
Sony	MVC-FD100	37mm	

Leupold Digital Camera Adapter Compatibility Chart

Most recent information in bold red text

Information in this revision supercedes the information in all previous revisions

Company	Model	Leupold Adapter Ring	Necessary Camera Manufacturer's Accessories
Sony	MVC-FD200	37mm	
Sony	MVC-FD87	37mm	
Sony	MVC-FD90	37mm	
Sony	MVC-FD92	37mm	
Sony	MVC-FD95	52mm	
Sony	MVC-FD97	52mm	