


HI-STANDARD REVOLVER



PARTS PRICE LIST-.22 CALIBER MODEL*R-100, R-101"
"SENTINEL"

NUMBERS ARE ONLY FOR BLUED GUNS - SEE PARTS LIST FOR DELUXE NICKEL



THE HIGH STANDARD MANUFACTURING CORPORATION

HAMDEN . CONNECTICUT

HI-STANDARD

.22 CALIBER DOUBLE - AND SINGLE- ACTION REVOLVER

PARTS LIST AND PRICES

(Prices Subject to Change Without Notice

"SENTINEL"

MODELS R-100, R-101 BLUED AND DELUXE NICKEL

* * * * * * * * * * * * * * * * * *

HOW TO ORDER REPAIR PARTS

The following information must be furnished when ordering replacement parts:

- 1. Model Name and Series Number (R-100, R-101)
- 2. Serial Number
- 3. Number and Name of Parts

MINIMUM ORDER \$1.00

Unless advance payment is made, a minimum charge of \$1.00 is made on all orders where the normal cost would be less than \$1.00. Please note also the following paragraph.

PAYMENT

All parts shipments will be made by Parcel Post C.O.D. unless advance remittance is made. PLEASE DO NOT SEND CASH OR STAMPS. Checks, Money Orders, or Drafts are acceptable and will save you C.O.D. charges.

FACTORY SERVICE

If parts are to be fitted at the factory, send revolver marked for the attention of our SERVICE DEPARTMENT, furnishing complete and specific repair instructions. A cost estimate of the parts and labor charges will be immediately sent for your approval before work is started.

Unless a flat rate charge is specified, a MINIMUM of \$4.50 will be charged on servicing revolver at the factory.

REVOLVER SHIPPING INSTRUCTIONS

BONAFIDE DEALERS IN FIREARMS are permitted by postal regulations to send revolvers to the factory by Parcel Post. INDIVIDUALS are not permitted to mail firearms and we recommend shipment by railway express.


All shipments to factory must be prepaid.

Part Number	Part Name	Model	Price Each
Parts	Marked With an Asterisk (*) Must Be Fit	ted at the Fa	ctory
*7102	Barrel, Short (3"), Blued	R-100, R-101	\$ 5,00
*7194	Barrel, Short (3"), Deluxe Nickel	R-100, R-101	
*7169	Barrel & Sight Assembly, Short (3"), Blued (Includes Front Sight #7194, Front		2 22
*7215	Sight Set Screw #1099) Barrel & Sight Assembly, Deluxe Nickel Short (3") (Includes Front Sight #7142)		
	Front Sight Set Screw #1009)	R-100, R-101	
*7159	Barrel, Long (6"), Blued	R-100, R-101	6.50
*7195	Barrel, Long (6"), Deluxe Nickel	R-100, R-101	5.50
*7193	Barrel & Sight Assembly, Long (6"), Blued (Includes Front Sight #7194, Front Sight		72.00
	Set Screw #1099)	R-100, R-101	6.50
*7216	Barrel & Sight Assembly, Deluxe Nickel Long (6") (Includes Front Sight #7194, Front Sight Set Screw #1099)	R-100, R-101	7.00
7104	Barrel Pin, Blued	R-100, R-101	.20
	Barrel Pin Deluxe Nickel	R-100, R-101	.20
	Crane Assembly, Blued (Includes Crane	K-100, K-101	.30
	Link #7105, Crane Link Bearing #7107)	R-100, R-101	2.50
7197	Crane Assembly Deluxe Nickel (Includes Crane Link #7105, Crane Link Bearing #7107)	R-100, R-101	3.00
7108	Cylinder, Blued (Not sold separately, See Cylinder Assembly #7156)	R-100, R-101	
7198	Cylinder, Deluxe Nickel (Not sold separately, See Cylinder Assembly #7217)	R-100, R-101	=
*7156	Cylinder Assembly, Blued (Includes Ejector Assembly Consisting of Ejector #7116, Ejector Alignment Dowel #7117, Ejector Rod #7119)	R-100, R-101	12.00
	Cylinder Assembly, Deluxe Nickel (Includes Ejector Assembly consisting of Ejector #7116, Ejector Alignment Dowel #7117, Ejector Rod #7119)	R-100, R-101	
	Cylinder Bushing	R-100, R-101	.30
7 110	Cymider Dosning	K-100, K-101	.50

Part Number	Part Name	Model	Price Each
7111	Cylinder Lock Plunger	R-100, R-101	.50
7112	Cylinder Lock Plunger	R-100, R-101	.20
7113	Cylinder Lock Plunger Spring	R-100, R-101	.20
7162	Cylinder Stop Assembly (Includes Cylinder Stop #7114, Cylinder Stop Cross Pin		
71.00	#7115)	R-100, R-101	1.50
7158	Cylinder Stop Spring	R-100, R-101	.20
7116	Ejector (Not sold separately, See Cylinder	P. 100 P. 101	
7117	Assembly #7156)	R-100, R-101	-
7119	Ejector Alignment Dowel	R-100, R-101	.20
	Ejector Rod, Blued	R-100, R-101	1.00
7199	Ejector Rod, Deluxe Nickel	R-100, R-101	1.50
*7121	Frame, Blued (Not sold separately)	R-100	_
*7156	Frame, Blued (Not sold separately)	R-101	-
*7207	Frame, Deluxe Nickel (Not sold sepa- rately)	R-100	
*7176	Frame, Deluxe Nickel (Not sold sepa-	INESTRUM.	
	rately)	R-101	3=
7123	Grip (Brown)	R-100, R-101	2.00
7211	Grip (White, for Deluxe Nickel)	R-100, R-101	2.85
7125	Grip Lockwasher	R-100, R-101	.20
7126	Grip Screw	R-100, R-101	.20
7128	Hammer, Cyanide Finish for Blued Re-	Manage (Marginal)	140
	volver	R-100	3.50
7186	Hammer, Cyanide Finish for Blued Re-		
	volver	R-101	3.50
7127	Hammer, Blued for Deluxe Nickel Re- volver	R-100	3.50
7176	Hammer, Blued for Deluxe Nickel Re- volver	R-101	3.50
7153	Hammer Assembly (Includes Hammer #7128, Hammer Pawl #7129, Pin #7130, Spring #7131)	R-100	4.50
7188	Hammer Assembly (Includes Hammer #7186, Hammer Pawl #7129, Pin #7130, Spring #7131)	R-101	4.50

Part Number	Part Name	Model	Price Each
7152	Hammer Assembly, Blued for Deluxe Nickel Revolver (Includes Hammer #7127, Hammer Pawl #7129, Pin #7130, Spring #7131)	R-100	4.50
7189	Hammer Assembly, Blued for Deluxe Nickel Revolver (Includes Hammer #7186, Hammer Pawl #7129, Pin #7130, Spring #7131)	R-101	4.50
7129	Hammer Pawl	R-100, R-101	1.00
7130	Hammer Pawl Pin	R-100, R-101	.20
7131	Hammer Pawl Spring	R-100, R-101	.20
7133	Hammer Pivot Pin, Blued	R-100, R-101	.20
7160	Hammer Pivot Pin (Deluxe Nickel)	R-100, R-101	.60
7134	Hammer Safety Stop	R-100, R-101	.20
7135	Hammer Spring	R-100, R-101	.20
7154	Hammer Spring Guide Assembly (Includes Hammer Spring Guide Head #7136, Spring Guide Pin #7137)	R-100, R-101	1.00
7138	Hand	R-100	1.00
7185	Hand	R-101	1.00
7139	Hand Spring	R-100	.20
7181	Hand Spring	R-101	.20
7140	Link Pivot Pin	R-100, R-101	-40
7168	Monogram Insert	R-100	.50
7182	Hammer Sleeve	R-101	.12
7142	Sight, Front, Short Barrel	R-100, R-101	1.50
7144	Sight, Rear	R-100, R-101	1.10
1099	Sight Set Screw, Front	R-100, R-101	.20
7167	Sight, Front Long Barrel	R-100, R-101	1.50
7146	Trigger, Cyanide Finish for Blued Re-	K-100, K-101	1.30
,,,,,	volver	R-100	2.50
7145	Trigger, Blued for Deluxe Nickel Revolver	R-100	2.50
7183	Trigger, Cyanide Finish for Blued Revolver	R-101	2.50
7184	Trigger, Blued for Deluxe Nickel Revolver	R-101	2.50
*7148	Trigger Guard, Blued	R-100	3.50
*7210	Trigger Guard, Deluxe Nickel	R-100	
*7178	Trigger Guard, Blued	R-100	4.50

Part Number	Part Name	Model	Price Each
*7206	Trigger Guard, Deluxe Nickel	R-101	4,50
7149	Trigger Pivot Pin	R-100, R-101	.20
7150	Trigger Spring	R-100	.20
7180	Trigger Spring	R-101	.20
7151	Trigger Spring Plunger	R-100	.20
7149	Trigger Spring Retaining Pin	R-101	.20



STAG GRIPS

Add beauty to your Sentinel with Molded Stag

INSTRUCTIONS FOR OPERATION AND CARE






Fig. 1

Fig. 2

Correct Sighting

LOADING AND FIRING:

- 1. Be sure that hammer is down.
- 2. Pull ejector rod forward and, at the same time, swing out cylinder to left by pressing right index finger against it (see Figure 1).
- 3. Insert one .22 caliber short, long or long rifle cartridge in each of the nine chambers of the cylinder.
- 4. Swing cylinder shut and revolver is ready to fire.
- 5. Revolver may be fired double action merely by squeezing trigger for each shot.
- 6. Target shooting, or other shooting demanding a maximum of accuracy, is usually done single action. For single-action shooting, pull back hammer to cocked position for each shot.
- 7. To unload revolver or remove fired cartridge cases, pull ejector rod forward, swing out cylinder to left (see Figure 1), and push ejector rod to rear (See Figure 2).
- 8. Pull ejector rod forward before reloading or attempting to close cylinder.

SIGHT ADJUSTMENT:

Sentinel revolvers are sighted in at a range of 50 feet. If lateral adjustment is desired because of individual preference in sighting or holding, tap the rear sight gently, using a brass or plastic hammer. Move the rear sight in the direction you want the point of impact to move.

Hi-Standard .22 Caliber Autoloading Pistols

TARGET & FIELD MODELS

The Hi-Standard family of top performers offers a combination of features not found in other pistols. Made by precision craftsmen, their accuracy is matched only by their handsome appearance.



Dura-Matic: The perfect extra gun at a low price. DEPEND-ABLE: Fires .22 long rifle ammunition with good accuracy and performance. SAFE: Visible indicator shows when gun is ready to fire; combination slide lock for positive cross-bolt safety. VERSATILE: Ideal all-around 10-shot autoloader for campers, hunters, fishermen, plinkers.

Choice of $4\frac{1}{2}$ " or $6\frac{1}{2}$ " barrels at \$37.50; both barrels \$7.50 extra.




Flite-King: The gun that pays for itself by saving on ammunition. ECONOMICAL: Low first cost and shoots money-saving .22 shorts. QUIET: Light report for basement shooting, yet target accuracy for outdoor use. MODERN: Lightest Americanmade .22 autoloader, alloy slide and frame, fast-action takedown.

Choice of $4\frac{1}{2}$ " or $6\frac{3}{4}$ " barrels at \$43.75; both barrels \$8.00 extra.



Field-King: Ideal for targets and field shooting. EXTRA VALUE: A .22 long rifle autoloader with features normally found only on higher-priced Hi-Standards — stabilizer barrel, target sights with precise click adjustments for windage and elevation. TARGET ACCURACY: Unsurpassed as a mediumweight, medium-priced target pistol. PERFORMANCE: A worthy member of the family of top performers.

Choice of 4½" plain barrel, \$58.65; 6¾" stabilizer barrel, \$61.65; combination \$70.65.



Sport-King: Hard-hitting .22 long rifle autoloader. HAND-SOME: A sleek handful of modern handgun. Lightweight model with forged aluminum alloy frame weighs only 27 ounces; steel-frame model 37 ounces. BALANCED: Points as naturally as your finger. IDEAL: Hunters, trappers, campers, fishermen, plinkers, target shooters all praise this gun.

Choice of $4\frac{1}{2}$ " or $6\frac{3}{4}$ " barrels at \$43.75; both barrels \$8.00 extra.



Supermatic: World famous as the ultimate in .22 long rifle target pistols. SUPERBLY ACCURATE: Choice of top target shooters everywhere. Target sights with precise click adjustments for windage and elevation. STABILIZER BARREL: Reduces "muzzle jump". PERFECTLY BALANCED: Additional adjustable weights for precise "feel" and natural positioning.

Choice of $4\frac{1}{2}$ " plain barrel, \$71.60; $6\frac{3}{4}$ " stabilizer barrel, \$74.55; combination \$85.55.



Olympic: A .22 short autoloader with world-wide reputation for target accuracy won in international competition. SUPER-BLY ACCURATE: Target sights with precise click adjustments for windage and elevation. Choice of top target shooters. STABILIZER BARREL: Reduces "muzzle jump". PERFECTLY BAL-ANCED: Additional adjustable weights for precise "feel" and natural positioning.

Choice of 4½" plain barrel, \$71.60; 6¾" stabilizer barrel, \$74.55; combination \$85.55.

Printed in U.S.A.

Parts List Number 990-93