GNU Screen Quick Reference Card

			0.01
screen -d -r	C-a d or C-d	C-a p or C-p	C-a C-\
Reattach a session and if	Detach screen from this	Switch to the previous	(quit)
necessary detach it first.	terminal.	window.	Kill all windows and terminate
I			screen.
C-a " or '	C-a D D	C-a Q	!
Prompt for a window identifier	Detach and logout.	Delete all regions but the	C-a [or C-[or ESC
and switch.		current one.	Enter copy/scrollback mode.
	C-a H		
C-a Tab	Toggle logging of the current	C-a S	C-a C-] or]
Switch the input focus to the	window to the file "screenlog.n".	Split the current region into	Write the contents of the
next region.		two new ones.	paste buffer to the stdin queue of
3	C-a K		the current window.
C-a C-a	Destroy the current window.	C-a TAB	!
Toggle to the window		Move from region to the	Command: resize [(+/-/=)lines]
displayed previously.	C-a m	other.	Resize the current region.
, , , ,	Repeat the last message		3
C-a a	displayed in the message line.	C-a t	C-a N
Send the command character		uptime	Show the number (and title) of
(C-a) to window.	C-a M	'	the current window.
	Toggle monitoring of the	C-a w	
C-a A	current window.	Show a list of active windows.	
Allow the user to enter a title			
for the current window.	C-a n or SPC or C-n	C-a x	
	Switch to the next window.	Lock your terminal.	!
C-a c or C-c			!
Create a new window with a	C-a X	C-a C	
shell and switch to that window.	Kill the current region.	Clear the screen.	
siles and officer to that whitew.	Tan are carrent region.	2.53. 11.5 551 5511.	

By Ahmad Fahad Al-Twaijiry, ahmadt@gmail.com