Emacslike Pentadactyl Reference Card

Leaving Pentadactyl & File Operations

exit Pentadactyl browser without saving session	`C-x C-c`
exit Pentadactyl browser & save the contents of all tab-buffers	`C-x s`
restart Pentadactyl browser	`C-c C-r`
save current page as	`C-x C-w`

Changing Modes

start command mode	`M-x`
start insert mode	`i`
launch external editor from insert mode	`C-i`
pass-through next key	`C-d`
temporarily suspend Pentadactyl key-bindings	`C-z`
return to normal mode	`<ESC>`

Opening URLs

open a URL	`C-x C-f`
open a URL based on current location	`C-x C-v`
open a URL in a new background tab-buffer	`C-x t`
open a URL based on current location in a background tab	`C-x T`
open a URL in a new focussed tab-buffer	`C-x C-t` **or** `C-x 4 f`
open a URL in a new window-frame	`C-x 5 f`

Following Hints

open quick-hint mode & follow link in current tab-buffer	`l`
open quick-hint mode & follow link in new background tab-buffer	`L`
open quick-hint mode & follow link in new focussed tab-buffer	`M-l` **or** `C-x l`
open extended quick-hint mode	`;`

Getting Help

view the Emacslike bindings for Pentadactyl QuickReference card	`C-h I`
read the Pentadactyl manual	`C-h r`
browse the Pentadactyl index	`C-h i`
view the Pentadactyl quick-start tutorial	`C-h t`

Error Recovery

abort partially typed command	`C-g`
stop loading buffer	`C-q`
undo close tab-buffer	`C-x u`, `C-_`, **or** `C-/`
reload tab-buffer using cache	`r`
reload tab-buffer without using cache	`R`
redraw garbaged screen	`C-l`

Incremental Search

search forwards	`C-s`
search backwards	`C-r`
(find next with `n`, previous with `N`)	
search forwards for next occurrence of word under cursor	`M-s`
search backwards for next occurrence of word under cursor	`M-r`

Motion

In normal mode:

go forwards in browser history	`C-f`
go backwards in browser history	`C-b`
go forwards to next tab-buffer	`M-f`
go backwards to previous tab-buffer	`M-b`
move current tab to the right	`C-→`
move current tab to the left	`C-←`
scroll down to next screen	`C-v`
scroll up to previous screen	`M-v`
scroll down to absolute bottom of buffer	`M->`
scroll up to absolute top of buffer	`M-<`
scroll to absolute left of buffer	`C-a`
scroll to absolute right of buffer	`C-e`

In command mode:

move one character right	`C-f`
move one character left	`C-b`
down to next command	`C-n`
up to previous command	`C-p`
enter carriage return	`C-j`

Selecting, Killing & Yanking

In insert mode:
cut ('kill') current selected region to clipboard	`C-w`
copy current selected region to clipboard	`M-w`
paste ('yank back') contents of clipboard	`C-y`
select all	`C-x h`

In normal mode:
copy current selected region to clipboard	`C-w`
copy current location to clipboard	`M-w`
paste ('yank back') contents of clipboard	`C-y`
paste ('yank back') contents of clipboard to new background tab	`M-y`
paste ('yank back') contents of clipboard to new focussed tab	`C-M-y`
select all	`C-x h`

Managing Tab-Buffers & Windows-Frames

jump to buffer	`C-x b`
list all buffers	`C-x C-b`
close this tab-buffer	`C-x k` **or** `C-x 0`
close all other tab-buffers	`C-x 1`
duplicate tab-buffer	`C-x 2`
switch focus to last-selected tab-buffer	`C-x o`
undo close tab-buffer	`C-x u`, `C-_`, **or** `C-/`
close this window-frame	`C-x 5 0`
close all other window-frames	`C-x 5 1`
duplicate window-frame	`C-x 5 2`

Keyboard Macros

record a key sequence into a macro	`C-x (` {0–9z–zA–Z}
play a macro	`C-x e` {0–9a–zA–Z}
list recorded macros	`M-x macros`

Jump Marks

set a jump-mark local to current buffer	`C-x r m` {a–z}
set a URL jump-mark	`C-x r m` {A–Z}
jump to a jump-mark	`C-x r b` {a–zA–Z}
list all jump-marks	`C-x r l`

Miscellany

view page source	`C-c g`
view page source in editor	`C-c e`
open picture location	`C-c p`
open context menu	`C-c m`
open home directory	`C-c f`
go to home-page	`C-c h`
go to URL parent directory	`C-c u`
go to URL website root	`C-c C-u`
dialog selection	`d`
add a bookmark in command line	`a`
add a bookmark in a dialog	`C-c a`
search bookmarks	`C-c q`
search bookmarks by tag	`C-c w`
focus last used input field	`C-c i`
open toolbar	`M-↓`
close toolbar	`M-↑`
Enlarge full zoom of current web page	`zI`
Enlarge full zoom of current web page by a larger amount	`zM`
Reduce full zoom of current web page	`zO`
Reduce full zoom of current web page by a larger amount	`zR`
Set full zoom value of current web page	`zZ`
Enlarge text zoom of current web page	`zi`
Enlarge text zoom of current web page by a larger amount	`zm`
Reduce text zoom of current web page	`zo`
Reduce text zoom of current web page by a larger amount	`zr`
Set text zoom value of current web page	`zz`