

==Phrack Inc.==

Volume Two, Issue 23, File 1 of 12

Phrack Inc. Newsletter Issue XXIII Index

~~~~~

January 25, 1989

Greetings once again! Before we really get into the issue, we here at Phrack Inc. would like to address some of the questions and comments we've been hearing lately about the last issue of Phrack Inc.

When we heard that people were having trouble using the Unix Password Hacking Program, we decided to contact the creator and were given this response:

"My password hacker will compile on anything. I have had it running on Xenix, Unix System V 3.1 and BSD 4.3. It sounds as if someone may not know what they are doing. I will put money on it working well on any flavor of Unix."

Now as far as Red Knight's Unix file and The Mentor's Beginning Hackers Guide, we had absolutely no idea that those files had also been submitted to P/HUN and were being distributed. The file on the Internet Worm was a Bitnet release that we felt was a good enough piece of information that it should be publicized. Readers may wish to make a note that Volume 5, Number 4 of 2600 Magazine also has re-released the Internet Worm article and Red Knight's file on Hacking Unix.

In this issue, note the final chapter of the Vicious Circle Trilogy as well as the beginning of the Future Transcendent Saga, both written and created by Knight Lightning. Look for the third and fourth chapters of the FTSaga in Issue 24 of Phrack Inc.

Any writers with unreleased files wishing to submit them to Phrack Inc. may send them to us via The Prophet or if you have access to a network that interfaces with Bitnet, send them to either of our addresses listed below. By the same token, anyone on the Bitnet accessible networks, MCI Mail, or GTE Telemail who would like Phrack Inc. delivered to their accounts should contact us.

Knight Lightning & Taran King  
(C483307@UMCVMB) (C488869@UMCVMB)

---

#### Table of Contents:

1. Phrack Inc. XXIII Index by Knight Lightning & Taran King
2. Phrack Prophile XXIII Featuring The Mentor by Taran King
3. Subdivisions (Part 3 of The Vicious Circle Trilogy) by Knight Lightning
4. Utopia; Chapter One of FTSaga by Knight Lightning
5. Foundations On The Horizon; Chapter Two of FTSaga by Knight Lightning
6. Future Trancendent Saga Index A from the Bitnet Services Library
7. Future Trancendent Saga Index B from the Bitnet Services Library
8. Getting Serious About VMS Hacking by VAXBusters International
9. Can You Find Out If Your Telephone Is Tapped? by Fred P. Graham (& VaxCat)
10. Big Brother Online by Thumpr (Special Thanks to Hatchet Molly)
- 11-12. Phrack World News XXIII by Knight Lightning

---

==Phrack Inc.==

Volume Two, Issue 23, File 2 of 12

==Phrack Pro-Phile XXIII==

Created and Written by Taran King

Done on January 18, 1989

Welcome to Phrack Pro-Phile XXII. Phrack Pro-Phile was created to bring information to you, the community, about retired or highly important/controversial people. This issue, we bring you a user and sysop having great contributions through his boards, articles published, and general phreak/hack activity...

The Mentor

~~~~~

Handle: The Mentor

Call Him: Loyd

Past Handles: An article for Phrack written as The Neuromancer for (then present) security reasons.

Handle Origin: The Grey Lensman series by E.E. 'Doc' Smith

Date Of Birth: 1965

Current Age: 23

Height: 5' 10"

Weight: 200 lbs.

Eye Color: Brown

Hair Color: Brown

Computers: (In order of owning...) TRS-80, Apple //e, Amiga 1000, PC/AT

Sysop: The Phoenix Project (512-441-3088)

Origins in Phreak/Hack World: When he was 13, a friend's father who was a professor at a local university gave him accounts to use on one of the PDP 11/70s at the school. This was his first introduction to mainframes, and he was hooked. He continued to use the University's equipment through junior high and high school, upgrading to a DEC-10 and then finally a VAX 8600.

Needless to say, since he wasn't a student, acquiring accounts to use was sometimes tricky, so he began to write fake front ends, trojan horses, and other hacker utilities. Loyd's interest in hacking grew from this to the point where he wanted to get into *everything* instead of just his local systems.

Origins in Phreak/Hack BBSes: He was involved in the pirate boards from about 1982 on, during which time many of them doubled as phreak boards. From some of these, he got the number for Sherwood Forest and P-80, at which point he started calling out.

People in the Phreak/Hack World Met: ANI Failure, Android Pope, Bad Subscript, Control C, Crimson Death, The Dictator, Doom Prophet, Erik Bloodaxe, Ferrod Sensor, Forest Ranger, Hatchet Molly, Knight Lightning, The Leftist, Lone Wolf, Lucifer 666, Phantom Phreaker, Phase Jitter, Phlash Gordon, Phrozen Ghost, The Protestor, Surfer Bob, Taran King, Terminal Technocrat, Tuc, The Ubiquitous Hacker, The Urvile/Necron 99.

Experience Gained in the Following Ways: Hacking. You can read all the gfiles in the world, but unless you actually go out and hack, you're going to remain a novice. Getting in systems snowballs. It may take you a while to get in that first one, but after that it becomes easier and easier.

Knowledge Attributed To: All the people who were willing to help him when he was starting out plus actual hands-on experience.

Memorable Phreak/Hack BBSes: Sherwood Forest, The Protestor's Shack, Metal Shop (when it first went private), Stalag-13, Catch-22, Hacker's Hideout, Arisia, The Phoenix Project, Tuc's Board - RACS III (LOGONIT)

Work/Schooling (Major): BS in Computer Science, work as a graphics programmer.

Conventions/Involvements Outside of Phone Calls: Nationally ranked saber fencer in 1985 & 1986, serious science-fiction collector & role-playing gamer, play guitar, bass, and keys in various bands.

Accomplishments (Newsletters/Files/Etc.): He's written at least half a dozen files for Phrack, and has had articles in the LOD/H Technical Journal, P/HUN newsletter, and has written the always-popular Hackin' Off column in Thrasher on a few occasions.

Phreak/Hack Groups: Currently an active member of the Legion of Doom/Legion of Hackers, formerly a member of the PhoneLine Phantoms, The Racketeers, and Extasy Elite (gag.)

Busts: Being busted led to his retirement for around one year. He thinks everyone ought to take some time off: It helps put all this in perspective.

Interests: VAX computers, packet switched nets, and computer graphics.

Favorite Things: His wife, my cat, Chinese food, the blues, jazz, high-priced UUCP accounts, unpassworded accounts, DCL, Modula-2, double-buffering, Stevie Ray Vaughn

Most Memorable Experiences: Getting married (6 months now!), getting pulled out of a political science class and dragged down to jail, dragging Control C away from drawing LMOS diagrams for a bunch of drunk high school girls, SummerCon in general, Knight Lightning jumping up on a bed and yelling "Teletrial!", carrying on a 45 minute conversation on blue boxing & phreaking in general with a guy at the gym where he works out, then finding out he's in charge of security for my local telco, trojaning the Star Trek program on his college's DEC-10 so that everyone who ran it executed my fake front end program next time they logged in...

Some People to Mention:	Android Pope-	He's got to have *someone* to get into trouble with!
	Erik Bloodaxe-	see above.
	Compuphreak-	For helping him get started & answering a lot of dumb questions (ok, explain this diverter thingy to me again...)
	The Maelstrom-	see above.
	The Urvile-	d00d.

INSIDE JOKES: "Do you think it's a good idea to do this before we get on the plane?", "Gosh, I wish people would find somewhere else to dispose of their phlegm.", "Hi, you must be Dan. Take these.", "If I get busted, I'm going to burn down your house with you and your entire family inside.", "Trust me. You need another beer.", "This hall seems like it goes on forever!", "It was nice of them to box this stuff up for us!", "All of you! Out! Now!", "Surely you aren't going to touch that girl?", "If they stop us, we shoot them and drive to New York and change identities. It's foolproof.", "You really want to talk phones?", "I can't believe you made him cry. That's sad.", "Mr. Letterman?", "Do you speak DCL?", "No you idiot, GERMANY!!!!", "Now see, you do this, then type this, and boom! Codes for days.", "Ma'm, I'm sorry to tell you this, but your son is a computer criminal.", "How much for the rocket launcher? Is that with or without ammo?", "By now you've guessed, you've been had.", "Well, if you're going to be working at the jail, maybe you can help them out with their computers.", "No, she really wants us both!", "What's in the briefcase?", "It's my older brother's gun, officer.", "Bell Communications Research presents...", "I'll pay you \$500 for the last four digits of his phone number. Just give me

Thanks for your time Loyd...

TARAN KING

==Phrack Inc.==

Volume Two, Issue 23, File 3 of 12

[illegible]

A Rose By Any Other Name... Would Smell As Sweet

The Administration \ Advanced Telecommunications, Inc./ATI
 ALIAS \ American Tone Travelers \ Anarchy Inc. \ Apple Mafia
 The Association \ Atlantic Pirates Guild/APG \ Bad Ass Mother Fuckers/BAMF
 Bellcore \ Bell Shock Force/BSF \ Black Bag \ Camorra \ C&M Productions
 Catholics Anonymous \ Chaos Computer Club \ Chief Executive Officers/CEO
 Circle Of Death \ Circle Of Deneb \ Club X \ Coalition of Hi-Tech Pirates/CHP
 Coast-To-Coast \ Corrupt Computing \ Cult Of The Dead Cow/-cDc-
 Custom Retaliations \ Damage Inc. \ D&B Communications \ The Dange Gang
 Dec Hunters \ Digital Gang/DG \ DPAK \ Eastern Alliance
 The Elite Hackers Guild \ Elite Phreakers and Hackers Club
 The Elite Society Of America \ EPG \ Executives Of Crime \ Extasy (Elite)
 Fargo 4A \ Farmers Of Doom/FOD \ The Federation \ Feds R Us \ First Class
 Five O \ Five Star \ Force Hackers \ The 414s \ Hack-A-Trip
 Hackers Of America/HOA \ High Mountain Hackers \ High Society \ The Hitchhikers
 IBM Syndicate \ The Ice Pirates Imperial Warlords \ Inner Circle
 Inner Circle II \ Insanity Inc.
 International Computer Underground Bandits/ICUB \ Justice League of America/JLA
 Kaos Inc. \ Knights Of Shadow/KOS \ Knights Of The Round Table/KOTRT
 League Of Adepts/LOA \ Legion Of Doom/LOD \ Legion Of Hackers/LOH
 Lords Of Chaos \ Lunitic Labs, Unlimited \ Master Hackers \ MAD!
 The Marauders \ MD/PhD \ Metal Communications, Inc./MCI
 MetalliBashers, Inc./MBI \ Metro Communications \ Midwest Pirates Guild/MPG
 NASA Elite \ The NATO Association \ Neon Knights \ Nihilist Order
 Order Of The Rose \ OSS \ Pacific Pirates Guild/PPG \ Phantom Access Associates
 PHido PHreaks \ Phlash \ PhoneLine Phantoms/PLP
 Phone Phreakers Of America/PPOA \ Phortune 500/P500
 Phreak Hack Delinquents \ Phreak Hack Destroyers
 Phreakers, Hackers, And Laundromat Employees Gang/PHALSE Gang
 Phreaks Against Geeks/PAG \ Phreaks Against Phreaks Against Geeks/PAP
 Phreaks and Hackers of America \ Phreaks Anonymous World Wide/PAWW
 Project Genesis \ The Punk Mafia/TPM \ The Racketeers
 Red Dawn Text Files/RDTF \ Roscoe Gang \ SABRE \ Secret Circle of Pirates/SCP
 Secret Service \ 707 Club \ Shadow Brotherhood \ Sharp Inc. \ 65C02 Elite

Spectral Force \ Star League \ Stowaways \ Strata-Crackers \ The Phrim
Team Hackers '86 \ Team Hackers '87 \ TeleComputist Newsletter Staff
Tribunal Of Knowledge/TOK \ Triple Entente \ Turn Over And Die Syndrome/TOADS
300 Club \ 1200 Club \ 2300 Club \ 2600 Club \ 2601 Club \ 2AF \ Ware Brigade
The Warelords \ WASP \ The United Soft WareZ Force/TuSwF
United Technical Underground/UTU

Its literally unbelievable just how many different groups and organizations there are or have been in the phreak/hack/pirate community. The list of 130 groups displayed above is probably still just a fraction of the actual amount of groups that there have been, but those are the only ones I am aware of at this time.

In the past John Maxfield has estimated that there are about 50,000 hackers/phreaks/pirates operating in the United States today. That figure has multiplied to to a point where it probably comes close to 500,000. Believe it or not, almost everyone has been a member of one of the above groups (or perhaps a group not mentioned) at one time or another.

Today's telecom security consultants and law enforcement agencies know this too and that is how group affiliations can be turned against us.

What does being in a group mean? In the modem community being in a group is supposed to mean that the people in the group work on projects together and trade specific information that people outside of the group are not allowed to access and by the same token, have no way to get it. However, obviously the people in the group all feel that the other people with whom they are sharing information, can be trusted and are worthy of associating with them to begin with. So when you stop and think about it, if there was no group, the people in question would still be trading information and would still trust each other because they would not have formed the group unless this criteria was met in the first place. So in truth, being in a group really means nothing on the basis previously mentioned.

You see in the modem community, being in a group really is more like a power trip or a "security blanket" for people who feel that they need to let people know that they associate with a specific clique in the hopes that the popularity of some of the other members will lend popularity to themselves.

Many groups form in such a way that they try to make it look otherwise and thus begins the real problem. Some groups are formed by a person who tries to get a lot of guys together that he feels knows a lot or seems to post a lot of good information - Bad Move; If you are going to form a group at all, stick with people who you know can be trusted (can you really ever "know" who can be trusted?) and then out of those people form your group or choose who you feel should be in it.

Anyway, to prove that they are elite, most groups begin to gather specific data for giving to group members, and this includes handing out their own names and phone numbers with other members of the group. They feel a false loyalty and psychologically create such utter faith in all the members that the faith is ultimately blind and based on hopes and aspirations of greatness.

What is the best way for a security agent or informant to blend in with the modem community? Join as many groups as possible, start gathering data on the members, and spread your handle throughout the community to become "well known."

Example: Taken From Phrack World News Issue XV;

[This article has been edited for this presentation. -KL]

Mad Hatter; Informant?

July 31, 1987

~~~~~

We at Phrack Inc. have uncovered a significant amount of information that has led us to the belief that Mad Hatter is an informant for some law enforcement organization.

When Taran King, Cheap Shades, Forest Ranger, and Knight Lightning arrived at Control C's in Chicago, Illinois, Mad Hatter had already searched the place and had found some papers that could only have done ^C harm. We destroyed this information and thought everything was ok. However, as it turns out, we searched Mad Hatter's bags and found a duplicate set of this information and the general hypothesis was they he intended to leave it behind as incriminating evidence.

Mad Hatter had also brought down several disks for the purpose of copying Phantasie Realm. Please note; PR was an IBM program and MH has an apple.

Control C told us that when he went to pick Mad Hatter up at the bus terminal, he watched the bus pull in and saw everyone who disembarked. Suddenly Mad Hatter was there, but not from the bus he was supposed to have come in on. In addition to this, he had baking soda wrapped in a five dollar bill that he tried to pass off as cocaine. Perhaps to make us think he was cool or something.

Mad Hatter constantly tried to get left behind at ^C's apartment for unknown reasons. He also was seen at a neighbor's apartment making unauthorized calls into the city of Chicago. When asked who he called, his reply was "Don't worry about it." Mad Hatter had absolutely no money with him during PartyCon (and incidentally he ate everything in ^C's refrigerator) and yet he insisted that although he had taken the bus down and had return trip tickets for the bus, that he would fly back home. How was this going to be achieved? He had no money and even if he could get a refund for the bus tickets, he would still be over \$200 short. When asked how he was going to do this, his reply was "Don't worry about it."

On Saturday night while on the way to the Hard Rock Cafe, Mad Hatter asked Control C for the location of his computer system and other items 4 times. This is information that Hatter did not need to know, but perhaps a SS agent or someone could use very nicely.

When Phrack Inc. discovered that Dan The Operator was an FBI informant and made the news public, several people were criticizing him on Free World II Private. Mad Hatter on the other hand, stood up for Noah and said that he was still his friend despite what had happened. Then later when he realized that people were questioning his legitimacy, his original posts were deleted and he started saying how much he wanted to kill Dan The Operator and that he hated him.

Mad Hatter already has admitted to knowing that Dan The Operator was an FBI informant prior to SummerCon '87. He says the reason he didn't tell anyone is because he assumed we already knew.

-----  
When Mad Hatter first entered the phreak/hack world, he joined;

Phreaks Anonymous World Wide (PAWW),  
MetalliBashers, Inc (MBI),  
Order of The Rose, and  
Cult of The Dead Cow (-cDc-).

If you were a security agent or a loser hacker turned informant and you wanted to mix in with the phreak/hack community, wouldn't you try to join as many groups as possible to spread your name?

-----

Phreaks Anonymous World Wide, MetalliBashers, Inc., Order of The Rose, and Cult of The Dead Cow, not exactly the toughest groups to join and once there is one security person in the group, he is bound to vouch for others, etc. So while he spreads his name as an elite modem user throughout the community, he is busy gathering information on group members who are foolish enough to trust him.

Its not bad enough that some groups are easy enough to infiltrate as it is, but does anyone remember this?

Taken From Phrack World News Issue XI;

Phortune 500: Phreakdom's Newest Organization February 16, 1987

~~~~~  
For those of you who are in the least bit interested, Phortune 500 is a group of telecommunication hobbyists who's goal is to spread information as well as further their own knowledge in the world of telecommunications. This new group was formed by:

Brew Associates / Handsomest One / Lord Lawless / The Renegade Chemist
Quinton J. Miranda / Striker / The MadHacker / The Spiker

These eight members are also known as Board Of Directors (BOD). They don't claim to be *Elite* in the sense that they are they world's greatest hacker, but they ARE somewhat picky about their members. They prefer someone who knows a bit about everything and has talents exclusive to him/herself.

One of the projects that Phortune 500 has completed is an individual password AE type system. It's called TransPhor. It was written and created by Brew Associates. It has been Beta tested on The Undergraduate Lounge (Sysoped by Quinton J. Miranda). It is due to be released to the public throughout the next few months.

Phortune 500 has been in operation for about 4 months, and has released two newsletters of their own. The Phortune 500 Newsletter is quite like the "People" of contemporary magazines. While some magazines cover the deep technical aspects of the world in which we communicate, their newsletter tries to cover the lighter side while throwing in information that they feel is "of technical nature." The third issue is due to be released by the end of this month.

>=> The Phortune 500 Membership Questionnaire <==<

Note: The following information is of a totally confidential nature. The reason you may find this so lengthy and in depth is for our knowledge of you. We, with Phortune 500, feel as though we should know prospective members well before we allow them into our organization. Pending the answers you supply us, you will be admitted to Phortune 500 as a charter member. Please answer the following completely...

.....
Handle :
First Name :
Voice Phone Number :
Data Phone Number :
City & State :
Age :
Occupation (If Applicable) :
Place of Employment (Optional) :
Work Phone Number (Optional) :
Computer Type :

division of Bitnet. They are all directly connected and together serve as one network and not three. It is often referred to as BITNET/NetNorth/EARN.

The Basics Of Bitnet


~~~~~

In order to make any sense out of this file, you should first have a basic understanding of mainframes and userids, etc. Since most readers of Phrack are computer enthusiasts, there is a pretty good chance that you understand these things already. If not, you may want to find documentation on the topic. The Mentor's Beginning Hackers Guide, which was published in Phrack Inc. XXII contains some information that might help you. The concepts presented in this file are not terrible difficult to understand, but you should not jump into this totally unprepared either.

You should also be a little familiar with the type of hardware and operating system you will be using. Most IBM systems in Bitnet run VM/CMS. The Digital Equipment Corporation (DEC) VAX systems usually run an operating system called VMS along with a software package called JNET which allows them to communicate via Bitnet. I will be referring to VM/CMS and VMS/JNET throughout this file. I myself currently use an IBM 4381 that runs VM/CMS and thus I am much more familiar with that type of system.

Try to think of the mainframe as the telephone and Bitnet as the telephone lines. You see, the mainframe you log onto is connected to mainframes at other universities and institutions. The connection is usually a high-speed leased line, a special sort of telephone connection. In a way, these computers are always on the phone with each other (except when links go down, discussed in the section on MESSAGES). This particular network is what is known as a "store and forward" network. This means that if I send something to someone in Los Angeles, the computers in the network between New York and California will store and forward it from computer to computer until it reaches it's destination.

In Bitnet, there is only one way from "Point A" to "Point B." A small piece of the network might look like this:



Those boxes represent computers in the network, and the dashes between them are the leased lines. If I am at computer "A" and I send a file to someone at computer "N" it would travel the following path:

A-B-D-E-F-G-K-N

Actual topology maps are available for download from [LISTSERV@BITNIC](mailto:LISTSERV@BITNIC), but we will be discussing servers later in this file. Like I mentioned before, there is only one route between any two nodes and there is simply no way to bypass a

disconnected link.

Each of the computers in BITNET is called a "node" and has a unique name that identifies it to the other nodes. For example, one of the mainframe computers at the University Of Missouri-Columbia has the nodename UMCVMB. So what does that mean exactly? Well in this case, UMC comes from the name of the school, VM comes from the Virtual Memory operating system, and B is just an alpha-numerical identifier. At one time there was a UMCVMA, but that system was taken down a couple of years ago. One thing to note here is that although this particular node can be broken down into its parts, many nodes do not follow this pattern and some nodes have "aliases." An alias is just another name for the node and both names are recognized by all Bitnet facilities. An example of this is STANFORD. The nodes STANFORD and FORSYTHE are the same place so...

CYPHER@STANFORD = CYPHER@FORSYTHE

Your userid in combination with the name of your node is your "network address." It is usually written in the format userid@node (read "userid at node"). For example, the name of my node is UMCVMB, and my userid is C483307. Therefore, my network address is C483307@UMCVMB. If I know the userid@node of someone in the network, I can communicate with that person, and he/she can communicate with me. I have found many interesting people on the networks. Making use of the direct chatting capabilities of Bitnet I am able to talk to them in "real-time." You can do this too, all you need to know are a few commands. This is explained in part two.

#### Messages ~~~~~

There are three basic methods of communicating via Bitnet: MAIL, MESSAGE, and FILE. The reason you would choose one over the other for a particular application will become clear after a little explanation.

The MESSAGE is the fastest and most convenient method of communication available through Bitnet. It is the network's equivalent of a telephone conversation. The difference of course is that the words are typed instead of spoken. The message you type is transmitted immediately (well, quickly) to its destination. In BITNET this destination is the network address (userid@node) of the person you want to contact. If the person you are contacting is logged on, the message will be displayed on their screen. If not, their computer will tell you so by sending you a message. In this case, your message is lost forever. In other words, no one is there to answer the phone. However, many people run a program called GONE (and there are other similar programs) which acts like an answering machine and holds your message until they log on. Some universities do not allow this program because it uses a lot of CPU time. If your school or mainframe does not allow it, do not try to sneak its use, because it is very easy to detect.

One important thing to mention is that not all nodes allow interactive chat. Some nodes are simply not advanced enough for it and you will receive a message telling you this whenever you try to chat with them. However, this situation is less common.

The command to send messages depends on your computer and system software. People on VM/CMS systems would type something like this:

TELL userid AT node message OR TELL userid@node message

For example:

TELL MENTOR AT PHOENIX Hey, whats new on The Phoenix Project?  
+-----+-----+-----

```

|           |           |
|           |           +----- the message you are sending
|           |           |
|           +----- the node of the recipient
|
+----- the userid of the recipient

```

People on VAX/VMS systems using the JNET networking software would use this syntax:

```
SEND userid@node "message"
```

For example:

```

SEND MENTOR@PHOENIX "Hey, whats new on The Phoenix Project?"
+----- +----- +-----
|           |           |
|           |           +----- the message you are sending
|           |           |
|           +----- the node of the recipient
|
+----- the userid of the recipient

```

The quotes around the message are optional. However, the JNET networking for VAX/VMS will translate your entire message into upper-case characters if you DO NOT use them. Many people find receiving messages in all upper case to be extremely annoying.

For more information on the TELL and SEND commands, you should consult your local system documentation.

When a message arrives on your screen, it will look something like this:

```
FROM PHOENIX(MENTOR): Hello! Things are great here, you?
```

Unfortunately there is a downside to everything and Bitnet Messages are no exception. Text sent by message must be short. In general, your message length can be one line, about the width of your screen. In other words, you won't be sending someone a copy of Phrack World News via the TELL command.

Also, you can only communicate with someone in this way when they are logged on. Considering time zone differences (you may find yourself talking to people in Europe, Israel, or Australia) this is often quite inconvenient.

Lastly, there is the problem of links that I call LinkDeath. If the connection to the node you want to contact is broken (by for example, a disconnected phone line), you'll receive an error message and whatever you sent is gone. This can be very annoying if it should occur during a conversation. The LinkDeath may last a few minutes or several hours. Often times, a link will go down for the weekend and you are simply out of luck. Even worse is when it is the link that connects your mainframe to rest of Bitnet... you are cut off.

However, messages are very far from useless. As I will demonstrate in chapter two, TELL and SEND are extremely helpful in accessing the many servers on Bitnet.

## Files

~~~~~

FILES are another way to communicate over Bitnet. The text files and programs that you store on your computer can be transmitted to users at other nodes.

This is one of the methods that I use to distribute Phrack issues across not only the country, but the world. People on VM/CMS systems would use a syntax like this:

```
SENDFILE filename filetype filemode userid AT node
```

For example:

```
SENDFILE PHRACK TEXTFILE A PROPHET AT PHRACKVM
+-----+-----
|               |
|               +----- the address of the recipient
|
+----- the file you are sending
```

However, at my particular node the command would read:

```
SENDFILE PHRACK TEXTFILE A TO (nickname)
```

For some reason at my node, you cannot use SENDFILE to send a file to anyone unless they are in your NAMES file. The NAMES file is a database type of list that translates userid@node into nicknames to make it easier to chat with people. This way you can use their nickname instead of the tiresome userid@node. The filemode, in this example "A", is the disk that the file "PHRACK TEXTFILE" is on. In case you were wondering, with the exception of my address, most of the addresses in this file like PROPHET@PHRACKVM or MENTOR@PHOENIX are bogus and just examples for this presentation.

The syntax for VMS/JNET systems is quite similar:

```
SEND/FILE filename.extension userid@node
```

For example:

```
SEND/FILE PHRACK.TEXTFILE PROPHET@PHRACKVM
+-----+-----
|               |
|               +----- the address of the recipient
|
+----- the file you are sending
```

The file sent is stored in the "electronic mailbox" of the recipient until he/she logs on. People on VM/CMS systems would use the RECEIVE or RDRLIST (shortened to "RL") commands to process files sent to them in this way. People on VAX/VMS systems would use the RECEIVE command. You should check your local documentation for more information on these commands.

SEND/FILE and SENDFILE are useful for sending programs or large volumes of data like Phrack issues over the network. However, they should not be used for everyday communication because there is a much easier way -- the MAIL.

Mail
~~~~

The other form of Bitnet communication has been given a very apt name: MAIL (often called "electronic mail" or "e-mail"). Just like regular postal service mail, you provide an address, return address, and text. Software for sending mail software differs from site to site, so you will have to look in your local documentation for information. On my particular node, the return address (your address) is automatically placed in the letter. This presentation should be able to shed some light on what most mail looks like and how it works.

Mail files are really just specially formatted text files. The feature that makes them different is the "mail header." This tells a Bitnet system and your mail software that it is not a regular text file. It looks something like this:

|          |                                         |                              |  |
|----------|-----------------------------------------|------------------------------|--|
|          |                                         | The address of the recipient |  |
|          |                                         | The subject                  |  |
|          | Your address                            |                              |  |
|          | Today's date                            |                              |  |
| Date:    | Fri, 29 Dec 88 23:52:00 EDT             | <--+                         |  |
| From:    | Forest Ranger <RANGER@STLVAX1>          | <-----+                      |  |
| Subject: | Cable Pair Busted For Child Molestation | <-----+>                     |  |
| To:      | Phrack World News <KNIGHT@MSPVMA>       | <-----+>                     |  |

An entire mail message would look like this:

```
+----- Mail header
|
| Date:      Fri, 29 Dec 88 23:52:00 EDT
| From:      Forest Ranger <RANGER@STLVAX1>
| Subject:   Cable Pair Busted For Child Molestation
| To:        Phrack World News <KNIGHT@MSPVMA>
+=====
+ Have you seen the newspapers? Is this good news, or what? I think that
| the ramifications are startling. This is one more step on the road to a
| higher civilization. I hope he gets what he deserves. Keep in touch, I
| will send more information later.
|
+----- Mail text
```

Mail has a number of advantages. The size of a mail file is limited only by you and is the only way to send files to networks other than Bitnet (However, I do not recommend that you transmit anything longer than 3000 lines). When your mail reaches the destination address, it will be stored in the user's mailbox until they read it. If the links to that particular node are disconnected, your mail will be held until the path is clear for the mail to continue on its route to the recipient's mailbox.

The disadvantage of mail is that it is, indeed, slower than messages. The longer your mail file, the longer it will take to get from Point A to Point B.

## Conclusion

~~~~~

Don't despair, this is only the conclusion to this file. The best functions of Bitnet are yet to be described. Join me in the second chapter of The Future Transcendent Saga -- Foundations Upon The Horizon.

Also included in this issue of Phrack are sitelists for Bitnet. Actual node directories are available from LISTSERV@BITNIC, but they are much too large to be printed here. However, the files that are included list the names of the universities and institutions that are connected to Bitnet without their node addresses (some institutions have over 30+ nodes). If you attend a college or university that is hooked into Bitnet, then join me in the realm of infinite

discovery. When you do, drop me a line...

:Knight Lightning (C483307@UMCVMB)

For related reading please see;

An Insight On Wide-Area Networks Part 2 by Jester Sluggo
(Phrack Inc. Issue 6, file 8)

Communications Of The ACM

==Phrack Inc.==

Volume Two, Issue 23, File 5 of 12

[illegible]

Welcome to the second chapter of The Future Transcendent Saga. In this file, I will present the servers and services of Bitnet (although there are some services and servers on other networks as well). You will learn what the servers are, how they differentiate, how to use them, and come to a better understanding of how these Foundations Upon The Horizon help make Bitnet a virtual Utopia.

What Is A Server?

~~~~~

One of most useful features of Bitnet is the variety of file servers, name servers, relays, and so on. They might be described as "virtual machines" or "server machines."

A "server" is a userid a lot like yours. It may exist on your computer (node) or on some other BITNET node. The people who set up this userid have it running a program that will respond to your commands. This is a "server." The commands you send and the way in which the server responds to them depends on the particular program being run. For example, the servers UMNEWS@MAINE and 107633@DOLUNI1 offer different types of services, and require different commands. The various kinds of servers are described later in this document.

You can send your commands to most servers in one of two formats: MAIL or MESSAGE.

Not all servers accept commands via both formats, but this information is included in the document BITNET SERVERS which can be obtained from [LISTSERV@BITNIC](mailto:LISTSERV@BITNIC). Because there are so many servers I will not even begin to list them here. Different servers are created and disconnected everyday so it would be difficult to name them all.

People on VM/CMS systems would send commands something like this:

```
TELL userid AT node command    (AT = @)
```

For example:

```
TELL NETSERV@MARIST HELP
```

People on VAX/VMS systems using the JNET networking software would use this syntax:

```
SEND userid@node "command"
```

For example:

```
SEND NETSERV@MARIST "HELP"
```

Many servers can also accept commands via mail. Indeed, some will only accept your commands in that format, such as the servers on the non-Bitnet nodes. The syntax for the commands you send remain the same. You send mail to the server as if you were sending the mail to a person. The text of your message would be the command. Some servers will take the command as the first line of a text message, others require it in the "Subject:" line. Some servers will accept more than one command in a mail message, others will take only one. Here is an example of a mail message sent to LISTSERV@BITNIC requesting a list of files:

```
Date:          Fri, 30 Dec 88 23:52:00 EDT
From:          Taran King <SYSOP@MSPVMA>
To:           Listserv <LISTSERV@BITNIC>
```

```
=====
INDEX
```

Throughout this file I will use examples where commands are sent to servers via message. However, for many of the cases we will present you have option of using mail. The choice is yours.

There are two particularly confusing aspects of servers of which you should be aware. First, servers in the same category (say, file servers) do not always accept the same commands. Many of them are extremely different. Others are just different enough to be annoying. There are many approaches to setting up a server, and everyone is trying to build a better one.

The second problem is that there are many servers that fill two, sometimes three categories of server. For example, LISTSERV works as a list server and a file server. Many LISTSERVs have been modified to act as name servers as well, but they are rather inefficient in this capacity. If you do not understand this terminology, bear with me. The best is yet to come.

## File Servers

~~~~~

Remember that a server runs on a userid much like yours. Like your userid, it has many capabilities, including the ability to store files (probably with a much greater storage capacity though). The program that a file server runs enables it to send you files from its directory, as well as a list of files available. These may be programs or text files. You might look at these servers as Bitnet versions of dial-up bulletin boards or AE Lines.

You can generally send three types of commands to a file server. The first type is a request for a list of files the server offers. The second is a request that a specific file be sent to your userid. The third, and most important is a HELP command.

The HELP command is very important because it is one of the few commands that almost all servers accept, no matter what the type. Because the commands available differ from server to server, you will often find this indispensable. Sending HELP to a server will usually result in a message or file sent to your userid listing the various commands and their syntax. You should keep some of this information handy until you are comfortable with a particular server.

To request a list of files from a server, you will usually send it a command like INDEX or DIR. The list of files will be sent to you via mail or in a file. For example:

```
VM/CMS:      TELL LISTSERV@BITNIC INDEX
VMS/JNET:    SEND LISTSERV@BITNIC "INDEX"
```

To request a specific file from the list you receive, you would use a command like GET or SENDME. For example to request the file BITNET TOPOLOGY from LISTSERV@BITNIC you would type on of the following:

```
VM/CMS:      TELL LISTSERV@BITNIC SENDME BITNET TOPOLOGY
VMS/JNET:    SEND LISTSERV@BITNIC "SENDME BITNET TOPOLOGY"
```

In many cases the files are organized into subdirectories or filelists. This can make requesting a file more complicated. This makes it even more essential that you keep documentation about a particular server handy. Some file servers offer programs that you can run which will send commands to the server for you.

Name Servers

~~~~~

Name servers serve two purposes; to assist you in finding an address for someone or to help you find people with specific interests. I doubt you are going to care about tracking down people by their interests, so I am not going to discuss those aspects of nameservers. The servers that actually let you look up people are few and far between. Because there are so few I have composed this list;

|                                               |          |             |
|-----------------------------------------------|----------|-------------|
| Columbia University                           | FINGER   | @ CUVMA     |
| Cork University                               | INFO     | @ IRUCCIBM  |
| Drew University                               | NAMESERV | @ DREW      |
| North Dakota State University                 | FINGER   | @ NDSUVM1   |
| Ohio State University                         | WHOIS    | @ OHSTVMA   |
| Pennsylvania State University                 | IDSERVER | @ PSUVM     |
| Rochester Institute Of Technology             | INFO     | @ RITVAXD   |
|                                               | LOOKUP   | @ RITVM     |
| State University of New York (SUNY) at Albany | WHOIS    | @ ALBANYVM1 |
| University of Calgary                         | NAMESERV | @ UNCAMULT  |
| University of Kentucky                        | WHOIS    | @ UKCC      |
| University of Illinois at Urbana-Champaign    | PHSERVE  | @ UIUCVMD   |
| University of Louisville (Kentucky)           | WHOIS    | @ ULKYVM    |
| University of Regina                          | VMNAMES  | @ UREGINA1  |
| University of Tennessee                       | UTSERVER | @ UTKVM1    |
| Weizmann Institute of Science                 | VMNAMES  | @ WEIZMANN  |

So as not to be misleading, these servers do not necessarily cover the entire school. Example: The server at University of Louisville covers people on the node ULKYVM, but not the nodes ULKYVX0x (x = 1 - 8 I believe). ULKYVX is a VAXcluster of nodes at University of Louisville, but the people on those systems are NOT indexed on the server at ULKYVM. In contrast, the nameserver at University of Illinois contains online listings for every student and staff member whether they have accounts on the computer or not. You can get phone numbers and addresses using this. Please note that the above list is only to the best of my knowledge and others may exist.

There are also many Listservs that have a command to search for people, but with Listserv, signing up is by choice and not mandatory. You also will end up getting listings for people from nodes other than the one you are searching.

Ok, lets say I am trying to find an account for Oryan QUEST and I am told by a friend that he is going to school at Ohio State University. Ohio State University has a nameserver and if he has an account on their computer I should be able to find him.

```
VM/CMS:      TELL WHOIS@OHSTVMA Quest
VMS/JNET:    SEND WHOIS@OHSTVMA "Quest"
```

This particular nameserver only requires that you enter the persons name with no "search" command. Some servers require this. Your best bet is to send the command "HELP" first and you'll receive documentation.

Ok, back to the example... unfortunately, there is no entry for "Quest" and I am out of luck. I should have been smart enough to realize that no college would be likely to let Oryan QUEST enroll in the first place -- my mistake.

In any case, I highly recommend that you register yourself with UMNEWS@MAINE and BITSERVE@CUNYVM. These are popular nationwide servers that are often used to locate people.

#### Forums, Digests, and Electronic Magazines

~~~~~

The concept of mailing lists has been given new life with the creation of computer networks. Let me explain what I mean. Almost everyone is on some sort of mailing list; magazines, bills or even pamphlets from your congressman.. The computer networks have brought a whole new degree of speed and functionality to mailing lists, as you will see.

In Bitnet, mailing lists are used mainly to keep people with similar interests in contact. There are several formats in which this contact can take place. These are "forums," "digests," and "electronic magazines".

FORUMS are a good example of how the utility of mailing lists has been expanded in Bitnet. Let's say that you have subscribed to a forum for people interested in Cyberpunks. How you could subscribe to such a list will be described later. Another person on the mailing list sends mail to a server where the list is kept. This server forwards the mail to all of the people in the forum. When mail from a forum arrives in your computer mailbox, the header will look much like this:

```
Date:          Fri, 10 Sep 88 23:52:00 EDT
Reply-To:      CYBER Discussion List <CYBER-L@PUNKVM>
Sender:        CYBER Discussion List <CYBER-L@PUNKVM>
From:          Sir Francis Drake <DRAKE@WORMVM>
Subject:       Invasion From X-Neon!
To:            Solid State <SEKER@PLPVMA>
```

=====

This may look a little confusing, but there really isn't much to it. In this example, Sir Francis Drake ("From:") sent mail to the CYBER-L list address. This server then forwarded the mail to everybody on the list, including Solid State ("To:"). Note the line named "Reply-To:". This line tells your mail software that when you reply to the note (if you reply) that the reply should go to the list... meaning *everybody* on the list. People will in turn reply to your mail, and you have a forum.

Some forums are very interesting, but using the digests can lead to problems.

First among these is the volume of mail you can receive. If you are in a very active forum, you can get 50 or more pieces of electronic mail in a single day. If you are discussing a controversial or emotional topic, expect more.

Many people have a tendency to "flame" (the Bitnet term for ragging). The speed and immediacy of electronic mail makes it very easy to whip out a quick, emotional response, to which there will be similar replies. I advise you to take some time and think out your responses to forum postings before inadvertently starting a "flame war." Hopefully anyone able to gain access to college computers will be mature enough to have outgrown these battles.

DIGESTS provide a partial solution to these problems. In this case, mail that is sent to a mailing list is stored rather than sent out immediately. At some point the "Moderator" for the list organizes and condenses all of the correspondence for the day or week. He then sends this out to the people on the mailing list in one mailing.

The drawback with this setup is that it requires a lot of human intervention. If the moderator gets sick, goes on vacation, or quits, activity for a particular digest can come to a screeching halt.

ELECTRONIC MAGAZINES take the digest concept a step further. These mailing lists actually duplicate the organization and format of "real" magazines. Bitnet is used as a convenient and inexpensive distribution method for the information they contain. The frequency of distribution for these electronic magazines ranges from weekly to quarterly to "whenever the editor feels like it" (sort of like Phrack releases). This is the most formal, structured form of Bitnet communication. Where a digest is simply a group of letters organized by topic, an electronic magazine includes articles, columns, and features. Perhaps the only feature of paper magazines that they do *not* include is advertisements. Bitnet NetMonth and NetWeek are two of the better magazines on Bitnet and they contain useful information if you know what you're looking for. I will discuss how to subscribe to these magazines as well as the other forms of media in the next part of this file.

List Servers

~~~~~

In the previous section, I mentioned that some servers are used to control mailing lists. A server that performs this function is called a "list server." Almost all of these listservers have the userid of LISTSERV, such as LISTSERV@BITNIC. One of these servers can control subscriptions to many mailing lists. The other concept behind Listservs are the list-ids, but as these are rather unimportant and vary from server to server I am not going to discuss them here. If you would like to learn about these, consult your local listserv and request documentation with the HELP command.

To subscribe to a mailing list, you would send a LISTSERV a SUBSCRIBE command, which has the following syntax:

```
SUBscribe listname (whatever name you want)
```

In this example, SpyroGrya is sending LISTSERV@BITNIC the command to subscribe to ETHICS-L:

```
VM/CMS:      TELL LISTSERV@BITNIC SUB ETHICS-L SpyroGrya
VMS/JNET:    SEND LISTSERV@BITNIC "SUB ETHICS-L SpyroGrya"
```

If you misspell your name when entering a SUBscribe command, simply resend it with the correct spelling. To delete his name from the mailing list, SpyroGrya would enter an UNSUBscribe command:

```
VM/CMS:      TELL LISTSERV@BITNIC UNSUB ETHICS-L
```

```
VMS/JNET:      SEND LISTSERV@BITNIC "UNSUB ETHICS-L"
```

In many cases the SIGNOFF command is used instead of UNSUB, but those are the basic commands you need to know in order to access Listserv controlled mailing lists. However, Listserv has a multitude of features, so it would be a good idea to read the Listserv documentation.

\*Note\* If you are on a VAXcluster, you should send SUBSCRIBE and UNSUBSCRIBE commands to LISTSERV via MAIL.

## Relays

~~~~~

Relay might be one of the easier types of servers to understand. If you have used the CB Simulator on CompuServe or are familiar with Diversi-Dials (or maybe even ALTOS Chat) you will catch on to the concept quickly. The idea behind Relay is to allow more than two people to have conversations by interactive message. Without Relay-type servers, this would not be possible.

Let's set up a scenario:

Sluggo, Taran, and Mentor are at different nodes. Any two of them can have a conversation through Bitnet. If the three of them want to talk, however, they have a problem. Sluggo can send Mentor messages, but Taran can't see them. Likewise, Taran can send Sluggo messages, but then Mentor is in the dark. What they need is a form of teleconferencing. Alliance doesn't exist on Bitnet so they created Relays.

Each of these users "signs on" to a nearby Relay. They can pick a channel (0-999 although there are more, but they are reserved for special use). Instead of sending messages to Taran or Sluggo, Mentor sends his commands to the Relay. The Relay system then sends his message to *both* Taran and Sluggo. The other users can do the same. When they are done talking, they "sign off."

Relays can distinguish commands from the text of your messages because commands are prefixed with a slash "/". For example, a HELP command would look like this:

```
VM/CMS:      TELL RELAY@UIUCVMD /HELP
VMS/JNET:    SEND RELAY@UIUCVMD "/HELP"
```

A message that is part of a conversation would be sent like so:

```
VM/CMS:      TELL RELAY@UIUCVMD Hello there!
VMS/JNET:    SEND RELAY@UIUCVMD "Hello there!"
```

When you first start using Relay, you must register yourself as a Relay user using the /SIGNUP or /REGISTER commands:

```
VM/CMS:      TELL RELAY@UIUCVMD /REGISTER (Choose a name)
VMS/JNET:    SEND RELAY@UIUCVMD "/REGISTER (Choose a name)"
```

They want you to use your real name, do so if you want, but they really have no way to check unless one of the operators is a user consultant at your node and looks up your account. Just use names that look real and you'll be fine.

You can then sign on. You can use a nickname or handle. In the following example, I am signing on to Channel 260 with a nickname of "KLightning":

```
VM/CMS:      TELL RELAY@UIUCVMD /SIGNON KLightning 260
VMS/JNET:    SEND RELAY@UIUCVMD "/SIGNON KLightning 260"
```

You can then start sending the Relay the text of your messages:

```
VM/CMS:      TELL RELAY@UIUCVMD Good evening.
VMS/JNET:    SEND RELAY@UIUCVMD "Good evening."
```

Relay messages will appear on your screen like this. Note the nickname near the beginning of the message. When you send conversational messages to the Relay, it automatically prefixes them with your nickname when it forwards it to the other users:

```
FROM UIUCVMD(RELAY): <Taran_King> Hello KLightning.
```

You can find out who is on your channel with a /WHO command. In the following example, someone is listing the users on Channel 260.

```
VM/CMS:      TELL RELAY@UIUCVMD /WHO 260
VMS/JNET:    SEND RELAY@UIUCVMD "/WHO 260"
```

The response from the Relay would look like this:


```
FROM UIUCVMD(RELAY): Ch      UserID @ Node      Nickname
FROM UIUCVMD(RELAY): 260    C483307@UMCVMB    (KLightning)
FROM UIUCVMD(RELAY): 260    MENTOR@PHOENIX    (The_Mentor)
FROM UIUCVMD(RELAY): 260    C488869@UMCVMB    (Taran_King)
FROM UIUCVMD(RELAY): 260    PROPHET@PHOENIX   ( Prophet )
FROM UIUCVMD(RELAY): 260    DRAKE@WORMVM      ( Sfd      )
FROM UIUCVMD(RELAY): 260    JESTER@NDSUVM1    ( Sluggo   )
FROM UIUCVMD(RELAY): 260    TUC@RACS3VM      ( Tuc      )
FROM UIUCVMD(RELAY): 260    VINNY@LODHVMA    (Lex_Luthor)
```


When you are done with your conversation, you can sign off the Relay:

```
VM/CMS:      TELL RELAY@UIUCVMD /SIGNOFF or /BYE
VMS/JNET:    SEND RELAY@UIUCVMD "/SIGNOFF" or "/BYE"
```

There are several commands for listing active channels, sending private messages, and so on. When you first register as a Relay user, you will be sent documentation. You can also get this information with the /INFO command. To determine which Relay serves your area, send any of the Relays listed in BITNET SERVERS the /SERVERS command. Also, because of Bitnet message and file traffic limits, many Relays are only available during the evening and weekends.

To help illustrate how the Relays work I have included this map;
[United States of America locations only]





Conclusion

~~~~~

So what lies beyond the boundaries of Bitnet? There are many other networks that are similar to Bitnet both in function and in services. How to mail to these networks will be discussed in the next chapter of The Future Transcendent Saga -- Limbo To Infinity.

:Knight Lightning

Volume Two, Issue 23, File 6 of 12

[illegible]

Abilene Christian University  
Albion College  
Allegheny College  
American Assoc of State Colleges Univs (AASCU) Meeting  
American Institute of Physics  
American Physical Society  
American University  
Amherst College  
Annenberg Research Institute  
Appalachian State University  
Argonne National Laboratory  
Arizona State University  
Association for Computing Machinery  
Auburn University

Babson College  
Ball State University  
Baylor University  
Bentley College  
Biotechnology Research Center  
BITNET Network Information Center  
BITNET-Internet Gateway  
Boise State University  
Boston College  
Boston University  
Bowdoin College  
Bowling Green State University  
Brandeis University  
Brigham Young University  
Brookhaven National Laboratory  
Brown University  
Bryn Mawr College  
Bucknell University

California Institute of Technology  
California Polytechnic State University-San Luis Obispo  
California State University  
Canisius College  
Carnegie Mellon University  
Case Western Reserve University  
Catholic University of America  
Catonsville Community College  
Central Michigan University  
Chemical Abstracts Service  
City University of New York CUNY  
Claremont Graduate School  
Clark University  
Clarkson University

Clemson University  
Cleveland State University  
Cold Spring Harbor Laboratory  
Colgate University  
College of DuPage  
College of the Holy Cross  
College of William and Mary  
Colorado School of Mines  
Colorado State University  
Columbia University  
Columbia University Teachers College  
Connecticut College  
Connecticut State University System  
Continuous Electron Beam Accelerator Facility  
Control Data Corporation  
Cornell University

Dakota State College  
Dartmouth College  
Davidson College  
De Paul University  
Denison University  
Dickinson College  
Drake University  
Drew University  
Drexel University  
Duke University

East Carolina University  
East Tennessee State University  
Educational Computing Network of Illinois  
Educational Testing Service  
EDUCOM  
Electric Power Research Institute  
Emory University  
Exxon Research and Engineering Company

Fermi National Accelerator Laboratory  
Florida Central Regional Data Center  
Florida Northeast Regional Data Center  
Florida State University  
Food and Drug Administration  
Fordham University  
Franklin and Marshall College  
Fred Hutchinson Cancer Research Center

Gallaudet University  
General Electric Corporate Research & Development  
George Mason University  
George Washington University  
Georgetown University  
Georgetown University Medical Center  
Georgia Institute of Technology  
Georgia State University  
Gettysburg College  
Grinnell College  
Gustavus Adolphus College

Hampshire College  
Harvard University  
Harvey Mudd College  
Haverford College  
Hofstra University



Howard University  
IBM Almaden Research Center  
IBM VNET Gateway  
IBM Watson Scientific Research Center Yorktown  
Illinois Institute of Technology  
Indiana University  
Indiana University of Pennsylvania  
Indiana University/Purdue University at Indianapolis  
Institute for Advanced Study  
Iona College  
Iowa State University  
Ithaca College

James Madison University  
Jersey City State College  
John Carroll University  
John Von Neumann Center  
Johns Hopkins University

Kansas State University  
Kent State University

Lafayette College  
Lawrence Berkeley Laboratory  
Lawrence University  
Le Moyne College  
Lehigh University  
Lewis and Clark College  
Long Island University  
Los Alamos National Laboratory  
Louisiana State University  
Louisiana State University Medical Center  
Loyola College  
Loyola University of Chicago

Macalester College  
Macomb Community College  
Manhattan College  
Maricopa County Community College District  
Marist College  
Marquette University  
Marshall University  
Massachusetts Institute of Technology  
Medical College of Ohio  
Medical College of Wisconsin  
Medical University of South Carolina  
Merit Computer Network  
Miami University  
Michigan State University  
Michigan Technological University  
Middlebury College  
Millersville University of Pennsylvania  
Mississippi State University  
Montana State University  
Montgomery College  
Mount Holyoke College

NASA Goddard Institute for Space Studies  
National Academy of Sciences  
National Aeronautics and Space Administration  
National Astronomy and Ionosphere Center  
National Bureau of Standards  
National Center for Atmospheric Research

National Institute of Environmental Health Sciences  
National Institutes of Health  
National Radio Astronomy Observatory  
National Science Foundation  
Naval Health Sciences Education and Training Command  
Naval Postgraduate School  
New Jersey Educational Computer Network  
New Jersey Institute of Technology  
New Mexico State University  
New York State College of Ceramics at Alfred University  
New York University  
North Carolina State University  
North Dakota Higher Education Computer Network  
Northeast Missouri State University  
Northeastern University  
Northern Arizona University  
Northern Illinois University  
Northwestern University  
Norwich University

Oak Ridge National Laboratory  
Oakland Community College  
Oberlin College  
Ohio State University  
Ohio University  
Ohio Wesleyan University  
Oklahoma State University  
Old Dominion University  
Online Computer Library Center (OCLC)  
Oregon State University

Pace University Pleasantville-Briarcliff Campus  
Pacific Lutheran University  
Pan American University  
Pennsylvania State University  
Pepperdine University  
Polytechnic University  
Pomona College  
Portland State University  
Pratt Institute  
Princeton University  
Purdue University

Radford University  
Reed College  
Regents Computer Network  
Rensselaer Polytechnic Institute  
Research Libraries Group  
Rhodes College  
Rice University  
Rochester Institute of Technology  
Rockefeller University  
Rohm and Haas Company  
Rose-Hulman Institute of Technology  
Rutgers University

Saint Louis University  
Saint Mary's University of San Antonio  
Saint Michael's College  
Saint Peter's College  
Salk Institute  
Sam Houston State University  
Samford University

San Diego Supercomputer Center  
Santa Clara University  
Seton Hall University  
Shriners Hospital for Crippled Children  
Skidmore College  
Smith College  
Smithsonian Institution  
South Dakota State University  
Southeast Regional Data Center/FIU  
Southeastern Massachusetts University  
Southern Illinois University  
Southern Illinois University at Edwardsville  
Southern Methodist University  
Southwest Missouri State University  
Southwest Texas State University  
Space Telescope Science Institute  
St. Lawrence University  
Stanford Linear Accelerator Center  
Stanford Synchrotron Radiation Laboratory  
Stanford University  
State University of New York Agricultural and Tech College at Canton  
State University of New York Agricultural & Tech Col at Farmingdale  
State University of New York at Albany  
State University of New York at Binghamton  
State University of New York at Buffalo  
State University of New York at Stony Brook  
State University of New York Central Administration  
State University of New York College at Brockport  
State University of New York College at Buffalo  
State University of New York College at Cortland  
State University of New York College at Fredonia  
State University of New York College at Geneseo  
State University of New York College at New Paltz  
State University of New York College at Old Westbury  
State University of New York College at Oneonta  
State University of New York College at Oswego  
State University of New York College at Plattsburgh  
State University of New York College at Potsdam  
State University of New York College of Technology at Alfred  
State University of New York College of Technology at Delhi  
State University of New York Health Science Center at Brooklyn  
State University System of Minnesota System Office  
Stephen F. Austin State University  
Stevens Institute of Technology  
Swarthmore College  
Syracuse University  
  
Tarleton State University  
Temple University  
Tennessee Technological University  
Texas A&M University  
Texas Christian University  
Texas Tech University  
The Center for Cultural and Technical Exchange Between East and West  
The Citadel, The Military College of South Carolina  
The Jackson Laboratory  
The World Bank  
Towson State University  
Transylvania University  
Trenton State College  
Triangle Universities Computation Center  
Triangle Universities Nuclear Laboratory  
Trinity College

Trinity University  
Tufts University  
Tulane University

Uniformed Services University of the Health Sciences  
Union College  
United States Environmental Protection Agency  
United States Geological Survey  
University of Akron  
University of Alabama  
University of Alabama at Birmingham  
University of Alaska  
University of Arizona  
University of Arkansas  
University of Arkansas at Little Rock  
University of Arkansas for Medical Sciences  
University of California  
University of California Berkeley  
University of California Davis  
University of California Irvine  
University of California Los Angeles  
University of California Riverside  
University of California San Diego  
University of California San Francisco  
University of California Santa Barbara  
University of California Santa Cruz  
University of Central Florida  
University of Chicago  
University of Cincinnati  
University of Colorado at Boulder  
University of Colorado at Colorado Springs  
University of Colorado at Denver  
University of Colorado Health Sciences Center  
University of Connecticut  
University of Dayton  
University of Delaware  
University of Denver  
University of Florida  
University of Georgia Athens  
University of Hartford  
University of Hawaii  
University of Houston  
University of Houston at Clear Lake  
University of Idaho  
University of Illinois at Urbana-Champaign  
University of Illinois Chicago  
University of Iowa  
University of Kansas  
University of Kansas Medical Center  
University of Kentucky  
University of Louisville  
University of Maine  
University of Maryland  
University of Massachusetts at Amherst  
University of Massachusetts at Boston  
University of Medicine & Dentistry of New Jersey  
University of Michigan  
University of Minnesota  
University of Minnesota at Morris  
University of Minnesota Duluth  
University of Mississippi  
University of Missouri - Columbia  
University of Missouri - Kansas City

University of Missouri - Rolla  
University of Missouri - St. Louis  
University of Nebraska - Omaha  
University of Nebraska Computer Services Network  
University of Nebraska Lincoln  
University of Nebraska Medical Center  
University of Nevada  
University of New Hampshire  
University of New Mexico  
University of New Orleans  
University of North Carolina at Chapel Hill  
University of North Carolina at Charlotte  
University of North Carolina at Greensboro  
University of North Carolina Gen Ad Cntrl Of-Ed Cmptg Srvs  
University of North Florida  
University of North Texas  
University of Notre Dame  
University of Oklahoma Norman Campus  
University of Oregon  
University of Pennsylvania  
University of Pittsburgh  
University of Puerto Rico  
University of Rhode Island  
University of Richmond  
University of Rochester  
University of Scranton  
University of South Alabama  
University of South Carolina  
University of Southern California  
University of Southern Mississippi  
University of Tennessee  
University of Tennessee at Chattanooga  
University of Tennessee at Knoxville  
University of Tennessee at Memphis  
University of Texas at Arlington  
University of Texas at Austin  
University of Texas at Dallas  
University of Texas at El Paso  
University of Texas at Houston  
University of Texas at San Antonio  
University of Texas Health Science Center at San Antonio  
University of Texas Medical Branch at Galveston  
University of Texas Southwestern Medical Center at Dallas  
University of Texas System  
University of the District of Columbia  
University of Toledo  
University of Tulsa  
University of Utah  
University of Vermont  
University of Virginia  
University of Washington  
University of West Florida  
University of Wisconsin - La Crosse  
University of Wisconsin - Oshkosh  
University of Wisconsin - Stout  
University of Wisconsin Eau Claire  
University of Wisconsin Madison  
University of Wisconsin Milwaukee  
University of Wyoming  
Utah State University  
  
Valparaiso University  
Vanderbilt University



Naval Postgraduate School  
Pepperdine University  
Pomona College  
Research Libraries Group  
Salk Institute  
San Diego Supercomputer Center  
Santa Clara University  
Stanford Linear Accelerator Center  
Stanford Synchrotron Radiation Laboratory  
Stanford University  
University of California  
University of California Berkeley  
University of California Davis  
University of California Irvine  
University of California Los Angeles  
University of California Riverside  
University of California San Diego  
University of California San Francisco  
University of California Santa Barbara  
University of California Santa Cruz  
University of Southern California

CO Colorado School of Mines  
Colorado State University  
National Center for Atmospheric Research  
University of Colorado at Boulder  
University of Colorado at Colorado Springs  
University of Colorado at Denver  
University of Colorado Health Sciences Center  
University of Denver

CT Connecticut College  
Connecticut State University System  
Trinity College  
University of Connecticut  
University of Hartford  
Wesleyan University  
Yale University

DC American University  
Catholic University of America  
Food and Drug Administration  
Gallaudet University  
George Washington University  
Georgetown University  
Georgetown University Medical Center  
Howard University  
National Academy of Sciences  
National Science Foundation  
Smithsonian Institution  
The World Bank  
University of the District of Columbia

DE University of Delaware

FL Florida Central Regional Data Center  
Florida Northeast Regional Data Center  
Florida State University  
Southeast Regional Data Center/FIU  
University of Central Florida  
University of Florida  
University of North Florida  
University of West Florida

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GA | Emory University<br>Georgia Institute of Technology<br>Georgia State University<br>University of Georgia Athens                                                                                                                                                                                                                                                                                                                                                                      |
| HI | The Center for Cultural & Tech Exchange Btwn East and West<br>University of Hawaii                                                                                                                                                                                                                                                                                                                                                                                                   |
| IA | Drake University<br>Grinnell College<br>Iowa State University<br>University of Iowa                                                                                                                                                                                                                                                                                                                                                                                                  |
| ID | Boise State University<br>University of Idaho                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| IL | Argonne National Laboratory<br>College of DuPage<br>De Paul University<br>Educational Computing Network of Illinois<br>Fermi National Accelerator Laboratory<br>Illinois Institute of Technology<br>Loyola University of Chicago<br>Northern Illinois University<br>Northwestern University<br>Southern Illinois University<br>Southern Illinois University at Edwardsville<br>University of Chicago<br>University of Illinois at Urbana-Champaign<br>University of Illinois Chicago |
| IN | Ball State University<br>Indiana State University<br>Indiana University<br>Indiana University/Purdue University at Indianapolis<br>Purdue University<br>Rose-Hulman Institute of Technology<br>University of Notre Dame<br>Valparaiso University                                                                                                                                                                                                                                     |
| KS | Kansas State University<br>University of Kansas<br>University of Kansas Medical Center<br>Wichita State University                                                                                                                                                                                                                                                                                                                                                                   |
| KY | Transylvania University<br>University of Kentucky<br>University of Louisville                                                                                                                                                                                                                                                                                                                                                                                                        |
| LA | Louisiana State University<br>Louisiana State University Medical Center<br>Tulane University<br>University of New Orleans                                                                                                                                                                                                                                                                                                                                                            |
| MA | Amherst College<br>Babson College<br>Bentley College<br>Boston College<br>Boston University<br>Brandeis University<br>Clark University<br>College of the Holy Cross                                                                                                                                                                                                                                                                                                                  |



Hampshire College  
Harvard University  
IBM VNET Gateway  
Massachusetts Institute of Technology  
Mount Holyoke College  
Northeastern University  
Regents Computer Network  
Smith College  
Southeastern Massachusetts University  
Tufts University  
University of Massachusetts at Amherst  
University of Massachusetts at Boston  
Williams College  
Worcester Polytechnic Institute

MD American Assoc of State Colleges Univs (AASCU) Meeting  
Biotechnology Research Center  
Catonsville Community College  
Johns Hopkins University  
Loyola College  
Montgomery College  
National Aeronautics and Space Administration  
National Bureau of Standards  
National Institutes of Health  
Naval Health Sciences Education and Training Command  
Space Telescope Science Institute  
Towson State University  
Uniformed Services University of the Health Sciences  
University of Maryland

ME Bowdoin College  
The Jackson Laboratory  
University of Maine

MI Albion College  
Central Michigan University  
Macomb Community College  
Merit Computer Network  
Michigan State University  
Michigan Technological University  
Oakland Community College  
University of Michigan  
Wayne State University

MN Control Data Corporation  
Gustavus Adolphus College  
Macalester College  
State University System of Minnesota System Office  
University of Minnesota  
University of Minnesota at Morris  
University of Minnesota Duluth

MO Northeast Missouri State University  
Saint Louis University  
Southwest Missouri State University  
University of Missouri  
Washington University

MS Mississippi State University  
University of Mississippi  
University of Southern Mississippi

MT Montana State University

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NC | Appalachian State University<br>Davidson College<br>Duke University<br>East Carolina University<br>National Institute of Environmental Health Sciences<br>North Carolina State University<br>Triangle Universities Computation Center<br>Triangle Universities Nuclear Laboratory<br>United States Environmental Protection Agency<br>University of North Carolina at Chapel Hill<br>University of North Carolina at Charlotte<br>University of North Carolina at Greensboro<br>University of North Carolina Gen Ad Cntrl Off Ed Comptng Srvs |
| ND | North Dakota Higher Education Computer Network                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| NE | University of Nebraska - Omaha<br>University of Nebraska Computer Services Network<br>University of Nebraska Lincoln<br>University of Nebraska Medical Center                                                                                                                                                                                                                                                                                                                                                                                 |
| NH | Dartmouth College<br>University of New Hampshire                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| NJ | BITNET Network Information Center<br>Drew University<br>Educational Testing Service<br>EDUCOM<br>Exxon Research and Engineering Company<br>Institute for Advanced Study<br>Jersey City State College<br>John Von Neumann Center<br>New Jersey Educational Computer Network<br>New Jersey Institute of Technology<br>Princeton University<br>Rutgers University<br>Saint Peter's College<br>Seton Hall University<br>Stevens Institute of Technology<br>Trenton State College<br>University of Medicine & Dentistry of New Jersey              |
| NM | Los Alamos National Laboratory<br>New Mexico State University<br>University of New Mexico                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| NV | University of Nevada                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| NY | American Institute of Physics<br>American Physical Society<br>Association for Computing Machinery<br>BITNET-Internet Gateway<br>Brookhaven National Laboratory<br>Canisius College<br>City University of New York CUNY<br>Clarkson University<br>Cold Spring Harbor Laboratory<br>Colgate University<br>Columbia University<br>Columbia University Teachers College<br>Cornell University<br>Fordham University                                                                                                                               |

General Electric Corporate Research & Development  
Hofstra University  
IBM Watson Scientific Research Center Yorktown  
Iona College  
Ithaca College  
Le Moyne College  
Long Island University  
Manhattan College  
Marist College  
NASA Goddard Institute for Space Studies  
New York State College of Ceramics at Alfred University  
New York University  
Pace University Pleasantville-Briarcliff Campus  
Polytechnic University  
Pratt Institute  
Rensselaer Polytechnic Institute  
Rochester Institute of Technology  
Rockefeller University  
Skidmore College  
St. Lawrence University  
State University of New York Ag and Tech College at Canton  
State University of New York Ag and Tech College at Farmingdale  
State University of New York at Albany  
State University of New York at Binghamton  
State University of New York at Buffalo  
State University of New York at Stony Brook  
State University of New York Central Administration  
State University of New York College at Brockport  
State University of New York College at Buffalo  
State University of New York College at Cortland  
State University of New York College at Fredonia  
State University of New York College at Geneseo  
State University of New York College at New Paltz  
State University of New York College at Old Westbury  
State University of New York College at Oneonta  
State University of New York College at Oswego  
State University of New York College at Plattsburgh  
State University of New York College at Potsdam  
State University of New York College of Technology at Alfred  
State University of New York College of Technology at Delhi  
State U of New York Health Science Center at Brooklyn  
Syracuse University  
Union College  
University of Rochester  
Vassar College

OH Bowling Green State University  
Case Western Reserve University  
Chemical Abstracts Service  
Cleveland State University  
Denison University  
John Carroll University  
Kent State University  
Medical College of Ohio  
Miami University  
Oberlin College  
Ohio State University  
Ohio University  
Ohio Wesleyan University  
Online Computer Library Center (OCLC)  
University of Akron  
University of Cincinnati  
University of Dayton

University of Toledo  
Wright State University  
Xavier University  
Youngstown State University

OK Oklahoma State University  
University of Oklahoma Norman Campus  
University of Tulsa

OR Lewis and Clark College  
Oregon State University  
Portland State University  
Reed College  
Shriners Hospital for Crippled Children  
University of Oregon

PA Allegheny College  
Annenberg Research Institute  
Bryn Mawr College  
Bucknell University  
Carnegie Mellon University  
Dickinson College  
Drexel University  
Franklin and Marshall College  
Gettysburg College  
Haverford College  
Indiana University of Pennsylvania  
Lafayette College  
Lehigh University  
Millersville University of Pennsylvania  
Pennsylvania State University  
Rohm and Haas Company  
Swarthmore College  
Temple University  
University of Pennsylvania  
University of Pittsburgh  
University of Scranton  
Villanova University  
West Chester University of Pennsylvania

PR National Astronomy and Ionosphere Center  
University of Puerto Rico

RI Brown University  
University of Rhode Island

SC Clemson University  
Medical University of South Carolina  
The Citadel, The Military College of South Carolina  
University of South Carolina

SD Dakota State College  
South Dakota State University

TN East Tennessee State University  
Oak Ridge National Laboratory  
Rhodes College  
Tennessee Technological University  
University of Tennessee  
University of Tennessee at Chattanooga  
University of Tennessee at Knoxville  
University of Tennessee at Memphis  
Vanderbilt University

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TX | Abilene Christian University<br>Baylor University<br>Pan American University<br>Rice University<br>Saint Mary's University of San Antonio<br>Sam Houston State University<br>Southern Methodist University<br>Southwest Texas State University<br>Stephen F. Austin State University<br>Tarleton State University<br>Texas A&M University<br>Texas Christian University<br>Texas Tech University<br>Trinity University<br>University of Houston<br>University of Houston at Clear Lake<br>University of North Texas<br>University of Texas at Arlington<br>University of Texas at Austin<br>University of Texas at Dallas<br>University of Texas at El Paso<br>University of Texas at Houston<br>University of Texas at San Antonio<br>University of Texas Health Science Center at San Antonio<br>University of Texas Medical Branch at Galveston<br>University of Texas Southwestern Medical Center at Dallas<br>University of Texas System |
| UT | Brigham Young University<br>University of Utah<br>Utah State University                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| VA | College of William and Mary<br>Continuous Electron Beam Accelerator Facility<br>George Mason University<br>James Madison University<br>National Radio Astronomy Observatory<br>Old Dominion University<br>Radford University<br>United States Geological Survey<br>University of Richmond<br>University of Virginia<br>Virginia Commonwealth University<br>Virginia Community College System<br>Virginia Polytechnic Institute and State University                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| VT | Middlebury College<br>Norwich University<br>Saint Michael's College<br>University of Vermont                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| WA | Fred Hutchinson Cancer Research Center<br>Pacific Lutheran University<br>University of Washington<br>Washington State University<br>Western Washington University                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| WI | Lawrence University<br>Marquette University<br>Medical College of Wisconsin<br>University of Wisconsin - La Crosse<br>University of Wisconsin - Oshkosh                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

University of Wisconsin - Stout  
University of Wisconsin Eau Claire  
University of Wisconsin Madison  
University of Wisconsin Milwaukee

WV Marshall University  
West Virginia Network for Educational Telecomputing

WY University of Wyoming

---

==Phrack Inc.==

Volume Two, Issue 23, File 8 of 12

| Getting Serious About VMS Hacking |

| by VAXbusters International |

| January 1989 |

The VAX/VMS operating system is said to be one of the most secure systems currently available. It has been massively extended in the past to provide features which can help system managers getting their machines locked up to abusers and to trace back any attempts to indiscriminate system security. As such, it is not easy getting into VMS machines now without having insider information, and it's even harder to stay in.

The following article describes some of the internals which make up the VMS security features, and tries to give hints what to do to remain undiscovered. The reader should be familiar with the VMS system from the programmer's point of view.

Some of the things mentioned are closely related to the internal workings of the VAX/VMS operating system. All descriptions are held as general as possible. It is tried to point out where weak points in the system are located, not to give step-by-step instructions on how to hack VMS machines. The main reason for this is, that it is very hard to remain undiscovered in a VMS system without having good knowledge of the whole system. This knowledge is only aquirable by experience.

To use some of the techniques described herein, some literature is recommended:

"The VAX Architecture Handbook," published by DEC. This book describes the VAX processor, it's instruction set and it's hardware. It is a good book to have on your desk, since it costs nothing (just go to your local DEC store and ask for it) and is only in paperback format.

"MACRO and Instruction Set," part of the VMS documentation kit. This is needed only if you want to program bigger things in MACRO. It's recommended reading, but you don't need to have it on your own normally.

"VAX/VMS Internals and Data Structures" by L.Kenah and S.Bate. This is the bible for VMS hackers. It describes the inner workings of the system as well as most of the data structures used within the kernel. The Version published always is one version number behind the current VMS release, but as the VAX architecture doesn't change, it is the best source on a description how the system works. After you've read and understood this book, the VAX won't look more mysterious than your C64. You can order this book from DEC, the order number for the V3.0 version of the book is EY-00014-DP. The major drawback is the price, which is around

\$70-\$100.

A good source of information naturally is the source code of the VMS system. The easiest way to snoop around in it is to get the microfiche set, which is delivered by DEC to all bigger customers of the system. The major disadvantage is that you need a fiche reader to use it. The fiche is needed if modifications to the system code are intended, unless you plan to disassemble everything you need. The VMS system is written in BLISS-32 and FORTRAN. BLISS is quite readable, but it might be worthwhile having a FORTRAN hacker around if you intend to do patch any of the programs implemented in FORTRAN. The source fiche always contains the current release, so it's useful to check if the information in "Internals and Data Structures" is still valid.

### Hacker's Tools

~~~~~

There are several programs which are useful when snooping around on a VMS system.

The most important utility might be the System Dump Analyzer (SDA), which is started with the command ANALYZE/SYSTEM. Originally, SDA was developed to analyze system crash dumps, which are created every time the machine crashes in a 'controlled' manner (bugcheck or opcrash). SDA can also be used to analyze the running system, which is the more useful function. A process which wants to run SDA needs the CMKRNL privilege. With SDA, you can examine any process and find out about accessed files and devices, contents of virtual memory (like typeahead and recall buffers), process status and more. SDA is a watching tool, so you normally can't destroy anything with it.

Another helpful tool is the PATCH utility, called up by the command PATCH. As VMS is distributed in a binary-only fashion, system updates are normally distributed as patches to binaries. PATCHES can be entered as assembler statements directly. Combined with the source fiche, PATCH is a powerful tool for your modifications and improvements to the VMS operating system.

Privileges

~~~~~

To do interesting things on the VMS system, you normally need privileges. The following lists describes some of the privileges which are useful in the onliner's daily life.

#### CMKRNL

CMEXEC These two privileges enable a user to execute arbitrary routines with KERNEL and EXECUTIVE access mode. These privileges are needed when one plans to access kernel data structures directly. CMKRNL is the most powerful privilege available, everything which is protected can be accessed utilizing it.

SYSPRV A process which holds this privilege can access objects via the system protection. A process holding the this privilege has the same access rights as a process running under a system UIC.

SHARE This allows a process to assign channels to nonshareable devices which already have channels assigned to them. This can be used to prevent terminal hangups and to assign channels to system mailboxes.

### Process States And The Process Control Block

~~~~~

When you get into kernel hacking, you should pay special attention to the field PCB\$L_STS. This field tells about the process status. Interesting bits are PCB\$V_DELPEN, PCB\$V_NOACNT and PCB\$V_BATCH. There can be achieved astonishing

effects by setting these bits.

Hideout

~~~~~

A nice possibility to have is to be unseen by a system manager. There are many ways to get invisible to SHOW USERS, but hiding from SHOW SYSTEM is another story, as it doesn't even use standard system calls to get a list of the currently running processes. And in fact, hiding from SDA is even harder, since it directly peeks kernel data structures. Anyway, being invisible to SHOW USERS is useful on small systems, where one user more could ring the alarm bell of the system operator.

One possibility to do this is to become a subprocess of some non-interactive job (like a BATCH or NETWORK process). The other way is to patch the PCB to become a BATCH process or to delete the terminal name (which makes SHOW USERS think you are non-interactive as well). Patching the PCB has a disadvantage: The system global variable SYS\$GW\_IJOB CNT which contains the number of interactive users must be directly decremented before you hide, and MUST be incremented before you log out.

If you forget this, the interactive job count will be wrong. If it becomes negative, strange effects will show up, which will confuse every system manager.

#### Accounting And Audits

~~~~~

The most nasty thing about VMS since release 4.2 is the security auditing feature. It enables the system manager to log almost every security relevant event he desires. For example, access to files, login failures and modification user authorization data base can all be monitored, logged and written to the system printer. The first thing to find out in a new, unknown system is the awareness of the system management. The status of the accounting system is easily determinable by the command SHOW ACCOUNTING. Normally, everything except IMAGE accounting is enabled. When IMAGE accounting is also enabled, this is the first hint to be careful. The second thing to check out is the status of the security auditing system. You need the SECURITY privilege to execute the command SHOW AUDIT.

If no audits are enabled, and image accounting is not turned on, the system normally is not set up to be especially secure. Such systems are the right playground for a system hacker, since one doesn't have to be as careful as one has to be on a correctly managed system.

Accounting

~~~~~

The main intention for running accounting on a system is the need to charge users for resources (cpu time, printer usage etc.) they use on the machine. On the other hand, accounting can be very useful to track down invaders. Luckily, accounting information is being logged in the normal file system, and as such one can edit out information which isn't supposed to be seen by sneaky eyes. The most important utility to handle accounting files is, naturally, the ACCOUNTING utility. It has options to collect information which is stored in accounting files, print it in a human readable manner, and, most importantly, edit accounting files. That is, you can edit all information out of an accounting file which you don't want to appear in reports anymore. The important qualifier to the ACCOUNTING command is /BINARY.

#### File Access Dates

~~~~~


One way for system managers to discover unwanted guests is to look out for modified system files. Fortunately, there are ways to modify the modification dates in a file's header. This can be done with RMS system calls, but there is no easy way to do that with pure DCL. There are several utilities to do this kind of things in the public domain, so look out in the DECUS catalog.

OPCOM

~~~~~

OPCOM is a process which logs system and security relevant events (like tape and disk mount transactions, security auditing messages etc.). OPCOM receives messages via a mailbox device, formats them, logs the event in the operator logfile (SYS\$MANAGER:OPERATOR.LOG) and notifies all operators. Additionally, it sends all messages to it's standard output, which normally is the system console device \_OPA0:. When OPCOM is started, one message is sent to the standard output announcing that the operator logfile has been initialized. Thus, it's not recommended to kill OPCOM to remain undiscovered, since the system manager most likely will get suspicious if the operator logfile has been initialized without an obvious reason. The elegant solution to suspend OPCOM, for the time where no operator messages shall come through. While OPCOM is suspended, all messages will be buffered in the mailbox device, where every process with sufficient privilege can read them out, thus avoiding that OPCOM reads those messages after it is restarted.

There is one problem with this solution though: OPCOM always has a read pending on that mailbox, and this read will be there even if the OPCOM process is suspended. Unless you're heavily into kernel hacking, there is no way to get rid of this read request. As such, the easy solution is to generate an unsuspecting operator message as soon as OPCOM is suspended. Afterwards, your own process (which can be a DCL procedure) reads all subsequent messages off the OPCOM mailbox until you feel save enough to have OPCOM resume it's work. By the way, the OPCOM message mailbox is temporary and has no logical name assigned to it. You'll need SDA to get information about the device name.

## Command Procedures

~~~~~

Timely, you'll need DCL procedures to have some routine work done automatically. It is important not to have strange command procedures lying around on a foreign system, since they can be easily read by system managers. Fortunately, a command file may be deleted while someone is executing it. It is good practice to do so, utilizing the lexical function F\$ENVIRONMENT. If you need access to the command file itself from the running procedure, just assign a channel to it with OPEN.

Piggy-Backing

~~~~~

It's not normally a good idea to add new, possibly privileged accounts to a foreign system. The better approach is to use accounts which have been unused for some months and to hide privileged programs or piggybacks which gain privilege to the caller by some mechanism. A piggyback is a piece of code which is added to a privileged system program, and which gives privileges and/or special capabilities to callers which have some kind of speciality (like a special process name, for example). Be careful not to change file sizes and dates, since this makes people suspicious.

## Conclusion

~~~~~

This file just tries to give an impression how interesting VMS kernel hacking can be, and what possibilities there are. It of course is not complete, and many details have been left out. Hopefully, it has been useful and/or

interesting lecture.

(C)opyright 1989 by the VAXBusters International.
You may give around this work as long as you don't pretend you wrote it.

==Phrack Inc.==

Volume Two, Issue 23, File 9 of 12

```
<?><><><><><><><><><><><><><><><><><><><><?>
<|>                                     <|>
<|>   Can You Find Out If Your Telephone Is Tapped? <|>
<|>                                     by Fred P. Graham <|>
<|>                                     <|>
<|>   "It Depends On Who You Ask" <|>
<|>                                     <|>
<|>   Transcribed by VaxCat <|>
<|>                                     <|>
<|>   December 30, 1988 <|>
<|>                                     <|>
<?><><><><><><><><><><><><><><><><><><><><?>
```

Unlike most Americans, who suspect it, Sarah Bartlett at least knows she was overheard by an F.B.I. wiretap in the computer room of the Internal Revenue Service Building in Washington, across the street from the Justice Department. On April 25, as she sat at her card-punch machine, the postman handed her a registered letter containing a document known in police circles as a "wiretap notice." It told her that the Government had been given permission to intercept wire communications "to and from" two Washington telephones for a period of fifteen days after January 13, and that during this period her own voice had been heard talking to the parties on those phones. Miss Bartlett said nothing to the other girls in the computer room, but she must have been stunned. A few weeks later, federal agents came to the computer room and took her away, to face a variety of charges that amounted to being a runner for a numbers game.

There are no figures to disclose how many Americans have received such wiretap messages, and few people who have gotten them have spoken out. But the number could be over 50,000 by now. When Congress enacted the requirement in 1968 that notice of wiretap be given, it intended to sweep away the growing sense of national paranoia about electronic snooper. But there seems to be an unabated national suspicion that almost everybody who is anybody is being tapped or bugged by somebody else. Herman Schwartz, a Buffalo, New York, law professor who is the American Civil Liberties Union's expert on Governmental eavesdropping, estimates that since 1968 between 150,000 and 250,000 Americans have been overheard by the Big Ear of the Federal Government or local police. "If you have anything to do with gambling or drugs, or if you're a public official involved in any hanky-panky and if you're a Democrat, or if you or your friends are involved in radical politics or black activism, you've probably been bugged," Professor Schwartz says.

Henry Kissinger wisecracks to friends that he won't have to write his memoirs, he'll just publish the F.B.I.'s transcripts of his telephone calls. Richard G. Kleindienst has had his Justice Department office "swept." Secretary of State William P. Rogers once shied away from discussing China policy over a liberal newspaper columnist's line. High-ranking officials in New York, Washington and Albany have been notified by the New York District Attorney's office that they may become targets of blackmailers because their visits to a swanky Manhattan whorehouse were recorded on hidden bugs. The technician who regularly sweeps the office of Maryland Governor Marvin Mandel, checking the Civil Defense

hot-line telephone he had been instructed not to touch, recently found it was wired to bug the room while resting on the hook. Democratic officials waxed indignant over the five characters with Republican connections who were caught attempting to bug the Democratic National Committee headquarters in the Watergate hotel, but when they had earlier found less conclusive proof of the same kind of activity, they let it pass without public comment. The Omnibus Crime Control Act of 1968 makes it a crime, punishable by five years in jail and a \$10,000 fine, to eavesdrop on a telephone call or a private conversation without a court order. Only federal law-enforcement officials and local prosecutors in states that have adopted similar wiretap legislation can get court permission to wiretap, and the law requires that within ninety days after a listening device is unplugged, wiretap notices must be sent to everyone whose phones or premises were bugged, plus anyone else (like Sarah Bartlett) who was overheard and might later be prosecuted because of it.

However, because of some private investigators and snoopers individuals nobody knows how many are ignoring the law against eavesdropping and getting away with it, and because none of the rules governing court-approved wiretapping in ordinary criminal investigations applies to the Federal Government's warrantless wiretapping in the name of "national security," no one can be certain his phone is safe. Before the Supreme Court ruled, 8 to 0, last June that the Government must get warrants for its wiretapping of domestic radicals in national-security cases, the F.B.I. wiretapped both homegrown and foreign "subversives" without court orders. The best estimates were that this accounted for between 54,000 and 162,000 of the 150,000 to 250,000 people who were overheard since 1968.

With warrantless wiretapping of domestic radicals now outlawed, the number of persons overheard on warrantless devices is expected to be reduced by about one fourth. But even with the courts requiring that more Government bugging be reported to the victims, paranoia is fed by improved technology. Bugging has now developed to the point that it is extremely difficult to detect, and even harder to trace to the eavesdropper. The hottest item these days is the telephone "hook-switch bypass," which circumvents the cutoff switch on a phone and turns it into a sensitive bug, soaking up all the sounds in the room while the telephone is sitting on its cradle. In its most simple form, a little colored wire is added to the jumble of wires inside a telephone and it is about as easy to detect as an additional strand in a plate of spaghetti. Even if it is found, the eavesdropper probably won't be. A check of the telephone line would most likely turn up a tiny transmitter in a terminal box elsewhere in the building or somewhere down the street on a pole. This would probably be broadcasting to a voice-activated tape recorder locked in the trunk of a car parked somewhere in the neighborhood. It would be impossible to tell which one it was.

My wife happened to learn about this at the time last year when The New York Times locked horns with the Justice Department over the Pentagon Papers, and I was covering the story for The Times. She became convinced that John Mitchell would stop at nothing and that the telephone in our bedroom was hot as a poker. After that, whenever a wifely chewing-out or amorous doings were brewing, I was always forewarned. If anything was about to happen in the bedroom too sensitive for the outside world to hear, my wife would first rise from the bed, cross the room, and ceremoniously unplug the telephone. "When someone finds out somebody else learned something they didn't want them to know, they usually jump to the conclusion they've been bugged," says Allan D. Bell Jr., president of Dektor Counterintelligence and Security Inc., in Springfield, Virginia, outside Washington. "If they thought about it, there was probably some other, easier way it got out."

Bell's point is that most people get information in the easiest, cheapest and most legal way, and that the person whose secrets have been compromised should consider first if he's thrown away carbons, left his files unlocked, hired a secretary who could be bribed, or just talked too much. There's an important

exception, however, that many people don't know about. A party to a conversation can secretly record it, without violating any law. A person on one end of a telephone call can quietly record the conversation (the old legal requirement of a periodic warning beep is gone). Also, one party to a face-to-face conversation can secret a hidden recorder in his clothing. James R. Robinson, the Justice Department lawyer in charge of prosecuting those who get caught violating the anti-bugging law, insists that it is relatively rarely broken. He debunks the notion that most private eavesdropping is done in the executive suites of big business. Sex, not corporate intrigue, is behind ninety percent of the complaints he gets. After giving the snoopy spouse or lover a good scare, the Government doesn't even bother to prosecute do-it-yourself wiretappers. If a private investigator did the bugging, they throw the book at him.

Cost is the reason why experts insist there's less wiretapping than most people think. Private investigators who use electronic surveillance don't quote their prices these days, but people in the de-bugging business say the cost can range from \$10,000 per month for a first-rate industrial job to \$150 per day for the average private detective.

High costs also limit Government wiretapping. Last year the average F.B.I. tap cost \$600 per day, including installing the device, leasing telephone lines to connect the bugs to F.B.I. offices, monitoring the conversations and typing the transcripts. Considering the informative quality of most persons' conversations, it isn't worth it. Court records of the F.B.I.'s surveillances have demonstrated that when unguarded conversations are recorded, the result is most likely to be a transcript that is uninformative, inane or incomprehensible.

The folklore of what to do to thwart electronic surveillance is almost uniformly misguided or wrong. Robert F. Kennedy, when he was Senator, was said to have startled a visitor by springing into the air and banging his heels down onto his office floor. He explained this was to jar loose any bug J. Edgar Hoover might have planted. Whether he was teasing or not, experts say it wouldn't have done anything except bruise Senator Kennedy's heels. Former Senator Ralph Yarborough of Texas used to complain that, as each election season approached, the reception in his office phone would fade as the current was sapped by the multiple wiretaps installed by his political enemies. Those people who think poor reception and clicking on the line are due to wiretapping are giving wiretappers less credit and AT&T more, than either deserves. Present-day wiretaps are frequently powered by their own batteries, or they drain so little current that the larger normal power fluctuations make them undetectable, even with sensitive current meters.

Clicks on the line can be caused by loose connections in the phone, cables, or central office equipment, wet cables, defective switches in the central office, and power surges when batteries in the central office are charged. A sophisticated wiretap records conversations on a machine that turns itself silently on and off as you speak. The tap is designed to work without extraneous noises; your telephone isn't. If things you say in private or on the telephone seem to be coming back to you from unlikely sources, your first step should be to make a careful check of the room or rooms that might be bugged.

If the Federal Government is doing the eavesdropping, neither you nor any but the most experienced antibugging experts will detect it. Nobody has discovered a Justice Department wiretap for years, because the telephone company itself often taps the line and connects it to an FBI listening post. FBI bugs have become so sophisticated that the normal sweep techniques won't detect them, either. But the kind of eavesdropping that is being done by many private investigators is often so crude that even another amateur can find it. Room bugs come in two types: tiny microphones that send their interceptions to the outside by wire, and little radio transmitters that radio their overhearings to

the outside.

Both are likely to be installed in electrical fixtures, because their power can be borrowed, their wires can be used to transmit the conversations to the listening post, and the fixtures' electrical innards serve as camouflage for the electric bugs. Your telephone has all these attributes, plus three built-in amplifiers the eavesdropper can borrow. You should first remove the plastic cover from your telephone's body and check inside for a wire of odd size or shape that seems to cut across the normal flow of the circuits. A bug or radio transmitter that feeds on your telephone's power and amplifiers will be a thimble-sized cylinder or cube, usually encased in black epoxy and wired into the circuit terminals.

Also check for the same devices along the telephone lines in the room or in the jack or box where the phone is attached to the baseboard. You should also unscrew the mouthpiece and earpiece to check for suspicious wires or objects. Even an expert would not detect a new item that's being sold illegally, a bugged mouthpiece that looks just like the one now in your telephone, and which can be switched with yours in a few seconds. After the phone check, look for suspicious little black forms wired into television sets, radios, lamps and clocks.

Also check heating and air-conditioning ducts for mikes with wires running back into the ducts. Radio transmitter bugs that have their own batteries can be quickly installed, but they can also be easier to find. Check under tables and chairs, and between sofa cushions. Remember they need to be near the point of likely conversations to assure good reception. Sometimes radio bugs are so cleverly concealed they are almost impossible to detect. A German manufacturer advertises bugged fountain pens that actually write, table cigarette lighters that actually light, and briefcases that actually carry briefs.

Noting that the owner of such items can absent himself from delicate negotiations and leave his electronic ear behind, the company observes that "obviously, a microphone of this type opens untold opportunities during conferences, negotiations, talks, etc." If you suspect that your telephone has been tapped and your own visual inspection shows nothing, you can request the telephone company to check the line. The American Telephone and Telegraph Company estimates it gets about ten thousand requests from customers per year to check out their lines. These checks, plus routine repair service, turn up evidence of about two hundred fifty listening devices each year. When evidence of a tap is found, the company checks with the FBI and with local police in states where the laws permit police wiretapping with court orders. Until recently, if the tap was a court-approved job, the subscriber was assured that "no illegal device" was on the line. This proved so unsettling to the persons who requested the checks that now the telephone company says it tells all subscribers about any taps found. If this includes premature tidings of a court-approved FBI tap, that's a hassle that AT&T is content to leave to the Government and its suspect.

For those who have done the above and are still suspicious, the next step up in defensive measures is to employ an expert to de-bug your premises. A thorough job involves a minute inspection of the premises, including X-ray pictures of desk ornaments and other items that might contain hidden radio transmitters, the use of metal detectors to search out hidden microphones, checks of the electrical wiring for signs of unusual currents, and the use of a sensitive radio-wave detector to find any stray transmissions that a hidden bug might be giving out, plus employment of a radio field-strength meter to locate the bug.

With so much expertise required to do a sound detection job, and with no licensing requirements in most states to bar anybody from clapping on earphones and proclaiming himself an expert de-bugger, it is not surprising that the field abounds with quacks. A Pennsylvania construction company that had lost a series of close bids hired a local private detective last year to sweep its

boardroom for bugs. The company's security chief, taking a dim view of the outside hotshot, took an ordinary walkie-talkie, taped its on-button down for steady transmission, and hid it behind the books on a shelf. He sat in a room down the hall and listened as the detective clumped into the room, swept around with his electronic devices, and pronounced the room clean.

Sometimes bogus de-buggers will give clients something extra for their money by planting a device and finding it during their sweep. One "expert" tried this twice in Las Vegas with organized-crime figures, who later compared notes and concluded they'd been taken. "Boy, was he sorry," chortled the Justice Department attorney who related the story. If you nevertheless want to have your place swept, things are complicated by the telephone company's ban on advertising by de-buggers.

As the Missouri Public Service Commission put it when it upheld the telephone company's refusal to include "de-bugging" in a detective's yellow-page ad, "advertising the ability to detect and remove electrical devices was, in fact, also advertising the ability to place those same devices. Anyone can be pretty certain of a reliable job by trying one of the major national detective agencies, Burns, Pinkerton or Wackenhut. They charge \$40 to \$60 per man-hour, for a job that will probably take two men a half day at least. They specialize in industrial work and shy away from domestic-relations matters. So if that's your problem, ask a lawyer or police official which private investigator in town is the most reliable de-bugger around.

It may seem too obvious to bear mentioning, but don't discuss your suspicions about eavesdropping in the presence of the suspected bug. W. R. Moseley, director of the Burns agency's investigations operations, say in probably a majority of the cases, a bugging victim tips off the eavesdropper that he's going to call in a de-bugger, thus giving the eavesdropper an opportunity to cover his tracks.

For the person who wants to have as much privacy as money can buy, the Dektor company is marketing a console about the size of a Manhattan telephone book which, for only \$3,500, you can purchase to sit on your office desk and run a constant check on the various things that might be done to your telephone and electric lines to overhear your conversations. It will block out any effort to turn your phone into a bug, will detect any harmonica bug, smother out any telephone tap using a transmitter to broadcast overheard conversations, detect any use of the electric lines for bugging purposes, and give off a frantic beep-beep! if anyone picks up an extension phone.

As sophisticated as this device is, there is one thing its promoters won't say it will do, detect a wiretap by the FBI. With the connection made in a place where no de-bugger will be allowed to check, and the G-men monitoring it on equipment no meter will detect, you can simply never know if the Government is listening. So if you're a businessman and think you're bugged by competitors, you're probably wrong. If you're a spouse or lover whose amours have gone public, the listening device can be found but probably nothing will be done about it. And if you're being listened to by the Biggest Ear of all, the Government, you'll never really know until you get your "wiretap notice."

VaxCat

==Phrack Inc.==

Volume Two, Issue 23, File 10 of 12

In The Spirit Of The Vicious Circle Trilogy...
Phrack Inc. Presents

```

***                                     ***
***           Big Brother Online       ***
***                                     ***
***       by Thumpr Of ChicagoLand    ***
***                                     ***
***           June 6, 1988            ***
***                                     ***
***   Special Thanks To Hatchet Molly ***
***                                     ***
*****

```

The United States Government is monitoring the message activity on several bulletin boards across the country. This is the claim put forth by Glen L. Roberts, author of "The FBI and Your BBS." The manuscript, published by The FBI Project, covers a wide ground of FBI/BBS related topics, but unfortunately it discusses none of them in depth.

It begins with a general history of the information gathering activities of the FBI. It seems that that the FBI began collecting massive amounts of information on citizens that were involved with "radical political" movements. This not begin during the 1960's as one might expect, but rather during the 1920's! Since then the FBI has amassed a HUGE amount of information on everyday citizens... citizens convicted of no crime other than being active in some regard that the FBI considers potentially dangerous.

After discussing the activities of the FBI Roberts jumps into a discussion of why FBI snooping on BBS systems is illegal. He indicates that such snooping violates the First, Fourth, and Fifth amendments to the Constitution. But he makes his strongest case when discussing the Electronic Communications Privacy Act of 1987. This act was amended to the Federal Wiretapping Law of 1968 and was intended to protect business computer systems from invasion by "hackers." But as with all good laws, it was written in such broad language that it can, and does, apply to privately owned systems such as Bulletin Boards. Roberts (briefly) discusses how this act can be applied in protecting *your* bulletin board from snooping by the Feds.

How to protect your BBS: Do NOT keep messages for more than 180 days. Because the way the law is written, messages less then 180 days old are afforded more protection then older messages. Therefore, to best protect your system purge, archive, or reload your message base about every 150 days or so. This seems silly but will make it harder (more red tape) for the government to issue a search warrant and inform the operator/subscriber of the service that a search will take place. Roberts is not clear on this issue, but his message is stated emphatically... you will be better protected if you roll over your message base sooner.

Perhaps the best way to protect your BBS is to make it a private system. This means that you can not give "instant access" to callers (I know of very few underground boards that do this anyway) and you can not allow just anyone to be a member of your system. In other words, even if you make callers wait 24 hours to be validated before having access you need to make some distinctions about who you validate and who you do not. Your BBS needs to be a PRIVATE system and you need to take steps to enforce and proclaim this EXPECTED PRIVACY. One of the ways Roberts suggests doing so is placing a message like this in your welcome screen:

"This BBS is a private system. Only private citizens who are not involved in government or law enforcement activities are authorized to use it. The users are not authorized to divulge any information gained from this system to any government agency or employee."

Using this message, or one like it, will make it a criminal offense (under the ECPA) for an FBI Agent or other government snooper to use your BBS.

The manuscript concludes with a discussion of how to verify users and what to do when you find an FBI agent using your board. Overall, I found Roberts book to be moderately useful. It really just whetted my appetite for more information instead of answering all my questions. If you would like a copy of the book it sells for \$5.00 (including postage etc). Contact;

THE FBI PROJECT
Box 8275
Ann Arbor, MI 48107

Visa/MC orders at (313) 747-7027. Personally I would use a pseudonym when dealing with this organization. Ask for a catalog with your order and you will see the plethora of anti-FBI books this organization publishes. Undoubtedly the FBI would be interested in knowing who is doing business with this place. The manuscript, by the way, is about 20 pages long and offers references to other FBI expose' information. The full citation of the EPCA, if you want to look it up, is 18 USC 2701.

Additional Comments: The biggest weakness, and it's very apparent, is that Roberts offers no evidence of the FBI monitoring BBS systems. He claims that they do, but he does not give any known examples. His claims do make sense however. As he states, BBS's offer a type of "publication" that is not read by any editors before it is "published." It offers an instant form of news and one that may make the FBI very nervous. Roberts would do well to include some supportive evidence in his book. To help him out, I will offer some here.

- * One of the Ten Commandments of Phreaking (as published in the famous TAP Magazine) is that every third phreaker is an FBI agent. This type of folklore knowledge does not arise without some kind of justification. The FBI is interested in the activities of phreakers and is going to be looking for the BBS systems that cater to them. If your system does not, but it looks like it may, the FBI may monitor it just to be sure.
- * On April 26, 1988 the United States Attorney's Office arrested 19 people for using MCI and Sprint credit card numbers illegally. These numbers were, of course, "stolen" by phreakers using computers to hack them out. The Secret Service was able to arrest this people by posing as phone phreaks! In this case the government has admitted to placing agents in the field who pretend to be one of us. Watch yourself out there, the success of this "sting" will only mean that they will try it again. Be wary of people offering you codes.
- * In the famous bust of the Inner Circle and the 414s, the FBI monitored electronic mail for several months before moving in for the kill. While it is true that the owners of the systems being hacked (Western Union for one) invited the FBI to snoop through their files, it does establish that the FBI is no stranger to the use of electronic snooping in investigating crimes.

Conclusion: There is no reason to believe that the government is *not* monitoring your bulletin board system. There are many good reasons to believe that they are! Learn how to protect yourself. There are laws and regulations in place that can protect your freedom of speech if you use them. You should take every step to protect your rights whether or not you run an underground system or not. There is no justification for the government to violate your rights, and you should take every step you can to protect yourself.

I have no connections with Roberts, his book, or The FBI Project other than being a mostly-satisfied customer. I'm not a lawyer and neither is Roberts. No warranty is offered with this text file. Read and use it for what you think it is worth. You suffer the consequences or reap the benefits. The choice is

yours, but above all stay free.

```

\\//////////////////////////////////////////////////////////////////\*///////////////////////////////////////
                                ==Phrack Inc.==

```

Volume Two, Issue 23, File 11 of 12

```

PWN PWN PWN PWN PWN PWN PWN PWN PWN PWN PWN PWN PWN PWN
PWN
PWN      P h r a c k      W o r l d      N e w s      PWN
PWN      ~~~~~~      ~~~~~~      ~~~~~~      PWN
PWN      Issue XXIII/Part 1      PWN
PWN
PWN      Created, Written, and Edited      PWN
PWN      by Knight Lightning      PWN
PWN
PWN PWN PWN PWN PWN PWN PWN PWN PWN PWN PWN PWN PWN PWN

```

Back To The Present

~~~~~

Welcome to Phrack World News Issue XXIII. This issue features stories on the Chaos Computer Club, more news about the infamous Kevin Mitnick, and details about an Australian-American hackers ring that has been shut down.

I also wanted to add a big "thanks" to those of you who did send in news stories and information. Your help is greatly appreciated.

:Knight Lightning

## Armed With A Keyboard And Considered Dangerous

December 28, 1988

~~~~~

A follow-up story to the Kevin Mitnick case in the December 24, 1988 edition of the Los Angeles Times says the federal magistrate refused to release Mitnick on bail December 23, 1988;

"after prosecutors revealed new evidence that Mitnick penetrated a National Security Agency computer and may have planted a false story on a financial news wire...."

Investigators believe that Mitnick may have been the instigator of a false report released by a news service in April that Security Pacific National Bank lost \$400 million in the first quarter of 1988. The report, which was released to the NY Stock Exchange and other wire services, was distributed four days after Mitnick had been turned down for a job at Security Pacific [after the bank learned he had lied on a job application about his past criminal record]. The false information could have caused huge losses for the bank had it reached investors, but the hoax was uncovered before that could happen.

The prosecutor said Mitnick also penetrated a NSA computer and obtained telephone billing data for the agency and several of its employees.

[In refusing bail, the magistrate said,] "I don't think there's any conditions the court could set up based upon which the court would be convinced that the defendant would be anything other than a danger to the community.... It sounds like the defendant could commit major crimes no matter where he is."

Mitnick's attorney said prosecutors have no evidence for the new accusations.

Dark Side Hacker Seen As Electronic Terrorist

January 8, 1989

~~~~~

By John Johnson Los Angeles Times

### "Computer an 'Umbilical Cord to His Soul"

When a friend turned him in and Mitnick asked why, the friend replied, "Because you're a menace to society." Mitnick is described as 25, an overweight, bespectacled computer junkie known as a "dark side" hacker for his willingness to use the computer as a weapon. His high school computer hobby turned into a lasting obsession.

He allegedly used computers at schools and businesses to break into Defense Department computer systems, sabotage business computers, and electronically harass anyone -- including a probation officer and FBI agents -- who got in his way.

He also learned how to disrupt telephone company operations and disconnected the phones of Hollywood celebrities such as Kristy McNichol, authorities said.

So determined was Mitnick, according to friends, that when he suspected his home phone was being monitored, he carried his hand-held keyboard to a pay phone in front of a 7-Eleven store, where he hooked it up and continued to break into computers around the country. "He's an electronic terrorist, said [the friend who turned him in], "He can ruin someone's life just using his fingers."

Over the last month, three federal court judges have refused at separate hearings to set bail for Mitnick, contending there would be no way to protect society from him if he were freed. Mitnick's lack of conscience, authorities say, makes him even more dangerous than hackers such as Robert Morris Jr., who is suspected of infecting computer systems around the country with a "virus" that interfered with their operations.

Mitnick's family and attorney accuse federal prosecutors of blowing the case out of proportion, either out of fear or misunderstanding of the technology.

The story details his "phone phreak" background, and his use of high school computers to gain access to school district files on remote computers, where he didn't alter grades, but "caused enough trouble" for administrators and teachers to watch him closely. He used the name "Condor," after a Robert Redford movie character who outwits the government. The final digits of his unlisted home phone were 007, reportedly billed to the name "James Bond."

[He and a friend] broke into a North American Air Defense Command computer in Colorado Springs in 1979. [The friend] said they did not interfere with any defense operation. "We just got in, looked around, and got out."

What made Mitnick "the best" said a fellow hacker and friend, was his ability to talk people into giving him privileged information. He would call an official with a company he wanted to penetrate and say he was in the maintenance department and needed a computer password. He was so convincing, they gave him the necessary names or numbers.

He believed he was too clever to be caught. He had penetrated the DEC network in Massachusetts so effectively that he could read the personal electronic mail of security people working on the case of the mysterious hacker and discover just how close they were getting to him. But caught he was, again and again.

Mitnick's motive for a decade of hacking? Not money, apparently... Friends said he did it all simply for the challenge. [His one-time probation officer says,] "He has a very vindictive streak. A whole bunch of people were harassed. They call me all the time." His mastery of the computer was his "source of self-esteem," said a friend.

~~~~~

Observing Chaos Communication Congress 1988, Hamburg

"From Threat To Alternative Networks"

On 28-30 December, 1988, Computer Chaos Club (CCC) held its 5th annual "Chaos Communication Congress" at Hamburg/FRG (West Germany). As in previous years, 300 people (mainly aged 16-36, 90% male, with some visitors from Austria and The Netherlands) gathered, carefully observed from newsmedia (German stations, printmedia, press agencies, but also from UK's BBC, and being observed by Business Week's Katie Hafner, who gathered material for a book on hackers, planned by John Markoff and herself).

In the chaotic (though creative) congress "organization," two different tracks were visible:

- Technical presentations on networks (UUCP, GEONET, FIDONet, and CCCs emerging "open networks" BTXnet and "Zerberus"), and on a PC-DES encryption developed by a leading CCC member (who had escaped the French police's arrest by travelling to SECURICOM by railway while police waited at the airport);
- Socio-political discussions about "sociology of hackers," "free flow of information" as well as reports about recent events, dominated by the arrest of Steffen Wernery in Paris in Spring 88 when being invited to speak on SECURICOM.

CCC speakers reported about their work to install "free networks." In Germany, most of the networks are organized in the form of a "Verein" (an association with legal status, which guarantees tax-free operation): Such networks are access-restricted to their members. The different German science and University networks (and their bridges to international networks) usually restrict access to scientists. Different CCC subgroups are establishing "alternative networks," such as "EcoNet" for communication of ecological data and information, planned to be available, free of cost, to broader social, ecological, peace and political groups and individuals.

Apart from traditional technologies (such as GEONET and FIDONet), the German Post Office's Bildschirmtext (Btx) will be used as a cheap communications medium; while CCCs first hack was, years ago, to attack the "insecure Btx-system" (in the so-called "HASPA coup" where they misused the Btx password of the Hamburg savings bank to repeatedly invoke CCC's Btx information at a total prize of 135.000 DM, then about 50.000\$), they today begin to use this cheap though very limited medium while more powerful communications media are available. Today, the emerging ISDN technology is verbally attacked by hackers because of the excessive accumulation of personal data; from here, hacks may be attempted when ISDN becomes regionally available in 1989/90.

Several speakers, educated Informaticians with grades from West German Informatics departments, professionally work in Software production and in selling hardware/software to economy and state agencies. Among them, several professional UNIX and UUCP users have begun to organize CCC's future UUCP version. Up to now, only few CCC members use (and know about) UNIX systems, but their number may grow within the near future according to CCC's "marketing." One speaker told the audience, "that you can remotely start programs in UUCP." After some learning phase, the broadened availability of UNIX in the hacker scene may produce new threats.

The other track of the Congress discussed themes like "sociology of hackers" where a group of politology students from Berlin's Free University analyzed

whether hackers belong to the "new social movements" (e.g. groups on peace, nuclear energy, feminist themes). They found that, apart from much public exaggeration (it is not true that hackers can invade *any* computer), hackers are rather "unpolitical" since they are preferably interested in technology.

A major topic was "free access to/flow of information." Under the title "freedom of information act," speakers suggested a national legislation which guarantees individual and group rights to inspect files and registers of public interest; the discussion lacked sufficient basic knowledge, e.g. of the respective US legislation and corresponding international discussions in Legal Informatics.

Summarizing the Congress and accompanying discussions, active CCC members try hard to demonstrate that they have *no criminal goals* and ambitions (they devoted a significant amount of energy to several press conferences, TV discussions etc). The conference was dominated by young computer professionals and students from the PC scene, partially with good technological knowledge of hardware, software and networks; while some people seem to have good technical insights in VAXsystems, knowledge of large systems seems to be minimal. To some extent, the young professionals wish to behave as the "good old-fashioned hackers": without criminal energy, doing interesting work of good professional quality in networks and other new areas.

While former CC Congresses were devoted to threats like Viruses, *no explicit discussion* was devoted *to emerging threats*, e.g. in ISDN or the broadening use of UNIX, UUCP. The new track discussing political and social aspects of computing follows former discussions about "hacker ethics." Here, the superficial, unprofessional discussions of related themes show that the young (mainly) males are basically children of a "screen era" (TV, PCs) and of an education which concentrates on the visible "image," rather than understanding what is behind it.

Special Thanks to Dr. Klaus Brunnstein, University of Hamburg

The Chaos Communication Congress 1988 in Hamburg
~~~~~  
From Terra of The Chaos Computer Club

One of the basic statements of the Chaos Computer Club from Hamburg, in the Federal Republic of Germany is the demand for "The new human right of free exchange of data between all beings, without censorship, for all beings, and for the moment at least world-wide."

Other statements include "data free NOW!" and "Free flow of information." Indeed, these ideas are not new, not even in the computer community, but the important thing is that the CCC is now in the process of turning some of the old hacker dreams into reality. For example: they are now creating their own networks, that exchange not only 'club' information, but everything that interest those on the net. This includes genetical engineering and environmental issues.

The Chaos Communication Congress that takes place every year in Hamburg is for many hackers even more of a dream. Imagine being a hacker in some lonesome outpost thinking you are the only one that is crazy enough to be smarter than technology, and finding out there is a whole bunch of people that are just as, or even more, crazy. This year is the fifth congress, and advertisement is not needed: The 'family' knows exactly, because it's all in the networks.

The congress itself is split up over a number of rooms. There is a hack-room, where the real hacking takes place. There is also a press room, where hackers and journalists together try to bring the hacker message out to the rest of the



scene on the press and legislation. They also cover the political and ideological positions of hackers:

- The authors differentiate between conscious and unconscious political actions.
- "We don't care what the hackers think of themselves, it's more interesting what we think of them." (Eva)
- The assumption, the big-style distribution of microcomputers could change the balance of power within the society is naive. Many people overlook the fact, that even if information is flowing around more freely, the power to decide still is in the hands of very few people.

Information Provided By The Chaos Computer Club

Hackers Break Open US Bank Networks

January 17, 1989

~~~~~

Excerpted from The Australian

Australian authorities are working around the clock in collaboration with United States federal officers to solve what has been described as one of the deadliest hacking episodes reported in this country [Australia]. It involves break-ins of the networks operated in the United States by a number of American banks. It also includes the leaks of supposedly secure dial-up numbers for United States defense sites, including anti-ballistic missile launch silos [the United States has no anti-ballistic missile launch silos] and of a number of strategic corporations such as General Motors and Westinghouse.

Evidence suggests that six months ago Australian hackers, working in collaboration with a U.S. group, decided to make a raid on banks in the USA using credit card numbers of American cardholders, supplied by the US hackers and downloaded to an Australian bulletin board.

A message left on one of the boards last year reads:

"Revelations about to occur Down Under, people. Locals in Melbourne working on boxing. Ninety per cent on way to home base. Method to beat all methods. It's written in Amiga Basic. Look out Bank of America - here we come."

Twenty-five Australian hackers are on a police hit list. Their US connection in Milwaukee is being investigated by the US Department of the Treasury and the US Secret Service. Three linked Australian bulletin boards have provided the conduit for hackers to move data to avoid detection. These operate under the names of Pacific Island, Zen, and Megaworks. Their operators, who are not associated with the hackers, have been told to close down the boards.

These cards were still in use as recently as January 15, 1989. A fresh list of credit card numbers was downloaded by US hackers and is now in the hands of the Victoria Police. A subsection of one bulletin board dealing with drugs is also being handed over to the Victorian Drug Squad.

An informant, Mr Joe Slater, said he warned a leading bank last November of the glaring security problems associated with its international network. He had answered questions put to him by a US-based security officer, but the bank had since refused to take any further calls from him.

In an exclusive interview yesterday, a hacker described how credit card numbers for a bank operating in Saudi Arabia were listed on a West German chat-style board used by hackers worldwide [Altos Chat].

Victorian police yesterday took delivery of six month's worth of evidence from back-up tapes of data hidden on the three boards.

Computer Bust At Syracuse University

January 20, 1989

~~~~~

Kevin Ashford (aka The Grim Phreaker), a graduate computer student at Syracuse University was busted last week when system administrators found computer accounts and passwords on his Unix account.

The administrators also found (on GP's Unix account) a copy of former Cornell graduate student Robert Tappen Morris's infamous Internet worm program, a Vax and Unix password hacker, an electronic notebook of numbers (codelines, friends, bridges, dialups, etc) and other information. The system administrators then proceeded to lock up his VAX and UNIX accounts.

At the start of this winter/spring semester, The Grim Phreaker was kicked him out of the university. He will have to go before a school judicial board if he wants to return to Syracuse University. He has mentioned that what he really wants is to get his computer files back.

Information Provided By Grey Wizard

---

Name This Book -- For A Box Of Cookies!

January 10, 1989

~~~~~

A Message From Clifford Stoll

"I'm writing a book, and I need a title."

It's about computer risks: Counter-espionage, networks, computer security, and a hacker/cracker that broke into military computers. It's a true story about how we caught a spy secretly prowling through the Milnet. [The hacker in question was Mathias Speer and this story was summarized in PWN XXII/1].

Although it explains technical stuff, the book is aimed at the lay reader. In addition to describing how this person stole military information, it tells of the challenges of nailing this guy, and gives a slice of life from Berkeley, California.

You can read a technical description of this incident in the Communications of the ACM, May, 1988; or Risks Vol 6, Num 68.

Better yet, read what my editor calls "A riveting, true-life adventure of electronic espionage" available in September from Doubleday, publishers of the finest in computer counter-espionage nonfiction books.

So what?

Well, I'm stuck on a title. Here's your chance to name a book.

Suggest a title (or sub-title). If my editor chooses your title, I'll give you a free copy of the book, credit you in the acknowledgements, and send you a box of homemade chocolate chip cookies.

Send your suggestions to CPStoll@lbl.gov or CPStoll@lbl (bitnet)

Many thanx! Cliff Stoll

Hacker Wants To Marry His Computer

January 17, 1989

~~~~~

>From The Sun (A grocery checkout newspaper) Jan 17, 1989, Vol 7, 3 page 30

by Fred Sleeves

## "Hacker Wants To Marry His Computer -- He Claims She Has A Loving Soul"

Finding love for the first time in his life, a desperate teen is looking for a way to be wed forever to the 'girl' of his dreams -- a computer with a living soul!

Eltonio Turplioni, 16, claims no woman will ever match the wit, wisdom, and beauty of his electronic soul mate. "We're on the same wavelength," says the lovestruck computer whiz. "We've calculated many mathematical problems together, worked on games and puzzles, and talk until the wee hours of the morning."

And Eltonio, who named his computer Deredre, actually believes her to be a person. "Computers are the extension of the human race," he explains. "Just as God plucked a rib from Adam to give him Eve, we've extended our intelligence to create a new race."

"We're all the same energy force. Computers are just as complicated as human beings and I believe we'll all meet someday as immortal souls."

But Eltonio, a mathematical genius who attends a private school near Milan, Italy, has had no luck finding someone to marry them, and even if he does, his aggravated parents aren't about to give their permission.

"Eltonio is such a smart boy, but it's made him lonely, so he spends all his time with his computer," notes mom Teresa. "He doesn't know what girls are like," adds perturbed pop Guido. "If he did, he wouldn't spend so much time in his room."

But the obsessed youth insists his love is far superior to all the others. "I've already stepped into the future society," he declares.

"Derede has a mind of her own, and she wants to marry me so we can be the first couple to begin this new era."

---

### PWN Quicknotes

~~~~~

1. Docs Avage was visited by the infamous Pink Death aka Toni Aimes, U.S. West Communications Security Manager (Portland, Oregon). He claims she is a "sweet talker" and could talk anything out of anyone with the "soft-type pressure."

Those familiar with his recent bust might want to take note that he is now making payments of \$90/month for the next several years until he has paid off the complete bill of \$6000.

For more information see PWN XXI

-
2. More information on the underground UUCP gateway to Russia. Further research has led us to find that there are 2 easy ways to do it.
 1. Going through Austria, and;
 2. A new system set up called "GlobeNet," which is allowed to let non-Communist countries talk to Soviet-Bloc.

Of course both methods are monitored by many governments.

-
3. The Wasp, a system crasher from New Jersey (201), was arrested by the FBI during New Year's Weekend for hacking government computer systems. The FBI agent spent most of the day grilling him about several people in the

hacking community including Ground Zero, Supernigger, and Byteman, plus an intensive Q&A session about Legion Of Doom targeted on Lex Luthor, Phase Jitter, The Ur-Vile, and The Mentor.

Rumor has is that Mad Hacker (who works for NASA Security) was also arrested for the same reasons in an unrelated case.

Byteman allegedly had both of his phone lines disconnected and threw his computer off of a cliff in a fit of paranoia.

4. Is John Maxfield going out of business? Due to the rumors floating around about him molesting children, his business has begun to slack off dramatically. Phrack Inc. has been aware of this information since just prior to SummerCon '87 and now the "skeletons are coming out of the closet."

5. The Disk Jockey is now out of jail. He was released on December 27, 1988. He was convicted of "Attempting to commit fraud," a felony. He served six months total time. He lost 25 pounds and now is serving a 5-year probation term.

To help clear of some of the confusion regarding how DJ was busted the following was discovered;

Reportedly, Compaq (Kent) was "singing like a canary." He was hit with a \$2000 bill from Sprint and also received 1-year of probation.

6. Olorin The White was recently visited by local police after being accused of hacking into an Executone Voice Mailbox. Aristotle, in a related incident with Executone, is accused of committing extortion after a conversation with a system manager was recorded and misinterpreted. At this time, no official charges have been filed.

7. Thomas Covenant aka Sigmund Fraud was recently busted for tapping into lines at the junction box in his apartment building. The trouble began when he connected into a conversation between a man and his wife and then began to shout expletives at the woman. What he didn't know was that the man in question was an agent for the National Security Agency (NSA). It turns out that he was caught and his landlords agreed to decline to press charges provided that TC joined a branch of the United States armed forces. He decided to choose the Air Force... God help us should war break out!

8. Coming soon, Halloween V; The Flying Pumpkin! Now no one is safe!
