

WORLD'S LARGEST COMPUTER MAGAZINE

Computers

& ELECTRONICS

MAY 1984

\$1.95

**6 Modems
For
Under
\$100!**

**How to
Make
Super
Business
Graphs**

**Bring
Mainframe
Data to
Your
Micro**



*****S-DIGIT 60506
390736 DHM 0997G093 PAID SEP84
MRS EDNA DAHM
937 GRAND AV
AURORA IL 60506

Pointing Devices
ng Edge PC & TRS80

Introducing the MTX 512

A World Apart from the Ordinary.

It begins with the sense of touch.

With the sleek black metal housing. Cool to the touch. Cool to the advanced circuitry and components contained within.

And the solid feel of people-sized keys set up in a field that gives you room to work and space in which to think.

But the difference only begins with what you see and feel. Where it ends...well, that's really up to you.

In a very practical sense, the only limits you'll experience with the MTX512 are those you choose to accept.

64K To 512K RAM – A Look On The Inside

Take a close look at the MTX512.

We could tell you it offers the greatest performance and versatility of any micro in its price range, but we think you're smart enough to draw your own conclusions.

The design is elegant in its simplicity. Remarkable for the power and complexity it represents. 64K RAM built in, with total expansion to 512K. And that doesn't include 16K of video RAM controlled by its own processor.

Speaking of video, keep in mind this is no ordinary monochromatic, single screen system. The MTX starts off where other micros end up. Delivering vivid screen capabilities with 256 x 192 pixels that crisply define interference-free high resolution graphics. 16 brilliant colors that can be displayed simultaneously. In a format powered by 32 easily movable, user-defined graphics characters. Graphics capabilities you'd find impressive in a system that gives you a single screen to work in. With the MTX, you have eight.

Yes, eight.

Eight definable windows to operate independently or in tandem. And still maintain full screen capabilities. Thus, you can manipulate spread sheets on the MTX and see the impact of changing variables in graphics at the same time. Eight separate windows on the world. We call them Virtual Screens. You'll call them extraordinary.

Far from ordinary as well are the built-in system outputs that come standard on the MTX. The Centronics parallel printer port. The two industry-standard joystick ports. The uncommitted parallel I/O port. The Cassette port with 2400 baud. Separate TV and Video Monitor Ports. The 4-channel sound hifi output. We've even installed a ROM cartridge port for word processing and other dedicated programs.

Interactive Languages And Routines – A Look At The Way All Micros Will One Day Perform

Forget the way all other micros perform. This is the way they should.


Interactively.


With the MTX, you can create and manipulate programs using four different languages in dynamic interaction, all coordinated through the FRONT PANEL DISPLAY. Interweaving elements as you would in creating a symphony.

And take a serious look at the languages housed in the MTX's 24K ROM. MTX BASIC, a more powerful form of BASIC that allows you to use all standard BASIC programs. MTX GRAPHICS, with straight forward commands, eliminates the tedium and difficulty of creating complex graphics programs. NODDY, an 11-command "easy learn" language that can transform real world programming into a child-friendly activity. And MTX ASSEMBLER, which enables sophisticated programming in assembly language. Something else the advanced programmer will appreciate is our ASSEMBLER/DISASSEMBLER, tied to BASIC, which provides unprecedented display and keyboard access to Z80 CPU storage locations, memory and program.

If you're hungry for more, PASCAL and FORTH are also available as add-on ROM packs.

On the keyboard side of things, you'll find a number of operator-oriented features that speed up and ease up the operation of the MTX. The separate numeric pad with quadri-directional cursor control and full editing functions. The eight dual function keys.





The auto repeat function on all alpha-numeric keys. Add to this such programmer-saving features as the use of abbreviated BASIC commands, a built-in syntax verifier, automatic cursor-honing to errors, auto-line numbering and automatic scrolling, and you begin to see the MTX not only opens a lot of doors that other micros leave closed, but speeds you through them as well.

The 160 Megabyte Connection – A Look At The System

To build a good system, quality must be designed in at every level. We designed the MTX and its complete line of system peripherals using proven, standard components. Striking a strategic balance between power, versatility and dependability. Our Z80A processor, running at 4MHz, gave us the high performance characteristics we were striving for, plus the ability to expand into the MTX Hard Disc, MTX Silicon and Floppy Disc CP/M operated systems. Systems that could provide up to 160 megabyte storage capacity. More power than you'll probably ever need, unless you take full advantage of the MTX's impressive system capabilities.

Systems hookup is as simple as every other MTX procedure. By merely plugging in the twin RS232C Serial interfaces and the Node software, sold optionally, you're ready to create a disc-driven interactive communications network (OXFORD RING®) that can link up to 255 units.

Software? You'll never worry about software availability with the MTX. Dozens of MTX-dedicated programs have already been created, supplementing the vast landscape of CP/M applications software currently available. And advance word of the MTX's technical capabilities has precipitated an MTX software "push" on the part of many leading software manufacturers.

Word Processing For \$999 – A Look At A Great Deal

Look first at the capabilities, then at the price. This is word processing the way it should be. Quick. Easy. Professional. A package that includes the MTX512; the powerful New Word™ word processing ROM cartridge; and the Memotech DMX80 correspondence quality printer*. An exceptional value! And that brings us to the bottom line.



A Look At The Price

There's a very simple equation that covers the pricing of the MTX512.

The more engineering you put in a system, the less it will cost to produce. As you've already seen, the MTX is a pure product of advanced, innovative engineering.

Which is why we can sell it for \$595**

And why we can confidently back it up with a full one-year warranty.

Make no mistake. When you turn this page, you'll be returning to a world very different from this one.

A world in which all microcomputers will suddenly seem very different.

Suddenly very ordinary.

For more information about the MTX512, or to find out the location of the MTX dealer nearest you, contact Memotech Corporation, 99 Cabot Street, Needham, MA 02194; or phone (617) 449-6614

MEMOTECH CORPORATION

CP/M is a trademark of Digital Research, Inc.
New Word™ is a trademark of New Star Software, Inc.
*DMX80 correspondence quality printer suggested retail price \$395.
**Suggested retail price.

THE DAY THE IBM® PC BECAME OBSOLETE.



It was a Monday in the autumn of '83:

The day they announced the Leading Edge® PC—a personal computer that's just plain better than the IBM® PC, at just about half the price.

The Leading Edge PC is faster (by more than 50%), more powerful, more flexible and more dependable (for example, our disk drives have a "mean time between failures" of 20,000 hours, versus an 8,000-hour MTBF for theirs). It's compatible with just about all the software and peripherals that the IBM is.

And unlike IBM's, ours comes complete with a high-resolution monitor, controller, seven expansion slots, serial port, parallel port, a time-of-day clock, double the standard memory (128K vs. 64K) plus hundreds of dollars worth of software to get you up and running immediately including MS™-DOS version 1.25, GW Basic, and Leading Edge Word Processing™ (the most powerful w.p. program ever created to run on an IBM-type personal computer). In short, the basic package comes to you complete and ready to work.

With IBM, on the other hand, you get charged extra for everything. Even for the PC DOS disk that makes it run (an extra \$40)... and \$170 just for the time of day (a calendar/clock that's standard with Leading Edge). In short, the basic package comes to you as a very expensive paperweight.

It's this simple: The Leading Edge Personal Computer is the first and only serious alternative to the IBM PC... and at only \$2895 for the Leading Edge PC...

Get serious.

Now at 500 Leading Edge Dealers across the country. For the one nearest you, call toll free 1-800-343-6833. In Mass., call collect (617) 828-8150.

LEADING EDGE PRODUCTS, INC., SYSTEM SALES DIVISION, 225 TURNPIKE STREET, CANTON, MA 02021.

IBM is a registered trademark of International Business Machines Corp. MS is a trademark of Microsoft Corporation.

Circle No. 20 on Free Information Card



Computers & ELECTRONICS


Features

48 New Low Cost Modems By TJ Byers

New technology yields no-frills products for less than \$100.

52 Painting a Good Business Picture By Jack Bishop

Top hardware and software for building a business graphics system.



60 Getting Mainframe Data to Micros By Jan A. Gugliotti and Elliot B. Weitz

Making corporate databases available to micro users—a difficult endeavor.

64 A Few Quick Pointers By Forrest M. Mims, III

The many types of pointing devices for personal computers.

70 New Architectures By Ed Teja

Novel computer designs promise a faster generation of computers.

76 Stocks, Bonds & Personal Computers By Barbara E. McMullen and John F. McMullen

EF Hutton's home brokerage system.



COVER PHOTO BY BOB LORENZ

80 In-Circuit Emulation By Les Solomon

Equipment for trouble shooting your micro.

Reviews

34 The Sanyo MBC550 By Bill Barden



36 The Leading Edge PC By Robin Webster

42 Radio Shack's TRS-80 Model 4P

By J. Smith-Richardson

44 The Leading Edge Word Processor

By Robin Webster

84 Two dBase II Front-Ends

By R. Rioja

Columns

16 Les Solomon on Computer Hardware

Logic Is Our Business and Business Could Be Better.



22 Bits & Bytes By Sol Libes

26 The Computer Scientist

By Forrest M. Mims, III

Experimenting with Computer Art.

Departments

6 Letters

12 Editorial

By Seth R. Alpert

Of Micros and Mainframes.

88 New Products

123 Computer Mart/ Electronics Classified

130 Advertiser's Index

COPYRIGHT © 1984 BY ZIFF-DAVIS PUBLISHING COMPANY. All rights reserved. Computers & Electronics (ISSN 0032-4485) May 1984, Volume 22, Number 5. Published monthly by Ziff-Davis Publishing Co., at 3460 Wilshire Blvd., Los Angeles, CA 90010. Richard P. Friese, President; Selwyn Taubman, Treasurer; Bertram A. Abrams, Secretary. One year subscription rate for U.S. and Possessions, \$15.97; Canada, \$20.97; all other countries, \$23.97 (cash orders only, payable in U.S. currency). Second Class Postage Paid at Los Angeles, CA 90052 and at additional mailing offices. Authorized as second class mail by the Post Office Dept., Ottawa, Canada, and for payment of postage in cash. POPULAR ELECTRONICS including ELECTRONICS WORLD trademark registered. Indexed in the Reader's Guide to Periodical Literature. Ziff-Davis also publishes Boating, Car and Driver, Cycle, Flying, Popular Photography, Skiing, Stereo Review, Electronic Experimenter's Handbook, and Tape Recording & Buying Guide. POSTMASTER: Send address changes to COMPUTERS & ELECTRONICS, Circulation Dept., P.O. Box 2774, Boulder, CO 80302. Please allow at least eight weeks for change of address, enclosing, if possible, an address label from a recent issue. Permissions. Material in this publication may not be reproduced in any form without permission. Send requests for permission to Elizabeth Amado, Rights and Permissions, Ziff-Davis Publishing Co., One Park Ave., New York, NY 10016.

IBM PC Software: the value of choosing



Shoes.

If they don't fit, they're not worth wearing.

Software programs.

If they don't fit, they're not worth using.


That's why it's altogether fitting that IBM Personal Computer Software offers you a choice.

Size up the selection.

You'll find many types of programs in the IBM software library. They'll help keep you on your toes in the office, at home or in school.

There are, in fact, seven different categories of IBM programs called "families." A family of software for business, productivity, education, entertainment, lifestyle, communications or programming.

Of course, every program in every family is tested and approved by IBM. And IBM Personal Computer Software is made to be compatible with IBM Personal Computer hardware.



programs that fit.

Putting your best foot forward.

Although every person isn't on equal footing when it comes to using personal computer software, there's something for almost everyone in the IBM software library.

For example, you may be on a shoestring budget and want a big selection of programs with small price tags.

You may be introducing students to computing and want programs that are simple to use and simple to learn.

You may run a business requiring sophisticated inventory and payroll programs. Or you may run a business requiring a single accounting program.

You may write interoffice memos and want a streamlined word processing program. Or you may be a novelist looking for a program with features worth writing home about.

Now you can find IBM Personal Computer Software that fits — to help you accomplish specific tasks and reach individual goals.

Stroll into a store today.

What's the next step?

Visit an authorized IBM Personal Computer dealer or IBM Product Center near you. To find out exactly where, call 800-447-4700. In Alaska or Hawaii, 800-447-0890.

Ask your dealer to demonstrate your choice of programs. Then get comfortable. Sit down at the keyboard and try IBM software on for size.

Circle No. 41 on Free Information Card



Personal Computer Software



Little Tramp character licensed by Bubbles Inc., s.a.

WILLIAM S. DAVID *Publisher*

SETH R. ALPERT *Editor*

LESLIE SOLOMON *Technical Director*

JOHN R. RIGGS *Managing Editor*

JAMES KIEHLE *Art Director*

A. W. BURAWA *Senior Editor*

JOSEPH DESPOSITO *Technical Editor*

JOSEF BERNARD *Technical Editor*

ANDRE DUZANT *Technical Illustrator*

ROBERT LASCARO *Associate Art Director*

CARMEN VELAZQUEZ *Production Editor*

JEFF NEWMAN *Editorial Assistant*

AMY MADWED *Art Assistant*

Contributing Editors: Sol Libes, Forrest M. Mims, III, Barbara E. McMullen, John F. McMullen

Editorial and Executive Offices
 One Park Avenue, New York, N.Y. 10016.
 212-725-3500

Advertising Sales Offices

New York

Tom Bailou 212-725-3578/Ken Lipka 212-725-3580

Midwestern

Robert Vanek, Suite 1400, 180 N. Michigan Ave., Chicago, IL 60601. 312-346-2600

Western

Joe Mesics, J.E.M. Associates, 1905 Pierce St., San Francisco, CA 94115. 415-563-3230

Anne Abeln, Ziff-Davis Publishing Co., 3460 Wilshire Blvd., Los Angeles, CA 90010. 213-387-2100

Southeastern

Mark Browning, PO Box 81306, 2511 Carroll Ave., Atlanta, GA 30366. 404-455-3430

Consumer Computers & Electronics Magazine Division


Larry Sporn *President*
 Jeff Hammond *Vice President, Marketing*
 Carole Mandel *Vice President, Circulation*
 Eileen G. Markowitz *Vice President, General Manager*
 Jerry Schneider *Vice President, Licensing & Special Projects*
 Jonathan D. Lazarus *Editorial Director*
 Peter J. Blank *Creative Director*

Ziff-Davis Publishing

President Richard P. Friese; **President Consumer Magazine Division** Albert S. Traina; **Executive Vice President, Marketing and Circulation** Paul H. Chook; **Senior Vice President** Phillip T. Heffernan; **Senior Vice President** Sidney Holtz; **Senior Vice President** Edward D. Muhlfield; **Senior Vice President** Philip Sine; **Vice President** Baird Davis; **Vice President** George Morrissey; **Vice President** Rory Parisi; **Vice President** William L. Phillips; **Treasurer** Selwyn Taubman; **Secretary** Bertram A. Abrams

Editorial correspondence: COMPUTERS & ELECTRONICS, 1 Park Ave., New York, NY 10016. Editorial contributions must be accompanied by return postage and will be handled with reasonable care; however, publisher assumes no responsibility for return or safety of manuscripts, art work, or models submitted.

The publisher has no knowledge of any proprietary rights which will be violated by the making or using of any items disclosed in this issue.



LETTERS

Kudos for Mims

I seldom write fan mail to authors but, since I have been a fan of Forrest Mims's from the time I read his first Radio Shack books, I wanted to let you know how valuable his work has been and how we are planning to use the pressure sensitive resistors discussed in the "Project of the Month" of November 1982.

I work in an institution for severely mentally retarded/physically handicapped people, many of whom spend their days in wheelchairs. Because of the lack of sensation in the lower parts of their bodies, they don't shift their weight when tissues begin to break down and therefore develop complications similar to bed sores.

Since many of the clients have various hip and spine deformities, the high-pressure areas when they sit are not always predictable. When we design cushions or wheelchair seats, it would help to have this information.

So we are working on a cushion made of approximately 260 small foam potentiometers. Using the comparator circuit in your article and some sort of monitoring device (a computer with video display or LEDs), we hope to get a visual presentation of the high-pressure areas on the client's body and of the movement patterns and how they affect weight distribution.

—SCOTT A. ALLNER
 New York, NY

Hey, Doc, Which Way Did the Glitch Go?

While working with my computer and a black-and-white monitor, I happened to be munching on a raw carrot. Suddenly, I noticed a faint glitch on the screen. Each time I took a bite of the carrot, another glitch was produced. Thinking the transient was due to mechanical vibration in the TV, I tried simulating the noise, but nothing happened. Checking for static charges, I stuck the probes of a FET VOM into the carrot and got 85 millivolts. Over a period time, the polarity of this voltage changed from negative to positive. By inserting copper and zinc electrodes into the carrot, I measured 850 mV and this remained constant overnight. The output current measured about 50 microamperes. Several checks were made to determine whether the transient voltage was reaching the TV directly or through the computer. All indications point to the computer. The glitch is not serious but quite puzzling. I

plan to plant carrots this spring, wire them in series/parallel and use them as an alternate source of low-voltage energy for IC experiments.

—R. N. MUFFLY
 Wenatchee, WA

Have you tried celery?—Ed.

Strong Functionoid

Thanks for your mention of our functionoid in your March "Bits & Bytes." Your readers might be interested to know that, while it has been designed for possible military applications to spare humans the dangers of the battlefield; it has commercial, industrial, and business applications as well. For the record, it can lift 2000 lb—not the maximum 100 noted in your write-up.

—LES GOLDBERG
 Odetics Inc.
 Anaheim, CA

Electronic Mail

As noted in your article "From One Computer to Another" (March 1984), the electronic mail marketplace is undergoing tremendous change, with a variety of players vying for their respective shares of the market. Western Union, with its Easylink electronic mail, is one of the key players in the game. (This is in addition to Telex, Infocom, and Teletex.) There are approximately 35,000 Easylink users in the U.S. By means of a wide variety of personal computers, communicating word processors, and intelligent terminals on Western Union's network, these users can communicate with one another via the public telephone system.

—GUY B. PIERCE
 Western Union Corp.
 Upper Saddle River, NJ

Kaypro Hardware

In your review of the Kaypro 4 Plus 88 computer (March 1984), it was stated that plug-in expansion slots are not available. This is true but the following hardware can be used with piggy-back expansion methods: 16-bit 8088/8087 coprocessor conversion kit; external drives C & D add-on, 5-MHz CPU hop up kit; real-time clock kit; built-in 300-1200 modem; 800K disk drive upgrade; 1M semiconductor disk (RAMdisk); 8" DS/DD disk drives; 640 × 250 pixel bit-mapped graphics; and external video monitor and hard disk drives.

—MELVIN F. PEZOK
 Novato, CA



MBC 1250



MBC 1150

THE SANYO LINE OF SMALL BUSINESS COMPUTERS.

Now, at last you can get advanced capability, quality and reliability.



MBC 4050

(The 00 in the model number means single drive. The 50 indicates dual drive.)

FEATURE	1100/1150	1200/1250	4000/4050
Disk capacity per drive	320K	640K	640K
Bit/Ram	8/64K	8/64K	16/128K-256K
Number of Drives	Single/Dual	Single/Dual	Single/Dual
Operating System	CP/M80	CP/M80	CP/M86
CPU	Z80A	Z80A (Two)	8086&MS-DOS
Parallel Port	STANDARD	STANDARD	STANDARD
Serial Port	STANDARD	STANDARD	STANDARD
15 Function Keys	STANDARD	STANDARD	STANDARD
12 Inch Screen	STANDARD	STANDARD	STANDARD
Detachable Ergonomic Keyboard	STANDARD	STANDARD	STANDARD

PLUS FREE SOFTWARE TO GO WITH IT.

The features in the chart are not all you get with Sanyo's advanced line of 4-digit desk-top business computers. You also receive a one year warranty on the Memory Board and a 90 day warranty on all other parts.

And, unlike some other Personal Computer companies, Sanyo gives you extra software at no extra charge. Such as WordStar®, CalcStar®, MailMerge®, SpellStar®, and InfoStar®.

An independent national survey has rated this Sanyo computer line in the top 20 for word processing capability.

So, whether you are writing a thank you letter to your aunt, a business letter to your partner, or a book for publication, Sanyo is here to help.

Sanyo computers can balance your check book, keep household budgets or plan small business strategy. And for the operating system used in Sanyo computers you have the largest library of software applications available today.

So there you have it. The Sanyo line of 4-digit computers. They give you more than any other business computers.



SANYO DESK-TOP COMPUTERS



SANYO

SANYO BUSINESS SYSTEMS CORP.

51 JOSEPH STREET, MOONACHIE, N.J. 07074

YOU'LL FIND OUR NAME EVERYWHERE

Circle No. 32 on Free Information Card

Learn robotics and you build this

New NRI home training prepares you for a rewarding career in America's newest high-technology field.

The wave of the future is here. Already, advanced robotic systems are producing everything from precision electronic circuits to automobiles and giant locomotives. By 1990, over 100,000 "smart" robots will be in use.

Over 25,000 New Jobs

Keeping this robot army running calls for well-trained technicians . . . people who understand advanced systems and controls. By the end of the decade, conservative estimates call for more than 25,000 new technical jobs. These are the kind of careers that pay \$25,000 to \$35,000 a year right now. And as demand continues

to grow, salaries have no place to go but up!

Build Your Own Robot As You Train at Home

Now, you can train for an exciting, rewarding career in robotics and industrial control right at home in your spare time. NRI, with 70 years of experience in technology training, offers a new world of opportunity in one of the most fascinating growth fields since the computer.

You need no experience, no special education. NRI starts you at the beginning, takes you in easy-to-follow, bite-size lessons from basic electronics right on through



key subjects like instrumentation, digital and computer controls, servomotors and feedback systems, fluidics, lasers, and optoelectronics. And it's all reinforced with practical, hands-on experience to give you a priceless confidence as you build a programmable, mobile robot.

Program Arm and Body Movement, Even Speech

Designed especially for training, your robot duplicates all the key elements of industrial robotics. You learn to operate, program, service, and troubleshoot using the same techniques you'll use in the field. It's on-the-job training at home!



You get and keep Hero 1 robot with gripper arm and speech synthesizer, NRI Discovery Lab for electronic experimentation, professional multimeter with 3½-digit LCD readout, 51 fast-track training lessons.


industrial control as

Building this exciting robot will take you beyond the state of the art into the next generation of industrial robotics.

You'll learn how your completely self-powered robot interacts with its environment to sense light, sound, and motion. You program it to travel over a set course, avoid obstacles using its sonar ranging capability. Program in complex arm and body movements using its special teaching pendant. Build a wireless remote control device demonstrating independent robot control in hazardous environments. You'll even learn to synthesize speech using the top-mounted hexadecimal keyboard.

Training to Build a Career On

NRI training uniquely incorporates hands-on building experience to



Your mobile robot duplicates functions of state-of-the-art industrial units.

reinforce your learning on a real-world basis. You get professional instruments, including a digital multimeter you'll use in experiments and demonstrations, use later in your work. And you get the exclusive NRI Discovery Lab[®], where you examine and prove out theory from basic electrical concepts to the most advanced solid-state digital electronics and microprocessor technology. Devised by an experienced team of engineers and educators, your

experiments, demonstrations, and equipment are carefully integrated with 51 clear and concise lessons to give you complete confidence as you progress. Step-by-step, NRI takes you from the beginning, through today, and into an amazing tomorrow.


Send for Free Catalog Now

Send for NRI's big free catalog describing Robotics and Industrial Control plus over a

dozen other high-technology courses. You'll see all the equipment you get in detail, get complete descriptions of every lesson, find out more about career opportunities for trained technicians. There's no cost or obligation, so send today. Your action today could mean your future tomorrow. If the card has been removed, please write us today.

NRI NRI SCHOOLS
McGraw-Hill McGraw-Hill Continuing Education Center
 3939 Wisconsin Ave.
 Washington, DC 20016

WE'LL GIVE YOU TOMORROW.



SETH R. ALPERT EDITORIAL

OF MICROS AND MAINFRAMES

THE article "Getting Mainframe Data to Micros" by Jan Gugliotti and Elliot Weitz in this issue of C&E has set me thinking about those two classes of machines. Like anyone who has been in computing for a fair number of years, I got my start on mainframes. In those days, they were the only game in town and so were simply called computers. Big expensive things they were, and only the privileged could go near them, much less submit decks of cards for batch runs.

The advent of timesharing systems in the early seventies made computers more accessible and can in many ways be considered the start of personal computing. Gone were the hours of waiting to get your batch run back only to find that one card had a spelling mistake and the job had to be resubmitted. Gone too was the arcane JCL (Job Control Language) that accompanied every job and constituted one's interaction with the operating system. Advanced languages for end users rather than programmers became available, making it easier for even larger numbers of people to use and benefit from computers.

The widespread use of microcomputers and the explosive growth of easy-to-use software for them have carried this trend one step further. Micros have proliferated to such a degree that large businesses are facing some serious dilemmas about connecting them to corporate mainframes for purposes of sharing data or computing resources. Gugliotti and Weitz discuss the issues involved here quite ably. I would like to discuss two related issues.

Micros vs Mainframes

As micros get more powerful, it will be harder to define how they differ from mainframes. Of course, we will continue to think of IBM's biggest machines, like the 3081, as mainframes and its smallest machines, like the PCjr, as micros. But for other machines, the distinctions have begun to blur.

Let me cite a number of examples. Microcomputers can now provide around a

megabyte of main memory and around 100 megabytes of disk storage, figures which are growing rapidly. Microprocessors with true 32-bit performance and virtual memory management will greatly enhance microcomputer processing power in the near future. As local area networks and supporting software become more prevalent, micros will begin replicating the shared databases and communications now available only on mainframe computers.



On the software side, operating systems for micros are gaining multitasking and multiuser capabilities, just like the operating systems for the big guys. Indeed, Unix may soon be running on everything from microcomputers to the largest mainframes. Similarly, applications software is rapidly growing in sophistication. In fact, mainframe software considerably lags that for micros when it comes to ease of use.

A machine that personifies these blurred distinctions between micros and mainframes is the IBM PC-XT/370. In addition to running PC-DOS, the XT/370 runs a version of IBM's mainframe operating system VM/CMS and can use a half megabyte of real memory and up to four megabytes of virtual memory. That is enough horsepower for a goodly number of existing mainframe applications.

The Future of Mainframes

These observations on the fuzzy line

between micros and mainframes lead one to wonder what the future of mainframes will be. It seems safe to predict that the actual number of mainframes in existence will probably remain fairly stable in the coming years, but they will contribute an ever smaller percentage of the world's available computer power.

Mainframes will continue to be of great importance because of their unique abilities in carrying out certain specialized tasks. For one thing, their sheer processing power is essential for work that requires a lot of number crunching, like sophisticated computer graphics or animation, or that requires vast amounts of real memory. Similarly, mainframes will continue to be required for managing massive, shared data banks.

There is also a compelling business reason for corporations to go on running mainframes, as Jan Gugliotti has pointed out to me. The software that is used to run corporate America represents an enormous investment of money and man-years and virtually all of it is built to run on mainframes. Much of it isn't even that well understood by the companies using it, having been written by programmers who have long since moved to other positions without leaving behind very good documentation. Even the richest companies cannot afford the cost, to say nothing of the risk, associated with converting this software legacy to run in a new and incompatible environment.

Getting it all Together

I hope that at some point true distributed processing will be the order of the day. Then end users will no longer have to worry about which type of computer to use for a given task. Instead, the user will sit at a workstation that is his gateway to a network composed of many different computers and data bases. When he wants to accomplish a given task, he will simply enter a request and the network will decide which processors and data bases are best used to get the job done. Distinctions between micros and mainframes will no longer be a major concern for most of the world. ◇

Radio Shack Presents the Transportable TRS-80[®]

The New Model 4P Computer—From the World's Largest Computer Retailer



The Computer for Today's Upwardly Mobile Society

If you're headed for success, our newest TRS-80 can help you get there in record time. The Model 4P is a compact, disk-based desktop computer with a big difference: it has a handle. So wherever your work may take you, you can get a handle on scheduling problems, ever-changing sales projections, and last minute reports. It's like having your office with you on trips, at home—anywhere!

A Completely Portable, Self-Contained System

We don't sacrifice features for portability, either. The Model 4P comes standard with two 184,000-character disk drives and 64K internal memory. You also get a full 80-character by 24-line 9" display, an electric typewriter-quality keyboard with numeric keypad, and printer and communications interfaces. And you can add an extra 64K of memory, an internal modem or even external hard disk drives!

"Off the Shelf" Software

In addition to running the entire selection of TRS-80 Model III/4 disk software, you can add the optional CP/M Plus™ operating system to use thousands of additional ready-to-run programs.



Easy to Use, Easy to Tote

The Model 4P works anywhere there's AC. And when you're ready to move on, slip the keyboard into the hi-impact case, snap on the protective cover and go. It weighs just 26 pounds.

Like Every TRS-80, We Stand Behind the "4P" 100%


Tandy Corporation is a two-and-one-half billion dollar company with over 6,600 stores nationwide. That means software, service, leasing plans and friendly faces are always just around the corner.

Available Nationwide

Stop by your nearest Radio Shack Computer Center, participating store or dealer today and find out where Model 4P will take you.

Radio Shack[®]

The biggest name in little computers[®]
A DIVISION OF TANDY CORPORATION



TRS-80 Model 4P Computer

1799⁰⁰

26-1080

Commercial Lease Available
For Only \$65 Per Month
(Plus Applicable Use/Sales Tax)

Prices apply at participating Radio Shack stores and dealers.
CP/M Plus is a trademark of Digital Research.

Send me your free TRS-80 Computer Catalog today!
Mail To: Radio Shack, Dept. 84-A-690,
300 One Tandy Center, Fort Worth, Texas 76102

NAME _____
ADDRESS _____
CITY _____ STATE _____ ZIP _____
TELEPHONE _____

Introducing Macintosh. What makes it tick. And talk.

Well, to begin with, 110 volts of alternating current.

Secondly, some of the hottest hardware to come down the pike in the last 3 years.

The garden variety 16-bit 8088 microprocessor.



Macintosh's 32-bit MC68000 microprocessor.



Some hard facts may be in order at this point:

Macintosh's brain is the same blindingly-fast 32-bit microprocessor we gave our other brainchild, the Lisa™ Personal Computer. Far more powerful than the 16-bit 8088 found in current generation computers.

Its heart is the same Lisa Technology of windows, pull-down menus, mouse commands and icons. All of which make that 32-bit power far more useful by making the Macintosh™ Personal Computer far easier to use than current generation computers. In fact, if you can point without hurting yourself, you can use it.

Now for some small talk.

Thanks to its size, if you can't bring the problem to a Macintosh, you can always

bring a Macintosh to the problem. (It weighs 9 pounds less than the most popular "portable.")

Another miracle of miniaturization is Macintosh's built-in 3½" drive. Its disks store 400K — more than conventional 5¼" floppies. So while they're big enough to hold a desk full of work, they're small enough to fit in a shirt pocket. And, they're totally encased in a rigid plastic so they're totally protected.

And talk about programming.

There are already plenty of programs to keep a Macintosh busy. Like MacPaint™




a program that, for the first time, lets a personal computer produce virtually any image the human hand can create. There's more software on the way from developers like Microsoft®, Lotus®, and Software Publishing Corp., to mention a few.

And with Macintosh BASIC, Macintosh Pascal and our Macintosh Toolbox for writing your own mouse-driven programs, you, too, could make big bucks in your spare time.

You can even program Macintosh to talk in other languages, like Yiddish or Serbo-Croatian, because it has a built-in polyphonic sound generator capable of producing high quality speech or music.

The Mouse itself. Replaces typed-in computer commands with a form of communication you already understand — pointing.

Some mice have two buttons. Macintosh has one. So it's extremely difficult to push the wrong button.



The inside story — a rotating ball and optical sensors translate movements of the mouse to Macintosh's screen pointer with pin-point accuracy.

All the right connections.

On the back of the machine, you'll find built-in RS232 and RS422 AppleBus serial communication ports. Which means you can connect printers, modems and other peripherals without adding \$150 cards. It also means that Macintosh is ready to hook in to a local area network. (With AppleBus, you will be able to interconnect up to 16 different Apple computers and peripherals.)

Should you wish to double Macintosh's storage with an external disk



Macintosh automatically makes room for your illustrations in the text.



MacPaint produces virtually any image the human hand can create.



Microsoft's Multiplan for Macintosh.

Macintosh is a trademark licensed to Apple Computer, Inc. Apple, the Apple logo, MacPaint and Lisa are trademarks of Apple Computer, Inc. Microsoft is a registered trademark of Microsoft Corporation. Lotus is a trademark of Lotus Development Corporation. For an authorized Apple dealer near you call (800) 538-9696. In Canada, call (800) 268-7796 or (800) 268-7637.

Ultra compact, switching-type power supply and high resolution video circuitry.

9" high resolution 512 x 342 pixel bit-mapped display.

Battery for Macintosh's built-in clock calendar.

Built-in handle for getting carried away.

Thanks to clever venting, Macintosh requires no internal fan.

RS232, RS422 AppleBus serial communications ports for printers, modems and other peripherals.

Mouse connector.

External disk drive connector. Polyphonic sound port.

Brightness control.

128K bytes RAM.

Built-in 3 1/2" disk drive.

Keyboard connector — a telephone-type jack you already know how to use.

Clock/calendar chip.

64K bytes ROM.

Macintosh's digital board — the processing power of an entire 32-bit digital graphics computer in 80 square inches.

32-bit Motorola MC68000 microprocessor.

© 1984 Apple Computer, Inc.

drive, you can do so without paying for a disk controller card—that connector's built-in, too.

There's also a built-in connector for Macintosh's mouse, a feature that costs up to \$300 on computers that can't even run mouse-controlled software.

One last pointer.

Now that you've seen some of the logic, the technology, the engineering genius and the software wizardry that separates


Macintosh from conventional computers, we'd like to point you in the direction of your nearest authorized Apple dealer.

Over 1500 of them are eagerly waiting to put a mouse in your hand. As one point-and-click makes perfectly clear, the real genius of Macintosh isn't

its 32-bit Lisa Technology, or its 3 1/2" floppy disks, or its serial ports, or its software, or its polyphonic sound generator.

The real genius is that you don't have to be a genius to use a Macintosh.

You just have to be smart enough to buy one.

Soon there'll be just two kinds of people. Those who use computers. And those who use Apples. 

LES SOLOMON ON COMPUTER HARDWARE

LOGIC IS OUR BUSINESS AND BUSINESS COULD BE BETTER

THOSE of us in the computer business pride ourselves on being pretty sharp when it comes to hardware and software.

We tell ourselves, and other people, that we are successful because we are so logical and fully understand a problem before we attack it.

Taking a look at the wealth of super hardware that is currently available and the abundance of great software that is obtainable to support it, I guess we're doing pretty well. The industry is certainly thriving and we can do great things with the devices and programs that we have. It all seems logical and well-planned. However, Lord help the person who buys one of our wonderful products and tries to figure out how to use it by reading accompanying instruction manuals, for this is where the logic of the people who run this business appears to fall apart. It is the one area that seems to defy our clear thinking; and if it is neglected, it may well cause problems.

I am talking about technical manuals written in English by technically oriented Americans. These are the manuals that come with over-the-counter computers, plug-in boards, and other peripherals. They also accompany most software packages.

Help!

Maybe I am naive, but I have always felt that an instruction is supposed to help the user. Unfortunately, like too many others, I tend to turn to the manual only as a last resort. But what do I do when the manual is more confused than I am?

If you don't know what I am talking about, you probably haven't bought a new piece of equipment recently. If you have—be it hardware or software—the odds are pretty good that you may have been somewhat puzzled as to how to use the manual, much less the equipment. Even when you think you know what is going on, you wonder, "What the heck does that paragraph on page 33 have to do with what's on the rest of the page."

It seems that the writing specifications

used by too many manual writers are based on the fog index—sometimes known as the "look how smart I am" syndrome. The source of the problem (and this is even more disturbing) may also be that the instruction manual wasn't even considered until the last possible minute before the product was shipped and so it wasn't written to any specifications at all.



The Foggy Outlook

As I sat down to write this column, I was prepared to illustrate my point with some examples of the foggy impressions I had gleaned from manuals accompanying recently purchased equipment. But the more of these books I looked at, the more confusion I found.

Then I thought, "Maybe it's just me. I'll ask around." Well, I found that a lot of other people agree with me. In fact, at one computer store, I started a very lively discussion just by asking, "And what did you think about the manual?"

Of course, I must point out that not all manuals are confusing. There are still a few companies around that care. But there are so many that make the picture very cloudy that I decided that it would be unfair to single out a few to pick on. Go ahead and read the manuals and make up your own mind.

A Word to the Source

Manufacturers, please have a heart. You spend so much time and money designing a beautiful new product and advertising it; please spend a little more time looking at the user manuals that accompany your product. Manuals are your interface with the customer in his home or place of business. They should not be considered to be simply a necessary evil that is relegated to creation and printing during the last week before shipping the product.

Even if you have the best product in the history of mankind, if a customer can't get it up and running in a reasonable time, he may speak badly of you and your product. And he shouldn't have to make phone calls to ask you how to hook it up or to find out what he's supposed to do with some extraneous piece of stuff. If he gets it going, likes the way it works, and can understand your instructions, he will be happy and he will tell others, about it.

Word-of-mouth is good (and free) advertising. On the other hand, it can be disastrous if it is negative.

If you are a manufacturer of any computer products that require a manual, take one of them right now and start at page one. Put yourself in the position of a first-time reader—one who doesn't have your computer expertise and is trying to get your product to work as you claim it does in your ads. Remember, the customer paid good money to be helped, not confused.

Another possibility—and a good one—for the manufacturer is to get a nontechnical person to read the user manual. Obviously, the technical level of the manual reviewer should be representative of your typical customers. The reviewer shouldn't be one of the guys who works on development product.

Try it out. Pass your manual around for reading before shipping it with your product. You may be surprised at some of the questions that will be asked by readers of your "simple to understand" manual. ◇

ILLUSTRATION BY RACQUEL BALIN



BY THE YEAR 2000, THE WORLD MAY CATCH UP WITH THE WAY COMPU SERVE'S NEW ELECTRONIC MALL™ LETS YOU SHOP TODAY.

Introducing the first computer shopping service that brings you convenience, savings and enjoyment.

Here's your chance to expand the practical uses of your personal computer.

Sign up for CompuServe and shop in our new Electronic Mall. It's easy to use. It tells you more about the products you're buying. It lets you order faster. And it's totally unique.

CompuServe's new Electronic Mall™ offers you all these shopping innovations.

– It's enormous! So it gives you in-depth information on thousands of goods and services, and lets you buy even hard-to-find merchandise. – Its unique "Feedback" service lets you ask the merchants themselves specific questions. – It's incredibly efficient in ordering the products and services you want.

– Its special discount opportunities make it economical, purchase after purchase. – And its name-brand merchants assure you of top-quality merchandise.

Make the CompuServe Electronic Mall 15-Minute Comparison Test.

What you can do in 15 minutes shopping the Electronic Mall way.

- Call up on your computer screen full descriptions of the latest in computer printers, for instance.
- Pick one and enter the order command.
- Check complete descriptions of places to stay on your next vacation.
- Pick several and request travel brochures.
- Access a department store catalog and pick out a wine rack, tools, toys... any thing!
- Place your order.

What you can do in 15 minutes shopping the old way.

- Round up the family and get in the car.

The Electronic Mall, a valuable addition to the vast world of CompuServe.

CompuServe's Consumer Information Service brings you shopping information, entertainment, personal communications and more.

You can access CompuServe with almost any computer and modem, terminal or communicating word processor.

To receive your illustrated guide to CompuServe and learn how to subscribe, call or contact...

CompuServe

Consumer Information Service
P.O. Box 20212
5000 Arlington Centre Blvd.
Columbus, OH 43220

800-848-8199

In Ohio call 614-457-0802


Circle No. 60 on Free Information Card

An H & R Block Company

In Computer Electronics...

NTS **INTRONIC**™ HOME TRAINING GIVES YOU THE EDGE

The competition for High-Technology careers is strong, and the rewards are great. Give yourself the edge you need by training with NTS.



NTS **INTRONIC** home training provides you with a special kind of "Hands-On" experience that prepares you better, develops your skills faster. You advance as quickly as you wish, working with actual circuits, diagrams, schematics, and state-of-the-art hardware. There are a dozen different NTS programs in electronics to help you develop and reach your potential. They range from basics to advanced areas in several fields. And the ALL-NEW NTS course catalog spells it all out. It's free, and does not obligate you in any way. Send for it today.

A GROWTH INDUSTRY

High-Technology is a growth industry. The evidence is clear, and most observers predict a steady expansion due to a relatively strong flow of investment capital into computers, electronics and precision instruments. Sales of computers alone will reach an estimated ten million units this year. This means challenges and new


employment opportunities, especially in servicing and maintenance. Computer servicing skills can best be learned by working directly on field-type equipment. NTS electronic hardware is selected and developed especially for the training program with which it is associated. You learn by doing, by assembling, by performing tests and experiments, covering principles of computer electronics, microprocessor troubleshooting, and circuitry.

MICROCOMPUTERS

NTS offers three programs in computer electronics. You will receive training covering solid-state devices, digital logic circuitry, and the fundamentals of the computer itself. Instruction includes micro-control technology and detailed operation of microcomputers. These courses will prepare you for entry-level in many facets of the computer industry such as field service and customer engineering as well as programming. In addition to written texts your course includes the NTS/HEATH disc-drive computer which you assemble as part of the training process. The assembly and use of the computer will serve to reinforce practical application of principles.

MICROPROCESSOR TECHNOLOGY

The field of industrial and microprocessor technology encompasses the application of electronic microprocessor control principles. Your course takes you from fundamentals of digital electronics and associated circuitry through the application of the microprocessor as a control device. You will learn how to move and manipulate instructions and information. The microprocessor trainer included in your course is a microcomputer system designed as a practical tool for learning the use of software and hardware techniques utilized in the linking of microprocessors to various systems.



DIGITAL ELECTRONICS

The NTS Compu-Trainer is a fascinating solid-state device which you will build in order to perform over ninety logic circuit experiments. These experiments serve to emphasize an area of electronics which is essential to the understanding of state-of-the-art control equipment; they are also extremely important to those wanting to pursue a career in computer servicing. Separate courses involving the Compu-Trainer are also available in Microcomputer Servicing and Digital/Analog Electronics.

ROBOTICS & VIDEO TECHNOLOGY

Other NTS courses cover a wide range of specialization. In Robotics, the NTS/Heath Hero I is included to train you in robotic applications in



NO OBLIGATION NO SALESMAN WILL CALL

NTS NATIONAL TECHNICAL SCHOOLS

TECHNICAL TRADE TRAINING SINCE 1905
Resident and Home-Study Schools
4000 So. Figueroa St., Los Angeles, CA 90037

manufacturing processes. In Video technology, a new course features the advanced NTS/Heath Z Chassis "Smart Set" color TV with computer space command remote control and space phone. This is an excellent program for those interested in a career in video servicing with microcomputer basics.

EARN CEU CREDITS

America's industrial giants are turning more and more frequently to home study as an effective way to upgrade employee skills. You benefit from the experience NTS has gained in its 79 years as a leader in technical training. The skills and experience gained in the building of kits and test equipment provide you with training that cannot be duplicated. And, depending on the program you select, you can earn up to 30 CEU credits for successful completion. Complete details included in the catalog.



Use the mail-in card or fill out and mail the coupon. Indicate the field of your choice. (One, only please.) FREE full color catalog will be sent to you by return mail.

NATIONAL TECHNICAL SCHOOLS Dept. 205-054
4000 South Figueroa Street, Los Angeles, CA 90037

Please send FREE color catalog on course checked below:

- | | |
|---|---|
| <input type="checkbox"/> Robotics | <input type="checkbox"/> Computer Electronics |
| <input type="checkbox"/> Digital Electronics | <input type="checkbox"/> Video Technology |
| <input type="checkbox"/> Auto Mechanics | <input type="checkbox"/> Home Appliances |
| <input type="checkbox"/> Air Conditioning/Solar Heating | |

Name _____ Age _____

Address _____ Apt _____

City _____ State _____

Zip _____ Phone () _____

- Check if interested ONLY in classroom training in Los Angeles
 Check if interested in G.I. Bill Information.

SOL LIBES

BITS & BYTES



Rumors & Gossip

► Radio Shack is expected to shortly introduce the Model 200 Portable Computer, an upgraded version of the popular Model 100. Reportedly, it will be identical in size to the 100, have an 8 line by 80 character display and offer some IBM-PC compatibility. . . . Samples of Zilog's new Z800 and Z80,000 microprocessor chips will not be available until late this year. The Z800 is a greatly enhanced version of the popular Z80-bit microprocessor; the Z80,000 is a new 32-bit microprocessor. Details on both chips appeared previously in this column. . . . Digital Research will reportedly augment their recent contract to port Unix System V to the Intel IAPX family with an agreement to add such productivity tools as graphics, additional languages and a library of applications packages. . . . Also expect Digital Research this month to announce 10 to 15 consumer-oriented applications packages to run under its new Personal CP/M system. They will be sold via mass merchandisers. . . . The first Japanese home computers using Microsoft's MSX operating system will probably be introduced at next month's Consumer Electronics Show in Chicago, where dealers will be placing orders for the Christmas buying season. Expect machines by Matsushita and Toshiba and by U.S. maker Spectravideo. . . . Look for NEC to soon introduce a battery-operated disk system for its knee-top computer. And Data Corp., Dallas TX to introduce a similar product for the Radio

Shack and NEC machines. . . . NEC is also rumored to be readying a new computer with MAC-like characteristics. . . . Spectravideo is expected to introduce next month a knee-top portable with an 80-column display that is compatible with the Radio Shack and NEC machines, and to offer CP/M and MS-DOS as optional operating systems. Summer introductions of knee-top machines with 80 column displays should also come from TI, Casio, Radio Shack, Compaq and Commodore.

New Flat-Panel Display Technology Yields Color & 3-D

► Binary Star Inc., Bellevue, WA, has disclosed details of their new flat panel display. It is less than a half inch thick and capable of producing high-resolution color and 3-D at prices competitive with CRTs. The display consists of single or multiple transparent substrates, containing color filters and incandescent light elements that are sandwiched between glass faceplates. The tungsten light elements are smaller than grains of sand, have little thermal inertia, and develop little heat. Each element requires about 0.1 mW at 5 V and brightness is over 20 times that of a conventional CRT. There can be over a million elements on a panel.

Multi-level color displays which provide true three dimensional images have already been constructed by Binary Star for military use. The company also

claims to have developed low cost drive electronics.

IBM Announces Unix For PC

► As previously rumored in this column, IBM has introduced a single-user Unix operating system for the PC/XT. But the big surprise is that they did not go with Microsoft's Xenix. Instead they chose to have Interactive Systems Corp., of Santa Monica, CA transport their implementation of Unix for VAX machines to the PC. The operating system will be called "Personal Computer Interactive Executive" or "PC/IX." There is no doubt that this is a precursor of multiuser versions of Unix for other IBM machines.

ISSCC Features Papers On New IC Devices

► At the International Solid State Circuits Conference held in San Francisco in February, papers were presented on many new IC devices currently in development. Fujitsu, Hitachi and NEC described their new 1-megabit dynamic RAM chips. The NEC chip was organized as 128K x 8.

Stanford University, the University of California at Berkeley, and Digital Equipment Corporation presented papers on new 32-bit microprocessors. The SU unit is a pipelined NMOS device. The Berkeley device featured a reduced instruction set.

Other devices described at the conference were new image sensors, GaAs circuits, data acquisition, high-speed analog and data processing circuits, dedicated signal processors, non-volatile memories, and many others.

IBM Sues Two Rivals On PC-ROM Copyright

► IBM filed copyright-infringement suits against Corona Data Systems and Handwell Corp, charging they copied the software contained IBMPC BIOS ROM and used it in "look-alike" machines. The companies quickly reacted

by agreeing to cease marketing machines that use the chip. Handwell is a California importer of Taiwanese machines.

Setting an industry precedent, Apple computer has filed suits against more than 50 companies (most outside the U.S.) charging similar copyright infringement. One case, against the U.S. micro manufacturer, Franklin Computer, dragged through the courts for over two years. Apple finally won and Franklin agreed to cease producing the chips and pay Apple damages. Nonetheless, there has been a virtual flood of Apple II computer copies arriving from Taiwan, Korea and Europe. The U.S. customs service has confiscated many, but a substantial number have slipped through. Thus, it is common to see Apple II clone computer kits being sold at computer hobbyist flea markets for about one third the list price of Apple's machine. The same may happen with the IBM PC.

Unix News

► Motorola has announced the completion of its port of AT&T Unix System V to the 68000 microprocessor and has submitted the product to Bell Labs for final acceptance testing. Motorola is the first semiconductor manufacturer to do this. Intel, National Semiconductor and Zilog also signed agreements with AT&T to port Unix System V but have not as yet completed their ports. Intel has entered into an agreement with Digital Research to have them to do the port to the 80286.

Microsoft and National Semiconductor have announced that the Xenix operating system will soon be available for the National Semiconductor 16032 and 32032 microprocessors.



Predictions

► Industry prognosticators predict that IBM will manufacture between 1.5

and 2 million IBM PCs this year. If they can do it, then by the end of the year 2.3 to 2.8 million IBM PCs will be in operation. Thus, the number of IBM PCs will have exceeded the number of Apple II machines sold and will approach the number of Commodore C-64 machines sold. Of course, in dollar terms IBM-PC sales are almost equal to the combined sales of both the Apple II and C-64.

DRI Drops CPM-86-Plus

► CP/M-86-PLUS, a greatly enhanced version of CP/M-86, which Digital Research Inc. has had in beta testing for several months, will not be released for sale. The new version would have offered the features currently available in CP/M-80-PLUS. Reports from the beta test sites were that this would have been the fastest DOS available for 8088/8086 systems and would have offered many system enhancements.

In dropping CP/M-86-PLUS, after investing several man-years of work, DRI is conceding that CP/M-86 has achieved too limited a market to justify the expense of introducing and supporting it. DRI will now concentrate its efforts on its new windowing version of Concurrent CP/M-86 (CCP/M-86), which they demonstrated at the Comdex show last November, and which should be released by the time you read this column. CCP/M-86 will also be capable of running all PC-DOS software that follows proper interfacing rules and it is expected that IBM will market the new version.

CP/M-80-PLUS, for 8-bit machines, was released almost a year and half ago by DRI. Despite its extended features and speed enhancements it has met with very limited acceptance. Only a handful of OEMs have adopted it and most users are content to run the old Version 2.2 of CP/M-80, which sold well over 2 million copies. For very low cost home computers using Z80 microprocessors, DRI is releasing a new version of CP/M-80 called "Personal CP/M." Reportedly, Zilog will soon release a new version of the Z80 microprocessor with most the CP/M code ROMed in the microprocessor chip itself. In addition, late this year Zilog is expected to introduce a "super" Z80 chip, called the Z800, that will add powerful features such as memory management and hardware multiply/divide, etc. Thus, CP/M-80, is expected to dominate the 8-bit micro world and to continue its popularity for many years to come.

Motorola And DRI Announce Software Agreement

► Motorola has announced its commissioning of Digital Research to implement Concurrent CP/M, with windows, on the 68000 and to implement its family of languages to run under Concurrent CP/M-68K and Motorola's new version of Unix Version V. This arrangement should allow software developers to easily port source code applications programs developed using DRI's C, Pascal MT+, CBasic, Fortran 77, and PL/I languages between the IBM PC running either PC-DOS or CP/M-86 and 68000-based systems running either CP/M-68K or Unix Version V. Puportedly, Digital will complete the project by year-end and the software packages will be sold by both Motorola and DRI.



Random News

► Digital Research and Coleco have announced an agreement for Coleco to implement Personal CP/M in ROM for the Coleco Adam home computer. . . . There are reports that prices on 256K RAM chips, which are still in very limited supply, have already dropped over 50% from their initial \$110 prices to \$38. Further price decreases are expected this year as availability increases. Thus, we may see the devices being used in personal computers before the end of the year. . . . Amiga Corp., Santa Clara, CA, a maker of peripherals for video games, has announced that this fall it will introduce a 68000-based home computer with 128K of RAM and a 320K disk drive that it expects will retail for under \$700.

Olympia

COMBINATION "DAISY WHEEL"
PRINTER / TYPEWRITER



"WORLD'S FINEST"
LIST \$799.00
SALE \$489.00

- SUPERB COMPUTER PRINTER COMBINED WITH WORLD'S FINEST ELECTRONIC TYPEWRITER!
- BETTER THAN IBM SELECTRIC — USED BY WORLD'S LARGEST CORPORATIONS!
- TWO MACHINES IN ONE — JUST A FLICK OF THE SWITCH!
- SUPERB EXECUTIVE CORRESPONDENCE — HOME, OFFICE, WORD PROCESSING!
- EXTRA LARGE CARRIAGE — ALLOWS 14-1/8" PAPER USAGE!
- DROP IN CASSETTE RIBBON — EXPRESS LIFT OFF CORRECTION OR ERASER UP TO 46 CHARACTERS!
- PRECISION DAISY WHEEL PRINTING — MANY TYPE STYLES!
- PITCH SELECTOR — 10, 12, 15 CPS, AUTOMATIC RELOCATE KEY!
- AUTOMATIC MARGIN CONTROL AND SETTING! KEY IN BUFFER!
- ELECTRONIC RELIABILITY, BUILT IN DIAGNOSTIC TEST!
- CENTRONICS PARALLEL INTERFACE BUILT-IN (SERIAL OPTIONAL)!
- 15 DAY FREE TRIAL — 90 DAY FREE REPLACEMENT WARRANTY!


Add \$17.50 for shipping and handling!!

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. VISA — MASTER CARD ACCEPTED. We ship C.O.D.

PROTECTO
ENTERPRIZES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010
Phone 312/382-5244 to order

80 COLUMN PRINTER SALE—\$149.00*



COM-STAR T/F

Tractor
Friction
Printer

only **\$199****

COM-STAR

• 15 Day Free Trial - 180 Day Immediate Replacement Warranty

• **Lowest Priced, Best Quality, Tractor-Friction Printers in the U.S.A.**

- **Fast 80-120-160 Characters Per Second** • **40, 46, 66, 80, 96, 132 Characters Per Line Spacing**
- **Word Processing** • **Print Labels, Letters, Graphs and Tables** • **List Your Programs**
- **Print Out Data from Modem Services** • **"The Most Important Accessory for Your Computer"**

*STX-80 COLUMN PRINTER—\$149.00

Prints full 80 columns. Super silent operation, 60 CPS, prints Hi-resolution graphics and block graphics, expanded character set, exceptionally clear characters, fantastic print quality, uses inexpensive thermal paper! Best thermal printer in the U.S.A.! (Centronics Parallel Interface).

**DELUXE COMSTAR T/F 80 CPS PRINTER—\$199.00

The COMSTAR T/F (Tractor Friction) PRINTER is exceptionally versatile. It prints 8½" x 11" standard size single sheet stationary or continuous feed computer paper. Bi-directional, impact dot matrix, 80 CPS, 224 characters. (Centronics Parallel Interface).

Premium Quality—120 CPS COMSTAR T/F SUPER-10X PRINTER—\$289.00

COMSTAR T/F (Tractor Friction) SUPER-10X PRINTER gives you all the features of the COMSTAR T/F PRINTER plus a 10" carriage, 120 CPS, 9 x 9 dot matrix with double strike capability for 18 x 18 dot matrix (near letter quality), high resolution bit image (120 x 144 dot matrix), underlining, back spacing, left and right margin settings, true lower decenders with super and subscripts, prints standard, italic, block graphics

and special characters, plus 2K of user definable characters! The COMSTAR T/F SUPER-10X PRINTER was Rated No. 1 by "Popular Science Magazine." It gives you print quality and features found on printers costing twice as much!! (Centronics Parallel Interface) (Better than Epson FX 80).

Premium Quality—120 CPS COMSTAR T/F SUPER-15½" PRINTER—\$379.00

COMSTAR T/F SUPER 15½" PRINTER has all the features of the COMSTAR T/F SUPER-10X PRINTER plus a 15½" carriage and more powerful electronics components to handle large ledger business forms! (Better than Epson FX 100).

Superior Quality SUPER HIGH SPEED—160 CPS COMSTAR T/F 10" PRINTER—\$489.00

SUPER HIGH SPEED COMSTAR T/F (Tractor Friction) PRINTER has all the features of the COMSTAR SUPER-10X PRINTER plus SUPER HIGH SPEED PRINTING—160 CPS, 100% duty cycle, 8K buffer, diverse character fonts, special symbols and true decenders, vertical and horizontal tabs. RED HOT BUSINESS PRINTER at an unbelievable low price!! (Serial or Centronics Parallel Interface)

Superior Quality SUPER HIGH SPEED—160 CPS COMSTAR T/F 15½" PRINTER—\$579.00

SUPER HIGH SPEED COMSTAR T/F 15½" PRINTER has all the features of the SUPER HIGH SPEED COMSTAR T/F 10" PRINTER plus a 15½" carriage and more powerful electronics to handle larger ledger business forms! Exclusive bottom paper feed!!

PARALLEL INTERFACES

For VIC-20 and COM-64—\$49.00

For All Apple Computers—\$79.00

NOTE: Other printer interfaces are available at computer stores!

Double Immediate Replacement Warranty

We have doubled the normal 90 day warranty to 180 days. Therefore if your printer fails within "180 days" from the date of purchase you simply send your printer to us via United Parcel Service, prepaid. We will IMMEDIATELY send you a replacement printer at no charge, prepaid. This warranty, once again, proves that WE LOVE OUR CUSTOMERS!

Add \$17.50 for shipping, handling and insurance. WE DO NOT EXPORT TO OTHER COUNTRIES EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. VISA — MASTER CARD ACCEPTED. We ship C.O.D.

PROTECTO ENTERPRIZES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010
Phone 312/382-5244 to order

SUPER-10"

ABCDEFGHIJKLMN OPQRSTUVWXYZ
ABCDEFGHIJKLMN OPQRSTUVWXYZ 1234567890

CIRCLE NO. 40 ON FREE INFORMATION CARD

FORREST M. MIMS, III

THE COMPUTER SCIENTIST

EXPERIMENTING WITH COMPUTER ART

THOUGH pen plotters are primarily used to generate hard-copy business, engineering, and scientific graphics, many users enjoy programming their machines to create multicolored pen and ink compositions. The results, which we'll refer to as *plotter art*, can be intricately complex and spectacularly beautiful.

First-time plotter users are usually surprised to discover that striking examples of plotter art can be created by relatively simple programs. Considering the very high resolution of most pen plotters (up to 0.001 inch), the possibilities for plotter art programs are essentially endless.

Types of Plotter Art

Most programs for creating plotter art are based on one of the following:

1. Mathematical formula
2. Random number generation
3. Man-machine interaction
4. Sketch/paint manual control mode

I've used several different computers and a high-resolution HP7470A plotter to explore all of these categories. While the specific programs and art that accompany this column were generated with a Radio Shack TRS-80 Model 100, the programs can be easily revised for many other computers. Other plotters can also be used simply by revising the lines containing plotter instructions.

Each program includes a line that opens a file for establishing the computer-plotter communications protocol.

For the Model 100-HP7470A combination, the line is: OPEN "COM:48N2E" FOR OUTPUT AS 1. Each program also contains a line that closes the opened file when the program is complete.

As you experiment with plotter art, you may sometimes find that, when a program that's been temporarily stopped is restarted, the plotter fails to respond or begins plotting in an incorrect location. The plotter may also neglect to retrieve a pen from its stall, thereby producing lots of action but no drawing.

These problems can usually be eliminated by stopping the program and either sending the plotter a default command or switching it off and then back on. Now, when the program is run from the beginning, the correct plotter protocols will be reestablished and the plotter should perform properly.



Fig. 1. Spectralipse.




Fig. 2. Connections.




Fig. 3. Asterisk Mosaic.

Other pitfalls await the neophyte plotter artist. Fortunately, none is major, and you can find out more about them in the following discussion.

Equation-Based Plotter Art

The graphs of the standard equations presented in analytical geometry and calculus textbooks are a gold mine for the plotter artist. The symmetry of The

Astroid and the beauty of The Four-Leaved Rose are enough to attract even those artists intimidated by the simplest formula.

Jerry O'Dell, a professor of psychology at Eastern Michigan University, is an expert at converting mathematical equations into plotter art. Professor O'Dell has described some of his work in *80 Microcomputing* ("The Artful Plotter," September 1983). One of his more striking creations is an eight-leaved rose made by superimposing two offset four-leaved roses.

Figure 1 ("Spectralipse") is a three-color example of a modified eight-leaved rose generated by the program in Listing 1. The lines that draw the rose (130-220) are adapted from a program given in Professor O'Dell's article.

I've selected *Spectralipse* as an initial example of plotter art since it nicely illustrates some of the practical problems that may befall the novice plotter artist. The first is time. Plotters draw straight lines very fast, but curves require considerably more time, particularly when each tiny increment is calculated in BASIC. This explains why the HP-7470A required slightly more than one hour to draw *Spectralipse*.

Another problem is color selection and availability. Note that Listing 1 provides only two pen selections. Since the plotter works so slowly, pens of other colors can be placed in the unoccupied stall while the plotter is drawing.

Caution: Be sure to use care when substituting pens while the plotter is operating. Blocking the pen carriage or placing a pen in the wrong stall or in both stalls may damage the plotter.

Making plots with more than two colors is simplified by using plotters having three or more pens. In any case, the paper upon which the pens draw will be subjected to considerable stress when a complex figure having a common origin is drawn. Multiple layers of ink laid down over the origin and other intersections can soak through the paper and cause stains. Furthermore, excess ink can so soften the paper that it can be torn by pen motion.

This problem can be alleviated by using a good grade of coated plotter paper and by placing strips of transparent tape behind trouble spots on the back side of the paper. If these precautions don't solve the problem, you may have to manually execute a Pen Up command from the plotter's control panel each time the pen reaches a potentially soggy intersection. A more complicated but even better alternative would be to revise the program to automatically lift the pen over potential problem areas.

Random Art

To create the modified eight-leaved rose in Fig. 1, the computer followed a precise set of instructions that transformed the relevant equation into a hard-copy graph. In other words, the computer processed the instructions, calculated the plotter coordinates and controlled the plotter. Therefore, the general appearance of the end result was known *before* the plotter drew the first line.

The random number function of most computers makes possible the creation of plotter art with a final appearance which *cannot* be planned or predicted in advance. Figure 2 ("Connections"), for example, was made by instructing the plotter to draw an asterisk at thirty random locations. By keeping the pen in the down position while it was moved to the next random point, all the asterisks were linked by a continuous line. The pen was changed after each ten asterisks to make the composition more colorful.

As you can see by referring to Listing 2, the program that draws Connections is very simple. Line 60 establishes a plotting window, outside of which the pen will not move. This leaves a blank strip along the bottom of the drawing for a title and byline. Line 60 also scales the plotter.

Line 70 specifies the size of the asterisk (0.5×0.5 centimeters) and selects the plotted character (*). Both the character and its dimensions can be easily changed.

Lines 80-110 select the random numbers used as coordinates for two successive random locations.

The program in Listing 3 is a modified version of the previous program. It produces the interesting pattern in Fig. 3 ("Asterisk Mosaic"). Like Listing 2, it draws asterisks at randomly selected locations. But they are much larger (10×10 centimeters; see line 100) and are oriented according to their location (see line 110). The program draws forty asterisks in two colors.

Figure 4 ("Asterisk Flats") is a variation of Fig. 3. Here, the random character rotation command (line 110 in Listing 3) is omitted. The remainder of the program is unchanged.

Figure 5 ("Arrows") shows one possible result of an additional revision to Listing 3. Here, the asterisk in line 100 is replaced by the "greater than" symbol (>). Also, the dimensions of the symbol are controlled by a third random numbered instruction contained in a new program line. Here are the two lines added to Listing 3 to create "Arrows":

```
90 T=RND(1)*8
100 PRINT #1, "SM>;SI"
    T,T";"
```




Fig. 4. Asterisk Flats.




Fig. 5. Arrows.




Fig. 6. Interconnected Triangles.

The program draws arrows pointing in one direction. The arrows pointing in the opposite direction (Fig. 5) were produced by reversing the position of the paper in the plotter and running the program a second time.

Interactive Plotter Art

The programs in Listings 1-3 have a mind of their own. Though some of their parameters can be varied, when these programs are run, they draw without operator intervention.

Interactive plotter art programs allow you to revise drawing parameters *as the plotter draws*. This allows a relatively simple program such as Listing 4 ("Do-It-Yourself") to produce plotter art having amazing diversity.

When Do-It-Yourself is run, the computer display asks "A,B,C,D?" (line 100). The four numbers entered by the user are then used as plotter coordinates in line 110. After the pen draws the figure, using the coordinates (see line 110), the computer asks for a new set of values, and the cycle is repeated.

Figure 6 ("Interconnected Triangles") is a simple example of interactive plotter art. This composition was produced by running Listing 4 and making the following entries:

A	B	C	D
90	100	110	120
100	110	120	130
(change pen)			
130	120	110	100
120	110	100	90

Adding more entries and changing the starting point will give a diagonal string of interconnected triangles. Reducing the step size will reduce the size of the individual triangles and allow more to be drawn.

Modifying the sequence, order and step of the A,B,C,D inputs of "Do-It-Yourself" can provide an amazing diversity of compositions. Figure 7 ("Counterpoints"), for instance, is a pair of back-to-back, stepped sequences of triangles. Counterpoints was drawn by making the following entries into "Do-It-Yourself":

A	B	C	D
50	50	50	95
60	60	60	95
70	70	70	95
.	.	.	.
.	.	.	.
140	140	140	95
(change pen)			
55	55	55	95
65	65	65	95
75	75	75	95
.	.	.	.
.	.	.	.
135	135	135	95

(Continued on page 32)

Now A 16-Bit
Microcomputer
Designed To
Expand Your
Knowledge.



Here's How You Can Learn 16-Bit Technology. And Graduate To One Of Today's Most Powerful And Advanced Microcomputers.

Now you can master 16-bit technology with an all-new Advanced Microprocessor course. And build hands-on experience with the only 16-bit microcomputer specifically designed for the hobbyist, working engineer and student.

Advanced Microprocessor Course

This all-new self-study course (EE-8088) provides in-depth coverage of 16-bit, state-of-the-art technology.

You will gain a thorough understanding of microprocessors from this 1200 page course. In 10 easy-to-understand units, starting with microcomputer basics, you'll cover all phases of 16-bit micro-processing. Assembly language. Program writing. Addressing modes. Dynamic and static RAM. And hardware interfacing.



And by using your 16-bit Trainer/Learning Computer for hands-on experiments (over 60 included), you'll gain actual circuit interface and software programming experience with an

8088 microprocessor system.

Trainer/Learning Computer

A unique combination of design features makes this versatile microprocessor system much more than a "teaching machine." Use it as a trainer with the Advanced Microprocessor course. Use it as an experimental design computer. And use it to run a wide variety of 16-bit software - including Z-Dos, Multiplan, Z-Basic, Condor File Manager, and much more.



In its most basic form, the Trainer/Learning Computer is a 16-bit,

cassette-based microcomputer.

Its unique design features access ports and solderless breadboards to allow you to build interfaces, design and modify circuits, or simply experiment with the inner workings of the microprocessor system.

The basic system has an 8088 processor, 32K ROM (including assembler, editor and debugger) and 16K RAM.

The unit also features a serial I/O printer port, cassette interface and a detached 95-key keyboard (including 16 function keys and a numeric keypad) which generates a full ASCII character set. It's available either in kit form or factory assembled.

And you can take advantage of the system's H/Z-100 computer design heritage by easily upgrading it to a disk-based, 16-bit microcomputer that will run H/Z-100 series software and many other forthcoming programs.

Fully Upgradeable

The powerful upgrade package and variety of accessories allow you to make the basic 16-bit system more powerful and versatile. You can add 128K or 192K bytes

of RAM. Floppy disk controller. 48TPI double-sided, double-density, single or dual floppy disk drive. Bit-mapped video graphics or full-color graphics. Two RS-232 ports. Programmable timer. And a Centronics-compatible printer port.

Learn on it. Design with it. Use it as a 16-bit computer.

It's the only 16-bit microprocessor system specifically designed to integrate theory with a hands-on understanding of how 16-bit computers work. And it's from Heathkit/Zenith Educational Systems, the world-leader in problem-solving courses, trainers and accessories to help you learn state-of-the-art technology.

Circle No. 24 on Free Information Card



Get more information in the
**FREE
HEATHKIT CATALOG**

Mail to: Heath Company, Dept 010-174
Benton Harbor, MI 49022

Name _____

Address _____

City _____

State _____ Zip _____

ED-199R1

Heathkit[®]
Heath
Company

A subsidiary of Zenith Radio Corporation

Computer Scientist

(Continued from page 27)

A very different array of triangles is shown in Fig. 8 ("Prisms"). Actually, only the smallest figure is a triangle. The remainder are four-sided figures having a common off-axis side. The unintended result is that all these figures appear to have part of one side blocked by the triangle. The visual effect is the masking of so-called *hidden lines*. "Prisms" was produced by entering this sequence into "Do-It-Yourself":

A	B	C	D
40	50	60	70
40	50	60	75
40	50	60	80
.	.	.	.
40	50	60	130

"Prisms" is prettier if you change the pen color between entries.

A very different product of "Do-It-Yourself" is Fig. 9 ("Acceleration"). Resembling an impossibly stylized swept/delta-wing aircraft, "Acceleration" requires a more complex series of entries than Figs. 6-8:

A	B	C	D
70	80	90	100
65	85	85	105
60	90	80	110
.	.	.	.
40	110	60	130

Figure 10 ("Spacewarp") is among the most spectacular and complex drawings I've coaxed from "Do-It-Yourself." Look closely and you'll see a four sided polygon rotated in uniform increments inside a square. All the lines are perfectly straight, but when viewed together they form four distinctive arcs.

Spacewarp is identical in appearance to a popular string art design. The computerized version is just as pretty and much easier to make. Here are the entries:

A	B	C	D
150	150	10	10
150	140	10	20
150	130	10	30
.	.	.	.
150	20	10	140
(change pen)			
150	145	10	15
150	135	10	25
150	125	10	35
.	.	.	.
150	15	10	145

Do-It-Yourself can be easily modified




Fig. 7. Counterpoints.




Fig. 8. Prisms.



Fig. 9. Acceleration.

to produce many other kinds of drawings. The modifications can be as simple as lifting the pen between two adjacent coordinate pairs to provide a three-sided figure when a four-sided one would otherwise have been drawn. Figure 11 ("Arcler") is a good example. This figure was produced by revising line 90:

90 PRINT #1, "PA",A,B"PD,"BC, CD,DA,"PU,"A,B";"

Here are the entries that produced "Arcler":

A	B	C	D
10	150	150	150
20	150	140	150
30	150	130	150
.	.	.	.

80	150	80	150
(change pen)			
15	150	145	150
25	150	135	150
35	150	125	150
.	.	.	.
75	150	85	150

Fixed "Interactive" Plotter Art

Many kinds of plotter art can be planned in advance using graph paper. Test programs can then be run and simple modifications made until a desired effect is achieved. Since revisions to such programs require only a few seconds, they can be considered interactive.

Figure 12 ("Trisplangle") is an example of a drawing that was perfected by making minor modifications to a program during a series of trial runs. The program is given in Listing 5.

The two-color, offset effect was achieved by first making an initial plot and then changing pens. The paper was then moved slightly away from its initial position, and the program was run a second time.

Manually Controlled Plotter Art

It's fairly simple to develop programs that cause a plotter's pen to follow the movements of a joystick or cursor control keys. With such programs you can create an electronic version of the Etch-A-Sketch toy. Though I've experimented with manual control programs, the results have not been nearly as appealing as the plotter art generated by using the other methods outlined above. Nevertheless, you may wish to explore this approach on your own.

Titling Your Creations

I would not be surprised to see a market develop for good examples of plotter art. In any event, examples of plotter art make nice gifts for friends and relatives, especially those who have glared at your computer and asked "What do you use it for?"

Listing 6 will let you label your creations with a title and your name. You can even include a copyright notice, serial number or other information.

The PA (Plot Absolute) coordinates in line 100 determine where the pen will begin labeling your title. The spaces after T\$ in line 110 determine the distance between the last letter of your title and your copyright notice.

Of course you can alter these parame-

PLOTTER ART LISTINGS

Listings below were used to draw the plots in Figs. 1 through 12




Fig. 10. Spacewarp.




Fig. 11. Arcle.




Fig. 12. Trisprangle.

ters to suit your purpose. For instance, to place your title near the left side of the page, change line 100 to PA1000 or a similar value.

Going Further

If you decide to give plotter art a try, don't be afraid to experiment. That's the method I used to develop most of the accompanying examples of plotter art.

As a reminder, the programs presented here, though designed for the HP7470A plotter and the TRS-80 Model 100 computer, can be easily adapted for many other computer-plotter combinations.

No matter which plotter you use, be sure to become familiar with its instruction set. You will then be fully prepared to exploit its capabilities as a versatile robot artist. ◇

LISTING 1

```

10 'SPECTRALIPSE
20 'FOR MODEL 100 AND HP7470 PLOTTER
30 'LINES 130-220 ADAPTED FROM "ROSE
  PROGRAM"
40 'BY JERRY O'DELL (80 MICRO, 9/83)
50 CLS
60 PRINT "SET P1 TO CENTER OF PAPER."
70 FOR N=1 TO 500: NEXT N
80 PRINT "PRESS R TO RUN."
90 IF INKEY$="R" THEN 80 ELSE 70
100 OPEN "COM:48N2E" FOR OUTPUT AS 1
110 PRINT #1,"SC0,500.0,500,"
120 PRINT #1,"SP1;"
130 S=100
135 REM SIZE OF INITIAL ROSE
140 P=4
145 REM NUMBER OF PETALS/2
150 RA=57.3
155 REM DEGREES IF ONE RADIAN
160 FOR L=1 TO 10
165 REM NUMBER OF ROSES
170 S=S+15
175 REM SIZE OF NEXT ROSE
180 FOR I=0 TO 360 STEP 1
185 REM PLOTTING INCREMENT
190 Q=1/RA
200 R=S*SIN(P*Q)
210 X=R*COS(Q)
220 Y=R*SIN(Q)
230 PRINT #1,"P1;PD;PA"INT(X),INT(Y);"
240 NEXT I
250 PRINT #1,"SP2;"
260 NEXT L
270 PRINT #1,"SP0;":CLOSE #1:END
  
```

LISTING 2

```

10 "'CONNECTIONS"
20 'COPYRIGHT 1984 BY FORREST M.
  MIMS, III
30 'FOR MODEL 100 AND HP7470 PLOTTER
40 CLS
50 OPEN "COM:48N2E" FOR OUTPUT AS 1
60 PRINT #1,"IW250,500,10250,7479;SC0,100,
  0,100;SP1;"
70 PRINT #1,"SI.5;.5;SM*;"
80 R=RND(1)*100
90 S=RND(1)*100
100 T=RND(1)*100
110 U=RND(1)*100
120 N=N+1:PRINT N
130 IF N=10 THEN PRINT #1,"SP2;"
140 IF N=20 THEN PRINT #1,"SP1;"
150 IF N=30 THEN PRINT #1,"SP0;"
160 IF N=30 THEN CLOSE #1:END
170 PRINT #1,"PD;"
180 PRINT #1,"PA"R,S";PD;"T,U";"
190 GOTO 80
  
```

LISTING 3

```

10 "'ASTERISK MOSAIC"
20 'COPYRIGHT 1984 BY FORREST M.
  MIMS, III
30 'FOR MODEL 100 AND HP7470 PLOTTER
40 CLS
50 OPEN "COM:48N2E" FOR OUTPUT AS 1
60 PRINT #1,"IW250,500,10250,7479;SC0,100,
  0,100;SP1;"
70 R=RND(1)*100
80 S=RND(1)*100
100 PRINT #1,"SM";SI10,10;"
110 PRINT #1,"DI"R,S;"
120 PRINT #1,"PA"R,S;"
  
```

LISTING 4

```

10 "'DO IT YOURSELF"
20 'COPYRIGHT 1984 BY FORREST M.
  MIMS, III
30 'FOR MODEL 100 AND HP7470
40 CLS
50 PRINT "PRESS Q TO QUIT."
60 FOR N=1 TO 500: NEXT N
70 OPEN "COM:48N2E" FOR OUTPUT AS 1
80 PRINT #1,"IW250,500,10250,7479;"
90 PRINT #1,"SC0,206.0,153;SP1;"
100 INPUT "A,B,C,D":A,B,C,D
110 PRINT #1,"PA" A,B,"PD," B,C,C,D,D,
  A,A,B"PU;"
120 FOR X=1 TO 500
130 IF INKEY$="Q" OR INKEY$="q" THEN
  160
140 NEXT X
150 GOTO 100
160 PRINT #1,"SP0;"
170 PRINT "DONE;":CLOSE #1:END
  
```

LISTING 5

```


10 'TRISPANGLE
20 'COPYRIGHT 1984 BY FORREST M.
  MIMS, III
30 'FOR MODEL 100 AND HP7470 PLOTTER
40 CLS
50 OPEN "COM:48N2E" FOR OUTPUT AS 1
60 PRINT #1,"SC0,100,0,50;"
70 PRINT #1,"SP1;"
80 PRINT #1,"PA50,50;"
90 Y=50
100 FOR X=0 TO 50 STEP 10
110 Y=Y-5
120 PRINT #1,"PD;PA" X,Y,X,Y-10,"50,50;"
130 NEXT X
140 Y=5
150 FOR X=50 TO 100 STEP 10
160 Y=Y+5
170 PRINT #1,"PD;PA" X,Y,X,Y+10,"50,50;"
180 NEXT X
190 PRINT #1,"SP0;"
200 CLOSE #1:END
  
```

LISTING 6

```

10 'TITLE LINE AND COPYRIGHT NOTICE
15 'FOR MODEL 100 AND HP7470 PLOTTER
20 CLS
30 OPEN "COM:48N2E" FOR OUTPUT AS 1
40 PRINT "PEN 1 SHOULD BE BLACK WITH
  0.3 MM TIP."
50 PRINT ""
60 INPUT "WHAT IS THE TITLE";T$
70 PRINT "ARE YOU SURE (Y OR N)?"
75 A$=INKEY$:IF A$="" THEN 75
80 IF A$="N" OR A$="n" THEN 60
90 IF A$="Y" OR A$="y" THEN 100 ELSE 60
100 PRINT #1,"SI.1,15;SP1;IP:PA1500,0;"
110 PRINT #1,"LB"TS" COPYRIGHT 1984 BY
  (YOUR NAME)CHRS(3)
120 PRINT #1,"SP0;"
130 CLS
140 PRINT "DONE;":PRINT ""
150 PRINT "CHANGE PEN 1 TO DRAWING
  PEN."
160 PRINT "" :CLOSE #1
170 END
  
```

HARDWARE REVIEWS



THE SANYO MBC 550

New low cost micro runs MS-DOS operating system

BY BILL BARDEN

OF the many IBM PC compatible microcomputers currently on the market, none is more intriguing than the Sanyo MBC550. And the reason can be summed up in one word—price. Sanyo offers its system with 128K RAM, the same high-resolution color graphics as the PC, a built-in Centronics parallel port, two word processors (WordStar and EasyWriter I), and a spreadsheet called CalcStar—all for a suggested retail price of \$995. The cost of a comparably equipped IBM PC

is roughly three times as much.

“What’s the catch?” you might ask—and rightfully so. The word “compatible” is sometimes used loosely by companies trying to gain a foothold in this market. If the machine is not “fully” (99%) compatible, questions arise. Will the computer gain enough of a market share to encourage software companies to rewrite their software for it? Is the computer a viable product at the price, regardless of the degree of compatibility? We’ll try to answer these and other questions about the Sanyo in this review.

The Basic System

The Sanyo MBC550 consists of a main computing unit and a detached keyboard. The main unit has one single-sided double-density 5¼” disk drive. This is a “half-height” drive that fits nicely into the right-hand side of the unit; a second drive can be added in place of a storage compartment on the left-hand side.

The main unit does not have IBM PC expansion board capability, but it does

have a bus connector internally for external devices (as yet undefined by Sanyo). The motherboard in the main unit holds 256K of memory. It’s relatively easy to expand to this amount by adding 64K RAM chips to the basic configuration. (The manual provides the procedure for this.)

The Sanyo is compact. Its “footprint,” or area taken up by the system base and keyboard, is about 330 sq in. This is quite a bit smaller than the 450 sq in. of the IBM PC, and makes it easier to fit the Sanyo on a small desk.

The rear panel of the main unit has plugs and connectors for the system. There’s a standard Centronics connector for a system printer, and an optional RS-232C DB-25 connector for a serial interface. (The serial interface is \$100 and can be added internally in about 5 minutes.)

There’s both an RCA-type monochrome jack and a DIN-type RGB jack on the rear panel, along with a plug for the keyboard. Other rear-panel connectors include the line cord, a female ac plug for another piece of equipment, the main power fuse, and a “knock-out” plug for an optional joystick.

The keyboard on the MBC550 has 85-keys with 5 function keys on the left-hand side and a numeric keypad on the right-hand side. The LOCK and GRAPH keys have red LEDs that signify when they are active. The feel of the keyboard compares very favorably with the feel of the IBM PC although the keys are somewhat noisier in operation. The keyboard has two brackets that can be swung down to provide a better operating angle.

There’s a built-in cooling fan that is not excessively noisy. (I prefer a completely silent system, however, and am not favorably disposed towards any fans.)

Connecting a second disk drive is easy. It’s a 15-minute operation that is fully described in the operating manual, and you can use the TEAC drives that come with the Sanyo or a variety of other Shugart compatible half-height disk drives. Currently, though, the choice of a second drive may take some deliberation, and we’ll tell you why.

Second Drive or Not?

The most apparent difference between the Sanyo and the IBM PC is in the disk drives. The Sanyo MBC550 and MBC555 (the two-drive version) come


with *single-sided* double-density disk drives. The MS-DOS 2.0 version of the IBM PC, however, comes with *double-sided* double-density disk drives. Thus, the Sanyo user is faced with a dilemma.

If you buy the two-drive version of the Sanyo, you'll get two single-sided drives. You won't be able to upgrade to double-sided drives unless you buy new drives. Why would you want to upgrade? To use the new Sanyo MS-DOS 2.0 version of MS-DOS, of course. This isn't out yet and the stateside factory won't say when it will be coming out, but it is rumored to be in the works. Why not, then, buy a single-drive system and a second double-sided drive and install it yourself? A good idea, but then you won't get the second portion of "bundled" software available with the purchase of the second drive. This portion includes SpellStar (a spelling checker), InfoStar (a data manager), and Mailmerge (a program that can be used for form letters). The Sanyo user at this point, then, must either be prepared to buy the second drive and bundled software (for another \$399) and then upgrade to two new drives when MS-DOS 2.0 becomes available or he can buy a second double-sided drive without the bundled software.

For those unfamiliar with MS-DOS, the 2.0 version includes support for double-sided drives and a more powerful structure for disk directory files. The remaining commands are largely the same as the 1.1 version. There's no question, however, that the double-sided disk capacity for the 2.0 version is a great convenience for storage.

System Internals

Like the IBM PC, the Sanyo uses an 8088 microprocessor. The 8088 is basically an 8-bit microprocessor as far as the system bus or memory accesses go, but it does perform 16-bit arithmetic. The clock rate of the MBC550 is 3.6



The profile of the MBC550 shows its clean, modern styling.

MHz compared to the 4.77 MHz of the PC.

There is a socket on the main computing board for an 8087 processor. The 8087 is a coprocessor that operates independently of the 8088 to perform operations such as floating-point additions, subtractions, multiplications, and divisions. Obviously, Sanyo plans to incorporate the 8087 into the MBC550, which is a big plus for the system, although the 8087 processor is not currently supported.

As mentioned, the MBC550 comes with 128K of RAM and can be upgraded on the motherboard to 256K. The memory map of the MBC550 is different from the IBM PC in that the BASIC interpreter is loaded from disk instead of being in high-memory ROM as it is on the PC. Most other system addresses, such as those of the I/O devices, are the same as on the PC.

Sanyo's keyboard layout differs from that of the IBM PC.



Graphics Capability

Like the IBM PC, the Sanyo MBC550 is capable of 640 pixels horizontally by 200 pixels vertically in eight colors. Unlike the PC, however, color capability is included in the basic system at the base price. Like the PC, the Sanyo has commands relating to graphics such as CIRCLE, which draws a circle, ellipse, or arc; LINE, which draws a line, box, or filled-in box; GET/PUT, which defines a video area for storage and later retrieval; and PAINT, which colors a portion of a figure.

As in the latest release of PC BASIC, the Sanyo includes the powerful WINDOW and VIEW graphics commands. It allows you to operate in a logical coordinate system for graphing in which the coordinates could be as large as 32767 by 32767 (with a full complement of external RAM). You can select any portion of this logical area for display by the WINDOW command, which would display a 640 by 200 pixel area. Within the window, you could then VIEW any portion of the area and use this as your working space to plot points or draw figures, enabling you to perform instantaneous zooms or reductions at will. There are software packages that will allow you to do this on other systems, but this is a powerful capability that is integrated into the BASIC and is a definite plus for the system.

The Sanyo has full-screen editing capability, which means you can move the

(Continued on page 106)



THE LEADING EDGE PC

A well-known marketer enters the compatibles arena

BY ROBIN WEBSTER

MOST people will recognize the name Leading Edge Products—it's the company that sells the low cost Gorilla Banana dot-matrix printer and a host of other computer support products. Now, for the first time, Leading Edge is marketing a personal computer—one that is compatible with the IBM PC. I say marketing because the Leading Edge PC is actually manufactured by the giant Japanese computer maker, Mitsubishi.

While the Leading Edge machine offers a fair degree of IBM compatibility (it will run IBM format WordStar, for example), it is also described in one advertisement as having "a whole lot more." Translated, this means that, instead of the standard machine with just the same bare necessities as the IBM PC (64K of main memory, one low-capacity disk drive, no serial port, etc.), the Leading Edge PC comes with enough features

to be put to serious use immediately.

The machine comes with 128K of main memory, seven internal expansion slots; a serial and a parallel communications port; a system clock/calendar; two half-height floppy disk drives (320K each); and a monochrome monitor. Additionally, Leading Edge has decided to include the following software: the MS-DOS 1.25 system disk, including the Microsoft GW BASIC programming language and the Leading Edge Word Processing package (which can also be used on the IBM PC or other MS-DOS machines).

That's a good line-up as IBM compatible machines go, particularly when you consider that this can all be yours for \$2895. But let's look at how all this equipment works together as a system.

Hardware

The Leading Edge PC is not for users with a refined sense of aesthetics. Although it comes with the usual set of parts—a system unit, a monitor, and a keyboard—it is evident that Mitsubishi didn't really dwell too much on the external design of the product. The front part of the square, sharp-cornered, system unit is moulded from the predictable corporate grayish-beige plastic. However, most of the front panel is covered by a sheet of satin finish aluminum with the Leading Edge logo set off to the left. I mention the logo merely in case anybody notices a startling similarity between the

Leading Edge machine and the brand new machine from Sperry Univac.

The Leading Edge and Sperry machines are essentially the same Mitsubishi-built product and, as far as I could tell in a short and not too involved comparison, the only major differences (apart from the fact that the Sperry version is more expensive) are that one has a Leading Edge logo and an IBM-style keyboard and the other has a Sperry logo and a Sperry-designed keyboard.

Since the Leading Edge PC uses half-height disk drives, they occupy just a little more space than one normal drive would in the far right-hand corner of the system unit. The drives never failed to read from or write to disks correctly during the review, but it was occasionally troublesome to remove disks from the actual drives themselves. Normally, floppy disk drives have a simple latching mechanism (a flip-down door, or a small latch like those that you find holding up refreshment trays on the back of aircraft seats) that retains the disk securely in place. To remove the disk after use, you have to take it out manually.

With the Leading Edge PC drives, disks are first held in place by a spring-loaded mechanism and then gripped in the center by an arm that the user has to lower into position manually. It's all very precise. Occasionally, though, I had to fight with the mechanism to get the disks out. It would sometimes take two or three routines of opening and closing the drive doors before a disk would be

launched back into my hands by the reluctant springs. Obviously, this is not a serious problem, but it can be annoying when you're working with a number of disks, say, during a copying operation. The other problem I noticed was that the drives were rather noisy: you could tell when the machine was switching from disk to disk by the clunking noises that occurred.

Below the drives on the right side of the system unit is the power switch, a simple on/off rocker unit. A small red light next to the switch indicates whether the power is on or off. At the front-left corner of the system unit is the keyboard

The Leading Edge PC can be put to use just as it comes out of the box

connector. This is a five-pin plug into which the coiled, telephone cable keyboard lead is inserted. Unfortunately, the connector plug sticks out towards the user, preventing the keyboard from being positioned as near to the system unit as one might require. Also, the coiled lead itself does tend to get in the way.

The Leading Edge PC's 83-button keyboard is totally compatible with that supplied with the IBM PC, even down to the awkward arrangement of many keys and the confusing use of arrows on the tab, return, and backspace key caps. However, it is a little bit more like a surfboard than IBM's version, measuring 18" across and 8" deep. According to Leading Edge, the keyboard on the Mitsubishi machine uses as "inductive technology." The importance of this is that there are no contact points and hence no wear or danger from spilled liquids.

With some systems, you can change the resting angle of the keyboard on a flat surface by adjusting little "legs" at both ends: the Leading Edge keyboard is no different. But it is an all-or-nothing adjustment—it's either completely flat on its back or canted at a preset angle.

It's hard to say which is the better keyboard: the Leading Edge version feels rather lightweight, but performed well; the IBM model has a professional look and feel to it, but it was designed by an engineer instead of a user and clicks a bit too much for my taste.

All the input/output connectors are

arranged along the back of the system unit. To the left (looking from the back), there is the three-pin socket from which the monitor obtains its power. Next to this there is the power socket for the main system. Grouped to the right are all the I/O connections and switches: an RS-232C serial interface port; an 8-switch microswitch unit; an external disk drive interface port; a parallel printer port; and a 9-pin video monitor connector (for the monochrome or color display). The monochrome monitor bundled with the system has a 12" green phosphor screen, capable of displaying 80 columns by 25 lines.

To gain access to the inside of the machine you only have to remove five small screws that secure the top aluminum casing to the main chassis. Once these screws are removed, you slide the casing toward you and then lift it off—it comes away without a struggle. Internally, the components are laid out quite neatly—all the wiring is routed from point-to-point sensibly, and the heavier components (the power supply and two half-height drives) are securely held in place. Interestingly, most disk units are normally encased in a sheet metal casing to reduce electronic interference, but the drives on the review machine were not separately covered at all.

The machine uses a version of the Intel 8088 microprocessor (the 8088-2) which can be set to run at one of two operating speeds: 4.77 MHz (as with the IBM PC) or 7.16 MHz. The speed is changed by the user by means of the microswitch panel on the back of the main system unit.

There are seven expansion slots designed into the main motherboard which is quite large and lies horizontally along the bottom of the system unit. Two of



Profile shows simple design.

the slots are occupied with the video and disk controller cards, leaving five slots available for further expansion. Unlike the simple push-in/pull-out method of installation that you get with the Apple II, for example, the Leading Edge cards

are first pushed in and then bolted securely into place (as with the IBM PC). This should reduce the possibility of system malfunction if the machine is ever jostled while in transit.

Using the Leading Edge PC

After switching on the system unit, the Leading Edge PC goes through a diagnostics routine. The time taken to complete the test will depend on factors such as the amount of memory installed (you may have between 128K and 640K of RAM). If everything checks out OK and you have the system disk in drive A, the machine will beep once (it has a



The keyboard is totally compatible with IBM PC.

small internal speaker), display the Microsoft system messages, and ask for the current date. If, for some reason, the system loader code could not locate a disk or any system tracks on the current disk, then the machine will display the message:

E-FD20-TIME OUT ERROR


All this means is that 20 seconds have elapsed since the first attempt was made to load the MS-DOS system. This happened a couple of times during the review, but a second try overcame the problem.

After loading the system disk, I listed the directory to see what files were available. All the usual files such as COMMAND.COM and FORMAT.COM were on the disk along with a number of demo programs that either showed off the machine's ability to combine graphics and sound, or its color generation facilities. Since I didn't have the color monitor connected, I just ran a couple of the monochrome programs to make sure everything was working correctly.

The FORMAT.COM program obviously follows IBM specifications since a blank disk formatted by this program can be accessed and used to store information on an IBM machine. As far as

(Continued on page 130)

**Learning electronics
is no picnic.**



**At any level it takes
work and a few
sacrifices. But with
CIE, it's worth it.**

Whoever said, "The best things in life are free," was writing a song, not living a life. Life is not just a bowl of cherries, and we all know it.

You fight for what you get. You get what you fight for. If you want a thorough, practical, working knowledge of electronics, come to CIE.

You can learn electronics by spending some hard-working time at home. Or, would you rather go bowling? Your success is up to you.

At CIE, you *earn* your diploma. It is not handed to you simply for putting in hours. But the hours you do put in will be on your schedule, not ours. You don't have to go to a classroom. The classroom comes to you.

Why electronics training?

Today the world depends on technology. And the "brain" of technology is electronics. Every year, companies the world over are finding new ways to apply the wonders of electronics to control and program manufacturing, processing...even to create new leisure-time products and services. And the more electronics applications there are, the greater the need will be for trained technicians to keep sophisticated equipment finely tuned and operating efficiently. That means career opportunities in the eighties and beyond.

Which CIE training fits you?

Beginner? Intermediate? Advanced? CIE home study courses are designed for ambitious people at all entry levels. People who may have:

1. No previous electronics knowledge, but do have an interest in it;
2. Some basic knowledge or experience in electronics;
3. In-depth working experience or prior training in electronics.

You can start where you fit and fit where you start, then go on from there to your Diploma, an Associate Degree if you want it, and career.

Many people can be taught electronics.

There is no mystery to learning electronics. At CIE you simply start with what you know and build on it to develop the knowledge and techniques that make you a specialist. Thousands of CIE graduates have learned to master the simple principles of electronics and operate or maintain even the most sophisticated electronics equipment.

CIE specializes in electronics.

Why CIE? CIE is one of the largest independent home study schools that specializes in electronics. Nothing else. CIE has the elec-

tronics course that's right for you.

Learning electronics is a lot more than memorizing a laundry list of facts about circuits and transistors. Electronics is interesting! It is based on recent developments in the industry. It's built on ideas. So, look for a program that starts with ideas and builds on them. Look to CIE.

Programmed learning.

That's exactly what happens with CIE's Auto-Programmed[®] Lessons. Each lesson uses famous "programmed learning" methods to teach you important principles. You explore them, master them completely, before you start to apply them. You thoroughly understand each step before you go on to the next. You learn at your own pace.

And, beyond theory, some courses come fully equipped with electronics gear (the things you see in technical magazines) to actually let you perform hundreds of checking, testing, and analyzing projects.

Experienced specialists work closely with you.

Even though you study at home, you are not alone! Each time you return a completed lesson, you can be sure it will be reviewed, graded, and returned with appropriate instructional help. When you need additional individual help, you get it fast and in writing from the faculty technical specialist best qualified to answer your question in terms you can understand.

CIE offers you an Associate Degree.


One of the best credentials you can have in electronics — or any other career field — is a college degree. That's why CIE gives you the opportunity to earn an Associate in Applied Science in Electronics Engineering Technology. Any CIE career course can offer you credit toward the degree...more than half of the number needed in some cases.

You can also prepare for the government-administered FCC (Federal Communications Commission) Radiotelephone License, General Class. It can be a real mark in your favor...government-certified proof of your specific knowledge and skills.

Today is the day. Send now.

Fill in and return the postage-free card attached. If some ambitious person has removed it, cut out and mail the coupon. You'll get a FREE school catalog plus complete information on independent home study. For your convenience, we'll try to have a CIE representative contact you to answer any questions you may have.

Mail the card or the coupon or write CIE (mentioning the name and date of this magazine) at: 1776 East 17th Street, Cleveland, Ohio 44114.



CIE Cleveland Institute of Electronics, Inc.

1776 East 17th Street, Cleveland, Ohio 44114

Accredited Member National Home Study Council

YES...I want to learn from the specialists in electronics — CIE. Send me my FREE CIE school catalog...including details about the Associate Degree program... plus my FREE package of home study information.

Print Name _____

Address _____ Apt. _____

City _____ State _____ Zip _____

Age _____ Area Code/Phone No. _____ / _____

Check box for G.I. Bill bulletin on Educational Benefits: Veteran Active Duty

MAIL TODAY!

PE-11

RADIO SHACK'S TRS-80 MODEL 4P

TRSDOS and CP/M compatibility in a transportable computer

BY J. SMITH-RICHARDSON

IT is interesting to speculate what the state of the portable computer marketplace might be if Radio Shack's Model 4P had been the first "transportable" machine to appear on the scene. Quite likely, the models that have a tendency to lean like the Tower of Pisa when set on the floor or that have external hardware and controls that tend to snag and bump up against things would never have appeared.

Appearance is not all, though. This compact transportable computer is an excellent performer, able to use both Radio Shack's TRSDOS and third-party CP/M 2.2. And it is almost totally software compatible with Radio Shack TRS-80 Models I, III, and 4.

Hardware Characteristics

The Model 4P portable is derived from Radio Shack's Model 4 desktop computer. It has a Z80 microprocessor that operates at either 2 or 4 MHz, depending on the operating mode, and 64K of RAM, expandable to 128K. Built in are two "thinline" half-height 5¼" single-sided, double-density floppy-disk drives, each capable of storing 184K of data. A 9" white-phosphor CRT, Centronics-compatible parallel printer port, RS-232C serial port, an I/O bus for future expansion, and a prewired compartment for a user-installable 300-baud plug-in modem round out the electrical hardware features of the Model 4P.

Housed in a heavy-duty plastic cabinet, the computer weighs slightly more than 27 pounds and measures 16½" × 13¼" × 9¾". The Model 4P's cabinet has to be the best-thought-out design for a transportable computer anywhere. Its pop-up handle is positioned off-center, over the center of gravity rather than the physical central axis, to evenly distribute



the weight and provide the most comfortable grip for transporting the computer.

The front cover is *really* a front cover. It is secured with steel clamps—not the usual plastic snaps. This cover contains a storage area for the computer's ac line cord and separate storage bins for diskettes and/or documentation.

The CRT screen is centrally located in the computer's front panel. To the left of the CRT is a combination power

The 4P is a magnificent machine . . . almost the ideal portable computer

switch/indicator assembly, RESET switch, and BRIGHTNESS and CONTRAST controls for the CRT display. To the right of the display are the two vertically mounted floppy-disk drives.

Stowed in a compartment under the 4P's front panel is the detached keyboard that slides in and out and is safely secured for transport when the cover is attached. The cable tether between keyboard and computer is 16" long, which is barely sufficient to allow lap operation. Two pivoting "legs" at the bottom rear of the keyboard assembly permit keyboard typing angle to be adjusted for

desktop use. The keys have the sculpted look of the IBM Selectric II typewriter keyboard and have a very satisfactory "feel."

All I/O connectors and the modem compartment are concealed behind a flush door that spans almost the entire rear of the cabinet. Though Centronics compatible, access to the printer port is through a card-edge-connector arrangement, rather than the more common DB-25 connector. The RS-232C serial port, however, has the standard DB-25 connector arrangement. The I/O expansion bus and modem compartment are protected by a removable steel plate inside the compartment.

Modem installation is very simple. After removing two screws that secure the steel plate, the connector on a revealed cable plugs into the modem, which then slides into its own compartment, where it becomes an integral, though removable, part of the computer.

On the bottom-rear of the cabinet is a threaded leg, similar to that found on slide projectors, for adjusting the tilt angle of the front panel (actually, the entire computer). The leg is designed to combat potential reflection and glare from room lighting on the CRT's screen. There is a real need for this arrangement, because the CRT screen is as far forward as it can be inside the computer housing and is particularly sensitive to reflections from ceiling lighting. Though the leg can be effective in reducing some of the glare, a small slide-out hood or a lip on the front edge of the cabinet over the screen area would have been much more effective.

Operation Details


Like the Model 4, the Model 4P automatically accommodates both the CP/M and TRSDOS operating systems. TRSDOS support is provided for both the Model 4P's own Version 6.0 and Model III TRSDOS. TRSDOS Version 6.0 runs the Z80 at 4 MHz and provides a screen display of 80 or 40 × 24 characters, while Model III TRSDOS runs the Z80 at 2 MHz and provides a 64 or 32 × 16-character display. By making the Model 4P accommodate both TRSDOSs, Radio Shack maintains compatibility with its rather extensive line of existing Model I software, because the Model III computer can convert much of the Model I software to its mode.

Though derived from the Model 4 desktop computer, the Model 4P accesses the two TRSDOS modes in a totally different manner. The desktop machine contains the ROMs from the Model III and will function as a Model III when booted from Model III DOS or an aftermarket DOS like NEWDOS. When booted from a Model 4 TRSDOS or CP/M disk, the ROMs are switched out by the computer and 16K of RAM is substituted. Since no ROMs are provided in the Model 4P, the computer must use software to create an image of the Model III ROMs in the first 16K of RAM.

Having Model III ROMs, or creating their image in RAM, is required for the Model 4 series to maintain software compatibility as hardware and software upgrades are made. With the Model I computer, Radio Shack reserved all RAM from 0000 up to the first 16K boundary for future use. This made it possible for Radio Shack to easily upgrade its computers, without having to overlay already utilized memory locations. The major disadvantage of reserving low-end RAM, however, was that it prevented use of the CP/M operating system, which requires memory to start at memory address 0000 and work upward.

With the Models 4 and 4P computers, Radio Shack departed from the earlier design philosophy by freeing up memory all the way down to address 0000. This makes the computers both TRSDOS and CP/M compatible. The company handled the TRSDOS-CP/M mismatch in the Model 4 by including the ROM set from the Model III. When a Model 4 TRSDOS or CP/M disk is booted, the ROMs are switched out to free up the low-end memory locations to give access

(Continued on page 105)



Reliability in Writing

The DMX80 Correspondence Quality Printer.

You can depend on it.

...to deliver high-speed printing capabilities in a wide range of expressive formats.

...to deliver regular or correspondence quality print-outs with clarity and crispness unusual in a dot matrix printer.

...to keep on delivering long after its full One-Year Warranty (parts and labor included) has become a distant memory.

Built with rugged, anodized aluminum, and sold standard with both single sheet and tractor feed modes, the DMX80 sells for \$395*. See the DMX80 at your computer dealer now or contact Memotech Corporation, 99 Cabot Street, Needham, MA 02194. Telephone: (617) 449-6614.

MEMOTECH
CORPORATION

*Suggested retail price

RATED #1 FOR SERVICE & RELIABILITY

CALL TOLL FREE
800-221-8180
IN NEW YORK STATE
CALL (212) 732-8600

J&R MUSIC WORLD

23 PARK ROW
NEW YORK CITY,
NEW YORK
10038

THIS MONTH'S SUPER SPECIALS

ATARI 800XL



\$289⁹⁵

• Home Computer
• 64K RAM / 256 Colors
• Built-in High Level BASIC

ATARI 800XL HOME COMPUTER

\$179⁹⁵

• 16K RAM Buffer-in Basic
• Expandable to 64K

ATARI HARDWARE

ATARI 1010 Program Recorder \$74.95

ATARI 1050 Disc Drive \$59.95

ATARI 850 Interface Module \$69.95

MICRO PERIF. 64K Exp. for 800XL \$119.95

ATARI SOFTWARE

ATARI CX4020 Centipede \$34.95

ATARI CX4010 Invitation to Prog. \$21.95

ATARI CX4018 Pilot Home Package \$64.95

DATA SOFT ZAXXON Cassette \$26.95

ATARI 2600 GAMEWARE

ATARI CX2600 Pac \$27.95

ATARI CX2690 Demig \$27.95

ATARI CX2675 Mr. Pac Man \$29.95

ATARI CX2676 Centipede \$27.95

ATARI CX2691 Joust \$27.95

ATARI CX2636 Pole Position \$26.95

PARKER 5300 Frogger \$22.95

PARKER 5370 Roper \$22.95

ATARI 5200 GAMEWARE

ATARI CX5209 Reaports Bikeball \$27.95

ATARI CX5240 Joust \$27.95

ATARI CX5206 Galaxian \$27.95

ATARI CX5217 Pole Position \$27.95

MOODEMS

ATARI 1030 Direct Connect \$119.95

ATARI 850 Acoustic Modem \$139.95

VC 1600 Modem for VIC 20 \$59.95

VC 1650 Autodial for C64 \$89.95

ANCHOR AUTOMATION Konsumat

Universal cables cable \$59.95

Specify Cable for: Apple, Texas Inst. \$12.95

ANCHOR AUTOMATION MK-XII

R2537 Combo. Hayes Compatible \$149.95

SANYO MBC555

• 128K Color Computer

• Double Disk Drives

• IBM Compatible

• Software Pak

\$1199⁹⁵

SANYO MBC550 128K Single Drive \$119.95

SANYO MBC1100 320K Drive \$199.95

MONITORS

VIC C1702 \$249.95

NEC C1702A 12" Color \$259.95

TAXAN 415 12" iC64 Vision III \$29.95

TAXAN 100 12" Green Screen \$49.95

TAXAN 105 12" Amber Screen \$59.95

TAXAN 210 12" RGB Composite \$89.95

AMDEK 500A 12" Amber Screen \$59.95

AMDEK 500C 12" Green Screen \$59.95

AMDEK COLOR 13" Monitor \$79.95

ZENITH ZM122 12" Amber \$119.95

PANASONIC CT160 12" Color \$69.95

PANASONIC DT1500D 13" Color \$89.95

PANASONIC DT1000 10" or 16" \$139.95

APPLE IIe



\$1279⁹⁵

• Starter System includes Monitor

• 80 Card Drive & Controller

• 128K RAM

• 12" Screen

• IBM Compatible

• MS-DOS, CP/M, etc.

• 128K RAM

• 2 Drives

• IBM Compatible

• MS-DOS, CP/M, etc.

\$2589⁹⁵

DISC DRIVES

CONCORD PERIPHERAL DRIVES

CONCORD C221 M For Atari \$289.95

CONCORD C322 P For Commodore 64 \$399.95

CONCORD C121 For Apple II 16K \$219.95

CONCORD C150 For Apple II Controller \$59.95

RANA 1000 For Atari 160K \$359.95

RANA ELITE 1 For Apple II \$399.95

With Controller Card \$199.95

RANA ELITE 1 For Apple II \$249.95

FREE GIANT CATALOGS

288 PAGE GIANT AUDIO VIDEO COMPUTER CATALOG: Complete List of the most Popular Audio and Video

80 PAGE GIANT VIDEO CATALOG: With Over 7,000 Video Cass., CED & Laser Disc Movies.

64 PAGE GIANT RECORD & CASSETTE CATALOG: Complete List of the most Popular Artist and Titles

23 PARK ROW, DEPT. CE5, NYC, NY 10038

HOW TO ORDER BY MAIL: For prompt and courteous shipment, send money order, certified check, cashiers check, mastercard, or VISA charge card number, interbank No., expiration date, and signature. DO NOT SEND CASH! PERSONAL AND BUSINESS CHECKS WILL CLEAR OUR BANK BEFORE PROCESSING. \$25 MINIMUM ORDER. Shipping, handling & insurance charge is 5% of total order with a \$3.95 minimum. WE SHIP TO CONTINENTAL U.S., ALASKA, HAWAII, PUERTO RICO AND CANADA ONLY. Canadian Orders Add 15% Shipping/Handling (\$9.95 minimum charge). For shipments by air please double these charges. SORRY, NO C.O.D.'S. NEW YORK RESIDENTS PLEASE ADD SALES TAX. ALL MERCHANDISE SHIPPED BRAND NEW, FACTORY FRESH, AND 100% GUARANTEED. WE ARE NOT RESPONSIBLE FOR ANY TYPOGRAPHICAL ERRORS.

WRITE OR CALL FOR FREE 288 PAGE AUDIO / VIDEO / COMPUTER CATALOG

Circle No. 23 on Free Information Card

COMMODORE STARTER PACKAGE



\$499⁹⁵

• 64K Computer

• V.1541 170K Disk Drive

• Top Rated Serial On Line HomeWord II Word Processor

COMMODORE 64 HARDWARE

CARDCC 78 Printer Interface \$49.95

COMMODORE 64 SOFTWARE

V64 EASY LESSON/FOJ2 \$13.95

V64 E2 SCRIPT Disk \$17.95

V64 E2 SPELL Disk \$19.95

ATARI-SOFT XRB505 Pac Man \$34.95

CHINA SOFT Delta Drawing \$24.95

SPINNAKER Friction Flyer \$24.95

VIC 20 HARDWARE

VIC V1111 16K RAM Expander \$64.95

VIC V1111 3K more graphics \$49.95

VIC 20 SOFTWARE

ATARI-SOFT XRB501 Pac Man \$34.95

ATARI-SOFT XRB507 Defender \$29.95

ATARI-SOFT XRB554 Mr. Pac Man \$44.95

FLOPPY DISCS

ELEPHANT COLD (Box of 10) \$24.90

MAKEL W020 (Box of 10) \$37.90

BASE F-10 (Box of 10) \$29.90

VERBATIM MD525 (Box of 10) \$27.90

BYXAN 100 (15) (Box of 10) \$32.90

WABASH 55 (D5) (Box of 10) \$24.90

JUKI 6100

Daisy Wheel Printer

• Letter Quality, 16 CPS

• 2k Buffer, True Pitch

\$499⁹⁵

PRINTERS, TYPEWRITERS

SMITH CORONA ULTRASONIC III Typewriter \$479.95

SMITH CORONA LETTER QUALITY PRINTER 175-100 10 Pin \$499.95

175-100 10 Pin \$499.95

STAR MICRONICS DELTA-10 160 CPS \$299.95

Serial/Parallel 8k Buffer \$549.95

ATARI 1025 Dot Matrix 80 CPS \$299.95

132 Col. Tractor Feed \$399.95

NEC P8033 Impact Mtrs Printer \$479.95

Function & Tractor Feed \$449.95

CALL EPSON MX100 132 Col. Printer \$399.95

VIC V1520 Printer/Plotter \$499.95

ATARI 1027 Letter Quality Printer 17 Pin 30 CPS \$289.95

VIC V1526 Serial Printer Dot Matrix 80 CPS 80 columns \$279.95

COMMODORE IMP500 50 CPS Dot Matrix for C64 \$229.95

TELETYPE 1014 Daisy Wheel Printer \$499.95

SOFTWARE REVIEWS

THE LEADING EDGE WORD PROCESSOR

A powerful package with many text editing features

By Robin Webster

I WAS looking forward to reviewing the Leading Edge Word Processing package because the company has invested a large amount of money in marketing the product in computer and related publications. It has also generated a lot of interest at exhibitions around the country.

Most readers will be familiar with the advertisement that begins by stating: "History will record as a profound irony that the most powerful word processing package ever created for the IBM Personal Computer can be worked with two fingers." Another ad even suggests that the LE Word Processing package will transform your PC "into something with the speed and power of dedicated word processors costing \$10,000 and more . . ."

There is some truth to the latter statement since Leading Edge—like the developers of the Multimate word processing package for the IBM PC—has drawn quite heavily on the word processing concepts developed by office automation companies like Wang. On the Wang Office Information System (OIS) range of machines, the word processing facilities are completely menu driven and are based around a proprietary keyboard design. Users are presented with a main menu which allows them to EDIT an old document, CREATE a new document, PRINT a document, and so on.

You are not required to type in any complex commands. You just place the cursor next to the menu option desired, enter the document number and the name of the library in which the document resides, then press the EXECUTE key. Depending upon your menu selec-

tion, documents for further editing are listed, or sub-menus with further, more specific, options are displayed. If at any time you want to escape from a menu selection, you press the CANCEL key and respond to prompts that usually appear at the top right of the screen.

While using the LE Word Processing package, I was constantly made aware of similarities with the Wang environment. Rather than having documents reside in libraries, however, Leading Edge has decided to adopt the more current concept of storing documents in "folders," which are, in turn, stored in file cabinet "drawers."

Because the Leading Edge and IBM-type personal computers do not have sufficiently high-resolution screens, they are really unable to display visual representations of desktop objects in the same manner as the newer computers with bit-mapped displays. Instead, the folders are given as a list of names; when one is selected, all the documents contained in that folder are shown as a further list. There may be up to 32 named folders per disk (or "drawer," as Leading Edge refers to them in this context) depending on the size of saved documents.

When you start up the LE Word Processing package, you will find that the system already contains an initial folder (the Initial Document Folder) ready for use. Also, a first default format document is created by the system (the LE

Standard Document) so that you don't need to worry about learning all the margin settings and format options before you even write your first few words.

Since every subsequent document created by the package will conform to the initial document layout, once you have learned your way around the system, you can go in and alter the default document to suit your own personal preferences. This approach to automatic document formatting is similar to the "prototype documents" that are created with dedicated word processors.

Features

Rather than having menu options listed as "Edit a document," or something similar, the LE Word Processing package employs the menu selection area at the bottom of the screen that Lotus 1-2-3 or Multiplan users will be familiar with.

A couple of lines are given over to a set of command words, such as "EDIT," "CREATE," "DELETE," "COPY," and "PRINT," and as you place the cursor over each word it is highlighted in reverse video. Additionally, as each command is selected by the cursor, further text is displayed to explain the effect of each command.

Earlier, I mentioned that Wang word processing systems used a proprietary keyboard design. This greatly simplifies the typist's job since special keys have


The Word Processor comes with an overlay for the IBM PC keyboard.



PHOTOGRAPH BY STEVE BORNIS

Now...Supercharged communications software for your high powered 16 bit PC.

The makers of CROSSTALK proudly announce the newest entry into our line of high performance communications software. CROSSTALK XVI — a communications program with the speed and features of a fine racing machine. Shift from status display to incoming communications and back again at full throttle. Drive smoothly through the program with CROSSTALK XVI's integrated help system. Enjoy the full use of function keys. CROSSTALK XVI can be used with most autodial modems, and emulates several of the most used terminals. Test drive CROSSTALK XVI today at your local dealer.



CROSSTALKTM

XVI

1845 The Exchange / Suite 140 / Atlanta, Georgia 30339 / (404) 952-0267

Dealer orders call toll-free (800) 241-6393

CIRCLE NO. 2 ON FREE INFORMATION CARD

CROSSTALK XVI is a trademark of Microstuf, Inc.




Your computer's telephone.


Hayes



What are the adverse effects of this compound?



Gary: The pedigrees for next week's auction are as follows...



Sold 1000 shares at 33 for net profit of 6000. Richard.

Wouldn't it be great if you could use your IBM* PC to tap into vast resource libraries across the country? To transfer files to your partner, upstate? Or from your broker, down the street?

It's possible. All you need is a modem, to connect your computer to others. Down the hall. Or thousands of miles away.



Hayes Smartmodem. Think of it as your computer's telephone. Hayes Smartmodem 300™ and the faster Smartmodem 1200™ allow you to communicate over ordinary phone lines.

But any modem will send and receive data. Hayes Smartmodems

also dial, answer and disconnect calls. Automatically. And without going through the telephone receiver, making them far superior to acoustic coupler modems.

Choose your speed; choose your price. The lower-priced Smartmodem 300 is ideal for local data swaps and communicates at 300 bps. For longer distance and larger volumes, Smartmodem 1200 operates at baud rates of 300 or 1200, with a built-in selector that automatically detects transmission speeds.

Both work with rotary dials, Touch-Tone® and key-set systems; connect to most time-sharing systems; and feature an audio speaker.

Smartmodem 1200B™ is also available as a plug-in board. Developed specifically for the PC, it comes packaged with Hayes' own communications software, Smartcom II™

Smartcom II. We spent a lot of time developing it, so you can spend less time using it. Smartcom II prompts you in the

simple steps required to create, send, receive, display, list, name and re-name files. It even receives data completely unattended—especially helpful when you're sending work from home to the office, or vice versa. If you need it, there's always "help." This feature explains prompts, messages, etc. to make communicating extra easy.

With Smartcom II, it is. Case in point. Before you communicate with another system, you need to "set up" your computer to match the way the remote system transmits data. With Smartcom II, you do this only once. After that, parameters for 25 different remote systems are stored in a directory on Smartcom II.

Calling or answering a system listed in the directory requires just a few quick keystrokes.

You can store lengthy log-on sequences the same way. Press one key, and Smartcom II automatically connects you to a utility or information service.



Hayes®

You can store lengthy log-on sequences the same way. Press one

Smartmodem 1200B. (Includes telephone cable. No serial card or separate power source is needed.)



Smartcom II communications software.

NOTE: Smartmodem 1200B may also be installed in the IBM Personal Computer XT or the Expansion Unit. In those units, another board installed in the slot to the immediate right of the Smartmodem 1200B may not clear the modem; also, the brackets may not fit properly. If this occurs, the slot to the right of the modem should be left empty.

And, in addition to the IBM PC, Smartcom II is also available for the IBM Personal Computer XT, COMPAQ Portable, Corona Portable PC, Columbia MPC, DEC Rainbow 100, Xerox 820-II, and Kaypro II personal computers.*

Backed by the experience and reputation of Hayes. A solid leader in the microcomputer industry, Hayes provides excellent documentation for all products. A limited two-year warranty on all hardware. And full support from us to your dealer.

So see him today. Break out of isolation. Get a telephone for your Personal Computer. From Hayes.

Hayes Microcomputer Products, Inc., 5923 Peachtree Industrial Blvd., Norcross, GA 30092. 404/441-1617.

Smartmodem 300, Smartmodem 1200, Smartmodem 1200B and Smartcom II are trademarks of Hayes Microcomputer Products, Inc. *Trademarks of International Business Machines Corporation, Compaq Computer Corporation, Corona Data Systems, Columbia Data Products, Inc., Digital Equipment Corporation, Xerox Corporation, and Kaypro Corporation. TouchTone is a registered service mark of American Telephone and Telegraph ©1984 Hayes Microcomputer Products, Inc.

Circle No. 6 on Free Information Card

Leading Edge WP (Continued from page 44)

been designated for every major editing task. If you want to go to the next page in a large document, you simply press the "GO TO PAGE" key and respond to the "WHICH PAGE?" prompt with the relevant number. If you want to go to the end of a document of unknown size, you simply respond to the latter prompt with an absurdly high number like "999."

Wang uses special keys to center, indent, insert, and move text around within a document. There is even the so-called glossary feature, which allows users to write simple word processing "programs" that will automatically format a document according to pre-determined settings (say, inserting a page break every 33 lines and indenting the first line of each paragraph by three spaces).

While the LE Word Processing package has almost all these features, it does run into trouble because it must cope with the limitations of an IBM style keyboard. Leading Edge has decided that the best way to tackle this is to provide a multiple color keyboard template, which fits around the keyboard and lists the effects of the various function keys when used alone or in concert with special, or "booster," keys.

The Escape (ESC) key has been chosen as the CANCEL key and the plus (+) key on the numeric pad has been chosen as the EXECUTE key.

One aspect in which the Leading Edge product differs from the Wang word processing systems is that you can select whether or not you wish to be in INSERT mode (insert words in the middle of sentences without overwriting what's already there), or OVERTYPE mode (current text is overwritten by new text).

On the Wang systems you are always in overtype mode and must press the insert key to make additions in the midst of text. The problem is that all text after the insertion point is temporarily wiped off the screen, making it a little difficult to gauge the effect of the additional material on the document layout. I much preferred the Leading Edge way of doing the job since you can immediately see how your new text fits in with the old.

It is also possible to split the word processing screen into two working areas, or windows, and edit more than one document at a time. By using the cut and paste options it is also possible to transfer data from one document to another. There have been many times that I needed to work in this way and, although recent "windowing" products such as the Apple Lisa or Macintosh systems—as well as the DesQ and Visi On software packages—naturally do the job a lot bet-

ter, I found the LE Word Processing package coped well with the task.

There are far too many functions available with the LE Word Processing package to cover them all in this review; but it might be useful to indicate some of the features assigned to the ten function keys (F1 to F10). They are as follows:

- F1: obtain help information and list the main command menu.
- F2: the decimal tab key.
- F3: edit a current format line, insert a new format line.
- F4: set the type of text indentation.
- F5: set text attributes such as bold, and underline.
- F6: center text.
- F7: carry out search and replace operations.
- F8: insert page breaks.
- F9: select an area of text to move, or cut.
- F10: paste an area of text previously selected by a cut.

The exact result of each of these keys changes when they are used in conjunction with the CTRL, ALT, and SHIFT keys.

Additional Functions

There is a very wide selection of other specialized text editing features. You can, for example, transpose two characters that are typed in the incorrect order by placing the cursor to the immediate right of the characters and pressing the ALT and SHIFT keys. If you ever need to, you can also switch lower-case letters into upper-case letters (and vice versa) by pressing the SHIFT and CAPS LOCK keys, highlighting the text to be switched, and then pressing the EXECUTE (+) key. Groups of words that are hyphenated, but which would normally be split by the end-of-line word wrap, can also be kept together by a "required hyphen" facility.


It's not that everyone will need such a range of options—many people would rather retype the two transposed characters than worry about learning the special command—but it's nice to know that such a toolkit is there if needed.

Again, unlike word processing software on some of the newer bit-mapped machines, the LE Word Processing package is not capable of displaying special text attributes on-screen. So, when you underline a section of text—single underline, double underline, or underline in red—it is merely highlighted. (Whenever you place the cursor within the highlighted area, a brief message appears at the top of the screen to indicate

(Continued on page 84)

NEW LOW COST MODEMS





Modems have become less expensive and more capable. Here's a roundup of products that retail for less than \$100.

BY TJ BYERS

YOUR personal computer has been heralded as the ultimate communications device. Out there in the vast beyond are promises of home banking services, telephone catalog sales, and up-to-the-minute stock quotes.

Presently, hundreds of database sources and community bulletin boards are available to the computer owner. All are but a phone call away.

Ah, but there's the rub. Unless you have some way to couple your computer to your telephone, these conveniences may as well not even exist.

Fortunately, the situation is easily resolved with an ingenious device called a modem. A modem gives your computer the freedom to talk to other computers, access databases, and gener-

ally keep you in touch with the world.

Modems come in many different shapes and sizes, with a wide range of prices. Recently, low cost modems have appeared on the market—budget modems, which retail for under \$100.

But does a lower price tag reflect an inferior product? Can you use one with your system? To answer these questions, we need to look first at modems in general.

Modems

Basically, the job of a modem is to transfer digital information from your computer to another computer, and vice versa. It does this over a telephone line (Fig. 1).

To our dismay, though, we find that telephone lines are not equipped to handle digital

TJ Byers is the author of numerous books on electronics and computers.

PHOTOGRAPH BY BARRY BLACKMAN



Clockwise, from top: Radio Shack Modem 1B, Volksmodem, HESModem 1, Westridge 6420, Signalman Mark I; Center: Teledata TD-200

conversations. They are designed, instead, to carry audio signals in the range of 300 to 3500 Hz. This is intentional.

As we know, telephones are designed for the human voice, which falls within this narrow frequency range. By limiting bandwidth, and chopping those frequencies that carry little information, the speech patterns become very clear and intelligible.

This frequency cropping, though, severely attenuates digital pulses, making it impractical to send such pulses over telephone lines. They just can't get through.

But there is another way. Using the audio characteristics of the telephone line to its own advantage, the modem is able to communicate digital data. It begins by taking your digital pulse and encoding it into a frequency. One specific frequency is used to represent a logic 1 and a different frequency represents a logic 0.

As the train of pulses enters the modem, the pulses are changed into audio tones, the frequency of each tone corresponding to a logic state, and sent over the phone lines in serial form. The resulting output is a characteristic "doo-dah"

sound. This form of encoding is called *frequency shift keyed* (FSK) modulation, appropriately enough. It is a specialized form of FM (frequency modulation) as illustrated in Fig. 2.

At the receiving end of the conversation is another modem, which takes the tones and converts them back into digital pulses.

By using different pairs of tones, a modem can both transmit (originate) a message and receive (answer) one. To do so, the modem must contain a modulator and a demodulator. Hence the acronym, modem.

The data is commonly sent at 300 bits per second, or 300 *baud*. When using the standard ASCII format, 300 baud translates roughly into 30 characters (letters) per second. An average word takes about one-fifth of a second to send, resulting in 300 words per minute.

Typical Modem Cycle

The best way to understand the operation of a modem is to actually put one through its paces. Of course, you need a computer. Let's say you wish to access a

database, such as The Source. This is how it's done.

You begin by dialing the telephone number of The Source (which they gave you) and securing a connection. You can do this manually or the modem can do it automatically.

The Source responds to your call with a carrier tone, which the modem recognizes. The modem then returns a greeting carrier tone and the link is established. Next, you instruct The Source to serve up its menu. The modem makes this instruction clear to The Source by modulating its frequency according to the pulse commands.

Likewise, The Source responds with the requested information in tone format, which your modem decodes and displays on your CRT screen. If you were to listen to the conversation, it would sound like a cacophonous four-note symphony by some obscure modern composer.

To prevent the transfer of erroneous data, a certain signal integrity must be maintained. In other words, you can't have the carrier signal fading in and out on you, otherwise valuable pieces of in-

formation will be lost. Therefore, a threshold is set, below which incoming data is ignored. This is the carrier-detect limit, and it is usually established right around -42 dBm. If the carrier is absent for too long, the link is broken altogether.

At the end of the conversation, the modems say their goodbyes and hang up the phones. All modems, cheap or expensive, are capable of doing what we've so far described.

Why, then, is there such a widespread difference in the prices of modems if they all do the same thing? What makes one modem cheaper than another? These are all good questions.

The answer is twofold.

but in their ultimate use. Without filtering, there is a chance that cross modulation could generate a spurious signal that the modem would mistake for a data bit.

But separate filter chips have been developed. Until their advent, the function of filtering the telephone signal was performed by several operational amplifiers. A single filter chip can replace up to 18 such amplifiers. That's quite a saving.

The final result is a modem chip set made up of two VLSI chips: a modem and a filter.

Frills

But dedicated chip sets are only part of

Most personal computers nowadays have an RS-232C DB-25 connector or a dedicated I/O port built right into them. They also support their own version of a cassette interface or monitor, and unless you expect the modem to function on its own, extra interfacing is of little use.

Along more practical lines, you find modems with automatic answering. Although this feature is built right into the modem chip, it requires external circuitry for you to be able to use it. Extra circuits mean extra money . . . and a higher price tag.

Often the number of times the phone rings before the modem answers it can be programmed into the unit. This also increases price.




Fig. 1. Typical components of a computer-to-computer phone link.

Dedicated Chips

The development of VLSI (*Very Large Scale Integration*) chips has a lot to do with it. Using this process it is possible to incorporate all but a few of the modem's operations into circuits on a single chip of silicon. And it's a proven fact that multifunction chips cost little more to manufacture than single-function ones.

Therein lies the biggest gain. A modem chip, by itself, is a conglomerate of digital functions. It processes the digital input, converts it to an audio signal, and transmits the signal over the telephone lines. The modem chip is also responsible for the reception of the incoming signals, their decoding, and subsequent digital output to the computer. That's quite an undertaking for just one device.

Well, in fact, it does have a *little* help. Until very recently, it has not been feasible to include all of the modem functions on only one chip. Filters, in particular, are not readily adaptable to multi-function designs because of the many parameters involved. Not in the filter design,

the answer. Many of the expensive modems also use chip sets in their design. In fact, most modems on the market today are designed around a modem chip.

OK, so what *does* separate the expensive models from the budget modems? Frills.

Frills are those things that add convenience to life, but aren't essential to performance. They can best be compared to the service on an airplane trip. There are economy coach flights and champagne flights. Despite the difference in price, they both accomplish the same end: getting you where you are going.

In a modem, frills amount to "gadgets."

Oh, gadgets are neat things to have—if you need them. Most of us don't. It was this lack of need that sparked the budget modem revolution. Let's look at some of these convenience items, why they exist, and what they mean to you.

Probably the most frivolous of modem gadgets are the added monitors, cassette outputs, and TTL ports. I'm sure that, in their day, they were well-received additions to a bare-bones computer. But, those days are pretty well past.

On the opposite side of the coin are modems that can originate their own calls. They can even remember phone numbers and re-dial them if the line is busy.

Such a feature can be a definite time saver if you make several calls a day. Just think of all the labor saved by having the computer dial up and query the receiver with no user intervention. Then again, think of the price.

Budget Modems

As you may have gathered, budget modems have none of these frills. They are basically manually operated devices.

In almost all cases, the originate and answer modes are selected not by an automatic controller, but by a switch operated by you. If you're placing a call, you flip the switch to the originate position. When receiving a message, you turn it to answer.

Budget modems also require you to dial the telephone number of the intended receiver and to answer the phone yourself when it rings. That's not too much to ask for \$100 or less, is it?

(Continued on page 93)

PAINTING A GOOD BUSINESS PICTURE

*The best of the available hardware and software
for building a top-notch business graphics system*

BY JACK BISHOP

IN the business community, the ability to communicate information and data to an audience in the least-complicated and easiest-to-grasp manner is of paramount importance. Since much of the business information communicated consists of numeric data, the best communication medium is pictures in the form of graphs and charts. It is usually easier and more acceptable to present dry numerical data in picture format than to tabulate it in columns.

Today's sophisticated and powerful microcomputers and software packages make it possible for nonprogrammers to construct dazzling, informative graphs and charts that save the person presenting the information a great deal of explanation time. Color gives modern business graphics visual appeal and makes it possible for graphs and charts to contain multiple levels of related information without undue complication. Assigning a different color to each division, for example, permits a graph of income data for several divisions over time without the need for possibly confusing solid,

broken, and dotted lines or different gradations of shading.


Business Graphics Users

The term "business graphics" is a catch-all. It includes everything from line, bar and pie charts to sales territory maps to engineering drawings to pictorial representations of products to block (and other types of) diagrams that depict corporate structure trees or procedures to be performed. In fact, any pictorial representation can be constructed with and presented by a desktop computer. Sometimes, however, the computer must reach out beyond its own realm, to a larger mainframe or minicomputer, to obtain the data needed to construct a graphics image. However, since the focus here is on business graphics, our discussion will be limited to the charting and graphing options available. [For a discussion of getting corporate data to your micro, see "Getting Mainframe Data to Micros" elsewhere in this issue. Ed.]

Users of business graphics range from top executives in large companies to salesmen in the field to managers and analysts in accounting, stock, engineering, and any other departments in which pic-

Dr. Jack Bishop's consulting firm, Bishop Associates, specializes in corporate planning and operations analysis.





torial images will be beneficial. Considering that numerical data is the common denominator at all levels, there is no limit to who can use business graphics in the professional community.

When we discuss business graphics, our frame of reference is on the "state of the art," since it is the standard by which a top-quality microcomputer business graphics system must be judged.

Toward the Ideal

It is almost impossible to avoid mentioning "state of the art" in any discussion of computers. Actually, the state of the art in business graphics at the microcomputer level is far from the ideal most users would like it to be. Available systems are too limited in their capabilities, too complicated to operate by the casual user, or both.

To be considered state of the art, a microcomputer-based system must support the charting needs of the business professional, though not necessarily by itself.

You must first decide on the types of charts needed for the intended audience

To achieve the desired level of performance, hardware and software must be viewed as an integrated "system." The system chosen must be able to support *all* the charting needs for analysis and presentation both now and in the foreseeable future. In the business environment, however, one should think of state of the art in terms of simplicity and clarity, not complexity and dazzle.

Opinions differ about what constitutes state of the art in business graphics, depending on the user, the intended audience, and the information to be communicated. The three-dimensional graphics of the engineering department just now beginning to reach the boardroom in a few companies may indeed be state of the art by one definition but may be inappropriate to a user who does not require this level of sophistication. Very powerful and flexible systems are almost always unwieldy to use and require of the user a considerable amount of technical expertise. For the more casual user, such as the inventory manager, budget analyzer, or salesman, a high degree of technical sophistication bought at the


price of complex operator requirements prevents the system from being considered to be the state of the art.

State-of-the-art software must be able to produce text and pictures, in addition to line, bar, scatter, and area (pie) charts. Ideally, the system should be able to develop maps of sales territories, plant and office layouts, process flows, and equipment placement. Additionally, the system should be able to develop a third dimension to permit evaluation of graphics from alternative perspectives. The software should also be flexible enough to permit the user to construct his own custom charts and graphs.

Most modern software can generate

Charts

The first step in putting together a business graphics system is to decide on what types of charts will be needed, based on the type of audience(s) for which they are to be designed. Different audiences require different things. For example, for a presentation to a drafting and engineering audience to be effective, sophisticated three-dimensional plotting capabilities might be required. For graphics artists, considerably higher resolution would be required than for, say, a sales department. If you have the responsibility for putting together a busi-



A Graftalk multiple display using bar, line, and pie charts.

the four basic types of charts, but few packages are able to produce *all* types of charts easily, flexibly, and well. To be truly flexible, a state-of-the-art system must produce all types of charts simply and easily and have the ability to fetch data from other programs, data files, and databases. At the very least, such a system should be easy to operate in order to accommodate even infrequent users.

Regardless of type, any chart produced for business graphics applications falls into either of two categories. Most are standard charts produced on a regular basis. The other category consists of special charts that are produced only as the demand arises and that are almost always unique. The flexibility of the software required to produce special charts should not require repetitious operations to produce standard charts. Obviously, the hardware/software system must be able to accommodate both types of charts with ease.

ness graphics system, the needs of your audience(s) will obviously dictate what hardware and software you select.

Most business graphics charts fall into the basic-set category consisting of line, bar, scatter, and area (pie) charts. Other types of charts, such as star (spider-web) and triangle, may be useful for special applications but are usually too difficult for the general business audience to interpret. The majority of current business graphics software can produce the four basic types of charts; but few packages can produce all varieties easily, flexibly, and well.

Software to produce sales territory maps, in which results or potential can be added as a pseudo-third dimension, are not yet available for current stand-alone microcomputer systems. A survey of available products for microcomputers reveals that software can be a major limiting factor in putting together a business graphics system. However, a

modem link to a mainframe computer can give access to software that *can* be used, with a microcomputer to produce almost any type of chart or graph.

Hardware

The hardware side of a business graphics system consists of a basic microcomputer with high-resolution color graphics monitor; a means to generate hard copy of the charts on paper and/or transparent film; and means to connect to the outside world. The external connection, obtained with a modem, provides the system with the ability to use powerful mainframe software packages when the capability of the simple micro-based system is overtaxed. Using a modem to access a mainframe computer provides other capabilities as well, such as the ability to get information (marketing, financial, cost, etc.) from centralized data banks to use in constructing charts and graphs.

Though the ideal system does not yet exist in the microcomputer world, some of the currently available machines come close to the mark. In terms of user-friendliness, the Apple Macintosh and Lisa and the Hewlett-Packard HP 150 are among the best. Though not available in color yet, they offer excellent graphics capabilities. If color is a necessity, the Texas Instruments Professional Computer (see "System Overview" box) provides an excellent choice, though at a slight sacrifice in resolution. The standard IBM PC is a distant second to the Apple, HP, and TI machines but is worthy of consideration because a great deal of third-party hardware and software is available or under development for it. (Note: The ranking of these computers is based on manufacturer-configured systems. In some cases, particularly with the IBM PC and PC-XT machines, basic system performance can be considerably enhanced by adding third-party hardware.)

Spending more money on the basic system yields greater performance capability. The \$10,000 to \$13,000 (fully loaded) DEC Professional 350 computer, for example, offers excellent color graphics capabilities. Going higher in price, to the \$15,000 and up range, we reach the top of the graphics line with Tektronix and Hewlett-Packard machines. These long-standing favorites of the professional provide resolution that can be described as superb.

A fair amount of storage capacity is required to plot many points and for ease of use in handling many charts. Memory capacity in this context does not refer to


available user RAM inside the computer so much as to the system's disk storage capacity. Though a good graphics system can be built around a computer with as little as 256K of user RAM, it would be a wise move to have as much RAM as possible to avoid needless system processing limitations.

Memory capacity is of paramount importance in being able to store very large programs, many of which may not fit on single floppy disks. This requirement is best filled by a hard-disk (also known as "Winchester") system with at least a 10M-byte capacity.

The system's video display monitor should be a color model, both to provide

no single device will provide a "perfect" solution, though a number can come very close.

Among the hard-copy devices available are dot-matrix impact printers, x/y plotters, and RGB-to-slide duplicators. The dot-matrix printer is not the best choice here, since it is primarily a text generator and only secondarily a graphics device. Graphics images produced by the dot-matrix printer generally lack the fine detail and color quality available with other hard-copy devices. The quality of even the latest color-ribbon dot-matrix printers cannot be considered to be state of the art, though for less stringent needs, these printers may suffice. In a



Business Graphics from BPS permits annotation in charts.

visual impact and to be able to display the various colors that will be used for combination charts and graphs. To assure maximum resolution and color rendition, with a minimum of interference, the monitor must have an RGB (red, green, blue) signal input. (See "Color Monitors" box.)

Printers and Plotters

Virtually all users of business graphics systems want the images constructed on a computer to be converted into hard copy. To meet this demand, a number of devices can be used to obtain images on paper, transparencies, and slides, in monochrome (black and white) or in full color.

In keeping with the low cost philosophy of microcomputers, the devices most likely to be chosen will require only a moderate investment. At this level (actually, at any level) of the cost spectrum,

well-rounded business graphics system, however, a good dot-matrix printer offers an inexpensive means of obtaining rough copies of charts to be used for reference purposes.

A color pen plotter is a much better choice for generating hard copies of business graphics. Prices for plotters cover a wide range, with quality varying accordingly. There are, however, several brand names that instill confidence in the graphics arena. Among the most respected is Hewlett-Packard, which makes a series of color plotters that have achieved a deservedly good reputation. Plotters made by HP are the most widely used in the graphics community, both because of product quality and the fact that they are supported by a number of software packages and require no modifications or complicated hookup to the computer.

Though the Tektronix Model 4662 pen plotter has been around for more

than five years, it is still an excellent device for generating business graphics in hard copy. This top-of-the-line model, which sells for about \$6000, can digitize drawings into the computer, a handy device to have for some special applications.

Ink-jet printers offer an attractive alternative to the pen plotter. The \$1600 Tektronix Model 4695 uses four ink cartridges to produce an 8" x 10" copy of the screen in three to four minutes at a cost of about 10¢ per copy. Time, price, and performance all recommend that this piece of equipment be seriously considered for inclusion as part of a business graphics system.

Another alternative to the conventional plotter is to capture screen images on photographic film. For photography-based hard copy, two choices exist—one optical, using a standard film camera and fast 400-speed film, the other electronic, using RGB video output signals for making direct-to-film images.

With the optical approach, two or three exposures of each screen are required to ensure a good print. An optical

system requires a special lens housing and associated camera to avoid parallax from the curved screen, particularly at tight angles. Using a camera mounted on a tripod may be adequate for the budget-conscious, but it leaves much to be desired with regard to quality.

The electronic approach can be used with any computer that has an RS-232 serial output port. An electronic system, driven by a computer, can provide hard copy in color by bypassing the optical system altogether. Prices for such systems range from about \$2500 to \$15,000. The \$3000 Polaroid VideoPrinter is an example of such a system. It has the ability to make 8" x 10" prints and/or transparencies from the screen image. The transparencies it generates can be made with either instant or regular film. (See "Hard-Copy Devices" box for a list of makes and models of hard-copy hardware that is suitable for business graphics applications.)

Conference Room Connection

To be really up to the minute, a busi-

ness graphics system should also have a projection-TV hookup to bring the graphics from the screen of the computer to the screen of the boardroom. For less than \$5000, for example, an Electrohome projection-TV system can be interfaced with the computer to present a graphics slide show produced and controlled by the computer.

Finally, there exist dial-up services that can produce a hard-copy version of a chart as 35-mm transparency for less than \$10. One such service is "Target" from Comshare, 1935 Cliff Valley Rd., Atlanta, GA 30329 (404-634-9535). Some services offer aid with chart making as well. Truly professional chart-making requires a specialized minicomputer with proprietary software and is available in large cities.

Reconfiguring a System

One way to obtain near-state-of-the-art performance from a basic microcomputer system that ordinarily does not provide such a high level of performance is to reconfigure it. Most computers have expansion slots or facilities for using expansion chassis to accommodate hardware add-ins or add-ons. This feature can be used to upgrade a computer so that it has the desired capabilities.

By reconfiguring a system, the user who wants near-state-of-the-art performance can preserve his original investment in computer hardware. This may not be the best route to take in all circumstances, however. Reconfiguring an existing system usually requires the services of an expert who has considerable experience with computer hardware and software to devise a working system. When such expertise is available, this can certainly be a viable approach.

Some computers are more easily reconfigured than others. These machines have available to them performance-enhancement add-ins and/or add-ons from the computer manufacturer and other sources. Among the two most popular series of microcomputers with good expansion capability are the Apple II series and the IBM PC and PC-XT. The popularity of the Apple II series often has been attributed to the ease with which these machines can accommodate a wide variety of circuit cards that plug directly into the expansion slots. By plugging in a couple of cards, a lowly games-playing Apple II can be transformed into an advanced 16-bit computer with 256K of RAM to upgrade performance to the near-state-of-the-art level required for top-quality

(Continued on page 108)

SYSTEM OVERVIEW

Manufacturer*/Model	TEK 4105	HP 150	DEC Pro	APPLE Lisa	IBM PC-XT	TI Pro
Display Size (in.):	19		12	12	14	13
number of colors:	16	1	8	1	16	8
horiz. resolution:	4096	512	960	720	320	720
vert. resolution:	4096	390	240	364	200	300
Refresh Rate (Hz):	60		60	60	15	19
Memory (bytes):	256	256	256	1000	256	256

*Manufacturer abbreviations are as follows: TEK = Tektronix; HP = Hewlett-Packard; DEC = Digital Equipment Corp.; TI = Texas Instruments Inc.

COLOR MONITORS

The following is a representative listing of RGB-input color video monitors available in the marketplace.

Manufacturer	Model and Details
NEC Home Electronics	Model JC 1216: 12" RGB; 8 x 8-dot matrix; 10-MHz bandwidth; 640 x 240-pixel graphics resolution
Princeton Graphic Systems	Model SR-12: 12" RGB; 0.31-mm dot pitch; 31.5-kHz scan rate; 690 x 480-pixel graphics resolution
Amdek	Model Color IV: 13" RGB; 15.75-kHz scan rate; 720 x 420-pixel graphics resolution
TSK Electronics Corporation	Taxan RGBvision III: 12" RGB; 15.75-kHz scan rate
Wyse Technology	Model WY300: 8 colors

WIM HIGH

Before you work anywhere, take a look at the tools we work with.

NAŠA's space shuttle. For Air Force officers working as electrical or aerospace engineers, the challenge is just beginning. In fact, from laboratories to lasers to launch pads, we have exciting projects and management opportunities very few employers can offer.


For example, we are developing experiments that will be an important part of the space shuttle's cargo in the years to come. Experienced Air Force engineers will work as shuttle mission planners and as astronaut flight controllers.

If you have an electrical or aerospace engineering degree, or soon will have, we may have a challenging future for you as an Air Force officer. It's a future that demands the vision and commitment of people like you. And it's vital to our country.

For more information about Air Force engineering opportunities, mail the card. Or call toll-free 1-800-423-USAF (in California 1-800-232-USAF). Better yet, send your resume to HRS/RSAANE, Randolph AFB, TX 78150. There's no obligation.

AIR FORCE

A great place for engineers.



GETTING MAINFRAME DATA TO MICROS

Making corporate databases available to micro users isn't as easy as it sounds

BY JAN A. GUGLIOTTI AND ELLIOT B. WEITZ

WITH the rapid proliferation of personal computers and inexpensive software in the workplace, there has been reason to celebrate. Applications software such as spreadsheets, database managers and word-processing packages is helping users of personal computers produce higher quality work more easily and rapidly.

Their enthusiasm, however, can quickly come to a halt when they attempt to tap directly into their organization's big mainframe computer. Having developed a hunger for more fact and more analysis, users naturally begin to wonder why they have to wade through reams of paper to get at the information they need. Wouldn't it be simpler just to siphon off information from the corporate mainframe into a micro spreadsheet? Why not just bypass the mainframe entirely, and develop all new applications on personal computers?

Those who'd like to pursue this course of action typically run up against seemingly contradictory information. Their data-processing department, using extremely technical and rather obtuse language, says that the micro-to-mainframe connection can't be made—it costs too much money, takes months to implement, and won't produce the desired result (ready access to fresh data).

Yet, the packaged solutions advertised so widely seem to promise instant

access to mainframe data at a reasonable cost. Who's telling the truth?

The fact is, both arguments contain an element of truth. The packages advertised can solve some of the problems of attaching a micro to a mainframe for purposes of data sharing. But the data-processing people are also correct—those packages solve only some of the problems.

The purpose of this article is to provide some explanation of the issues, definitions of technical jargon, and examples of products, so the personal computer user can have a more informed discussion with both vendors and data processing. But because the past months have literally opened the floodgates to new mainframe-to-PC software, the commercial products we reference have been limited to (a) those that provide a physical link between an IBM mainframe and an IBM PC, and (b) representative IBM-to-PC software packages. Apologies to those who have been omitted in the interest of space.

The Issues

Knowing the meaning of the technical terms you will encounter in your search for the micro-to-mainframe connection (see the sidebar) isn't enough. You need to understand the problems that exist and how they place a barrier between the personal computer and the company mainframe.

There are two technical issues that must be addressed to make the micro-mainframe link feasible. The first is

Jan A. Gugliotti and Elliot B. Weitz are senior associates of Index Systems, Inc., a consulting firm specializing in business applications of information technology.

ILLUSTRATION BY BILL PLYMPTON

making the physical connection—how to introduce your personal computer to the company mainframe without spending a quarter of a million dollars for new hardware and software. The second, *making the data connection*, is how to get the data you want without the resources of a squad of black belt programmers.

The Physical Connection

Connecting your personal computer to your company's big one requires playing by the mainframe's rules. Before you run out to the corner computer store and spend money on hardware or software to make the link, spend time with your information systems and communications departments to define exactly what your mainframe requires or is able to provide to support communications with a personal computer.

If the mainframe already supports remote timesharing, and if the number of personal-computer users who want to access the mainframe is small (and likely to remain so), you're in luck. You can use simple one-to-one links with your mainframe, and one of the asynchronous communications protocols that are

widely supported by personal computer equipment and software vendors. These links are relatively inexpensive, and have been around for a long time. The investment required at the micro end is an ordinary personal-computer modem (e.g., Hayes, Novation, Rixon, etc.) and communications software (e.g., Crosstalk, Mite, or even a public domain program like MODEM 712).

Before you run out and spend money, define your requirements

If your mainframe does not support remote timesharing, however, you will be forced to explore and become familiar with the world of synchronous protocols, cluster communications, and IBM 3270 terminal emulation. As a general rule, personal computer links to this environment are more expensive and have undergone less of a technical shakeout period. Examples of products that forge the physical link alone from the person-

al-computer end, in a synchronous, cluster-controlled environment, are the IRMA board (TAC, Atlanta, GA), various hardware/software connections from AST Research (Irvine, CA), and the 3270 PC made by IBM, which has the added advantage of allowing four separate programs running simultaneously on the mainframe to be piped into "windows" on the PC screen.

Most other vendors whose products primarily support the data-grabbing function (see The Data Connection, below) have integrated the physical connection into their "tool kits" of mainframe-to-PC software. A good example is the IT series of micro-to-mainframe connections, from Martin Marietta Data System of Princeton, NJ. The IT series includes a physical link for asynchronous communication (Link-IT), and for synchronous communication (Pass-IT), as well as data management software described below. Omnilink and Omnimicro (On-Line Software International, Fort Lee, NJ) is another powerful family of tools that support a variety of mainframe asynchronous, synchronous and networked physical links, in tandem with a query facility to grab data out of a

A GLOSSARY OF TERMS

A PHYSICAL link consists of the hardware, the media, and the actual physical configuration used to link one computer to another.

The link starts (and ends) with a serial port for the computer and a modem (*modulator/demodulator*). The easiest way to understand the role of these components is to follow a single character as it is transmitted from one computer to another.


The character, represented by seven or eight bits (*binary digits*: logic 1s and 0s) in parallel—side-by-side—within

computer A, is transferred from the computer's keyboard or memory to the circuitry of its serial port as pulses of electricity. There the bits are rearranged so they can be sent serially—one bit after the other—as dc voltages to the physical termination of that port, the connector to which a modem can be attached. Each bit's presence or absence is represented by a high (about 12 V) or low (close to 0 V) pulse whose duration depends on the transmission speed being used. The higher the speed, the shorter the length of the pulse.

From the (physical) serial port of computer A, the bits representing the character can be sent to the serial port of computer B, where the serial-to-parallel process is reversed and the character is displayed on the computer's screen, printed out, or entered into its memory (see figure below). The character can get

(Continued on page 104)

Modem transmission of signals from one computer to another.



PROTOCOLS

By Charles Daney

variety of "live" data files on the mainframe. Other software families with similar physical link additions to their data-grabbing bridge capabilities include System W (from Comshare, Ann Arbor, MI) and ADR/PC (Applied Data Research, Princeton, NJ).

However, the real investment that may be required to support personal computer access shows up at the mainframe end—a cluster controller, new cabling, networking software, and additional front-end communications gear. It is easy to spend a quarter of a million dollars on hardware and software enhancements for the mainframe to enable dialogue with an office full of \$2000 micros.

The Data Connection

Four types of generic software offerings to bridge the gap between mainframe data storage and personal computer applications packages (usually spreadsheets) began to appear late in 1983.

The first type provides a bridge from a mainframe fourth-generation language (one that permits nonprogrammers to quickly produce reports from mainframe data files) to a micro version of the language or to a spreadsheet. The bridge makes it easier for nonprogrammers who have spent time learning the fourth-generation language to find, extract, reformat and download data that already reside in the mainframe version of that language's data files.

The following things typically must happen in a fourth-generation language link:

- Data of interest to many users are taken from a variety of sources (e.g. accounting programs, production programs, "bought" data such as market share reports) and stored in a file accessible by the mainframe fourth-generation language. An experienced programmer is almost always required to write this "data read/write" program. Each time the original source of data is updated (for example, each time new production statistics are reported) the "data read/write" program must be re-run.

- An individual user decides what kind of information he or she needs from the mainframe, fourth-generation file. Someone writes a program in the fourth-generation language, usually off-line on the micro, to find, aggregate and possibly reformat the data into a set that serves the micro user's purposes. Dedicated nonprogrammers can often write this "data fetch" program with a little outside help.

(Continued on page 100)

PERSONAL computer owners who use their equipment to communicate with mainframes or other personal computers are generally aware that they must use "asynchronous terminal" emulation software to do this. Just what is an asynchronous terminal, and what makes it different from other types of terminals?

The chief respect in which terminals differ—as far as communications is concerned—is in the communications protocol employed. A dictionary definition of "protocol" might read: "A formal standard of speech or behavior governing interactions between individuals." The purpose of such a protocol is to establish who should speak at what time, and how his words should be interpreted.

Although computers communicate using bits rather than the spoken word, the problems to be solved are much the

Protocols determine how data flow is controlled and how potential errors can be corrected

same. Whose turn is it to transmit data? How fast can the data be transmitted? Are special signals required to get the other side's attention? Are there special signals to use to indicate that an error has occurred?

Strictly speaking, asynchronous communications really implies the absence of a protocol, since either side can talk at any time. The two ends do not need to be in sync with each other. In practice, of course, it is not feasible to communicate without some further conventions. Therefore, many asynchronous terminals and communications programs can be configured to use a specific baud rate, parity, number of data bits, number of stop bits, etc. But these parameters are arbitrary. They are not truly a part of asynchronous protocol.

While the format in which data is transmitted is important, it is not "protocol." Protocol determines how the flow of data is controlled, and how potential errors in transmission (or recep-

tion) are detected and corrected.

For asynchronous terminals, a number of *ad hoc* methods have been devised for dealing with such matters. For example, the use of the parity bit permits the terminal or host computer to detect whether the number of bits in a byte is incorrect. The XON/XOFF characters (CONTROL-S, CONTROL-Q) can be used as signals for one side to stop sending momentarily while the other catches its breath. But every such device tends to introduce other problems. For example, if the parity bit is in use, arbitrary 8-bit bytes (binary data) cannot easily be sent, so special methods of character encoding must be provided.

To handle such problems in a satisfactory and uniform manner, genuine protocols have been defined with the intention that both terminals and host computers will employ them "transparently" to the user or application program. One of the earliest of these, developed by IBM in the 1960s, is called **binary-synchronous communication**, or **bisync** for short.

As the name "bisync" implies, both ends of the communications link attempt to remain in sync with each other. This is done using a special character (i.e., a bit pattern) called SYN. Bisync is a **half duplex** protocol, in that only one side can be transmitting at any given time. Another special character called ENQ (for "enquiry") is therefore used to gain control of the communications line, which must subsequently be relinquished with an EOT (for "end of transmission") character. This mechanism handles the flow control problem to prevent data from being sent faster than the recipient can handle it.

Instead of using a parity bit for error checking, bisync employs a **checksum**, which is just a number computed from the actual data to be sent. The sender computes the number and forwards it along with the data. The recipient recomputes it. If the checksums match, the recipient assumes the data is correct (although there is still a low probability that it isn't!), and replies with an ACK (for "acknowledge") character. Otherwise the data is assumed to be in error and a NAK (for "negative acknowledgement") is sent. The originator then retransmits the data.

Note that ENQ, SYN, ACK, NAK, etc. are just ordinary control characters, so they could be present in normal (binary) data. To prevent confusion, yet another

(Continued on page 103)

A Few Quick Pointers

Mouses, touch screens, touch pads, light pens, and the like can make you system easier to use

BY FORREST M. MIMS III



AMONG the most powerful peripherals for personal computers are those that enable the user to move a cursor and enter commands and data *without* resorting to the keyboard. Collectively known as *pointing devices*, they include various kinds of joysticks, digitizing tablets, touch screens, light pens, and mice.

Forrest M. Mims, III is a contributing editor to C&E.

Many of these pointing devices have long been available to users of sophisticated scientific and engineering computers. However, with the exception of some joysticks and light pens, their price was far beyond the means of the typical personal computer owner.


Fortunately, the rapid growth of the personal computer industry has made a major impact on the availability of reasonably priced pointing devices. Today a wide variety of such devices, along with

quality driver software, is available.

Many computer users have had little or no experience in the use of pointing devices and therefore are unsure which is best suited for their needs. If you fall in this category, you're not alone. Even experienced users of pointing devices continue to debate the merits of the various kinds by citing research studies and scholarly papers that claim *their* favorite pointing device is indeed the best.

Notwithstanding the ongoing contro-

PHOTOGRAPH BY STEVE BRONSTEIN



versy it *is* possible for even a novice user to decide which pointing device is superior for a particular application. All that's required is a comparison of the features of the various kinds, followed by a "hands-on" session with those that seem best. The review that follows will help you get started.

Joysticks

Thanks to the video game industry,

joysticks and game paddles are the most pervasive of pointing devices. Virtually every low-cost computer system sold today includes a pair of joystick input ports.

The two major kinds of joysticks, *analog* and *digital*, use entirely different operating principles. The analog joystick is a proportional device. Long a favorite control interface for radio control airplane enthusiasts, the most common kind of analog joystick consists of two

potentiometers whose rotors are mechanically linked by a two-axis coupler and shaft assembly. Movement of the shaft (the "stick") along either the *x* or *y* axis moves the rotor of the respective potentiometer. Off-axis movements of the stick move *both* rotors, each in direct proportion to the direction and displacement of the stick.

In a typical analog joystick, a dc voltage is connected across each potentiometer. A variable voltage appears at the ro-

Now, the most significant advance in DEC™ software ever!

Announcing **DIGITAL REVIEW**...the monthly magazine exclusively for your DEC microcomputer.



HARDWARE: Each and every month, you'll get all the latest technological developments—minicomputers...microcomputers...peripherals...telecommunications—and what they mean to you.



PROGRAMMING: All the latest in programming techniques with special features devoted exclusively to traditional and new software applications.

COMPUTER GRAPHICS: Color visual tools for the financial analyst, the laboratory technician, and the physics major. **DIGITAL REVIEW** reports on the latest innovations and how you can use them in your field.



WORD PROCESSING: You'll learn the newest techniques that will make your office as efficient and as cost-effective as possible.



SOFTWARE: Whether it's the newest in operating systems...or advances in computer networks, **DIGITAL REVIEW** keeps you up-to-date...and spotlights releases that are changing the way businesses conduct their business.

I/O FEEDBACK: A chance for you—the user—to network your application needs and ideas.





Save up to 36%!

Now, through this Special Introductory Offer, you can save up to 36% when you subscribe to DIGITAL REVIEW.



digital review

P.O. Box 2989
Boulder, CO 80322

YES! I want to subscribe to Digital Review for:

One year (12 issues) for \$24.97—I save 16%!

Two years for \$43.97—I save 27%!

Three years for \$57.97—I save 36%!

Savings based on full one-year subscription price of \$29.97
Add \$13 for Canada and all other foreign countries.

CHECK ONE: Payment enclosed Bill me
Charge my: American Express MasterCard VISA

Account No. _____ Exp. Date _____

Name _____

Address _____

City _____ State _____ Zip _____

Please allow 30 to 60 days for delivery of first issue.

Would you like to receive special offers from qualified users of our mailing list? Yes No

8H351



Joysticks, light pens, trackballs and mice are all pointers.

tor terminals. Thus, as the stick is moved, analog-to-digital conversion circuitry in the computer transforms the variable voltage into digital bytes that can be processed as data entries or used to move a cursor.

Some analog joysticks have a "floating" stick that remains where it is moved. Others are equipped with springs that return the stick to its center position when it is released. Some center-return joysticks can also be operated in the floating mode.


The digital joystick, commonly used with many low-cost home computers, is much simpler in design. It generates an output byte when its shaft is moved in each of eight directions. A typical digital joystick contains only four switches. The additional four output bytes are generated when *two* of the switches are simultaneously closed.

Analog joysticks are usually operated in an *absolute* mode in which the cursor follows the position of the stick. Digital joysticks are *rate* devices. The cursor moves in the direction the stick is moved. When the stick is returned to its center position, however, the cursor simply stops moving. The next time the stick is moved, the cursor follows in the same direction. Some rate joysticks increase the speed of the cursor as the stick is moved farther from its center position.

Recently the features of absolute and rate joysticks have been combined in a hybrid device called the *absolute/rate* joystick. One such device normally functions as a rate joystick. When a small

switch on the stick is pressed, the joystick functions in the absolute mode. The absolute mode permits very quick movements of the cursor to a general area of interest, while the rate mode allows the cursor to be precisely located.

Quality joysticks for use with personal computers cost under \$50, a good buy considering the ruggedness of most



Inkwell Systems' Flexidraw.

units. Specialized joysticks for flight control systems, radar operators, and outdoor use can cost considerably more.

For instance, miniature, finger-operated joysticks made by Measurement Systems, Inc. cost from \$444 to \$1126. Tiny silicon piezoresistive elements within these hermetically sealed joysticks generate a small voltage as pressure is applied to the stick.

Trackballs

The trackball permits very rapid cursor movements. It consists of an enclosed assembly containing a plastic ball that can be freely rotated in any direc-

tion. As the ball rotates, it turns one or both of two small rubber wheels, each of which is attached to a shaft that is free to rotate.

The shafts of the analog trackball are mechanically linked to the rotors of potentiometers. Other trackballs include encoding devices such as slotted pick-off wheels. A light emitting diode and phototransistor on opposite sides of the pick-off wheel cause a series of pulses to be generated as the trackball is moved.

The trackball is well suited for very rapid movements of a cursor across a display and for causing a cursor to follow an on-screen outline. Simply by varying the speed at which the ball is rotated, the motion of the cursor can be varied from a slow crawl to a rapid clip. This is why the trackball is superior to the joystick for some kinds of video games. On the other hand, an analog joystick is generally a better choice for continuous tracking of moving on-screen objects.

Trackballs are more complicated, hence more expensive, than most joysticks. Precision units designed for military and flight control applications can cost more than \$2000. Trackballs for home computers and video games can be purchased for as little as \$30.

The Mouse

The mouse is a movable pointing device. About the size of a bar of soap, most resemble an up-side down trackball designed to be rolled across the surface of a desk. Others incorporate optical sensors that generate pulses as the mouse is moved across the surface of a specially marked grid.

Developed more than fifteen years ago at Stanford Research Institute, the mouse has only recently come into widespread use. It's biggest proponent, Apple Computer, has staked its future on the viability of the mouse as an efficient, effective pointing device. Both Lisa and Macintosh replace function keys and complicated sequences of keyboard commands with on-screen options and icons that can be quickly selected by moving a small mouse-driven, on-screen pointer over them. The selection is then implemented by pressing a button on the mouse.

It's important to understand the differences between mechanical and optical mice. A mechanical mouse detects movements of its rotating ball using the same methods applied to trackballs. Some mechanical mice create noise when they are moved. And the ball can transfer eraser particles and other debris

from the desktop to the inside of the mouse's housing.

Optical mice have no moving parts. But the grid-marked pad they require occupies valuable desk space.

An ongoing debate among mouse manufacturers concerns the number of switch buttons on the device. Apple claims the best approach is a single switch that can be operated in three modes. For example, one press might select an option, two presses might implement an operation and continuous pressure might draw a line.

Others claim that multiple buttons are best. They note, for example, that several buttons allow lines to be drawn without the nuisance of having to press continuously on a switch.

How effective is the mouse? A 1978 project known as the Xerox study compared the relative effectiveness of the mouse, joystick and cursor and text keys for text selection and editing purposes. The mouse was "... found to be the fastest on all counts and also to have the lowest error rates." (Stuart K. Card, William K. English and Betty J. Burr in *Ergonomics*, Vol. 21, No. 8, pp. 601-613.)

These advantages, however, must be viewed in light of the mouse's drawbacks. These include the fact that it requires space and is totally unsuited for use with lapsize and other portable computers. Furthermore, long-term operation of a mouse is more fatiguing than a joystick. Finally, the mouse is more expensive and more fragile than most joysticks.

The Light Pen

There's something magical about a pen that leaves behind a trail of color as it is moved across the face of a computer screen like an electronic paintbrush. And since the light pen is held and used like a pencil, it's operation is much more natural and familiar than most other pointing devices.

The operation of a light pen is less mysterious than it appears. The screen of a cathode-ray tube used as a computer display is repeatedly scanned by a tightly focused electron beam. Therefore, because of the slow response of the human eye, the entire screen appears to glow. Actually the glow is caused by a fast moving dot of light that can be easily sensed by a phototransistor or photodiode in a light pen.

The light pen generates a pulse when it detects the sweeping dot. Since the position of the dot at any time can be easily determined, the computer "knows" exactly where the light pen is pointed. Depending upon the software, it can then



The Koalapad and PowerPad are two types of digitizing tablets.

light (or extinguish) a pixel or select a menu option.

Recently several light pens specifically designed for home computers have been developed. Some cost as little as \$25. Much more sophisticated versions can cost more than \$100 and are sold with surprisingly complete software packages.



Hewlett-Packard's touch screen.

A particularly impressive light pen-software combination is Inkwell Systems, light pen and Flexidraw™ software. Designed specifically for the Commodore 64, Flexidraw's on-screen menu includes such functions as Box, Circle, Line, Draw, Point-to-Point, Grid, Fill, Zoom, Rubber Band and Shade.

Flexidraw can be used to make on-screen drawings such as circuit diagrams, graphs, musical scores and floorplans. The completed drawing can then be printed on paper by a dot-matrix printer.

Though in principle the light pen is more natural to use than most other pointing devices, it lacks high resolution.

Worse, it's both tiring and unnatural to draw with a light pen on a typical computer monitor screen for extended periods. These drawbacks may not be significant when the light pen is used for relatively short sessions. And they can be eliminated entirely if the display screen is mounted in a horizontal position. The screen then becomes a properly positioned sketchpad on your desk or tabletop for the light pen.

Touch Sensitive Screens

Touch sensitive computer monitor screens permit an index finger or, perhaps, a stylus, to function much like a light pen. They provide a very simple and totally natural interface between a computer and its operator.

Because of the relatively large size of even the smallest finger tip, however, touch sensitive screens have low resolution. While they are fine for selecting menu options, they cannot be used to point to a single character or digit.

Some shopping malls have replaced their directory signs with a computerized touch screen system. Shoppers can find directions to any store in the mall simply by touching the appropriate category in the listing on the screen and, when it appears on the screen, the store's name. Instructions for finding the store then appear on the display.

Several sensing methods for touch screens are in use. The simplest incorporates two clear plastic sheets, each coat-

(Continued on page 114)

New Architectures

Novel computer designs promise a dramatically faster generation of computers

BY ED TEJA

DESIGNING computers that run faster than existing models is a never-ending challenge facing computer scientists. The task is largely a matter of looking at the places where a little more speed will make a lot more difference in the overall system performance.

A block diagram of conventional computer architecture is shown in Fig. 1. What can be done to speed it up? Without changing the architecture, about all a designer can do is choose newer and faster microprocessor chips. Since the processor does the bulk of the work in this design, faster processors usually mean faster computers. As a result, a great deal of research effort has been dedicated to finding new manufacturing processes and materials that will provide us with faster processors.




Fig. 1. Basic computer architecture.

But the newest processors are always the most expensive. This is one strike against relying on state-of-the-art components, but not the most important one. Using a fast new processor also demands comparable improvements from other system components. This might mean faster memory chips as well as disk subsystems that transfer data at higher rates (and this is a major bottleneck in many small systems) just to keep up with the processor's new-found speed. Im-

Ed Teja writes frequently for C&E on computer electronics.

proving the performance of these components will raise the system's cost, too. And you might find that even the system bus itself needs improvement. In this case, it's back to the drawing board to create a new system bus. Even after all this effort, the computer might still prove too slow. What then?

Adding Processor Power

Fortunately, faster processors and memory chips aren't the only solution to increasing a computer's speed. Designers can choose another tack—creating systems that use multiple processors. Each processor you add to the system has the potential of adding to its overall performance.




Fig. 2. The Von Neumann design.

The basic idea behind using extra processors to gain speed isn't a new one at all. In fact, it comes from one of the oldest adages applied to any problem solving task—divide and conquer. Whether you are talking about armies or mathematics problems, breaking a big problem up into a bunch of easily solved smaller ones makes a great deal of sense. And your computer already does that much. When you program it to compute:

$$x = (34*4) + (2*6)$$

the computer doesn't try to handle it as one large problem, rather it breaks the problem into three smaller ones. Properly divided, the problem is now to:

- (1) solve: $34*4$
- (2) solve: $2*6$
- (3) add result of (1) to result of (2).

The point here is that steps one and two can be executed in any order, or, and this is important, they can be executed at the *same time* without adversely affecting the result. So instead of the system waiting the time it takes to perform two multiplications sequentially, the system could assign both at the same time. In an 8086 processor, the simplest possible addition, a register-to-register immediate, takes three clock cycles. Doing all three steps in sequence would require three complete clock cycles for each addition.

Performing the two multiplications simultaneously would mean that both could take place during the same clock cycles. If you are in a hurry for the result (in a real-time industrial control situation, perhaps), saving clock cycles can be significant.

Adding Specialized Processors

But this describes the solution—what does the hardware look like? To put several processors to work in a single system requires a new architecture. The simplest approach is to extend the basic architecture somewhat, using one or more specialized processors that are optimized to repetitively perform a specialized task. Take, for example, the math coprocessor. No one, even computers it seems, likes to do arithmetic. Math is the processor's most difficult task. Therefore, nearly every one of the popular 16-bit microprocessors has a math chip available to work with it. This chip, the coprocessor, sits on the bus along with the microprocessor and handles all math processing—at much higher speeds than the processor could handle them.

Using the math coprocessor to save system time is fantastic if the application is sure to encounter certain types of math problems over and over again. But while the math processor is working, the main processor takes a vacation. It will pass the math problem to the math processor and wait for the answer; it won't do part of the math itself. So you still wind up doing all three steps of our problem in sequence. It is more of a divide-and-send-the-parts-to-a-specialist approach than it is divide-and-conquer.

We are stuck with what is termed a control-flow or control-driven computer architecture; a design developed in 1945 by John Von Neumann. The diagram shown in Fig. 2 describes the flow of data



Columbia University's research facility, where the Non-Von 1 is being developed.

and instructions that defines the basic Von Neumann computer architecture.

The program counter (PC) plays an important role in Von Neumann's design—it controls the passage of instructions from memory to the processor. The PC tells the processor the next activity that should take place. The processor itself decodes and executes each instruction. The instruction will contain the coded address of the data. Before the processor can execute the instruction, therefore, it must first fetch the data from memory. Another part of the instruction tells the processor where to store the results when it is through executing the instruction.

Adding a coprocessor doesn't really change the computer's design—it extends it. We have modified the flow of data and instructions a bit so that the path appears as shown in Fig. 3. When the PC indicates that an instruction must be executed, the processor must still decode the instruction, but the math processor can access the data directly.

Extending Control-Driven Computers

You can gain a great deal more speed by extending the control-driven architecture until it resembles a tree, with a

central processor passing tasks off to independent processing elements running concurrently (Fig. 4.). Each processor has access to the data directly, allowing it to run independently of the other processors. In the case of one such machine, the Non-Von 1 currently under develop-




Fig. 3. Adding a coprocessor.

ment by a group headed by Dr. David Shaw at Columbia University in New York, each processor has its own path to memory via an intelligent head unit—a disk head that will read just the data needed by the processing element that it serves. (For more information on this project, see the accompanying sidebar.)

All control-driven machines suffer from one weakness—the programmer

must decide, and then specify, how each problem will be divided among the processors. The central processor has no inherent way of knowing which pieces of the job can be performed concurrently. The programmer must subdivide the work; the central processor will assign it. Programming, therefore, becomes more of a chore with the enhanced architecture than it was on simpler machines.

Data-Driven Machines

But extending the existing architecture isn't the only way to improve performance. A new generation of designs might manage to gain speed and avoid the problems and limitations of control-driven machines by abandoning the Von Neumann approach altogether. Unlike the coprocessor approach, they will configure the processors as equal general-processing units that operate concurrently. And unlike the Non-Von-1, these machines will automatically uncover the concurrency within a problem.

Instead of using a program counter to control the flow of data and instructions, these machines will be either data- or demand-driven architectures. Let's see what that means.

Data-driven machines quite simply call for a processor to execute an instruc-




Fig. 4. Extended design.

tion whenever the data which that instruction needs becomes available. To implement this, data is packaged with its destination and information about how it is to be processed, into units termed tokens.

A network of input/output switches (Fig. 5) distributes the tokens to independent processors. Within each processing unit, the token flows through a circle where it is processed and then returned, via the network, to the system. If




Fig. 5. Data-driven architecture.

the information in the token indicates that other data is needed, the processor will monitor the network for data addressed to the same location as the current data. If no other data is needed, the processor will fetch the appropriate instruction and execute it. The processing unit then transmits the results via the network, to the destination required by the tokens.

The University of Manchester has developed a version of the data-driven machine that uses 12 processors. It executes 1.7 million machine instructions per second (MIPS).

Demand-Driven Machines

The last technique being used to make a computer's operations run in parallel is the demand-driven machine. Here, a task isn't executed until the results of that process are needed. Effectively, this prioritizes the parts of the problem.

Known as symbolic reduction machines to artificial intelligence researchers, the demand-driven engines automatically reduce a complex symbol to a simpler one, repeating this task until it can reduce it no further. In semantic terms, the machine evaluates symbols until it reduces them to actual values. The expression $3+4$, for example, would first reduce to $2(7)$, then 14.

The tree diagram shown in Fig. 6 illustrates how a demand-driven machine might execute the simple math problem we used earlier. The more complex a problem is, within limits, the more time the demand-driven engine saves when compared to Von Neumann machines.

Apparently then, systems using parallel architectures resemble networks of computers more than conventional computer architectures. Each processor does its job independently of the others the same way that each user on a network does his or her job, while sharing valuable system resources, such as a hard disk. Each user has access to the same data, the same programs, the same system capabilities. The success of the overall operation depends on how well management has divided up the problem parts and assigned them to the users.

State of the Art

Perhaps nowhere more than in artificial intelligence applications, where the computer is called upon to do large quantities of calculations quickly, is parallel processing awaited so excitedly. And the future is already beginning to appear. Architectures become more like networks and less like conventional configurations all the time. In other words, they become more parallel. The Lambda machine, for example, from LISP Machines, Inc. (Culver City, CA) uses a 10-MHz 68000 microprocessor and a 4-board 32-bit LISP processor that runs at 20 MHz. Each processor has its own memory and its own bus. The LISP processor uses the NuBus with its 40M-byte/s peak transfer rate while the 68000




Fig. 6. Reduction machine.

plugs into a conventional Multibus.

The two processors are loosely coupled; the design is more parallel than many, but serves more as a practical example of the trend toward parallelism than as the first article of any particular architecture. The processors are nearly independent, but networked together.

The dual-processor environment uses the 68000 (running Unix) to handle normal system tasks; the faster LISP machine runs the AI algorithms—directly executing instructions written in the LISP programming language.

Speaking in Tongues

Part of the process of dividing problems and assigning tasks will reside in the system software. At least some of the success of parallel computers will depend on the ability of system software designers to develop high-level languages that take adequate advantage of the hardware. And this is no mean feat by any estimation.

At the University of Illinois in Champaign-Urbana, for example, researchers have spent 10 years working on making versions of the FORTRAN programming language that will support parallel, pipelined and multiprocessor systems. It's important that FORTRAN run on the next generation of machines, because it is the most popular language for large-scale scientific programming. Programmers want to be able to use the vast numbers of programs already written in FORTRAN. There's no pain like that of starting completely over. And most institutions won't be willing to do it.

But new languages are also being developed; languages that uniquely allow a programmer to get the most from a highly parallel structure. Many of the algorithms used in artificial intelligence have been contorted to fit the demands of conventional programming languages. Perhaps languages based on those algorithms would help break new ground in artificial intelligence.

Getting There from Here

Currently research and development projects to create what is called the "Fifth-Generation Computer" are underway in the United States, Japan and Europe. The Japanese goal, in fact, is to have a commercial model available by the 1990s. This drive to build a non-Von Neumann, parallel processing computer should not only give new meaning to the word "fast," but should also create a computer the likes of which we've never seen before. ◇


WORKING FASTER TOGETHER

C&E talks with Dr. David Shaw about his efforts to build a new kind of computer

By Joe Desposito

THERE are various ways to squeeze more speed out of a computer, as discussed in the accompanying article. One of them is being tried by Dr. David Shaw, whom we spoke with at Columbia University in New York City. Shaw has designed a machine, called the Non-Von computer which uses massive parallelism as its underlying architecture. He contrasts his approach with other parallel processing designs, saying, "There are certainly various interesting relationships between it (Non-Von) and other architectures, but I think that most people in the field will agree—especially my critics—that it has very little to do with other approaches to parallelism.

"For one thing, many people today are trying to design parallel machines with one hundred, one thousand or at most a few thousand processing elements. Our machine, on the other hand, is really designed to ultimately use a million processors or something on that order. And you have to use those processors in completely different ways. Some of the influences on this architecture were, first of all, thinking about humans and how they work, and the associational nature of human memory. We seem to come up fairly rapidly with many associations to a single concept. Also, there's the notion of massive parallelism. We



CAD terminal display.



Dr. Shaw is a pioneer in parallel processing design.

know that the brain is made up of a tremendous number of neurons, and that there are a tremendous number of interconnections between them. Even though the neurons work quite slowly—in comparison to a computer a brain works extremely slowly, or at least an individual neuron does—when you put them all together, the net processing power of the brain seems to be sufficient to do all the things that we do. It's not that Non-Von is an attempt to be a brain by any means. And it's not that I believe that the brain is organized that way. But those are some of the subtle influences that pushed me in that direction."

Dr. Shaw's knowledge of the brain's structure doesn't come from casual reading about the subject. He studied experimental cognitive psychology at the University of California at San Diego (UCSD). His advisor there was very interested in using the computer to model how people think and remember things, what attention is all about, and so forth. That's what first got Shaw interested in

making computers do things that seem to require intelligence. He went on to do graduate work at Stanford University, one of the two important research centers for that type of research at the time.

Shaw studied at the artificial intelligence laboratory there, trying to make computers do things that we consider intelligent. Near the end of his graduate career he realized that, even if he and his colleagues could figure out what thought is about and how you might trick a computer into imitating it, available computer power would be a limiting factor. That is, even if they were able to figure out how to get a computer to understand people speaking English and figure out what they were talking about—and there were still a lot of problems as to how they would go about achieving this—it would take existing computers hours to do things that ought to happen in seconds. That led Shaw to look at radically different ways of organizing computers to enable them to do work much faster. Most of his research over the last

New Architectures

five years has focused on this problem. He has also done work on artificial intelligence, database management, and other applications of computers. But his main concern is how these tasks can be done dramatically faster using completely different types of computers.

Dr. Shaw's perspective is not only theoretical; it's practical, too. Before he got his PhD at Stanford, he took out some time to start his own corporation and he ran it for three years. This gave him a slightly more practical perspective on the question of computation. It was really the first time that he stopped thinking about how "thought" could be accomplished on a computer and started to consider questions like efficiency and what computers really are and how they are organized.

What's the current status of the project? Dr. Shaw says, "There have been two significant milestones to date. One was having a chip that was 100% functional. The chip had a single processor on it, not the eight it will ultimately have, but it executed all of the instructions perfectly. That was just recently accomplished. The next big milestone will be producing our first prototype, a very small one. What we'll be doing is hooking up 64 of these single-processor chips in the same way that they will be hooked up in the final machine. So it will be a real Non-Von machine, but it will only have 64 processing elements. It won't be enough to demonstrate anything useful in terms of speed, but it will demonstrate that the approach works and give us the signal that our further work will be likely to produce a machine that could do something—funding permitted. The time that we're shooting for is the end of this year. At that time we should also have software to run on the machine. It won't be very extensive—just some toy programs—but we would be able to demonstrate a working machine.

As director of the project, Shaw oversees both the hardware and software development of the machine. However, the key person involved with the hardware effort is research engineer Ted Sabety, who has three other full-time engineers on his staff. In addition, he has a fairly large number of students working either for him or one of the other engineers. Although they aren't full-time staff members, per se, many of them spend huge amounts of their spare time on the project. "Because it's an exciting project for them," says Dr. Shaw. On the software side, most of the work has been done by PhD students doing theses, who report directly to Shaw. "We have had at

least 60 people thus far writing software for Non-Von, or rather simulating it," says Shaw, "since we don't have a computer actually working."

Creating a new computer means using existing software and hardware as your primary tools. Dr. Shaw's group first defined what they wanted their computer to be and then went to great lengths to simulate it at various levels of detail. In fact, they have five levels of simulation for the machine. The first is to see whether or not programs can be run on it. Then there is a more detailed level to find out if the data is transferred between the registers the right way. The levels go all the way down to testing the primitive physics properties (device physics) that described the behavior of the transistors. Much of the work was done using ordinary computers, mostly from Digital

The big prize in the field will be a successor to the Von Neumann

Equipment Corporation (DEC). Software simulation is one part of the project and it is proceeding for designing later versions of the computer and for writing new programs for the one being implemented now.

The other part is the actual hardware design, which involves design of the chip. For that they use color graphics displays connected to DEC VAX computers. They also use a whole set of design tools imported from places such as Berkeley and MIT and software that they wrote themselves. The final part of the process is submitting integrated circuit chips to a manufacturer, first with various components of the processor, then with larger and larger pieces until a complete processing element is built. With this final step of processor design already completed, they have begun ordering all the components for the first prototype, Non-Von 1. They now have to put the whole system together. "And find out why it doesn't work the first time, because it never does," commented a smiling Shaw. "At that point we'll be able to perform some really interesting experiments with it."

Where does the broad range of abilities needed to build Non-Von 1 from scratch come from? "No one person on my staff has all those abilities," says Dr.

Shaw. "For example, Ted Sabety came to us from Hewlett-Packard's integrated circuit labs where he was involved with several things. He was himself an IC designer, but also a consultant within the company, telling other people various things about how IC design works. This is, in fact, one of our advantages over many universities—most of them don't have a Ted Sabety. They have mostly university people who have learned about the process of IC design through a very effective system of teaching it, which has been spread through the country during the past three years. But the system doesn't help you get out of serious unexpected binds that come up when you're building a production chip. And then we have people with different sorts of experience in other technologies.

"We also go outside for help—often to our competitors. For example, Chuck Seitz of Cal Tech, who I think is one of the most gifted researchers in this field, is building some very interesting machines that are organized according to completely different principles. He doesn't really agree with our basic architectural principles, but we enjoy talking to each other, and he has helped us tremendously in thinking out how we were going to do our timing and solve other system problems."

Does Dr. Shaw see commercial viability down the line? "I'm not sure about that," he says. "There seems to be some evidence in selected areas to indicate that it ought to be commercially viable. But we won't know until we actually build one. But I guess I should say that we wouldn't be doing any of this unless we thought it had the that kind of potential. Not that we want to do it here, but we're really interested in producing a machine that will have a substantial economic impact. It's just a long process of research and trying it out on various applications until one knows that it's possible."

When asked whether he thinks his approach to parallelism is the best one, Shaw responded, "Again, it's hard to say. I think it's premature to say whether Non-Von or any of the other machines is using the strongest approach. Most of my serious colleagues have some ingenious ideas, and we aren't yet able to compare them. We really won't know until we see a completed machine, find out how much it costs, and see if it's maintainable, produceable, and so forth. Then we can actually run some applications programs generated by real users, instead of generated just as test programs.

(Continued on page 111)

IS YOUR COLOR FADING AWAY?

ADD MORE COLOR TO YOUR COLOR COMPUTER WITH



Have you been looking for the magazine to make your Color Computer more colorful... versatile and fun?! It's here... in full color... with bright new ideas, programs and games—The COLOR COMPUTER Magazine, the magazine for TRS-80 Color Computer users and owners! Every issue of The COLOR COMPUTER Magazine brings you a new "users manual" and program guide each month! You'll get:

- Programs for home and business... adults and kids!
- Software and Hardware reviews on the best (and least expensive) ways to upgrade your system!
- Games of skill, chance and luck!
- Sound and music synthesizing tips!

- How-to articles for the "Do-It-Yourselfer"!
- You'll also find current listings of new products, directories and compatible peripherals for your Color Computer!

ADD "LIVING COLOR" TO YOUR HOME COMPUTER AND SAVE UP TO 41% WITH The COLOR COMPUTER Magazine!

YES!



I want to make my Color Computer more versatile! Please enter my subscription to **The COLOR COMPUTER Magazine** for:

- One year for \$17.97. I SAVE 28%!
- Two years for \$31.97. I SAVE 36%!
- Three years for \$43.97. I SAVE 41%!

Savings based on full one-year (12-issue) subscription price of \$24.97.

Mr/Mrs/Ms _____ please print name in full 8H070

Company _____

Address _____

City _____ State _____ Zip _____

Check one: Payment enclosed Bill me later


Charge my: American Express Visa MasterCard

Card No. _____ Exp. Date _____

Please allow 30 to 60 days for delivery of first issue.
Add \$8 per year for Canada and all other foreign countries.

THE COLOR COMPUTER MAGAZINE—P.O. Box 2597—Boulder, CO 80322





STOCKS, BONDS & PERSONAL COMPUTERS

Brokerage firms, beginning with EF Hutton, are providing on-line access to customers' account information

**BY BARBARA E. McMULLEN
& JOHN F. McMULLEN**

ON December 13, 1983, after 5 years of planning and development, EF Hutton & Company introduced an electronic information service called Huttonline. With this step, Hutton became the first securities firm to provide such a service to its clients. It also became one of the few companies with foresight enough to design a system *before* it became economically feasible to market it. While we expect that EF Hutton will soon have competition, the story of this unique product warrants our attention.

What is Huttonline and why is it important? It is a system that enables Hutton's clients to use a personal computer or terminal to access Hutton's computer files containing its Research and Investment Briefs as well as the client's own accounting records. It also allows the client to send messages to his Hutton account executive (AE) through the system and receive investment reports and messages from his or her AE. The system is menu-driven, and we expect that Hutton's clients will find it easy to use. The service is available to them for an initial charge of \$25 and a monthly fee (\$17 for the first 2 hours of use and \$7.50 per hour thereafter).

The importance of the system is hard to overestimate. In announcing the service, Norman Epstein, Executive Vice President and Managing Director of Operations at EF Hutton, said, "We are bringing our computing and communications resources even closer to the client. The home is the last frontier." We agree with Mr. Epstein and think it is obvious that Hutton has far outpaced its competitors in this area.

A service like Huttonline brings its users immense benefits that reach far beyond those directly related to investment. A significant portion of subscriptions (33% to date) come from individ-

Barbara and John McMullen each have nearly 20 years experience in data processing for the securities industry.

PHOTOGRAPH BY BOB BRODY
TRADING FLOOR COURTESY OF AMERICAN STOCK EXCHANGE




Fig. 1. Menu tree for the Huttonline service.

uals who have never before had up-close experience with computers or terminals. Using this system is bringing computer literacy to the novice; and, for many, it will be but the first step toward the use of other information services such as CompuServe, The Source, and Dialog, and programs for word processing, spreadsheet analysis, and database management.

Another long-range benefit will accrue to users of Huttonline and any similar services that may arise. They will take part in a democratization of the investment decision-making process. As most insiders in the investment community know, institutions and professional investors have access to much more timely and comprehensive information and research opinion than the average individual investor. The reason for this advantage is not insidious; it relates, rather, to the cost of disseminating masses of information.

Institutions have both the capital to obtain costly services and a method of receiving such services with little or no out-of-pocket expense. As such, where-withal has normally not been available to the individual investor, there has been a decided difference between the quantity and quality of investment information available to individuals and that of financial institutions. Now, the gulf has been made smaller. Already available from Dow Jones are public disclosure in-

formation (including SEC form 10K), earnings estimates, fundamental information (from Media General), and automatic searches of the *Wall Street Journal*, *Barrons*, and the Dow Newswire. Now, research opinion and specific customer information is dispensed through Huttonline.

While the above points may be interesting from a social science viewpoint, Huttonline would have little impact if it were not an attractive product offered at a reasonable price—which it is. Furthermore, it would not be considered for discussion in this magazine if it were not an innovative system that made use of state-of-the-art electronic technology—which it does.

Background

Over 5 years ago, the management of EF Hutton recognized that eventually there would be the capability to deliver information directly to individual homes. They set up an organizational entity to study this rapidly developing world of microcomputers, videotex devices, and information services, hoping to determine what impact such developments might have on their own business. Chosen to head this study was Vincent T. Pica II, a staff assistant to Norman Epstein.

Pica had joined Hutton immediately following his graduation from Iona Col-

lege in 1975. In the 3 years of his employment at Hutton that preceded this assignment, he had come to appreciate how well the company had responded in the past to technological opportunity in supporting its securities business. In 1904, the year the firm was founded, Edward F. Hutton helped finance the first private, direct coast-to-coast communications wire. (Hutton still holds Western Union's contract No. 1.) Since the time when Epstein was responsible for its data processing and communications resources, the firm pioneered the following applications:

1966—Use of a third-generation, general-purpose computer (IBM System 360) for message switching and order entry.

1973—Branch-office retrieval from a central database.

1975—Installation of a comprehensive, high-speed telecommunications network.

1976—Integration of its market data system (Bunker Ramo System 7) into its private communications network.

In this environment, Pica felt confident in taking on this assignment even though it appeared that such in-home service would not be practical or economically feasible to anyone concerned until the 1990s.

By 1980, it became obvious to Epstein and Pica that technology was moving

much more rapidly than they or anyone else had expected. To better enable Hutton to take advantage of the burgeoning technology, a new organization—MIS Operations—was set up under Pica; and his charter was expanded to include the support of microcomputers throughout Hutton's internal organization. Pica was presented with staffing and budget authorization and instructed to develop a formal plan for carrying out these responsibilities.

As a first step in the support area, Pica began planning an internal newsletter that would provide general information about personal computers, product reviews, and recommendations. To put this newsletter into operation, and to assist him generally, Pica added Lee R. Greenhouse to his staff. Shortly thereafter, *EF Hutton Personal Computing Newsletter* came into being.

At the same time, Pica and Greenhouse were planning the overall duties of MIS Operations. It was then, also, that Huttonline was conceived and integrated into the overall plan. The concept of Huttonline was dynamic for Pica and Greenhouse because expanding technology continually made new things feasible. Also, the planner's view of Huttonline's place in the overall scheme of Hutton operations changed dramatically. It was originally conceived as a supplementary service to benefit Hutton by increasing the number of accounts and improving the productivity of account executives through reduction of time-consuming customer inquiries. Soon, however, it came to be viewed as a significant product with a marketability of its own.

Pica and Greenhouse also foresaw that this service would attract clients who did not have either microcomputers or terminals of their own and that many of them would need guidance in selecting and installing a computer to use the Huttonline. They realized that it would be both a service to such clients and a source of revenue to sell the necessary equipment directly to clients requiring it. With the approval of management, they began to negotiate with the appropriate vendors to become what is known in IBM parlance as a VAR (Value Added Reseller).

By June 1983, it was decided that Huttonline was to be viewed as a profit-making entity. Agreements were reached with Convergent Technologies, IBM, Wang Laboratories, and Quazon, allowing Hutton to act as a vendor for their equipment. Huttonline was publicly announced and launched on December 13, 1983.

VIEW/TROU/HUTTON EFH138

BOUGHT/SOLD

ACCT # A19 12345 THRU 10/31/82

TRANSACTION DATE	DESCRIPTION	QTY/PRICE	AMOUNT
BOUGHT			200
10.04	HYDRAULIC COMPANY	17	375
SOLD TO PAY FOR BUY		3	567.00
10.04	HUTTON AMA CASH FUND	1	1.000
BOUGHT			16.577
10.06	HUTTON AMA CASH FUND	1	1.000
SOLD			106
10.22	GTE CORPORATION	37	000
			3.622.00

TO HUTTONLINE INDEX

Personal accounting service.

VIEW/TROU/HUTTON EFH40

INVESTMENT BRIEFS

1. DAILY MARKET OPINIONS
2. WEEKLY ECONOMIC OUTLOOK
3. BEATING THE MEN WORLD OF INVESTMENTS
4. FIVE REASONS TO JUMP ON THE BOND WAGON
5. PROFIT FROM A PLUNGE IN INTEREST RATES
6. PLANNING FOR YOUR OWN SOCIAL SECURITY
7. OVER THE COUNTER: OUT OF THE WOODS
8. HOW TO FIGHT TAX BRACKET CREEP

EFHutton

TO HUTTONLINE INDEX

Investment briefs menu.

VIEW/TROU/HUTTON EFH3

YOUR ACCOUNT

ACCT # A19 12345

1. MONEYLINE BALANCES
2. PORTFOLIO
3. TRANSACTIONS THIS MONTH
4. TRANSACTIONS BY CLASS
5. OPEN ORDERS
6. AMA/ARA CHECKING
7. RESEARCH
8. FEEDBACK TO EF HUTTON
9. MESSAGE TO ACCOUNT EXECUTIVE

EFHutton

TO HUTTONLINE INDEX

Account menu.

VIEW/TROU/HUTTON EFH7/B

RESEARCH

STOCK PICKS: OVER THE COUNTER

Securities as aggressive purchases for a 6 to 18 month period.

COMPANY	RECENT PRICE	1-YR TARGET
Electro-Rent Corp (ELRC)	18	30
Fortix R. S. (FOPHY)	45	65
First Union Corp (FUHC)	26	37
McCormick (MCCRN)	28	41
SFE Technology (SFEM)	19	34

TO RESEARCH INDEX

Research brief.

VIEW/TROU/HUTTON EFH58

MESSAGE TO ACCT EXEC

TO: JOHN SMITH, ONE BATTERY PARK PLAZA

JOHN, I AM VERY INTERESTED IN THE NEW AMA ACCOUNT OFFERED BY HUTTON. I SAW AN AD IN THE PAPER. PLEASE SEND ME INFO AND AN APPLICATION.

THANK YOU

JOE NELSON

GOXY TO FIELDS SEND WHEN COMPLETE

Electronic mail.

Design Considerations

There were two main goals in designing the system. The first was to provide the client with as much information as possible in the most efficient manner. The second was to insure that the system served only as a supplement to the services performed by the Hutton account executives. It was very important that Huttonline in no way reduce the responsibility of the AEs in managing the clients' accounts. The New York Stock Exchange and other agencies have "know-your-client" regulations that make AEs responsible for questioning any client trading activity that is inconsistent with either the client's stated or normal trading objectives. Nothing in the system design could be allowed to interfere with carrying out this responsibility. In short, there could be no inputting of orders directly by clients.

Another obvious design requirement was that the system be easy for the client to use. For many of them, this would be their first, and perhaps only, use of computers or terminals. Finally, the system had to be compatible with Hutton's overall high-speed communication network, Compass (an IBM TCAM communications system based on IBM 3033 and 3083 mainframes). Another new Hutton system, BIPS (Branch Information Processing System), is to be added to deliver electronic mail through Huttonline to the AE. BIPS is to be based on Data General MV/4000 superminicomputers in each of the 400 Hutton branch offices and will control over 8000 Data General Dasher and Bunker Ramo System 7/90 terminals. It will operate under Data General's CEO (Comprehensive Electronic Office) automation software.

System Configuration

In selecting equipment for both the client's use and the communications between Hutton and the client, Pica was concerned with imposing as few technical restrictions as possible on the client. He wanted any client anywhere to be able to access the system through public telephone lines (at local rates) using whatever terminal, personal computer, or communications device was available. This precluded terminals designed exclusively for use with Huttonline as well as the use of private communications lines connected directly to Hutton. According to Epstein, the aim was "to deliver services to clients through any ap-

(Continued on page 112)

IN - CIRCUIT EMULATION

A diagnostic approach to fixing a microcomputer from the inside out

BY LES SOLOMON




Fig. 1. The microprocessor in the faulty computer is replaced by the in-circuit emulator.

DESPITE preventive maintenance, any piece of digital equipment from a microprocessor-controlled washing machine to microcomputer can "go down" at any given instant. When this happens, what can you do?

Once the initial panic is over, the next thought is to find out what went wrong and repair or replace the faulty part. This article will focus on microcomputers although the same diagnostic approach can be used for any piece of digital equipment that uses a microprocessor as the controlling element.

The first thing most people would do is to reach for the diskette containing system diagnostic procedures, or call whatever form of diagnosis utility (if any) that is built into the operating system. Although these are both obvious choices, the chances are that they will not work.

Les Solomon is Technical Director of COMPUTERS & ELECTRONICS.

For a computer to run such a utility, the bulk of the system must be operating. This includes the microprocessor, RAM, ROM, I/O port, the disk controller, the disk drive, the diskette, and the bulk of the ICs in the system.

Then there is the question of disk-based CPU diagnostics. If the CPU is bad and requires the diagnostic, how do you run it?

To further compound the problem, it is always possible that the hardware is good, and the fault is in the software. Then what do you do?

There is an answer to this seemingly unanswerable paradox, and it is called "in circuit emulation," or I.C.E. for short.

To use this approach to digital servicing, in which every element in the faulty computer can be tested, all that the non-working system needs is system operating voltage (usually +5 volts) and "clock." That's all. The emulator doesn't need any of the target system's memory or I/O.

The operating voltage can be checked using a dc voltmeter, while almost any oscilloscope can show the presence of the clock signal at the pertinent CPU chip and bus pins.

An emulator can be used for debugging hardware and software, pinpointing potential problems before production, or for on-site repair calls to save the expense and bother of bringing complete systems into the shop for repair when only a plug-in board has a fault.

For the sake of this discussion, consider a hypothetical situation in which your computer's disk drive is acting up. Thus, even if you had the best diagnostic utility on the planet, there would be no way for you to load it.

How It Works

An emulator is a digital diagnostic device that permits complete control of the target microprocessor's function, including control of every device connected to the system bus. Although em-

ulators are (or soon will be) available for almost every microprocessor, our attention here will be devoted to a low-cost emulator for Z80 systems from Nicolet Paratronics Corp. of Fremont, CA.

To get started, as shown in Fig. 1, the microprocessor in the faulty computer is removed from its socket, and replaced by a plug with similar pins that is connected to the emulator control unit via a lead-mating pod. The emulator contains a microprocessor identical to that removed from the faulty system, and has its own dedicated operating system in ROM. Thus, in its most basic mode of operation, the emulator "tricks" the target system into "thinking" that nothing has changed. The emulator operating system is controlled by a conventional RS-232 terminal driven by circuits within the emulator.

However, as selected via the RS-232 terminal, the emulator firmware allows examination and modification of the microprocessor's internal registers, and provides the capability to alter and manipulate the system RAM, to implement and observe system I/O operations, to control interrupts, to single-step the program to trace instructions, and to perform all the functions shown in Table I. Thus, almost all possible functions in the target system can be tested and checked.

In the following discussion, all emulator commands and the resulting CRT screen displays are specific to the Nicolet unit.

Basic Operation

Since emulation is at the CPU (machine language) level, it is very important that the user have a full understanding of the machine-language code of the program being run on the faulty target system.

When the target computer is turned on, it must first be reset. This is done automatically in many systems.

The reset command places the emulator in the GO mode which permits the target system to operate just as if its own microprocessor had never been removed. In this mode of operation, the emulator is said to be transparent to the target system.

The RS-232 terminal screen display will then produce a status message to indicate that the terminal, emulator, and the target system are all properly interacting. If by chance, the disk drive problem goes away, then the Z80 that was removed from the faulty system was the problem.

Unfortunately, things are rarely that

```

OK ====> Q
          A=60 BC=0000 DE=E758 HL=E831 S=E8FC P=E701 M(P)=77
SZHVNC A'=7F B'=7FFF D'=FFFF H'=FFFF X=FBAB Y=FBDF I=00

OK ====> T
          A=60 BC=0000 DE=E758 HL=E831 S=E8FC P=E702 M(P)=23
SZHVNC A'=7F B'=7FFF D'=FFFF H'=FFFF X=FBAB Y=FBDF I=00

OK ====> T 4
          A=60 BC=0000 DE=E758 HL=E832 S=E8FC P=E703 M(P)=06
SZHVNC A'=7F B'=7FFF D'=FFFF H'=FFFF X=FBAB Y=FBDF I=00

          A=70 BC=0000 DE=E758 HL=E832 S=E8FC P=E705 M(P)=02
SZHVNC A'=7F B'=7FFF D'=FFFF H'=FFFF X=FBAB Y=FBDF I=00

          A=70 BC=0000 DE=E758 HL=E832 S=E8FC P=E6FE M(P)=35
SZHVNC A'=7F B'=7FFF D'=FFFF H'=FFFF X=FBAB Y=FBDF I=00

          A=70 BC=0000 DE=E758 HL=E833 S=E8FC P=E700 M(P)=23
SZHVNC A'=7F B'=7FFF D'=FFFF H'=FFFF X=FBAB Y=FBDF I=00

OK ====>

```

Fig. 2. Quit and trace commands.

```

OK ====> MT E800,E8FF
          ---> 80

OK ====> Q FE 81

OK ====> Q FF,00,01,00:RL

```

Fig. 3. Memory test.

```

MAIN      TRIG 006B CALL 00C2H
          +001 006C C2  OPERAND_FETCH
LOC+ 0002 006D 00  OPERAND_FETCH
          +003 1FFC 00  STACK_WRITE
SIG:      +004 1FFB 6E  STACK_WRITE
145E A057 +005 00C2 RET
          +006 1FFB 6E  STACK_READ
          +007 1FFC 00  STACK_READ
          +008 0097 JMP 009AH
          +009 0098 9A  OPERAND_FETCH
          +010 0099 00  OPERAND_FETCH
          +011 009A JM 009DH
          +012 009B 9D  OPERAND_FETCH
          +013 009C 00  OPERAND_FETCH
          +014 009D JP 00A0H
          +015 009E A0  OPERAND_FETCH

```

Fig. 4. Assembly/disassembly.

easy and the disk drive will probably still give you trouble. At this time, the best approach is to halt CPU operation and examine the processor registers, particularly the program counter which will tell you whether or not the target system is even executing the program within the disk driver routine.

After the prompt is displayed (in the case of the Nicolet instrument, this is an

OK followed by an arrow), the user types in the Q (uit) command. This act stops the Z80, inhibits interrupts and bus requests, and displays a listing of current Z80 registers and the SZHVNC system status flags on the CRT screen as shown at the top of Fig. 2. Note that the program counter (P register) is at address E701 which is where it should be when exercising the disk driver routine in this particular program.

The next terminal entry is the T (race) command which is used to follow a program through one or more instruction steps. After each instruction is executed, the monitor CRT displays all the CPU registers and flags.

When the T is used alone, only a single instruction is traced. When a T is followed by a number such as 4 (as shown in Fig. 2), that number of instructions will be traced and displayed.

Examining these particular instructions, and comparing them to what should be going on according to the program, shows that the disk driver routine is functioning as it should.

Up to this point, everything looks normal. So, the next thing is to test the target system memory. This is accomplished by entering MT (memory test) after the prompt, followed by the starting and ending addresses (E800 and E8FF in the example shown in Fig. 3) This particular memory test uses a "walking" 1s and 0s pattern. If an error is detected, the address of the failed bit is displayed, otherwise the OK prompt appears. It takes approximately 15 seconds to check each 1K block of memory.

If the target system passes the memo-




Fig. 5. Block diagram of an in-circuit emulator.

ry test, the next step is to check the status of the disk I/O port. This is done by entering the command E (xamine) after the prompt followed by the address of that port (FF in the example shown in Fig. 3). The emulator returns 80H from the port which, according to the program, indicates that the disk drive is ready.

The fourth line in Fig. 3 shows the use of an O (utput) command to send instructions to the disk head at port FE. The instruction 81H loads the disk head and sets the direction to "out."

The fifth line shows a simple routine that first sends a 0 to port FF, followed by a 1, a 0, and the command RL (Repeat Line). The effect of this alternating sequence is to skip the disk head from one track to the next in a continuous fashion so that the disk driver circuit can be checked with an oscilloscope if desired.

Thus, even with just a handful of the 48 powerful commands shown in Table I, you will note that an emulator permits some fairly in-depth tests.

Bells and Whistles

Most emulators display instructions and data from the target system in hexadecimal format. Some (including the Nicolet instrument) display this information as mnemonics—the English language equivalent abbreviation of the hex data which is far easier for the hu-

man operator to read and understand.

The process of translating a machine-language instruction into its mnemonic equivalent is called "disassembly". For example, the Z80 instruction for a jump in binary is 11000011, in hexadecimal it is C3, while the more understandable mnemonic is simply JP (Jump). An example of disassembled code for the Z80

An emulator permits complete control of the microprocessor's functions

is shown in Fig. 4.

The opposite of disassembly is called "assembly." In this mode the emulator accepts an English-language mnemonic and translates it to machine language for use by the processor. For example, if the programmer wants to jump to a particular item, he writes JP xxxx where the xxxx is the address to which the program should jump. The assembler converts this to the machine readable binary 11000011xxxx.

An emulator having assembly and disassembly capabilities and used with a computer (instead of just with a termi-

nal) produces a Microprocessor Development System that can be used to develop, test, modify, and patch software in a target system.

Emulator Design

The block diagram of a typical in-circuit emulator is shown in Fig. 5.

To accomplish a low parts count (six ICs), Nicolet elected to use a 6-MHz Z80B as the main processor, a custom control microprocessor that incorporates the operating system within its internal ROM, two high-speed custom logic arrays, a PROM containing the assembly/disassembly routines, and an address latch for the PROM.

Some emulators multiplex a single CPU to perform the functions of both main and control CPUs. In the Nicolet instrument, the Z80B takes the place of the CPU removed from the faulty target system and acts like a Z80 and nothing more. The separate control CPU handles all aspects of the emulation including command execution and error reporting.

The high-speed logic arrays, under the control CPU, gate the Z80B's control lines as well as stopping the Z80B at particular states so that the control CPU can gain access to the Z80B's data bus.

The emulator's main CPU connects to the microprocessor socket in the target computer via an interface that connects all the required signals into their respective pins on the Z80 plug. Note that this particular emulator gets its operating power (+5 volts) and clock signal directly from the target CPU socket.

The RS-232 terminal connects to the emulator via a conventional DB-25 connector, with all signals passing through the proprietary logic arrays. An algorithm is provided within the emulator operating system to automatically set the communication rate between 150 baud and 19,200 baud by measuring the length of the first start bit transmitted from the terminal when a carriage return is entered.

Conclusion

You can now understand why in-circuit emulation is a very powerful diagnostic tool that can be used even with a "crashed" computer. When will such potentially useful instruments become readily available? Well, up to now, they cost several thousand dollars, but it is hoped that the introduction of the Nicolet emulator which is priced at under

(Continued on page 98)

10th
YEAR

creative computing's COMPAQ SWEEPSTAKES

10th
YEAR

WIN A \$2,995 Compaq Portable in creative computing's 10th Anniversary Sweepstakes

Join us in celebrating our first ten years of publishing the #1 magazine of computer applications and software... enter CREATIVE COMPUTING'S ANNIVERSARY SWEEPSTAKES!

You could win a COMPAQ Portable microcomputer, bringing you all of the features of a desk-top PC with the portability of an electric typewriter! Full function keyboard, Systems Box housing the CPU chassis, 9" phosphor screen and slots for two disk drives makes the COMPAQ a wonderful foundation for a major system! Use over 95% of all IBM PC software to create and develop new programs!

One lucky reader will win the COMPAQ, *but you can be a winner every month with CREATIVE COMPUTING!*



Get the latest news about microcomputers, unbiased and in-depth hardware and software reviews, and innovative business, education and recreation applications every month!

Mail in your complete Official Entry Form now, and you could win the COMPAQ Portable!

**SUBSCRIBE TODAY AND
SAVE UP TO 33%!**

OFFICIAL RULES NO PURCHASE NECESSARY

1. On an Official Entry Form or a 3" x 5" piece of paper, hand-print your name, address and zip code. Enter as often as you wish, but mail each entry separately to CREATIVE COMPUTING'S COMPAQ SWEEPSTAKES, P.O. Box 5212, Boulder, Colorado 80322. Entries must be received no later than July 31, 1984, and the drawing will be held by August 31, 1984. All entries become the property of CREATIVE COMPUTING, which reserves the right to reprint the name and address of the winner.

2. The winner will be selected in a random drawing from among all entries received, under the supervision of the publishers of CREATIVE COMPUTING, whose decision will be final. Only one prize will be awarded in this Sweepstakes. Winner will be notified by mail and may be required to execute affidavit of eligibility and release. Odds of winning will depend on the number of entries received. CREATIVE COMPUTING will arrange delivery of prize. Taxes are the responsibility of the winner. Any manufacturer's claims or warranties will apply, but CREATIVE COMPUTING makes no claims or warranties with regard to any prizes. Prize is not transferable. No substitutions for prizes.

3. Sweepstakes open to all residents of the U.S., its territories and possessions, except employees (and their families) of CREATIVE COMPUTING Magazine, its affiliates, and its advertising and promotion agencies. Void where prohibited or restricted by law.

4. For winner's name, send a stamped self-addressed envelope to CREATIVE COMPUTING'S COMPAQ SWEEPSTAKES, Circulation Department, One Park Avenue, New York, N.Y. 10016.

10th
YEAR

OFFICIAL ENTRY FORM creative computing's

10th
YEAR

COMPAQ SWEEPSTAKES

CREATIVE COMPUTING - P.O. BOX 5212, BOULDER, COLORADO 80322

YES! Enter my name in CREATIVE COMPUTING'S COMPAQ SWEEPSTAKES and start my subscription to CREATIVE COMPUTING for:

- | | | |
|--|---|---|
| <input type="checkbox"/> One year (12 issues) for \$19.97—SAVE 20% | <input type="checkbox"/> Two years for \$36.97—SAVE 26% | <input type="checkbox"/> Three years for \$49.97—SAVE 33% |
|--|---|---|

Savings based on full one-year subscription price of \$24.97.

- NO, I don't wish to subscribe now, but tell me if I've won CREATIVE COMPUTING'S COMPAQ SWEEPSTAKES.

Mr./Mrs./Ms. _____ please print name in full

Address _____ 8H104

City _____ State _____ Zip _____

Check one: Payment enclosed Bill me later

Charge my: American Express Visa MasterCard

Card No. _____ Exp. Date _____

Offer valid in U.S., its territories and possessions only. Please allow 30 to 60 days for delivery of first issue.

Leading Edge WP

(Continued from page 47)

what special attribute has been given to that text).

Other special attributes include superscripts and subscripts, bold, special fonts (italics or other possible type styles), overstrike (where one character is printed over another to create special, non-standard symbols), and color (for display on the color monitor and eventual printing in color if you have the required peripherals).

Safety Features

Basic word processing packages just sit and take all the words a typist can throw at them. It's only when you go to save a document that anything is actually recorded on disk. The problem with this is that, if there is a power failure, or somebody removes your disk without typing "KD," or some other hallowed command, you lose your precious data. The Leading Edge Word Processing package, however, offers users the ability to automatically create backup versions whenever they load an old document. (The system tells you that it's doing this when you enter the program). I liked this feature, and you can turn it off if you are running short of disk space.

Another handy feature is that the program will occasionally save text to disk while you are actually typing. This can be a little disconcerting at first. In fact, since I once lost most of a 3000-word original article to a word processing program that had a similar feature, I am a little sensitive about such matters. In software design circles, it's a controversial issue whether or not programs should automatically carry out certain actions without the users' prior knowledge. I guess this kind of thing is just a question of personal taste.

As an experiment to test the program's ability to automatically save text

OVERVIEW

Product: Leading Edge Word Processor
Manufacturer: Leading Edge Products, Inc.
325 Turnpike Street
Canton, MA 02021
Price: \$295 (\$350 with mergeprint option)
Operating System: MS-DOS, PC-DOS
Memory Required: 256K
Disk Requirements: Two drives recommended

The Leading Edge Word Processor is a powerful one, and quite well designed for its intended task. It should find particular favor among those who learned word processing on Wang equipment and want to use a similar system on their personal computers.

and cope with a power failure, I created a small document and then switched the power off. On restarting the system, the program discovered that the document had been damaged in some way and announced that it was trying to repair it.

When the document was finally displayed, it was in just about the same condition as it was before I yanked the plug—only odd bits of garbled text had to be retyped.

The main documentation provided with the program is quite good, and should present the user with few problems (an "800" number is listed to call if troubles do occur). The documentation provided with the tutorial disk is another matter. While the tutorial lessons do show off the various features, they are a bit "over-the-top" and "gee whiz!" about it all.

While I'm not sure that the Leading Edge Word Processing package is "the most powerful word processing package created for the IBM Personal Computer," it has a lot to commend it to those users appalled by many of the other products on the market. ◇

TWO DBASE II FRONT ENDS

By Robert Rioja

IF you have ever needed to set up a specialized database on your computer, chances are you have done it with Ashton-Tate's dBase II. Although other database management programs may be easier to use, dBase has gained great popularity because of its inherent power. However, this power comes at a price: it requires you to learn dBase's unique language, which is often difficult to master. So you must spend time programming, testing, and debugging.

You can write a program using dBase's Modify command, which is actually a very simple and limited text editor. Otherwise, you can use a text editor or word processor like WordStar. But mastering the complexities of some of today's editors can be quite a chore. Thus, although the tools are there, using them can present problems.

To alleviate this difficulty, some clever people have come up with program generators—or "front ends"—that actually "write" dBase programs for you. These programs let you specify the characteristics of your database, and then

generate a (presumably) bug-free program that can be run immediately by dBase. Of course, you can modify the program so generated at a later time to optimize it for your needs. Two such program generators are **Quickcode** and **Autocode 1**.

Quickcode

Quickcode, from Fox & Gellar, is a huge program that consists of one main module (33K) and some twenty program overlay modules. The total size of the files on the Quickcode distribution disk is 229K. (As compensation it should be noted that Quickcode can generate code without dBase being present.) It is fairly obvious that one should think twice before running Quickcode on a system with low-capacity disk drives. In fact, when you consider the space needed for dBase, Quickcode, and the resulting application program, a hard disk system might be a good idea. This is especially true if you really want to use all of Quickcode's fancy features. The Quickcode manual is commensurate in size with the program, but you can get away with reading only parts of it if you are just setting up a simple database.

When you start up Quickcode, a menu filling the entire screen appears. It lists every single command and serves as a fast guide to Quickcode's capabilities.

The first feature of Quickcode that you will probably want to use is its "Quickscreen" mode. This is a screen editor (Fox & Gellar calls it an "electronic blackboard") that allows you to design data-entry forms with incredible ease. A data-entry form emulates on the screen a printed form, such as a driver's license application. It can contain instructions on how to fill out the form, descriptions of the data to be filled in, and blanks to write the data in.

To design such a form, you simply move the cursor of your terminal around on the screen and type in whatever descriptions, titles, prompts, etc., you wish to have. You also type in the names of each data item in the screen locations where you will be entering the data. If you want a simple database, that's all you have to do. You can let Quickcode take care of the rest. It will generate an integrated series of dBase programs that will let you enter, update, or delete records within the database. Also it will allow you to generate reports, print mailing labels, and produce a WordStar/MailMerge-compatible data file. If you don't specify any parameters, Quickcode will make assumptions and decide for you how to print the reports,

dBase Front Ends

labels, etc. It will even decide how to set up menus so you can tell the program what to do next!

If you have a clear idea of what you want the program to be generated to do, you can give Quickcode all of your specifications and it will use them instead of making assumptions. For example, you can specify the exact nature and contents of each report, the actual wording of each menu, and perform complete data-entry error checking. If you are willing to learn all of the intricacies of Quickcode, you can tailor the programs it generates to your heart's content. However, if you *don't* feel like specifying every detail, Quickcode will not reproach you but will use its default parameters to produce a complete, working dBase program.

The Quickcode manual has almost 170 pages. It is well organized and easy to understand. Its first section, "Instant Programs," gives an overview of Quickcode and shows how to create simple dBase programs very quickly. We generated a name-and-address database program in less than 15 minutes!

The second section of the manual, "Quickcode in Detail," explains how to make Quickcode generate tailored database programs. With a little practice, it was possible to set up relatively complex programs in half an hour. All this without once typing a dBase command! It is far easier to master Quickcode than it is to master dBase.

The third part of the manual, "Your Quickcode Programs," gives an insight into the dBase programs that Quickcode generates and is intended for those who are already somewhat familiar with dBase programming. Unfortunately, although the manual does explain every command, and gives examples of how to use each one, it does not contain a complete example of how to set up a database from beginning to end. You have to study the manual and learn what each command does. This means that if you are an absolute beginner, it may be difficult for you to follow the manual. Although a brief section on database terminology is included, it assumes you already have some background.

We didn't realize all that Quickcode was really capable of doing until we asked it to set up a simple database and saw the results. All in all, we were really impressed by Quickcode.

Autocode 1

Autocode 1, by Stemmos, Ltd., is a compact program generator for dBase II that should run well, even in floppy disk

based systems. (The .COM file is only 7K long; the distribution disk contains a total of 138K.) To generate a database program, you must use it in conjunction with dBase; Autocode cannot stand alone the way Quickcode can. The manual consists of a user's guide of some 50 pages, and a larger "Book of Examples."

To use Autocode, you must first decide exactly what the program you want it to generate is going to do for you. Autocode will not make any decisions for you and has no default parameters. Although using Autocode is considerably easier than using dBase, it has no "quick-and-dirty" mode, so you must define all parameters for all databases. Fortunately, Autocode prompts you for all of the information it needs through a series of well-documented menus.

To set up a data-entry form, dBase must be used. You use the dBase Modify text editor to create the form using your terminal's cursor controls. This is similar to Quickcode's "Quickscreen" mode as explained above. Once you have used the dBase screen editor to set up the data-entry form, you can use the Autocode to generate the program that will employ the form.

When Autocode is run, it presents a simple menu with the following three selections: Menu Generation, File Maintenance Generation, and Report Generation. Each of these must be selected in sequence so that Autocode can generate the necessary dBase programs. Then, through sub-menus and prompts, Autocode asks you for every single scrap of information it needs. The user's guide has excellent examples that lead you step by step through the entire process.

Menu generation allows you to define the exact wording of whatever menus you may need to handle your database. This is actually the easiest part of Autocode.

The report generation lets you define your report formats very easily. Autocode simply presents on the screen a form for you to fill out with specifica-

tions such as page heading, lines per page, page width, totals and subtotals, formats for each column, selection criteria, and so forth.

Evaluation

It is difficult to say which of the two programs, Quickcode or Autocode, is better. Each has its pros and cons.

Quickcode is totally self sufficient, while Autocode relies on dBase's Modify command for screen generation. Although this seems to give Quickcode an edge, it is not necessarily a big one. Quickcode is great for quick-and-dirty work, but also allows you to go into detail should that be required. Autocode has no quick-and-dirty mode, but its menus and prompts make even detail work a snap.

The Autocode manual is definitely easier to read and understand. All of the instructions are printed on white paper, while the examples are printed on light blue paper. This allows you to easily distinguish instructions from examples as you leaf through the manual, and is a terrific idea. Autocode also has a separate book of examples that contains nine complete Autocode-generated programs covering such areas as payroll and stock control. Quickcode has the built-in ability to print mailing labels, as well as the WordStar/MailMerge interface referred to as the "WordStar Connection."

Both programs are well documented, easy to use, and require no dBase programming knowledge. Best of all, both seem to work quite well, although they are sold "as is" and neither is guaranteed by its manufacturer to produce perfect results.

If you are interested primarily in simple databases requiring virtually no work on your part, Quickcode is for you. If you are willing to do a little work to produce better application software, either program will do, although Autocode 1 is probably easier to use because of its example-filled manual. ◇

OVERVIEW

Program Supplier	Quickcode	Autocode 1
	Fox & Geller 604 Market Street Elmwood Park, NJ 07407	Stemmos, Ltd. 666 Howard Street San Francisco, CA 94105
Price System(s)	\$295 CP/M-80, PC-DOS, MS-DOS	\$200 CP/M-80, CP/M-86, PC-DOS, MS-DOS

Both programs do their job well, although, in some cases, it may be possible for a programmer on intimate terms with dBase II to create a more elegant code. If disk space is no problem and your needs not too demanding, use Quickcode. If your disk capacity is limited, or if your needs are complex and require some customization, use Autocode.



WITH IBM PC AT THE OFFICE
AND PC_{jr} AT YOUR HOUSE,
YOU CAN TAKE WORK HOME
ON YOUR LITTLE FINGER.

Many business people already know about the IBM® Personal Computer family.

Many are now hearing about its new member, the IBM PCjr.

And some have already discovered how PC and PCjr can work together.



THE JOY OF PERSONAL COMMUTING

PCjr bears a strong resemblance to the rest of the family.

If you know how to operate PC or PC/XT, you can operate PCjr easily. If you have programs for PC or PC/XT, you'll find many of them will run on PCjr.

Now, much of what you start at the office, you can finish at home, and vice versa.

And while you're at the office, your family will find plenty to do with PCjr.



THE BRIGHT LITTLE FAMILY ADDITION THAT CAN GROW UP FAST

PCjr is a powerful tool for modern times. With easy-to-follow new IBM Personal Computer programs, and with options like a printer and an internal modem for telecommunications, it can handle a great variety of jobs.

Children can learn new ways of learning, and make short work of homework. Adults can keep track of household expenses, write letters, file tax data, plug into information networks. And everyone can enjoy challenging new cartridge games.

IBM designed PCjr with lots of bright ideas to make computing easier.

The "Freeboard"—a keyboard that doesn't need a connecting cord—is easy to get comfortable with.

Built-in picture instructions can help the first-time user get started.

Diskette-drive systems include a program that allows users to explore computer fundamentals at their own pace. And to get

PCjr up and running from the very first day, a sample diskette with eleven useful mini-programs is also included.




HOME ECONOMICS: IBM DISKETTE COMPUTING FOR ABOUT \$1300

PCjr is the most affordable of the IBM personal computers.

A diskette-drive model with a 128KB user memory is about \$1300. An expandable 64KB cassette/cartridge model is about \$700. (Prices apply at IBM Product Centers. Prices may vary at other stores.)

For a demonstration, visit an authorized IBM PCjr dealer or an IBM Product Center. And you can find the store nearest you with your little finger. Just dial 1-800-IBM-PCJR. In Alaska and Hawaii, 1-800-447-0890.



Little Tramp character licensed by Bubbles Inc., s.a.

NEW PRODUCTS

IBM-COMPATIBLE COMPUTERS

Zenith Data Systems' new Models Z-150 PC and Z-160 PC are claimed to be fully hardware and software compatible with third-party hardware and software designed and written for the IBM PC. The desktop Model Z-150 PC and Model Z-160 PC transportable share features: 5-MHz 8088 16-bit CPU; 128K (expandable to 640K) of RAM; color/monochrome graphics with 80 × 25-character text and 320 × 200-pixel color or 640 × 200-pixel monochrome graphics resolution; detached keyboard with large RETURN and SHIFT keys; two RS-232 serial and one Centronics parallel I/O ports; RGB color and composite monochrome video outputs; and four user-available expansion slots. With the Z-150, display monitor is optional, while the Z-160 has a built-in 9" amber picture tube. Both computers are available with one or two



320K 5¼" disk drives. The Z-150 is also available with a single 5¼" floppy drive and 10.6M hard disk system. Z-150: \$2699 with single drive,

\$3099 with dual drives, \$4799 with one and one 10.6M hard disk; Z-160: \$2799 with one, \$3199 with dual floppy drives.

Circle No. 83 on Free Information Card

INTELLIGENCE FOR DUMB TERMINALS

"Screenstor" from Climax Computer Corp. provides dumb terminals with off-line intelligence and memory. It connects to any dumb terminal's RS-232C serial port and provides: up to 100 pages of memory; parameter and character conversion features and translation facilities to standardize different terminals; auxiliary printer/computer port; easy-access prompt menu; back/forward scrolling; character search facility; function key capabilities; character-by-character display. Technical features: three programmable RS-232C serial ports; 300 to 9600 baud rates; odd/even/no parity; 1/1.5/2 stop bits; full/half duplex and synchronous/asynchronous operation; XON/XOFF protocol; battery backup of parameter memory. \$485. Address: Climax Computer Corp., 4790 Irvine Blvd., Suite 105-172, Irvine, CA 92715.



COMPUTER PROTECTOR PAD

3M Static Control Systems' "First Touch" Series 900 Static Control Computer Pad for desktop computers is designed to save on computer malfunctions due to static discharges. The 24" × 26" × 1/8" (trimmable) pad consists of a semiconductive vinyl

overlay and a highly conductive "scrim" intermediate layer bonded to a nonskid, noise-reducing foam backing. When grounded, the pad protects the computer from static-induced damage by draining static charges from the operator to ground in less than 0.5 second. \$69.95.

Circle No. 84 on Free Information Card


SOFTWARE SOURCES

Spreadsheet Calculator. Videx's UltraPlana spreadsheet program for use in Apple II and IIe computers is designed to automatically take advantage of a wide range of memory cards, up to a total of 512K, as well as Videx display cards. The program has a command structure similar to that of VisiCalc and includes individual column widths and a variety of security commands. With UltraPlan, standard VisiCalc or DIF data files can be used to insure compatibility with a wide range of programs. UltraPlan has easy-to-follow menus for printing and accessing the disk and can be used with Videx's own 132-column by 31-line display peripheral or in Apple's 40-column mode. UltraPlan supports upper- and lower-case text characters, uses control characters to home or move the cursor around the screen, and features individually adjustable column widths.

Circle No. 92 on Free Information Card

Graphics System. Chalk Board's "Leo's 'Lectric Graphics" computer graphics package gives the user the ability to construct finger-painted multiple-contact drawings or to draw fine point-to-point pictures. Built-in structures permit pushbutton creation of such basic shapes as circles, triangles, rectangles, and straight lines. 'Lectric Graphics also features a slide-show capability. \$199.95 for IBM PC. Versions also available for most home computers.

Circle No. 93 on Free Information Card




RGB CARD FOR APPLES

Amdek has introduced the Model DVM-III RGB card for Apple computers. The card fits into slot seven of the computer and reproduces on RGB monitors the video modes that the computer is capable of displaying in NTSC or composite-video monitors. The DVM-III permits user selection of text color by setting soft switches on the board. Modes supported include: 16-color low resolu-

tion with option of mixing 40- or 80-column text; 16-color medium resolution with option of mixing 80-column text; 6-color high resolution with option of mixing 40- or 80-column text; 16-color double high resolution (140 × 192 pixels) with option of mixing 80-column text; and monochrome double high resolution (560 × 192 pixels). The card is compatible with all Apple II 40-column software. \$195.

Circle No. 85 on Free Information Card



PORTABLE 16-BIT COMPUTER

Packaged in an 18" × 15" × 3" attache case and weighing less than 16 lb, the Commuter from Visual is an IBM PC workalike in a go-anywhere portable. It is claimed to be hardware and software compatible with the PC and includes as standard features: 8088 CPU; 128K (expandable to 512K) of RAM; MS-DOS 2.1; keyboard with all IBM functions and identical keyboard layout; 5 1/4" (360K)

floppy-disk drive with room for a second optional drive; bit-mapped color graphics support (display is optional); support logic for 80 × 25- and 40 × 25-character display; parallel and RS-232C serial ports; RGB, composite-video, and r-f outputs; and a connector for using an IBM expansion chassis. An 80 × 16-character LCD display is optional. \$1995 base; \$2450 with optional second drive and display.

Circle No. 86 on Free Information Card

SOFTWARE SOURCES

Flowcharting Program. Automatic drafting of program flowcharts is now possible on the Sharp PC-1500/1500A and Radio Shack PC-2 handheld computers with the Flowcharter program from PocketInfo. The program lets you select from among 15 different symbols, which are then drawn on the computer's printer/plotter. A multiple-line description can be printed alongside the symbol. \$29.95 cassette. Address: PocketInfo Corp., PO Box 152, Beaverton, OR 97075.

Text Formatter. Textform from Gibson Software is a CP/M-based text formatting program for the Heath/Zenith H/Z-89/90 computers. It recognizes more than 30 text-imbedded commands, allowing the user to control page and line lengths, margins, line spacing, text centering and justification, heading, footnoting, and text underlining. Included are commands that provide access to many of the special print modes of Epson printers. Requires a minimum of 48K of RAM and at least one disk drive. \$49.95 hard- or soft-sectored disk. Address: Gibson Software, Rte. 1, Box 317, Iron Station, NC 28080.

File Management System. MegaFinder from Megahaus is a database management program for Apple II and IIe computers. It comes complete with a report generator and includes a selection of ready-made forms and reports models. With MegaFinder, you can custom design forms from scratch, as well as change existing forms, using its built-in screen editor. The program maintains information in up to four sorted orders simultaneously, each of which can be sorted in up to five sublevels. A preview mode allows any report to be checked before printing. An on-line help facility is provided to make the system user-friendly. \$149.95. Address: Megahaus Corp., 5703 Oberlin Dr., San Diego, CA 92121.

Cataloging Program. Cat*Man from Zephyr is a mini-file system that lets you catalog your books, records, tapes, etc., on an IBM PC or Apple II/III computer. You input title, author, and subject for each item to be cataloged, according to prompts from the computer. Up to 5000 items can be cataloged on a single IBM PC disk (2000 on an Apple disk). The program makes it easy to add or delete items and includes a handy search function that quickly pinpoints any item or group of items called by name. Requires 64K of RAM and at least one disk drive. \$19.95 for disk. Address: Zephyr Services, 306 S. Homewood Ave., Pittsburgh, PA 15208.

Spelling Corrector. Star-Kits' Spell 'N Fix Level II is a spelling correction program for the Radio Shack Color Computer. The program splits the CoCo's screen into two windows. The upper window displays upper/lower-case text as it is being read, while the lower window displays program status, misspelled words, and possible alternative spellings. Supplied is a 20,000-word dictionary, to which you can add an additional 20,000 words or use alternative dictionaries. The program is self-prompting and has extensive error-recovery routines that eliminate the need for you to refer to the manual after first use. Requires 32K minimum RAM and at least one disk drive. \$69.29. Address: Star-Kits Software Systems Corp., PO Box 209, Mt. Kisco, NY 10549.

NEW PRODUCTS

DUAL-DISK DRIVE

A new floppy-disk drive unit containing two half-height, 140K drives side-by-side in a single case has been introduced by Apple. Called Duodisk, the system offers improved technology and full compatibility with Apple II software at a lower price than two separate Disk II drives. Duodisk is exactly as wide as the Apple II computer and can sit between computer and

video monitor. Technical improvements include a new disk-eject mechanism and advanced head-positioning mechanism for more precise reading of half tracks. Operationally identical to the Disk II floppy drive, Duodisk runs all Apple II software and is supplied with a controller card that connects to any Apple II, II+, or IIe computer. \$795.


Circle No. 87 on Free Information Card



INTELLIGENT MODEM

Anchor Automation's Signalman Mark XII intelligent low-noise auto-dial/auto-answer modem is said to emulate the command structures used in the Hayes Smartmodem. It can be operated manually, through a keyboard, without computer coding, or automatically to answer or originate calls at 1200 bps for Bell 212A and up to 300 bps for Bell 103

compatibility. The Mark XII detects dialtone and busy signals and automatically displays dialing status on-screen. A CMOS microprocessor assures very low power consumption and high reliability. An RS-232 cable and two telephone jacks (one for an attendant phone) are built in. \$399. Address: Anchor Automation, Inc., 6913 Valjean Ave., Van Nuys, CA 91406.



PRINTER UPGRADE ACCESSORY

Finger Print from Dresselhaus upgrades Epson MX and FX series and IBM PC printers by providing easy access to special print functions such as compressed, italic, or emphasized. The plug-in module puts numerous modes at the user's fingertips, permitting instant selection from a variety of print functions simply by tapping the printer's control panel buttons. The increased capabilities do not interfere with normal printer operations. Installs without soldering and is accompanied by instructions. \$59.95. Address: Dresselhaus Computer Products, 837 E. Alosta Ave., Glendora, CA 91740.

SOFTWARE SOURCES

Word Processor. OmniWriter from Human Engineered Software offers a word processor and integrated spelling checker for Commodore 64 users. The page-based WP program provides such features as multiple line headings and footings; name, address, and label merging; underlining and boldfacing; full scrolling and function keys to page forward/backward; global search/replace; and support for a wide variety of printers. The integrated 30,000-word OmniSpeller can be expanded to include additional words. A simple conversion allows files from Microsoft's Multiplan spreadsheet to be transferred to OmniWriter. Supplied are a quick reference card, keyboard overlay, and reference manual. \$69.95. Address: Human Engineered Software, 150 N. Hill Dr., Suite 35, Brisbane, CA 94005.

Mainframe Graphics Link. CompuView Products has announced availability of Vgraph, a software package designed to allow microcomputer users to access powerful mainframe graphics packages. The program emulates a Tektronix Model 4010, the industry standard display terminal. It also allows the user to print out his display screen and, with the aid of a color monitor, to display text in up to eight colors. The software is menu driven and permits modification of communications parameters during execution. Computers currently supported include the Heath/Zenith H/Z-100 series and Victor 9000. \$120. Address: CompuView Products, Inc., 1955 Pauline Blvd., Suite 200, Ann Arbor, MI 48103.

Word Processor for PCjr. Word-Jr from Micro Architect is a word processor for the IBM PCjr that supports both color and monochrome monitors. The program consists of a full-screen editor and a powerful text processor. Also included is a built-in file/merge capability. Word-Jr requires a minimum of 128K of RAM and at least one disk drive. \$59. Address: Micro Architect Inc., 6 Great Pines Ave., Burlington, MA 01803.

COMPUTER MAIL ORDER

commodore

SX-64 PORTABLE \$ 839



HOME COMPUTERS



CBM 8032.....	*599
CBM 4032.....	*599
CBM 12880	*769.00
CBM 64K Memory Board	*269.00
8032 to 9000 Upgrade	*269.00
2031 LP Disk Drive	*299.00
8050 Disk Drive	*949.00
8250 Disk Drive	*1199.00
4023 Printer	*379.00
8023 Printer	*569.00
6400 Printer	*1399.00
Z-RAM	*499.00
Silicon Office	*699.00
The Manager	*199.00
Soft. ROM	*125.00
VisiCalc	*159.00
PROFESSIONAL SOFTWARE	
Word Pro 2 Plus	*159.00
Word Pro 3 Plus	*189.00
Word Pro 4 Plus/5 Plus, each	*279.00
InfoPro	*179.00
Administrator	*399.00
Power	*79.00

CBM 64.....	*199
VIC 20.....	CALL
MSD-1 Disk Drive	*349.00
MSD-2 Disk Drive	*599.00
C1541 Disk Drive	*249.00
C1530 Datasette	*69.00
C1520 Color Printer/Plotter	*169.00
M-801 Dot. Matrix/Parallel	*219.00
C1526 Dot. Matrix/Serial	*279.00
C1702 Color Monitor	*249.00
C1311 Joystick	*4.99
C1312 Paddles	*11.99
C1600 VIC Modem	*59.00
C1650 Auto Modem	*89.00
Logo 64	*49.00
Plot 64	*39.00
Word Pro 64 Plus	*59.00
Parallel Printer Interface	*49.00
CalcResult 64	*65.00
CalcResult Easy	*39.00
Codewriter 64	*75.00
Quick Brown Fox	*49.00
Vidtex Telecommunications	*34.95

1010 Program Recorder	*74.00
1020 Color Printer	*249.00
1025 Dot. Matrix	*349.00
1027 Letter Quality	*309.00
1030 Direct Connect Modem	CALL
1050 Disk Drive	*399.00
CX30 Paddle	*12.00
CX40 Joystick each	*8.00
CX77 Touch Tablet	*64.00
CX80 Trak Ball	*48.00
CX85 Keypad	*105.00
488 Communicator II	*229.00
4003 Assorted Education	*47.00
4011 Star Raiders	*33.00
4012 Missile Command	*29.00
4013 Asteroids	*29.00
5049 VisiCalc	*159.00
7097 Logo	*79.00
7101 Entertainer	*69.00
7102 Arcade Champ	*75.00
8026 Dig Dug	*33.00
8030 ET Phone Home	*33.00
8031 Donkey Kong	*39.00
8033 Robotron	*35.00
8034 Pole Position	*39.00
8036 AtanWriter	*79.00
8040 Donkey Kong Jr.	*39.00
8043 Ms. PacMan	*39.00
8044 Joust	*39.00

WHILE SUPPLIES LAST
600XL..... *149
800XL..... *299
1200XL..... CALL
1400XL..... CALL



AT 88-S1	*369.00
AT 88-A2	*259.00
AT 88-S1P0	*449.00
AT 88 DDA	*119.00
RFD 40-S1	*449.00
RFD 40-A1	*269.00
RFD 40-S2	*699.00
RFD 44-S1	*539.00
RFD 44-S2	*869.00

TEXAS INSTRUMENTS *279.00

TX 99 S1	*279.00
1000	*329.00

RANA	
GT Drive	*379.00

TRAK	
AT-D2	*389.00

KOALA PAD	
Atari (ROM)	*82.00
Apple	*85.00
IBM	*95.00
CBM 64 (ROM)	*82.00

WICO CONTROLLERS	
Joystick	*21.99
3-way Joystick	*22.99
Famous Red Ball	*23.99
Power Grip	*21.99
BOSS Joystick	*17.99
ATARI/VIC Trak-Ball	*34.99
Apple Trak Ball	*54.99
Apple Adapter	*15.99
Apple Analog	*37.99

MODEMS ANCHOR	
Volksmodem	*59.00
MARK II	*79.00
Mark VIII (Auto Ans/Auto Dial)	*119.00
Mark XII (1200 Baud)	*299.00
TRS 80 Color Computer	*99.00
9 Volt Power Supply	*9.00

HAYES	
Smartmodem 300	*209.00
Smartmodem 1200	*499.00
Smartmodem 1200B	*449.00
Micromodem IIe	*269.00
Micromodem 100	*299.00
Smart Com II	*89.00
Chronograph	*199.00

NOVATION	
J-Cat	*99.99
Smart Cat 103	*179.00
Smart Cat 103/212	*399.00
Auto Cat	*219.00
212 Apple Cat	*569.00
Apple Cat 212 Upgrade	*309.00
Cat	*139.00
D-Cat	*149.00
PC Cat	*339.00

ZENITH	
Z11	*309.00
Z110	*339.00
Z111	*399.00

FRANKLIN



ACE 1000 Color Computer	CALL
ACE Family Pack System	CALL
ACE PRO PLUS System	CALL
ACE 1200 DMS	CALL

PRINTERS AXIOM

AT-846 Atari Interface	*89.00
AT-100 Atari Interface	*239.00
GP-100 Parallel Interface	*199.00

BMC

401 Letter Quality	*589.00
BX-80 Dot. Matrix	*269.00

C.ITOH

Gonilla Banana	*209.00
Prowriter 8510P	*379.00
Prowriter 1550P	*679.00
A10 (18 cps)	*569.00
F10-40	*999.00
F10-55	*1499.00

EPSON

MX 80FT, MX-100, RX-80, RX-80FT, FX 80, FX-100	CALL
--	------

OKIDATA

82, 83, 84, 92, 93, 2350, 2410	CALL
--------------------------------	------

SMITH CORONA

TP-2	*399.00
Tractor Feed	*119.00

SILVER REED

500 Letter Quality	*469.00
550 Letter Quality	*699.00

STAR

Gemini 10X	*299.00
Gemini P15X	*399.00
Delta 10	*559.00
Serial Board	*75.00

TRANSTAR

120P	*499.00
130P	*689.00
315 Color	*499.00

APPLE/FRANKLIN DISK DRIVES MICRO-SCI

A2	*219.00
A40	*299.00
A70	*319.00
C2 Controller	*79.00
C47 Controller	*89.00

RANA

Elite 1	*279.00
Elite 2	*389.00
Elite 3	*569.00

APPLE IIe STARTER PACK
 64K Apple IIe, Disk Drive & Controller, 80 Column Card, Monitor II & DDS 3.3.
COMPLETE..... CALL

SOFTWARE FOR ATARI, APPLE/FRANKLIN, CBM & IBM

ELECTRONIC ARTS	
Hard Hat Mack (AT/AP/CBM/IBM)	*29.95
Archon (AT/AP/CBM/IBM)	*32.95
One On One (AP ONLY)	*32.95
Cut & Paste Word (AT/AP/CBM/IBM)	*42.95
Pinball Construction (AT/AP/CBM/IBM)	*32.95

INFOCOM	
Zork 1, 2, 3 (AT/AP/CBM/IBM)	*29.00
Deadline (AT/AP/CBM/IBM)	*32.95
Enchanter (AT/AP/CBM/IBM)	*32.95
Planetfall (AT/AP/CBM/IBM)	*32.95
Witness (AT/AP/CBM/IBM)	*32.95
Starcross (AT/AP/CBM/IBM)	*29.00

ATARISOFT	
PacMan (IBM/AP)	*29.99
PacMan (CBM/VIC)	*37.99
Centipede (IBM/AP)	*29.99
Centipede (CBM/VIC)	*37.99
Dig Dug (IBM/AP)	*29.99
Dig Dug (CBM/VIC)	*37.99
Donkey Kong (IBM/AP)	*29.99
Donkey Kong (CBM/VIC)	*37.99
Defender (IBM/AP)	*29.99
Defender (CBM/VIC)	*37.99
Robotron (IBM/AP)	*29.99
Robotron (CBM/VIC)	*37.99
Star Gate (IBM/AP)	*29.99
Star Gate (CBM/VIC)	*37.99

CONTINENTAL SOFTWARE	
Home Accountant (AT/AP/CBM)	*49.00
Home Accountant (IBM PC)	*88.00

MEMORY BOARDS FOR ATARI

Axlon 32K	*59.00
Axlon 48K	*89.00
Axlon 128K	*299.00
Intec 32K	*59.00
Intec 48K	*85.00
Intec 64K	*99.00
Intec Real Time Clock	*29.00
Atari 853-16K	*49.00

MONITORS AMDEK

300 Green	*149.00
300 Amber	*159.00
310 Amber	*169.00
Color 1	*279.00
Color 1 Plus	*299.00
Color 2	*399.00
Color 2 Plus	*419.00
Color 3	*349.00
Color 4	*699.00

BMC	
12" Green	*79.99
12" Green Hi-Res	*119.99
9191-13" Color	*249.99

GORILLA	
12" Green	*88.99
12" Amber	*95.99

NEC	
JB 1260 Green	*109.99
JB 1201 Green	*149.99
JB 1205 Amber	*159.99
JC 1215 Color	*259.00
JC 1216 RGB	*299.99
JC 1460 Color	*359.00

PRINCETON GRAPHICS	
HX-12	*159.00

TAXAN	
12" Green	*119.00
12" Amber	*129.00
Taxan 1 RGB	*279.00

SAKATA	
SC-100	*269.00

USI	
Pi 1, 9" Green	*99.99
Pi 2, 12" Green	*119.99
Pi 3, 12" Amber	*149.99
Pi 4, 9" Amber	*139.99
1400 Color	*269.99

ZENITH	
ZVM 122 Amber	*109.00
ZVM 123 Green	*99.00
ZVM 135 Color/RGB	*469.99

= WEST = = CANADA = = EAST =

800-233-8950

In PA call (717)327-9575, Dept. 40507
 Order Status Number: 327-9576
 Customer Service Number: 327-1450
 477 E. 3rd St., Williamsport, PA 17701

800-268-4559

In Toronto call (416)928-0866, Dept. 40507
 Order Status Number: 828-0866
 2505 Dunwin Drive, Unit 38
 Mississauga, Ontario, Canada L5L1T1


800-648-3311

In NV call (702)588-5654, Dept. 40507
 Order Status Number: 588-5654
 P.O. Box 6689
 Stateline, NV 89449



No risk, no deposit on C.O.D. orders and no waiting period for certified checks or money orders. Add 3% (minimum \$5) shipping and handling on all orders. Larger shipments may require additional charges. NV and PA residents add sales tax. All items subject to availability and price change. Call today for our catalog. CANADIAN ORDERS: All prices are subject to shipping, tax and currency fluctuations. Call for exact pricing in Canada.
 Circle No. 11 on Free Information Card


NEW PRODUCTS



PARALLEL I/O INTERFACE

MetraByte's Model PIO-12 I/O parallel interface board for the IBM PC and XT provides 24 TTL/DTL-compatible lines. It also offers interrupt input, enable lines, and external connections to the PC's power buses. Interrupt handling is via a tristate driver with a separate enable line, and it can be configured to any of the available interrupt

levels on the IBM PC by means of a plug-type jumper on the board. All outputs can drive one standard or four low-power Schottky TTL devices, and CMOS compatibility can be obtained by adding a pullup resistor. Three programming modes are available to the user to permit standard, strobed, and bidirectional I/O. \$89. Address: MetraByte Corp., 254 Tosca Dr., Stoughton, MA 02072.



INK-JET COLOR PRINTER


Quadjet from Quadram Corp. is a compact, lightweight inkjet printer that prints out in up to seven colors at a speed of 40 characters per second. It uses a drop-on-demand ink-jet printing system capable of a text and graphics resolution of 640 dots per line. Its bidirectional scanner prints 80 standard or 40 enlarged text characters per line. Each color user-replaceable cartridge is rated at 4-

million characters. Quadjet has both image printing and hard-copy functions and can use almost the entire width of an 8½" sheet of paper. Operating sound level is rated at less than 50 dB. The printer measures 15¾" W × 11⅝" D × 4¼" H and weighs only 12.3 lb. Accessory kits containing software programs to take advantage of Quadjet's features, are available for the IBM PC and Apple II series computers. \$895.

Circle No. 88 on Free Information Card

HIGH-SPEED/RES JOYSTICK

The Turbo Stick is a new type of joystick from KA Design Group. It offers high pointing speed, high resolution (one part in 4096), and full RS-232 ASCII output. Incorporated into the handle are two fingertip-operated microswitches that allow the user to switch between an absolute mode with high pointing speed and a rate mode with high resolu-



tion. These switches can also be redefined through software to perform different functions. \$395. Address: KA Design Group, 6300 Telegraph Ave., Oakland, CA 94069.

SOFTWARE SOURCES

Financial Management. Turning Point Software's Time is Money™ personal/small-business management tool is designed for the person with no accounting or bookkeeping background. It balances checkbooks, calculates and monitors budgets, calculates net worth, prints out checks, and tracks fully or partially deductible items. Full report generation and graphics capabilities are included. The program can keep track of 240 accounts, 240 expense categories, and 240 income types from 240 sources. Any transaction in any category can be added, deleted, or edited at any time. A system of virtual menus allows instantaneous movement to any point within the program. Available for Apple II+, II+, IIe, and Apple-compatible computers with at least one drive. \$100. Address: Turning Point Software, Inc., 11A Main St., Watertown, MA 02172.

Information Control System. Precision Software's Superbase 64 is a comprehensive database management/information control system for the Commodore C-64 computer. It is claimed to be the only multifele information retrieval system available for the C-64. The number of possible databases Superbase 64 can handle is claimed to be unlimited. Each database can contain up to 15 files, while the number of records possible for each file is constrained only by disk capacity. The program comes with a user-programmable interface that permits creation of custom applications packages within the Superbase environment. The program can also be menu-driven or accessed via direct commands to the database. Linking to other programs is also supported.

Circle No. 94 on Free Information Card

Operating System Enhancer. DoubleDOS from SoftLogic Solutions lets the IBM PC and XT run foreground and background programs simultaneously. It divides memory into two separate areas, in either one of which a program can run in the background without keyboard interaction. When that program is recalled, the current screen display reflects any processing that has occurred while the program was running. Meanwhile, the operator can run any other program in the foreground. If two video displays are used, one can be assigned to display background runs while the other displays the foreground run. DoubleDOS can run in systems with as little as 128K of RAM, but 192K is recommended. DoubleDOS supports PC DOS versions 1.2 and 2.0. \$299. Address: SoftLogic Solutions, 530 Chestnut St., Manchester, NH 03101.

Modems

(Continued from page 51)

The fancy cases, indicator lights, and elaborate switches are also conspicuously missing. Most budget modems have cases made of molded plastic, not metal. And few have fancy panels or expensive nomenclature.

The only indicator you will find on a budget modem is an LED that lights up when the modem has locked onto the carrier signal. Acquisition of the carrier permits you to carry on a conversation.

Switch count is reduced by eliminating the self-test function from the modem. And some budget modems don't even have an off/on switch! Now, that's really cutting costs to the bone.

Almost all low cost modems connect to the computer through an RS-232C interface. This is done with a DB-25 connector built right into the modem. All you have to do is hook a cable from the modem to the RS-232 port of your computer.




Fig. 23. FSK modulation is a form of FM.

Unfortunately, few budget modems come with this cable, although you will need one to make the modem work. So be prepared to dish out another \$20 or so above and beyond the cost of the modem itself for a cable.

Connecting the modem to your telephone line, though, is quite another matter. It seems everyone has a different idea of how to do it.

Direct-Connect Modems

Most budget modems, you will find, are of the direct-connect type. What this means is that they plug directly into a standard RJ-11 modular phone jack.

In some cases, as with the Radio Shack IB modem, you disconnect your telephone from the wall jack and insert the phone plug into a modular jack on the modem. You then connect the modem to the wall jack.

Sometimes a modem comes with a telephone extension cord, other times you will have to supply your own. One modem, the Teledata model TD200 by Compro Electronics, has only one telephone outlet on the modem, and no provision is made for you to connect the telephone. In this case, you will need to

purchase a "Y" adapter that accepts one input from your phone and another input from the modem and connects them to a single wall jack.

In direct-connect modem setups, the modem and telephone are connected in parallel with each other. This means you are free to use your telephone normally, as if the modem weren't there.

When the modem is engaged, though, it seizes control of the telephone line and directs phone operations. Even though you are instructed to replace the receiver of the phone back into the cradle after

dialing the number, the modem keeps the circuit alive until it is requested to hang up the phone.

Disconnecting the modem from the line is done in many different ways. More often than not, however, you simply turn the modem off.

Telephone-Based Modems

Another way to approach the problem of connecting a modem to a telephone line is to make use of the telephone itself. The H.E.S. (Human Engineered Soft-

FCC REQUIREMENTS

Since a modem connects to the telephone lines, it actually becomes part of the telephone system. Therefore, it must meet certain FCC requirements, as laid out in Part 68 of the Rules and Regulations for direct telephone connection. Don't worry, though, the rules aren't terribly restrictive.

First, direct connection to the telephone lines may only be made using a standard RJ-11 modular plug. No other type of direct interface is acceptable.

If your present telephone doesn't have a modular plug outlet, one can be easily added. All telephone stores and Radio Shacks sell a modification kit (for a couple of dollars) that changes your current junction-box into a modular jack. All you have to do is remove the old cover and replace it with the one supplied in the kit. Everything is color coded, so you can't make a mistake.

You can also have the telephone company make the conversion for you. Just remember, they're going to charge you a service call for doing it, which could cost as much as \$50. If you have the older 4-pin phone jack, you don't have to change it. You can buy an adapter that simply plugs into the outlet and converts it to a modular hook up.

Direct-connect modems cannot be connected to telephones on a party line, in multi-phone systems or to coin-operated phones.

Some telephone companies require that you inform them before installing an alien device such as a modem, and register it with them. You need to give them the telephone number(s) of the line(s) the modem will be connected to, the make and model of the modem, the FCC registration number, and the ringer equivalent. This information is printed right on the modem itself.

Not all phone companies require you to alert them of your intentions, though. Mine doesn't. You are, however, respon-

sible for the modem's actions while it is connected to their system. If a modem causes abnormal operation of the phone or induces noise on the lines, you must disconnect it immediately. This is *your* responsibility.

Should the telephone company have to notify you that your device is causing harm, it has the option of discontinuing your phone service. If this becomes the case, the telephone company will notify you in writing of a temporary discontinuance of service, give you an opportunity to repair the modem, and inform you that you have the right to bring an FCC complaint against them if you feel they are in error.

All repairs to the modem must be made by the manufacturer or an authorized service agency. In other words, don't try to repair it yourself. Failure to comply with this rule voids the FCC certification, making it illegal to use the modem until restored to its original condition.

Modem circuits operate at and generate radio frequencies. Consequently, they must also adhere to Part 15 of the FCC's Rules and Regulations concerning spurious radio emissions.

Part 15 states that no electronic device may cause interference to other electronic equipment. This section refers primarily to radio and television, but does not exclude other devices that may be affected.

If your modem does happen to cause interference with your television set or a neighbor's, the problem is usually easily corrected. Look for excessively long cables or loose connections. Chances are you will find the problem there.

In more stubborn cases, you may have to reorient the TV antenna or relocate the modem with respect to the receiver affected. If necessary, contact the manufacturer or an experienced repair technician to resolve the problem. ◇

Modems

ware) HESModem I is a good example of this type of modem, although others exist. The H.E.S. modem actually uses part of the telephone as an extension of the modem.

To use the modem, you dial your phone normally and establish contact with the receiving modem. Once the link is made, you unplug your handset from the phone base and connect the modem to the telephone base, not to the telephone wall jack.

Of course, you must have a telephone with modular plugs on both ends of the coiled cord and the dialing mechanism

Does a lower price reflect an inferior product?

in the base of the phone. You can't use a phone that has the dialing portion of the telephone contained in the handset, like the Princess or Trimline models.

Furthermore, not all phones will work with this scheme even if they meet the above requirements. You're probably

not aware of it, but pushbutton phones actually come in two different styles. There is the short-keystroke model, and the full-keystroke version.

To identify which is which, you need to measure the travel of the button as you depress it. If the travel is only $1/32"$, the phone is a short-keystroke model. A movement of $1/8"$ or more means it has a full keystroke.

The HESModem I (by H.E.S.) won't work on telephones with a short key-stroke. It will, however, on all full key-stroke models and on all rotary dial phones that have removable handsets

MODEM CHIP SETS

THE introduction of modem chip sets has dramatically reduced the complexity of modems and is chiefly responsible for the appearance of the low cost modem. Although modem chip sets are available from a number of manufacturers, notably Motorola, Texas Instruments, and Exar, most modem makers have adapted Motorola's MC14412/MC145440 chip set to their designs.

The actual modem is the MC14412 chip. Inside this single 16-pin package reside all the functions needed to generate and receive modem communications. A block diagram of the chip is presented in the drawing shown here in Fig. A.

The modem chip contains its own 1-

MHz oscillator which generates the clock signal necessary for modem operation. The clock-output frequency is divided several times to create the carrier frequencies used for modem communications. A sine-wave generator shapes the square wave clock pulses into distortion-free sine waves, which the telephone lines are better equipped to handle.

The MC14412 modem also contains circuitry to process incoming modem signals. The signal is first passed through a level change detector, which monitors the input voltage, then sent along to a demodulator. With the help of the clock signal, the demodulator decodes the incoming frequencies and changes them back into digital 1s and 0s. The recon-

structed digital message is buffered and output to the computer.

The modem chip even has provisions for self-testing. It does this by internally routing the transmitter's output to the




Fig. B. Bare essentials of a modem circuit.

receiver's input. This way, you test the modem alone, not the telephone lines. A similar test for the entire system is also possible by placing the modem in the echo mode.

The second half of the modem chip set is made up of the MC145440 filter network. This chip is a switched-capacitor digital filter that provides the necessary upper- and lower-band separation for full duplex (simultaneous two-way) operation at 300 baud. Without filtering, the narrowly separated information frequencies could become entangled.

When these two chips are used together, the result is a modem. Some external circuitry is required, however, to support the modem in its efforts. The simple modem block diagram in Fig. B better explains the story.

Basically, the external amplifier, limiter, and comparator receive and condition the incoming modem signal before the modem chip ever sees it. They also evaluate the quality of the transmission by monitoring the level of the signal. If the input level is too low (usually less than -42 dBm), it forces the MC14412 to ignore the signal, thus preventing the deciphering of erroneous data. ◇




Fig. A. Block diagram of Motorola's MC14412 modem chip.

Which would YOU buy?

Global Specialties QT-59S Socket

- 590 Tie Points
- 8-I.C. Capacity
- No Grid Labeling
- Horizontal Expansion only
- Screw-Down Mounting



\$12.50

HANDY HB-1000 Socket

- 640 Tie Points
- 9-I.C. Capacity
- Alphanumeric Grid Labeling
- Both Horizontal and Vertical Expansion
- Self-Adhesive Mounting



\$9.95

If you have two similar products, both designed for the same function... and one offers you MORE features for LESS money... which would YOU buy? The answer is obvious!

Just look at all these EXTRAS built into every HANDY test socket and buss strip...

- **Total contact labeling...** simplifies circuit design/layout
- **Self-adhesive backing...** for one-step simplified alignment and mounting
- **Full 9 14-Pin I.C. Capacity**
- **Expands both horizontally and vertically...** interlocks can't break or twist off
- **High temperature plastic housing...** to 80°C... no warping or melting ever!
- **Prices always up to 25% less than other leading brands**

To all these add: Long Life, low resistance and wide range contacts that accept combinations of resistors, capacitors, diodes, transistors, I.C.s, etc. with leads from .012 - .032" or 20 - 29 AWG. Clear, easy-to-read-and-identify contact markings simplify layout, wiring and documentation. Socket rows are labeled 1-to-64, and columns are marked A-to-E and F-to-J. Mating buss strip rows are labeled

A-to-D and consist of 25 contacts each. Bold red and blue lines show where contact strips begin and end.

Finally, we have a full line of breadboarding equipment, from discrete sockets and buss strips to multi-board assemblies, available at comparable lower-than-low prices.

Let's face it. If you get all this... and the prices are ALWAYS to 25% less... there's no doubt which you'll buy. HANDY. It's our name... and it tells you what we do.

What are you waiting for? Order your HANDY breadboarding products today. A toll-free call is all it takes!

Here's how to order...

HANDY Sockets and Buss Strips

Part Number	Socket Strips	Buss Strips	Ground Plate	Tie Points	14 pin IC Capty.	Price
HB-0100	N/A	1	no	100	N/A	2.25
HB-1000	1	N/A	no	640	9	9.95
HB-1110	1	1	yes	740	9	11.95
HB-1210	1	2	yes	840	9	13.95

HANDY Breadboard Assemblies

Part Number	Socket Strips	Buss Strips	Binding Posts	Tie Points	14 pin IC Capty.	Price
HB-2112	2	1	2	1380	18	25.95
HB-2313	2	3	3	1980	18	31.00
HB-3514	3	5	4	2420	27	47.95
HB-4714	4	7	4	3260	36	63.95

Mall Orders: Please add \$3 (Canada & Int'l add \$5) to cover cost of shipping/handling. **Sorry!** No C.O.D. orders.
Charge Cards: (Min. \$15). Please include Acct. No., Exp. Date, Bank No. (M/C only) and your signature.
Checks: Drawn in U.S. Dollars on U.S. banks only. **Connecticut Residents:** Add 7% Sales Tax.



To order... call **1-800-34-HANDY**
 ... charge with **VISA, MasterCard or American Express.**
All items off-the-shelf for Immediate Shipment!

a division of RSP Electronics Corp.

7 Business Park Drive • P.O. Box 699 • Branford, CT 06405 • (203) 488-6603 • TWX: (910) 997-0684
 Easy Link Mail Box: 62537580 • CompuServe: 71346, 1070
 U.S. and Canadian Distributor inquiries welcomed.

Circle No. 5 on Free Information Card

Modems

and the dial in the main body of the phone.

In other words, check your phone *before* considering a modem that uses the phone base for its operation. You might wind up buying a new phone just to accommodate the modem if you don't. And that's no bargain.

Dedicated Modems

Another trick the manufacturers have used to bring down the cost of modems is to specifically tailor a modem to work with only one computer model. In fact, the HESModem described above is a dedicated modem. The Model 6420 modem from Westridge Communications, Inc. is another.

With VLSI an entire modem circuit can be put on one chip

Unlike the universal modems so far discussed, which are made to interface to all computers with an RS-232C port, the HESModem I and the Model 6420 are specifically designed to work with the Commodore 64. Two benefits are gained by using this approach.

The first is the lack of connecting cables. As we've seen, most budget modems come without connecting cables. To use them, you must purchase one, which adds to the total cost of the modem system.

The 6420 and H.E.S. modems, on the other hand, use the expansion outlet of the Commodore 64 for connection. In fact, the modem cases have the edge connector molded right into them, and the entire modems plug into the back of the computer. No cables are needed!

Software

The second benefit is derived from the software. Most universal modems don't come with a software package, but one is needed before the computer can communicate over telephone lines.

Depending upon the computer you are using, this software can run you anywhere from \$20 to \$150. Suddenly, our budget modem begins looking pretty expensive.

Dedicated modems have eliminated this expense. The Westridge Communications modem and the HESModem I

come complete with software—and sell for under \$100. The reason is, the software has to be written for only one machine: the Commodore 64.

But that's not all that happens. Remember our mentioning that the modem chip comes with automatic features built right into it? It could originate and answer calls—if extra hardware were added.

Well, the same thing can be done with a software package. By tying the automatic-function pins of the modem chip to the I/O ports of the computer, we can

use software to control its operation.

In fact, the Model 6420 does just that. It has automatic answering and dialing—all controlled from the keyboard. In effect, this budget modem has become a smart modem. Computer controlled, of course.

You will probably see more and more of this type of modem in the near future. Dedicated modems that plug right into the expansion slots of computer cabinets will eventually replace many of the universal designs now on the market—and at lower prices with better features. ◇

MODEM POWER SOURCES

THE means by which budget modems are powered are just as diverse as the modems themselves. Some simply use a battery. The Volksmodem is such a model. It uses a standard 9-volt transistor battery.

In order to make the battery last, though, some design improvements had to be made in the circuit. The use of a small battery precluded the inclusion of any indicator, including the carrier-monitoring LED. In its place is a piezoelectric beeper that emits an audible carrier-detect tone when the carrier has been acquired. To further reduce power consumption, all chips are of CMOS design.

A unique approach has been ventured by Compro Electronics in its Teledata model TD200 modem. It actually takes power from the telephone lines and uses

it to operate the modem!

No batteries, no cables; no muss, no fuss. Simply plug the modem into any telephone jack and it's ready to go. One disconcerting feature of this design, though, is that the modem may hang up if someone picks up an extension telephone while the modem is in operation. This forces you to re-establish the contact and begin transmission of your information over again.

Radio Shack and several others power their modems right from the ac line. In all cases, a stepdown transformer plugs into a wall outlet and a cable runs from the transformer to the modem, where the ac input is rectified and used to power the modem.

Dedicated modems, naturally, receive their power directly from the computer's I/O expansion port. ◇

MODEM MANUFACTURERS

Manufacturer	Make	Price	Power Supply	Features
Anchor Automation, Inc. 6913 Valjean Avenue Van Nuys, CA 92626	Signalman Mark I	\$99.95	AC Adapter	Universal Type
	Volksmodem	\$69.95	Battery	Audio carrier-detect tone
Compro Electronics 3185-A Airway Costa Mesa, CA 92626	Teledata TD-200	\$79.95	Phone lines	No power supply needed
Human Engineered Software 150 North Hill Drive Brisbane, CA 94005	HESModem I	\$69.95	I/O port powered	Uses telephone base
Radio Shack One Tandy Center Fort Worth, TX 76102	Radio Shack Modem IB	\$99.95	AC Adapter	Color Computer interface
Westridge Products, Inc. 330 Washington Street Marina del Rey, CA 90291	Westridge 6420	\$99.00	I/O port powered	Commodore 64 dedicated modem/with software



ELECTRONICS BOOK CLUB

The Best Source for Hobbyists and Professionals
for Over 18 Years!

Time- and Money-Saving Advice . . .
Practical Troubleshooting & Repair Tips . . .
State-of-the-art Technology . . . Hundreds
of Projects . . . Plus, Exceptional Savings

Select 5 Books for Only \$2⁹⁵

Values to
\$10975



1543
List \$17.95



1685
List \$17.95



1451
List \$18.95




1643
List \$19.95



1337
List \$10.95



1633
List \$19.95




1531
List \$17.95




1665
List \$21.95



1673
List \$13.95




1577
List \$19.95




1449
List \$19.95



1423
List \$10.95 (paper)



1671
List \$21.95




1409
List \$15.95



1160
List \$14.95



1529
List \$21.95



1607
List \$21.95




1466
List \$18.95



1111
List \$15.95



1503
List \$21.95



1479
List \$19.95



1493
List \$21.95

FREE guide to
mail order sources
for electronic parts
and components

A \$6.95
Value!



FREE When You Join Now

7 very good reasons to join the Electronics Book Club

- **Big Savings.** Save 20% to 75% on books sure to increase your electronics know-how
- **No-Risk Guarantee.** All books returnable within 10 days without obligation
- **Club News Bulletins.** All about current selections—mains, alternates, extras—plus bonus offers. Comes 13 times a year with hundreds of up-to-the-minute titles you can pick from
- **"Automatic Order."** Do nothing, and the Main selection will be shipped automatically! But . . . if you want an Alternate selection—or no books at all—we'll follow the instructions you give on the reply form provided with every News Bulletin
- **Bonus Books.** Immediately get a Dividend Certificate with every book purchased and qualify for big discounts of 60% to 80%
- **Extra Bonuses.** Take advantage of added-value promotions, plus special discounts
- **Exceptional Quality.** All books are first-rate publisher's editions selected by our Editorial Board and filled with useful, up-to-the-minute information

ELECTRONICS BOOK CLUB

P.O. Box 10
Blue Ridge Summit, PA 17214

Please accept my membership in the Electronics Book Club and send the 5 volumes circled below, plus, my FREE copy of *The Electronics Buyer's Guide*, billing me \$2.95 plus shipping and handling charges. If not satisfied, I may return the books within ten days without obligation and have my membership canceled. I agree to purchase 3 or more books at reduced Club prices (plus shipping/handling) during the next 12 months, and may resign any time thereafter.

1111 1160 1218 1337 1409 1423 1449 1451 1466
1473 1479 1493 1503 1529 1531 1532 1536 1539 1543
1577 1604 1607 1633 1643 1665 1671 1673 1685

Name _____ Phone _____

Address _____

City _____

State _____ Zip _____ PE-584

Valid for new members only. Foreign applicants will receive special ordering instructions. Canada must remit in U.S. currency. This order subject to acceptance by the Electronics Book Club.

Circle No. 39 on Free Information Card

In-Circuit Emulation

(Continued from page 82)

\$400 will bring a host of such low-cost instruments on the market. This fresh

approach to problem solving should go a long way to easing many headaches in

both the hardware and software areas for microcomputers. ◇

TABLE 1—EMULATOR COMMANDS

Command Description	Type in Command	Command Description	Type in Command	Command Description	Type in Command
1. Display a block of memory starting at the last referenced memory address.	D	17. Substitute into memory beginning at the given start address (sa).	S sa	34. Disable breakpoint 1,2 or 3, where (n) is the breakpoint number.	DBP n
2. Display a block of memory beginning at a given start address (sa).	D sa	18. Trace one instruction.	T	35. Enable all printpoints.	EPP
3. Display a block of memory beginning at a given start address (sa) and stopping at a particular last address (la).	D sa,la	19. Trace one or more instructions.	T d16	36. Enable printpoint 1,2 or 3, where (n) is the printpoint number.	EPP n
4. Examine the data at an I/O port address (pa).	E pa	20. Untrace one or more instructions. (Only display the registers for the last instruction traced.)	U d16	37. Disable all printpoints.	DPP
5. Fill memory from a starting address (sa) up to and including the given last address (la) with a particular 8 bit data byte (d8).	F sa,la,d8	21. Verify that target system memory is the same [beginning at a given start address (sa) and ending at a given last address (la)] as that value beginning at a given destination address (da).	V sa, la, da	38. Disable printpoint 1,2 or 3, where (n) is the printpoint number.	DPP n
6. Go into run mode starting at the current program counter location.	G	22. Display all the Z80 internal registers and flags.	X	39. Enable interrupts to be received from the target system.	EI
7. Go into run mode beginning at the given start address (sa).	G sa	23. Display and allow for modification of one of the Z80's internal registers, where z can be any one of the given registers as indicated below: z = F, F', A, A', B, B', D, D', S, P, X, Y, I	Xz	40. Disable interrupts from the target system.	DI
8. Use hex arithmetic to calculate the sum and difference of the two given 16 bit data values.	H d16,d16	24. Have the emulator wait a given amount of time before executing the next command. (Good for scope loops.)	Z d16	41. Enable bus requests to be received from the target system.	EB
9. Move memory between a given start address (sa) and a given last address (la) to a destination address (da).	M sa,la,da	25. Set breakpoint address 1 to the given 16 bit value (d16).	BP 1,d16	42. Disable bus requests from the target system.	DB
10. Run a memory test on the target system RAM between a given start address (sa) and a given last address (la).	MT sa,la	26. Set breakpoint address 2 to the given 16 bit value (d16).	BP 2,d16	43. Enable the emulator's automatic refresh function.	ER
11. Output to the specified port address (pa), one or more 8 bit data bytes (d8).	O pa,d8,d8,...	27. Set breakpoint address 3 to the given 16 bit value (d16).	BP 3,d16	44. Disable the emulator's automatic refresh function.	DR
12. Quit full speed run mode.	Q	28. Set breakpoint pass counter 1 to the given 8 bit value (d8).	BPC 2,d8	45. Display the emulator's status which includes: breakpoint address pass counters breakpoint enable or disable printpoint enable or disable interrupts enable or disable bus requests enable or disable refresh enable or disable	ST
13. Read an Intel hex file and load the data into the target system's RAM.	R	29. Set breakpoint pass counter 2 to the given 8 bit value (d8).	BPC 2,d8	46. Soft reset the Z80 by storing zeros into all the internal registers.	SR
14. Read an Intel hex file and apply the given offset (off) value prior to loading the target system RAM.	R off	30. Set breakpoint pass counter 3 to the given 8 bit value (d8).	BPC 3,d8	47. Accept assembly language inputs at the terminal and place the machine-language equivalents in the target system's RAM beginning at a starting address (sa).	A sa
15. Repeat the given command line in order to provide a loop. (Useful for oscilloscope troubleshooting.)	RL	31. Enable all three breakpoints.	EBP	48. List Z80 machine-language instructions as disassembled English-language mnemonics. The list will begin at starting address (sa) and end at last address (la).	L sa,la
16. Substitute into memory starting at the last referenced memory address.	S	32. Enable breakpoint 1,2 or 3, where (n) is the breakpoint number.	EBP n		
		33. Disable all breakpoints.	DBP		

TO KEEP UP WITH TODAY'S TECHNOLOGY

... YOU HAVE TO KNOW WHERE TO TURN.



When you turn to *Computers & Electronics*, you're reading the world's foremost publication covering the microcomputer industry — where last night's discovery is today's technology. *Computers & Electronics* is your direct link to state-of-the-art information in:

Microcomputer Developments

Whether you're investing \$300 or \$3000, turn to *Computers & Electronics* first. You'll find candid test reports of all major new microcomputers... from the Commodore 64 to the Apple™ IIe to the IBM-PCXT. And you'll discover which unit has the power, software and expansion capability to meet your specific needs. At your specific budget.

New Peripherals and Software


Micro programs and add-ons are increasing almost geometrically. Let *Computers & Electronics* sort it all out for you.

You'll get features like a buyer's guide to printers. A preview of the first workable economical thesaurus program that runs on virtually any CP/M-based system. Advance looks at new products like a joystick for Visicalc®... disk drive assemblies... a color monitor for the IBM-PC.

Increase Your Computer Science I.Q.

Computers & Electronics will enlighten you with easy-to-understand discussions of computer fundamentals. Such as the series on learning 16-bit microcomputer technology and an in-depth look at the structure of CP/M.

You'll also delve into the future with articles like Super Chip: next-generation personal computers with double the performance at a lower price.



Plenty of Hands-On Action, Too

With expert input from *Computers & Electronics*, and your own electronics savvy, you'll find dozens of ways to experiment with... upgrade... and increase the versatility and performance of your system.

For example, with less than \$3 and very little time, you can add a feature to your keyboard that lets you automatically repeat a character by holding down a key. Or you might want to build a circuit that lets you match a 600-baud CoCo to a 300-baud printer.

Heard about the important new electrically-erasable PROMs? *Computers & Electronics* will keep you filled in on the improved memory chips as they're produced — how they work, how to use them, what applications to use them for.

Get Every Issue... PLUS Savings up to 37%!

If you're not getting every informative issue of *Computers & Electronics*, there's a gap in your knowledge — and enjoyment — of today's high-speed, high-tech revolution. And now's the best time to subscribe, while this introductory offer is in effect: One year (12 big issues) for just \$12.97, with long-term savings available up to 37%!

So keep up with what's happening. Turn to the special postpaid order card or the coupon below... now!



**DON'T MISS ONE
INFORMATIVE ISSUE.
SUBSCRIBE NOW AND
SAVE UP TO 37%!**

WORLD'S LARGEST COMPUTER MAGAZINE
Computers
& ELECTRONICS

P.O. Box 2774
Boulder, CO 80322

YES! Keep me tuned in with *Computers & Electronics* for the term I've checked below:

- One year (12 issues) just \$12.97 — **I save 24%! (Savings based on full one-year subscription price of \$16.97)**
- Two years just \$22.97 — **I save 32%! (Savings based on full one-year subscription price of \$16.97)**
- Three years just \$31.97 — **I save 37%! (Savings based on full one-year subscription price of \$16.97)**

Mr. /Mrs. /Ms.

(please print full name)

4S143

Address

Apt.

City

State

Zip

CHECK ONE: Payment enclosed. Bill me later.

Please charge my credit card: American Express MasterCard Visa

Card No.

Exp. Date

Add \$5 a year in Canada; all other foreign add \$8 a year. Please allow 30-60 days for delivery of first issue.

Mainframe to Micros

(Continued from page 63)

• Each time the user wants a copy of the latest data stored in the mainframe, the "data fetch" program is used to bring a copy of the data shown to the micro, sometimes formatting it in a way that makes it accessible to a micro spreadsheet such as Lotus 1-2-3 or VisiCalc.

Popular fourth-generation languages or "decision support tools" for which personal computer bridges have recently been announced include Express (Management Decision Systems, Waltham, MA); System W, a financial manipulation language (Comshare, Ann Arbor, MI); Focus (Information Builders, New York, NY); Empire (Applied Data Research, Princeton, NJ); and Ramis (Mathematica, Princeton, NJ).

The second type of software provides a bridge from mainframe database management software to a micro spreadsheet or other application. It also extracts, formats and downloads data. As a rule of thumb, however, the database bridge requires more technical skill or learning time than a fourth-generation language.

A skilled programmer will still be required to insure that the "right" data is written onto the mainframe database. However, the latest database-to-PC programs have built features into themselves that make it easier for non-sophisticated users to do their own "data fetching." Typical of the way the easier-to-use database links work is the recently announced PC/204 from Computer Corporation of America (Cambridge, MA). It allows the user to position a cursor over an empty spreadsheet on his or her micro and scroll through data labels on the mainframe database until the name of the right data is "pointed" into

How does a company handle thousands of users and still maintain a semblance of security?

the spreadsheet. Examples of other database bridge vendors include: Applied Data Resources's ADR/Datacom DB (Princeton, NJ); Cullinet's Information Database/Cullinet PC Software (Westwood, MA); Informatics General Answer/DB (Canoga Park, CA).

The third type of bridge extends from a mainframe application package to a

personal computer. Most of the application package vendors who have announced personal computer bridges are in the accounting area, although others (for example, vendors of Manufacturing Resource Planning systems) are likely to follow suit. Whereas fourth generation languages and database management systems usually serve as a common storage facility for data that originated under a variety of application programs, these mainframe software products are themselves applications. This is an advantage if the information you need on the micro comes entirely from a single application (for example, a payroll system). But if you need to combine types of information, you will probably need a programmer's help to get it. The most advanced application package-to-PC programs (for example, Management Science's Peachpack series from Atlanta, GA; McCormack and Dodge's PC Link from Natick, MA) do provide help in accessing information generated by other than their own mainframe applications.

The obvious limitation of each of these three "bridge" packages is that the data you want to access must already reside in the mainframe version of the vendor's software. If they don't—either because your company doesn't have the software, or because some of the data you want are kept somewhere else (for example, in an old fashioned "flat file" of the sort maintained by a 15-year-old COBOL program)—none of these solutions will help you.

The final bridge type is a file-to-file transfer facility from a mainframe to a personal computer (one example is Omnilink). This software does not require that the data you are looking for be in any vendor's proprietary structure. Unfortunately, it only reformats and downloads data. You (or your data-processing department) must write a program to actually find and extract the data you want, and store it in a transfer file. It also requires a special batch job to be run on the mainframe every time you want to update the stored data. Examples of these simple bridges are Simware's SIM3278 (Ottawa, Ont.); VM Personal Computing's Please and Relay (New York, NY).

The Business Issues

Even assuming your company is able to justify the investment in time and money to link micros to its mainframe, there is still a vital business question to be reckoned with. Namely, how does a company let potentially hundreds or

thousands of personal computer users into the mainframe database, while still maintaining some semblance of security, system resources, and sanity?

One of the reasons companies have mainframes (even though the power of personal computers is approaching that of the mainframes of the early 1970s) is that they have to support hundreds or even thousands of users and devices at one time with just one set of data. Balancing the potential benefits of linking micros to mainframes for greater productivity are a number of potential drawbacks.

For instance, whose numbers should you believe? Once data are transferred from a mainframe to a micro, they no longer stay up to date with the mainframe files. When sales figures are

Business issues will be solved more slowly than those of hardware and software

updated or revised today on the mainframe, the month-end total you downloaded last night for your VisiCalc spreadsheet will no longer be correct.

Horror stories are common in the mainframe world about managers arguing over who has the "right" value for sales, costs, inventory levels, etc. But at least the concept of a central database—a single collection of data maintained for all users—minimizes such conflicts. As "personal databases" start to spring up on diverse personal computers around the office, arguments (or worse, bad decisions) are likely to increase. At the least, corporate policy for micro users should insist that all users timestamp the time and source of their downloaded data, and refer to the timestamp whenever they use or present analyses based on that data.

Also, how do you keep a corporate secret? Another reason companies continue to use mainframes is the elaborate security precautions built into the system itself and into individual data files. Once a copy of sensitive data is downloaded to a microcomputer, and saved on a floppy disk, security for that data is about as primitive as a locked file drawer.

Finally, how do you avoid personal computer users tying up the mainframe? Unfortunately, one of the functions with

INCREASE YOUR TIMEX-SINCLAIR ENJOYMENT

CREATIVE GAMES

FOR THE

TIMEX-SINCLAIR 2068

BY ROBERT MAUNDER

Even the most seasoned computer professional will admit to enjoying computer games, and the selections in CREATIVE GAMES FOR THE TIMEX-SINCLAIR 2068 are a mix of completely original games as well as some old favorites.

Over 21 games, including number, simulations, dice, card and grid games are introduced to allow you to use your Timex-Sinclair 2068 more fully, whether you're a first timer or an experienced user.


For beginners, there is a simple guide to entering

programs, and each program is clearly presented with detailed instructions.

Advanced users will find

complete program design methods, with each game program explained



and documented fully, including programming techniques and notes. You



will progress from just playing games to understanding their structures, modifying them and creating your own.

CREATIVE GAMES FOR THE TIMEX-SINCLAIR 2068 is a self contained guide, allowing you to enjoy your color computer, while learning to use it more extensively.

Order your copy today!



CREATIVE COMPUTING PRESS

Dept. NR8F, 39 East Hanover Avenue, Morris Plains, NJ 07950

Please send me _____ CREATIVE GAMES FOR THE TIMEX-SINCLAIR 2068 at \$7.95* plus \$2.00 postage and handling each. Outside USA add \$3.00 per order. #2T.

Payment enclosed \$_____. *Residents of CA, NJ and NY State add applicable sales tax.

Charge my:

American Express Visa MasterCard
(\$10. minimum for charge and phone orders.)

Card No. _____ Exp. Date _____

Signature _____

Mr./Mrs./Ms. _____ (please print name in full)

Address _____

City _____

State _____ Zip _____

Send me a FREE Creative Computing Press Catalog.

**For faster service, PHONE TOLL FREE
1-800-631-8112**

(In NJ only call 201-540-0445)

Also available in your local bookstore or computer store.

the highest "overhead" performed by a mainframe is I/O—moving data out of and into the computer to and from various peripheral devices. And downloading data to a personal computer is a classic example of high-overhead I/O. As increasing numbers of personal computer users place heavy I/O demands on a mainframe, companies have a limited number of alternatives. Among them are:

- Giving low priority to basic transaction-processing applications; that is, slowing up order entry, payroll, accounting or inventory control users who are generating the numbers that the personal computer users in management want to access. This solution is not likely to please operating departments.

- Giving low priority to personal computer users; i.e., come in at 3 a.m. to do your download, or expect the application to take a few hours to complete. This may defeat the purpose for making the micro-to-mainframe link, increasing management productivity.

- Buying another mainframe dedicated to personal computer users. This alternative may defeat the argument for personal computers—an inexpensive way to put computer power in users' hands.

In Conclusion

There are no easy answers at this time for those who would link micros to mainframes. Because of the overwhelming appetite personal computer users have better, faster and more data, vendors of packaged solutions have great incentive to work on the problems that technology can address. These include integration—which provides a single-package answer to the questions of the physical link, the data link, and system-security assurance—and universality.

A system utilizing the concept of universality would embody a single piece of software or hardware able to speak and translate among the hundreds of differing hardware, telecommunications, data storage, and data interchange standards that exist in the typical corporate mainframe environment, as well as the relatively broad line of personal computers and applications programs that find their way into the office.

The business issues will be solved more slowly than those of hardware and software, and on a company-by-company basis. But it is safe to predict that the personal computer on a manager's desk is here to stay, and it's just a matter of time until that computer is linked into the corporate mainframe. ◇

MAINFRAME COMMUNICATIONS TERMINALS

By Charles Daney

THE most common kind of communication terminal used with the IBM mainframes is a member of what IBM calls the 3270 family. That family includes a number of different devices. Some of them are terminals that differ from one another in many respects. Some devices in the family are not really terminals at all, but specialized pieces of communications equipment that are called "communications controllers."

The first members of the 3270 family were announced by IBM more than ten years ago, at approximately the same time that the 370 line of mainframes was introduced. The earliest terminal model in the family was known as the 3277. Subsequently, models designated 3278 and 3279 have also appeared. In addition, each model has had a number of subtypes that differ in such details as the number of characters displayed per line, the number of lines per display, and other features and capabilities.

The "architecture" of the 3270 family is, as we shall see, very complex and elaborate. Because of this, IBM chose to separate some of the functions and build them into a "controller" device. Communications controllers in the 3270 family have included the 3271, 3272, and 3274. Each model has had a number of subtypes differing in such respects as how they are connected to the mainframe computer, how many terminals they can control, and the communications protocols they use. Individual 3270 terminals are usually grouped in "clusters" attached to a single control unit which is, in turn, attached to a mainframe in one of a number of different ways. This approach reduces cost somewhat by sharing certain functions provided by the control unit rather than duplicating them in each terminal. There was, however, one model called the 3275 that included a terminal and control unit in a single package.

The complexity of the 3270 architecture, and the ways in which it differs from the more familiar "async" terminal lie in several different areas. The first of these is the communications protocol employed.

In the early 1970s IBM introduced a new type of data link protocol called SDLC (for "synchronous data link control") as part of its Systems Network Architecture (SNA). SDLC protocol is supported by different types of 3270 terminals and control units. IBM has tried very hard to convince its customers of the wisdom of using SDLC and SNA, at the expense of both the bisync and async protocols. Indeed, most IBM mainframes support asynchronous communications very poorly, if at all. The newest and most advanced facilities are generally provided chiefly for SDLC terminals, and sometimes grudgingly, for bisync terminals. This has created a rather awkward and difficult situation for the very popular IBM PC, which is usually equipped to communicate only in the async mode. Although both bisync and SDLC hardware and software are available for the PC, they are considerably more expensive. This often makes it almost impossible for PC owners to use their computers with their office mainframe.

A second primary respect in which 3270 terminals differ from most async terminals is that 3270s generally use the EBCDIC character set. EBCDIC (for "Extended Binary-Coded Decimal Interchange Code"), which assigns hexadecimal values to printable characters, is used on most IBM mainframes. It is quite different from its principal alternative, ASCII (for "American Standard Code for Information Interchange"), which is, of course, what is used by the IBM PC and most "ASCII" terminals.

While conversion between EBCDIC and ASCII is reasonably straightforward, there are a few symbols that are in one set and not the other. For example, there is a "cent" character and a "logical-not" character in EBCDIC but not in ASCII. The latter, however, has the tilde and grave accent all to itself. Since these symbols aren't too commonly used, this is mainly just a nuisance in trying to simulate an ASCII terminal on a 3270, or vice versa.

A third and final area in which members of the 3270 family differ from most asynchronous terminals is in specific capabilities and features. Most important, 3270s are essentially **block mode** devices. That is, the basic unit of data is a field or

even a full screen. (A field is a portion of the screen used for a specific type of data. In a database there may be, for example, a "name" field, a "zip code" field, a "customer" field, and so forth.) Data is identified according to the field on the screen to which it belongs, and its position on the screen has little or nothing to do with the order in which it is sent in relation to other fields. Most asynchronous terminals, in contrast, are serial devices that display data in sequential order, unless this is modified by "cursor pointing."

This distinction is very significant in terms of the way programs are written to use the terminals. It is, for example, much easier to create screens having fields of diverse types (protected or unprotected, highlighted or not, of a specific color, etc.) on a block mode terminal like a 3270. Some 3270-family models even permit arbitrary redefinition of their displayable character sets. On the other hand, the 3270 hardware is incapable of the scrolling that almost all asynchronous terminals can perform.

As mentioned earlier, 3270s can be attached to mainframes in a variety of ways. A 3270 terminal is always first attached to a control unit (unless it has one built in). The control unit, in turn, can be connected directly to a mainframe I/O channel. This is by far the fastest type of connection (capable of supporting a data rate of about 650,000 characters per second!). Needless to say, it is also the most popular kind of connection for people who can conveniently work near the location of the computer. This kind of connection is known as a **local attachment**.

For those not so fortunate, who must work remotely from the mainframe, the connection must be by means of a communications line, which is considerably slower—at most 9600 baud, or about 1000 characters per second. This is known as a **remote attachment**. Although 9600 baud may sound fast to PC users who are accustomed to 300 or 1200 baud, it can be very unsatisfactory, since many 3270 applications are written, inefficiently, to send full screens of data (1960 characters or more) back and forth quite frequently on the assumption that most users will be attached to the high-speed channel.

The communications protocol used for remote terminals can be either bisync or SDLC. In the latter case, the terminal will be part of an SNA network. Although there is no such thing as a concise description of what SNA is, a little can be said about the general functions of communications networks.

It turns out that the problems that a

data link protocol like bisync or SDLC is intended to solve are just a small subset of all the concerns of a network. The data link protocol "merely" ensures the reliable transmission of data from one point to another. Other problems of equal or greater difficulty include how data is routed over a variety of different transmission facilities, how a legitimate user connects to a particular application by name, and how the data is formatted so as to be comprehensible to both the sender and receiver.

All these problems are the concern of network architecture in general, and IBM's SNA is just one example. SNA is organized into a number of different layers, each of which deals with a particular class of problems. Data link control is the function of one specific layer. Other layers are known as the "path control layer," and there are still others as well.

An SNA network consists of a number of **nodes** (computers or terminals usually, although other peripheral devices may be included) connected by communications lines. Only the lowest logical layer of each node actually controls the physical communication with other nodes but, in a more abstract sense, the higher layers of each node also communicate with their peers in other nodes. The situation is analogous to communications between nations or large corporations: the "higher-ups" generally communicate with each other via intermediaries at lower layers (ministers, managers), who in turn use even more basic means (couriers, telephones).

Like the 3270 itself, but on a much grander scale, SNA is complex and elaborate. Indeed, since the 3270 terminal and control unit have many duties to perform in the network, their own complexity is understandable. SNA was designed to serve the needs of many other types of communications devices besides terminals as they are normally conceived of. It also supports such devices as point-of-sale terminals and RJE (for "remote job entry") workstations.

The IBM 3770 product line is typical of RJE terminals. An RJE terminal is usually distinguished from an ordinary terminal by having a card reader and high-speed printer for servicing batch job submission and output. It is intended for performing the typical batch-job processing functions at locations remote from the mainframe. The 3770 uses SDLC protocol in an SNA network. There is also an analogous product, the 3780 terminal, that communicates in bisync. Hardware and software are available for the IBM PC to emulate 3770 and 3870 terminals and the 3770. ◇

Protocols

(Continued from page 63)

special character, DLE (for "data link escape"), is defined. It must be sent preceding any attempt to use one of the other special characters for its special protocol function. To use DLE as normal data, it has to be sent twice.

Obviously, a lot of computation must take place if bisync is to be spoken correctly. The algorithms used for this are typically hard-wired into bisync terminals for greater efficiency; that is, they are built right into the terminals. Ordinarily, a personal computer can speak bisync only if it has a special bisync communications card installed. Special (and expensive) modems are also required.

Many of the older terminals produced by IBM and others used bisync. Those include certain models of the 3270 communications terminal and the 2780/3780 RJE terminals. However, bisync has a number of shortcomings. To give just one example, it tends to use a lot of extra characters to control communications, which, in turn, lowers the net throughput of useful data. Also, it is half duplex, which is a disadvantage because time is wasted in "turning the line around."

A newer protocol that attempts to overcome some of the problems of bisync is called SDLC (for "synchronous data link control"). This is part of IBM's very general Systems Network Architecture (SNA). In addition to support of full duplex (two way) communications, SDLC distinguishes protocol information from other data sent by a technique called "bit stuffing." This method manipulates bit patterns in such a way that control information can be readily distinguished from data with less communications overhead than bisynchronous "byte stuffing" protocol.

SDLC, too, has its disadvantages. It is computationally more expensive, so again, specially wired hardware—SDLC terminals—must be used. Most new IBM communications products, including the latest of the 3270 line, use SDLC. Also, special SDLC modems must be used with such terminals.

Although we have spoken of bisync and SDLC as if they were specific unambiguous protocols, this is not really the case. Various dialects exist. There are additional protocols that terminals can use in addition to either bisync or SDLC. This situation, coupled with the fact that specialized hardware must be used to support the protocols, makes agreement on standards among terminal manufacturers and communications services very important. Fortunately, this is taking place. Even so, plain old async will still be around for a number of years. ◇

Glossary of Terms (Continued from page 62)

from one computer to the other by one of two means.

If the distance between the two is short, the character can be transmitted directly as electrical impulses through a **null modem** connection. (A null modem connection actually involves no modem at all—the serial ports of the two computers are simply connected one to the other by a cable.) This method is limited to distances of about 3000 feet.

When longer distances are involved, modems are used to send the data over a medium such as a telephone line. The modem connected to the computer converts the serial pulse train into tones. A tone of one frequency represents a high voltage, and a tone of another a low voltage. Tones are used because voice-grade telephone lines are not equipped to handle information in digital form.

At the receiving end, the modem translates the tones back into true digital form and feeds the resulting electrical pulses to the second computer's serial port. There they are converted back into parallel form.

There are two types of modems. **Acoustic** modems have two soft rubber cups into which a telephone handpiece is placed. One cup has a microphone, and the other a speaker. These pick up and generate the audio tones used for data transmission. There is no electrical connection to the phone lines—the coupling is acoustic.

Direct connect modems are connected directly to the phone line, usually through a standard modular jack. They are usually more "intelligent" than acoustically coupled modems, and eliminate the possibility of ambient room noise being mixed with the audio tones and "garbaging" the data.

Transmission media for data transfer, besides ordinary telephone lines, include coaxial cable, CATV (broadband radio-frequency), fiber optics, infrared light (with air being the transmission medium), microwaves, and satellites (a special case of microwave transmission).

The characteristics of the transmission medium determine the speed at which data can be passed back and forth between computers. For example, **dial-up voice-grade** telephone lines are considered reliable at speeds up to 2400 **baud** (bits per second), or about 240 characters per second. Special **leased phone lines** can handle data rates of up to 19,200 baud. Coaxial cable and broadband media permit rates up to 56,000 baud, and the more exotic media extend rates to millions of bits per second.

The last point to be addressed on the subject of physical links is that of config-

uration. The simplest configuration, **point-to-point**, uses a serial port and modem at the mainframe connected by some medium to a modem and serial port at a terminal or personal computer.

This one-to-one connection is expensive both in terms of the number of serial ports and modems, and the number of feet (or, more commonly, miles) of transmission medium required to support a large number of users. It is also wasteful in that a single user rarely requires the full capacity of a 4800-baud-or-greater line. Mainframe manufacturers have therefore developed some ways to reduce these costs and increase the utilization of a link.

One method used is a **multi-drop** line. One serial port and modem, and a medium-speed line (usually 4800 baud) at the mainframe connects to a star or daisy-chain network of terminals or personal computers. This eliminates the need for multiple modems and lines at the mainframe, but each terminal or personal computer still requires its own modem.

An alternative to multi-drop networking is to put small special-purpose computers, known as **cluster controllers**, in an area serving several terminals, personal computers, remote line-printers or other peripheral devices. Cluster controllers use one fast, expensive modem and line (usually rated at 9600 baud) to communicate with the mainframe, and cheap null modems or coaxial cable to make the connection to each computer or peripheral. The major advantage of this system is the elimination of expensive modems for each user station (or **node**), although the controller itself is a costly piece of hardware.

Transmission Protocols

After deciding how to make the physical link, we need to look at the **transmission protocols** used in telecommunications. There are two ways for information to be communicated between a modem and a serial port: **synchronous** (favored by IBM and other mainframe manufacturers) and **asynchronous**, which is used by most mini- and microcomputers. The difference between the two protocols is the way in which characters are "framed"—that is, how the beginning and end of a single character are signaled to the computer.

Asynchronous protocols frame data by adding a bit to each end of the stream of bits representing one character. These are called "start" and "stop" bits.

Synchronous protocols rely on internal clocks to time the start and finish of a block of characters by sending three to

six "sync characters" at the beginning of a transmission. If the transmission consists of many characters, additional sync characters are transmitted every now and then to keep the computers in sync. Synchronous transmission requires more overhead in the form of software protocols to keep everything running smoothly, but allows about 15% greater throughput than asynchronous transmission at the same baud rate. This is because synchronous transmission requires two fewer bits per character than asynchronous transmission.

Software Protocols

Personal computers require relatively little in the way of software protocols. Commonly used is the **XON/XOFF** protocol (which allows one computer to indicate to another when to send and when to stop sending) to govern the transmission of large amounts of data. Error checking schemes using a **CRC** (cyclical redundancy check) or **checksum** method are also being included in a growing number of communications packages.

Mainframes have developed far more complex protocols over the years to allow them to be connected to a large number of devices without interfering with applications software. These more complex software protocols have evolved in layers to service today's networks of terminals and other peripherals. The following descriptions are abstracted from the International Organization for Standardization (ISO) DP7498 Reference Model for Open Systems Interconnection.

- **Data link protocols** are the lowest layer, dealing with initialization, control, termination and error recovery relative to the physical link and the transmission protocols.
- **Network protocols** deal with network management, message formats, and data-block structure.
- **Transport protocols** handle message or packet assembly and disassembly, and message priority in a network. These protocols also ensure end-to-end control of network transmissions.
- **Session protocols** control the dialogue between processes in a network, as well as buffering and segmenting large transmissions.
- **Presentation protocols** are used to handle data formats, and to translate various sending codes to representations understood by the receiving equipment. ◇

TRS-80 Model 4P (Continued from page 43)

to the full 64K of RAM and switch the screen display to 80 characters by 24 lines. To say that the system works well is an understatement. It is superb.

Since the Model 4P does not contain the Model III ROMs, a software utility creates an image of the ROMs in the first 16K of RAM. To get into the Model III mode, it is necessary to first load a MODELA/III utility (supplied with the computer). Screen prompts tell when to load the utility and when the disk can be removed and be replaced by the Model III applications disk. If the system is to come up directly in the Model III mode, the MODELA/III utility must be copied onto the applications disk. Then when the disk is booted up, the utility will auto-load the ROM image in RAM and automatically start the program. As far as the user is concerned, the computer functions as if the Model III ROMs are present.

User Observations

Experiments with a broad range of Model III software, including operating

systems from sources other than Radio Shack, produced no unusual effects because of the pseudo-ROM image. The only Model 4 software that would not work in the Model 4P was a CPU speed-up. At the time we tested the Model 4P, Radio Shack still had not released its CP/M operating system for either the Model 4 or the 4P. So we used Montezuma Micro CP/M Version 2.2, which worked notably well.

More About the Keyboard

Perhaps the reason Radio Shack has delayed providing CP/M for its Model 4 series computers has to do with their "programming keyboards." Both computers have almost the same keyboard used in the Model I computer, plus a numeric keypad, a CONTROL key for CP/M, an alpha caps-lock key, and three function keys labeled F₁, F₂, and F₃.

Unlike the ASCII keyboard in general use today and patterned on the typewriter keyboard, a programming keyboard is derived from the Model 33 Teletypewriter, which was the original standard ter-


minimal for time-share computers. Its slightly different key arrangement makes BASIC and other programs somewhat easier to enter, but certain keys—tab, left and right brackets, backslash, line feed, escape, underscore, and vertical line—required for CP/M and most CP/M-based applications programs are not present.

To make its Model 4 series computers CP/M-compatible, Radio Shack synthesizes the "missing" keys by permitting simultaneous pressing of two or more keys to obtain the desired functions. CLEAR and comma are used for the left bracket, CLEAR and ENTER for underscore, etc. This approach, however, can lead to conflict. For example, the ASCII EM is used to advance the cursor in the Model 4 series and also happens to be the automatic underscore command for a popular daisy-wheel printer.

Aftermarket vendors of CP/M for the Model 4 series such as Montezuma Micro, provide the missing keys through the use of two keys simultaneously, such as SHIFT and ↑ to create the escape function, SHIFT and ← for the left bracket,

Digital Capacitance Meter

Only **\$44.⁹⁹**



**SPECIAL
BOTH FOR \$72.00
(Prepaid Orders Only)**

Certified Check or Money Order Only.
Not Valid for COD, Open Account or Credit Card Sales.
Shipping/Handling \$4.50

Digital Capacitance Meter

Stock No. 98-240

- 3½ Digit LCD
- Push-button selection
- 0.1 pF to 1999 F
- Direct lead insertion jack
- Immediate direct reading
- Fuse protected
- 200 hour battery life

SIZE: 7½" x 3½" x 1½"
WEIGHT: 10 Ounces

Digital Multimeter

Stock No. 98-140

- 3½ Digit LCD
- Push-button selection
- Large 0.5" LCD
- AC/DC to 1000 V, DC to 10A
- Resistance to 2 M ohms
- Auto polarity
- Full overload protection

SIZE: 7" x 3¼" x 1½"
WEIGHT: 10 Ounces

1 Year Warranty
Distributed By
FUJI-SVEA

P.O. Box 3375, Torrance, CA 90510


Toll Free: **1-800-421-2841**

California/Local: **1-213-538-8333**

Shipping/Handling \$4.50 additional, COD Fee \$2.00
California Residents add 6½% Sales Tax
Circle No. 4 on Free Information Card

Digital Multimeter

Only **\$34.⁹⁹**



TRS-80 Model 4P

and only → for tab in Montezuma Micro's CP/M. Additionally, this version of CP/M simplifies the use of CP/M software by causing the Model 4 series to function as the ADM-3A terminal, which is recognized by almost all CP/M software. We tried a sampling of popular CP/M applications software, including WordStar, Word Plus, MultiPlan, and DataStar, with Montezuma CP/M and found that they operated the same as they would have in any CP/M-only computer.

Remarks

Our only complaint with the Model 4P is the same as for most other computers in which thin-line disk drives are used. These drives depend on a mechanical system to pop out disks, which does not always work—particularly if a disk's write-protect tab comes loose while the disk is in the drive. The fault is not in Radio Shack's choice of thin-line drives but, rather, in the fact that *all* thin-line drives tend to jam. The industry simply needs a better eject mechanism for these drives.

Otherwise, the 4P is a magnificent machine. It runs quietly, without a trace of heat, and is convenient to use and transport. It is almost the ideal portable computer, "almost" because the disk drives are single-sided when the competition has double-sided drives. While Radio Shack does not have its own version of CP/M for the Model 4 series, Montezuma CP/M works admirably and comes with a disk interchange utility that permits the computers to read or write 20 different disk formats, including MS-DOS. This allows the Model 4P to simulate most other 8-bit computers. It will run an Osborne or Kaypro program and copy the program or store or copy the data in either the Osborne (or Kaypro) or the Model 4P's own format.

Also, with an aftermarket TRSDOS-like operating system, such as NEWDOS Version 2.0, the Model 4 can simultaneously work in the Model III and Model I modes, either single- or double-density. With a conversion utility, it will even read or write Radio Shack Color Computer software.

The Bottom Line

The Radio Shack Model 4P computer has awesome potential. To really appreciate this computer and become a believer in its potential, you have to use it as I have. Words are inadequate to describe the level of software interchangeability it provides. ◇

Sanyo MBC550

(Continued from page 35)

screen cursor to a BASIC line to be edited and then delete or insert characters. At the same time the screen listing is edited, the BASIC program in memory is also changed. Some PC compatibles do not have this capability.

Documentation

The documentation for the Sanyo MBC550 consists of two manuals in the usual IBM "small notebook" format. The first is the operating manual for the system and consists of rudimentary operating instructions, a description of the BASIC, and a description of the MS-DOS commands. Using the IBM manuals as a criterion, I must say that the Sanyo operating manual (at least in the version that I received) is poor. A user unfamiliar with MS-DOS or PC BASIC would have to supplement the operating system manual with the IBM BASIC and MS-DOS manuals. One good feature in the manual, however, is the "Technical Reference" section. It gives you step-by-step instructions on installation of additional RAM, disk drives, the serial interface, and a joystick. Other technical information is sparse.

The other manual contains the installation and operating instructions for MicroPro WordStar, CalcStar, SpellStar, MailMerge, and InfoStar. This manual is adequate (and voluminous). The IUS EasyWriter I word-processing software includes its own operations manual.

Benchmarks

Benchmarking is an inexact science. Too often a benchmark program will be biased to tout the strong points of an individual machine. I've been running five benchmarks for some time now. They are not perfect but I've tried to make them general and unbiased. They will give you a rough idea of what the Sanyo can do in comparison to other IBM PC machines. The machines I'm comparing here are the IBM PC, the new Tandy 2000, and the ACT Apricot (an 8086 machine with 3½" disk drives).

Benchmark 1: This benchmark simply measures the time it takes BASIC to count from 1 to 30000 in a two-statement FOR . . . NEXT loop. The faster the time, the faster the clock rate of the system and the efficiency of BASIC.

Tandy 2000:	15.7s
IBM PC:	37.8s
ACT Apricot:	42.9s
Sanyo MBC550:	47.1s

Benchmark 2: This benchmark mea-

sures the time it takes for a BASIC program to compute and display SIN, COS values. It's a measure not only of "number crunching," but also the "display driver" software in the MS-DOS BIOS. Again, the faster the time, the higher the "throughput" of the machine.

ACT Apricot:	38.6s
IBM PC:	45.6s
Sanyo MBC550:	56.2s
Tandy 2000:	218.7s

Benchmark 2A: This is identical to Benchmark 2 except that no screen display is done. It is a measure of the computational efficiency of BASIC.

Tandy 2000:	7.9s
Sanyo MBC550:	15.2s
IBM PC:	17.6s

Benchmark 3: This benchmark measures the time to write out varying file lengths to a sequential disk file in BASIC. The test starts with 100 80-byte records and increases in 9 steps up to 1000 80-byte records. The test is a measure of the efficiency of the disk driver in the MS-DOS BIOS and of the disk drive itself, for such nonstandard drives as the 3½" disk the ACT Apricot uses. Disk VERIFY is off in all cases.

Sanyo MBC550:	19s
ACT Apricot:	34s
Tandy 2000:	37s
IBM PC:	69s

Benchmark 4: This is similar to Benchmark 3, but delays a random time between writes (greater than one disk revolution) to simulate random processing in BASIC. This is primarily a measure of the efficiency of the MS-DOS BIOS disk driver.

Tandy 2000:	39s
ACT Apricot:	52s
Sanyo MBC550:	64s
IBM PC:	107s

How Compatible is the Sanyo?

Sanyo literature says the the MBC550 will run 80% to 85% of off-the-shelf software for the IBM PC. I think this figure is exaggerated and would put it at closer to 50%. Any program with graphics that does not go through the BIOS (the software input/output driver programs) will probably not run on the Sanyo. Other systems with a high degree of IBM PC compatibility will run such programs as Lotus 1-2-3 and the Microsoft Flight Simulator, both of which bypass the BIOS drivers. The Sanyo definitely will not run these programs and also will not run such pro-

grams as the Personal Editor and the Asynchronous Communications packages, as well as many others.

One would hope that the MBC550 would load and run BASIC programs from the 1.1 version of the IBM PC. However, BASIC programs stored with the normal SAVE command on the PC will not load at all on the Sanyo due to file format differences. Only BASIC programs stored in ASCII format on the PC (using SAVE "xxxx",A) will load and run on the Sanyo, for the most part. Additionally, Sanyo BASIC is not identical to IBM BASIC. (The versions differ in commands relating to sound generation, joysticks, light pen operation, and disk directories.) Be prepared, then, for disappointments if you expect your favorite IBM PC BASIC program to execute properly on the Sanyo. Also be prepared to do some work transferring your PC BASIC programs over to Sanyo BASIC. In my case, one of the main things I wanted to run was the PC Macro Assembler. It runs fine on the Sanyo. The mistake I made was believing the Sanyo documentation and using the Macro Assembler as a test program for compatibility before I purchased the system!

The good news on the compatibility front is that sales of the Sanyo should be impressive enough so that companies producing IBM PC software will produce versions to run on the Sanyo as well. This appears to be happening already. Companies such as IUS, Micro-Pro, and Ashton Tate are producing Sanyo versions of their products or certifying that existing packages will run on the Sanyo.

Conclusions

The Sanyo MBC550 is a fine micro-computer regardless of its compatibility problems with the IBM PC. The results of the benchmarks given above indicate that the MBC550 compares favorably with the IBM PC, even surpassing it in computational speed and disk file benchmarks. My primary criticisms of the Sanyo are the current lack of double-sided disk drives, and its inadequate documentation. In the latter case, you can solve the problem by borrowing a friend's IBM documentation.

If the Sanyo MBC550 were closer in price to the IBM PC, I'd have to opt for the name and software base of the PC. But at about one third the price (considering the bundled software), I consider the Sanyo a great bargain. The MBC550 commands attention now, and will be an even more attractive machine as its software base grows. ◇

For more information on advertised products, equipment tested, etc., circle appropriate number on postpaid Free Information Card.

NOW
320K Drives



Sanyo
MBC550

We Build to Suit

How would you like your Sanyo System? We have dual 160K drive systems with a CRT-36 monitor from \$1099. We have Deluxe units with MS-DOS, Sanyo Basic, Easywriter, Wordstar, Calcstar, Mailmerge, Spellstar, Infostar, a CRT-36 monitor, a Spirit 80 printer and a cable for \$1575.

Plus, we've been selling Sanyo "550" systems with 320K drives for months.

If you're thinking about buying the hottest micro of 1984 give us a call. Find out why our prices, inventory, and product knowledge have made us Sanyo's largest U.S. dealer.

Scottsdale Systems, Ltd.

617 N. Scottsdale Rd. #B • Scottsdale, Arizona 85257



(602) 941-5856



Prices listed are for cash. No C.O.D.'s. Fortune 1000 Purchase Orders add 2% charge cards add 3%. Az. residents add 6%. prices subject to change. product subject to availability. 20% restocking charge for returned merchandise f.o.b. Scottsdale.



Inmac makes it easy to make your computer work harder.

- Choose from over 1500 products, all specially selected to help you get more out of your computer.
- **One-stop shopping.** Paper, connectors, cables, more. Many exclusive Inmac products, too.
- **Easy ordering.** Mail, phone or TWX. Verbal P.O.'s welcome.
- **Lower shipping costs.** All 9 Inmac distribution centers are fully stocked, so your order can be shipped from the nearest center.
- **45-day risk-free trial.** Full refund if not completely satisfied.
- **Guaranteed quality.** Most guaranteed for one year, some guaranteed for life.

1-800-547-5444*

inmac

Please send me a free copy of Inmac's Personal Computer Support Catalog.

Inmac Catalog Dept.
2465 Augustine Drive
Santa Clara, CA 95051

NAME _____

COMPANY _____

ADDRESS _____

CITY _____

STATE _____

ZIP _____

PHONE _____

*In California, call 1-800-547-5447 for your free catalog.

235104

Circle No. 10 on Free Information Card

Business Graphics

(Continued from page 56)

business graphics. Similar comments can be made for the IBM PC and PC-XT, whose third-party hardware support base rivals that for Apple IIs. (See "Hardware Upgrades for Apple and IBM" box for details.) No other make of computer rivals Apple and IBM for third-party support.

Business Graphics Software

The graphics software situation presents quite a puzzle. The basic packages for each computer are usually too rudimentary to be used for very sophisticated graphing. To approach what might be considered to be state-of-the-art performance, a great deal of power and flexibility are required.

Certain features of a graphics system are inherent to the software, and hardware devices must be chosen accordingly. The more important features the software should have are detailed in what follows.

From the artistic viewpoint, the ability to vary the size and type style of all text characters must be built into the software. The "window" for the body of the chart or graph must be locatable anywhere on a screen or page and be size-adjustable to fit any allocated space. There should be no practical limit placed on the number of data items a chart can contain. The ability to combine lines and bars on the same chart must be a standard feature. For maximum flexibility, the software should permit placement of multiple charts on the same page. It should be possible to develop pie charts with exploded segments. Additionally, a built-in feature should eliminate the possibility of text legends from overwriting each other or the graphics. Graphics software must have defeatable automatic scaling of the axes and permit logarithmic as well as rectangular coordinates. Finally, bar graphs must be orientable either horizontally or vertically.

To my knowledge, no currently available software package that fulfills all the above requirements exists, but GrafTalk comes closest. This software provides superior ease of use and a presentation quality approaching that available with mainframe graphics systems. For most graphs, Chartmaster is a good alternative. Though Chartmaster is not as powerful as GrafTalk, it is far better than the average graphics package currently being sold. Neither GrafTalk nor Chartmaster can develop area maps for marketing uses. These two products can serve as benchmarks for evaluating other graphics packages.

A true state-of-the-art graphics system should be able to construct images in both two and three dimensions, though most support the former and very few the latter. To meet this requirement a number of computer-aided drafting systems available for architects and design engineers are now beginning to

HARD-COPY DEVICES

Printers and Plotters:

Model	Manufacturer
-------	--------------

Black-Print Printers:

Almost any single-color impact dot-matrix model capable of printing screen graphics images can be used with business graphics computer/software systems. Printers made by Epson, Okidata, Star Micronics, IBM, Apple, and others are good choices. Of course, the higher-priced makes and models will usually yield higher-density, more precisely controlled graphics images.

Color-Print Printers:

Among the more popular color models are those listed here. This list represents only a sampling of the makes and models available.

Color/Scribe DP-9725 (240 char./sec.)	Anadex
Quadjet	Quadram Corp.
Transtar 315 (4-color ribbon for 7 colors; 30 shades)	Vivitar Computer

Plotters:

As with color printers above, the following list of products is provided as a representative sampling of the various models of plotters available in the marketplace.

Amplot II (11" × 17"; 6 pens; 8 in./sec. write speed; 0.002" resolution)	Amdek
Color Plotter (11" × 17"; 4 pens)	Apple Computer Inc.
945 (24.5" × 48"; 4 pens; 30 in./sec. write speed; 0.0005" resolution)	Calcomp
Sweet-P Six Shooter (11" × 17"; 6 pens; 14 in./sec write speed; 2K buffer)	Enter Computer, Inc.

HP7475A (11" × 17"; 6 pens)	Hewlett-Packard Co.
DPM-40-2 (11" × 17"; 16K buffer; 2 pens)	Houston Instruments
XY750 (11" × 17"; 8 pens; 0.004" resolution)	IBM
Zeta 8 (8 pens; 20 in./sec. write speed)	Nicolet Zeta Corp.
Strobe 100, 200	Tektronix, Inc.

Direct-to-Film Hard-Copy Devices

Since many business presentations to large audiences are still best handled with color slides of graphics images, direct-to-film hard-copy devices deserve serious consideration. Among the low-to-medium-priced products that directly convert electrical image signals to 35-mm slide film are the following:

VFR-2000-TL-135 (\$2495; 35-mm only)	Celtic Technology
635 (\$12,950 for 35-mm 8" × 10" formats; adaptable to any format)	Dunn Instruments
Videoprint 5000 (about \$7000; 4" × 5" Polaroid back is available)	Image Resource
VideoSlide 35 (\$2599; 35-mm only)	Lang Systems
3000 (\$10,000 to \$12,000; 35-mm, SX-70, 4" × 5", 8" × 10", 16-mm formats)	Matrix Instruments
MFR-8 (\$9000 to \$11,000; 35-mm, 4" × 5", 8" × 10" SX-70, Kodak PR-10 formats)	Modgraph
Palette (\$1300; 3¼" × 4¼" formats)	Polaroid Corp.

GRAPHICS SOFTWARE SAMPLER

The following is an abbreviated listing of software packages that can be used to generate medium-to-high-density graphics on popular makes and models of personal computers.

Standard Graphics Packages:

Software Name	Source
Business Graphics	Business & Professional Software
Flexigraf	Computer Associates
ChartMaster	Decision Resources
D148S Color Slide System	DICOMED Corp.
GraphWriter	Graphic Communications
Display Telegraf	ISSCO Graphics
Executive Briefing System	Lotus Development Corp.
ZChart	Nicolet Zeta Corp.
GrafTalk	Redding Group Inc.
SAS/Graph	SAS Institute

3-D Graphics Software Packages:

Software Name	Source
AutoCAD	Autodesk, Inc.
Drawing Processor	BG Graphics Systems
Energraphics/PC	Enertronics Research
Vector Sketch	GTCO Corp.
Benchmark	MetaSoft Corp.
3D CAD; MCS Software, Space Tablet	Micro Control Systems, Inc.
PC-Draw	Micrografix
CADplan, CADdraft	Personal CAD Systems
VersaCAD, CADapple	T&W Systems
3Design	3Design

HARDWARE UPGRADES FOR APPLE AND IBM COMPUTERS

The following is a representative listing of plug-in cards that upgrade the graphics capabilities, including color, of popular Apple II and IBM PC personal computers. All products listed are printed-circuit-card assemblies that are designed to plug directly into the specific computers' expansion buses.

For Apple II Computers:

Product	Manufacturer
Number Nine (1024 × 1024 pixels, 16+ colors)	Number Nine Computer Engrng.
MicroAngelo	Scion Corp.
SuperSprite	Synetix Inc.
Arcade Board	Third Millenium Engrng.

For IBM PC series Computers:

Product	Manufacturer
BiGraphix II (640 × 400 pixels, 16 colors)	Applied Computer Products
Cono Color (640 × 400 pixels, 16 colors)	Conographic Corp.
Artist I (1024 × 1024 pixels)	Control Systems
RGB Boards (1024 × 1024 pixels, 4 colors; 640 × 280 pixels, 16 colors; 2 planes)	Frontier Technologies

Graphics Color Adapter	IBM
PC Peacock	MA Systems Inc.
MasterGraphics 1+ (640 × 200 pixels, 16 colors; 4096-color palette)	MicroGraphics Technology
ColorPlus (640 × 200 pixels, 4 colors; 320 × 200 pixels, 16 colors)	PC+Products—Plantronics
Graphics Display (640 × 400 pixels, 16 colors; 256-color palette)	PC Products Inc.
QuadColor (640 × 200 pixels, 16 colors)	Quadram Corp.
PC 640 (640 × 480 pixels, 16 colors; 4096-color palette)	Scion Corp.
Graphix Plus	STB Systems Inc.
Graphics Master (720 × 720 pixels)	Tecmar
Professional Graphics Generator (512 × 512 pixels, 16 colors)	Symtec
Multi-Display	USI Computer Products

Business Graphics

reach the business graphics arena. With these packages, new ways to easily and simply communicate complex business analyses become possible. (For a list of currently available graphics software packages, see "Graphics Software Sampler" box.)

Putting It All Together

Simply putting the best of each of the components of a graphics system together will not yield a system that works. Any added hardware must be able to support the features of the software that is to be used, which means that software *and* hardware must be selected together. Bear in mind, too, that any hardware component added to a computer must be physically *and* electrically installed in the working environment. In fact, addition of any hardware item—more mem-

ory, a super-high-resolution color graphics board, or any other device—redefines the working environment.

Any microcomputer that is selected will involve hardware trade-off decisions. As mentioned above, the IBM PC or PC-XT computers, as configured by IBM, are far from state of the art in terms of business graphics applications, but they may well fill the bill when mated with appropriate hardware and software from other vendors.

Advanced Systems

Since the objective of using business graphics is to tell a story, why not let the computer tell the *whole* story? Two computers currently on the market offer a special feature that takes them one step beyond other graphics systems. The Texas Instruments Professional Com-

puter and the Digital Equipment Corp. Professional 350 offer a vocalizing feature that can add synthesized narration to a graphics slide show. The spoken words generated by these computers are digitized and replayed for a voice-over narration (16 minutes of text can be stored on one double-sided floppy diskette for the TI).

The DEC Professional 350 computer can be equipped with an optional text-to-speech device called DECtalk that converts standard ASCII text into vocalized speech. DECtalk generates very human-sounding speech in an adult male's, adult female's, or child's voice at rates of 120 to 350 wpm. It has a vocabulary of more than 20,000 words and an auxiliary dictionary for special terms. Added to the 800 × 240-pixel display in four colors (384 × 240 pixels in 16 colors), drawn from a selection of more than

MANUFACTURERS & ADDRESSES

Adwar

335 W. 35 St.
New York, NY 10011
212-691-0976

Amdek

2201 Lively Blvd.
Elk Grove Village
IL 60007
312-364-1180

Anadex

1001 Flynn Rd.
Camarillo, CA 93010
805-987-9660

Apple Computer Corp.

20525 Mariani Ave.
Cupertino, CA 95014
800-538-9696

Applied Computer Products

1916 Welsh Rd. No. 6
Philadelphia, PA 19115
215-934-6990

Autodesk, Inc.

Bldg. 5
150 Shoreline Hwy.
Mill Valley, CA 94941
415-331-0356

BG Graphics Systems

824 Stetson Ave.
Kent, WA 98031
206-852-2736

Business & Professional Software

154 Binney St.
Cambridge, MA 02142
617-491-3377

Calcomp

2411 W. La Palma Ave.
Anaheim, CA 92803
714-821-2011

Celtic Technology

6265 Variel Ave.
Woodland Hills, CA 91367
213-884-6767

Computer Associates

125 Jericho Tpke.
Jericho, NY 11753
516-645-3003

Comshare

1935 Cliff Valley Way
Atlanta, GA 30329
404-634-9525

Conographic Corp.

2268 Golden Cir.
Newport Beach, CA 92660
714-642-6778

Control Systems

2855 Anthony Lane
Minneapolis, MN 55418
612-789-2421

DataSouth Computer Corp.

Box 240947
Charlotte, NC 28224
704-523-8500

Decision Resources

25 Sylvan Rd.
Westport, CT 06880
203-222-1974

DICOMED Corp.

9700 Newton Ave. S.
Minneapolis, MN 55431
612-887-7100

Digital Computer Corp.

146 Main St.
Maynard, MA 01754
800-344-4825

Dunn Instruments

PO Box 77172
544 Second Ave.
San Francisco, CA 94107
415-957-1600

Enter Computer, Inc.

6867 Nancy Ridge Dr.
San Diego, CA 92121
619-450-0601

Enertronics Research

150 N. Meramec, No. 207
St. Louis, MO 63105
800-325-0174

Epson America, Inc.

3415 Kashiwa St.
Torrance, CA 90505
213-543-0360

Frontier Technologies

PO Box 11238
Milwaukee, WI 53211
414-964-8689

Graphic Communications

200 Fifth Ave.
Waltham, MA 02254
617-890-8778

GTCO Corp.

1055 First St.
Rockville, MD 20850
301-279-9550

Hewlett-Packard, Inc.

16399 W. Bernardino Dr.
San Diego, CA 92127
800-547-3400

Houston Instrument

8500 Cameron Rd.
Austin, TX 78753
512-835-0900

IBM (Plotters only)

Orchard Park, Box 332
Danbury, CT 06810
203-796-2500

IBM (all other products)

Information available from
IBM computer centers and
authorized IBM distributors

Image Resource

2260 Townsgate Rd.
Westlake Village, CA 91361
805-496-3317

ISSCO Graphics

10505 Sorrento Valley Rd.
San Diego, CA 92121
619-452-0170

Lang Systems, Inc.

1010 O'Brien Dr.
Menlo Park, CA 94025
415-328-5555

Lotus Development Corp.

161 First St.
Cambridge, MA 02142
617-492-7171

MA Systems, Inc.

2015 O'Toole Ave.
San Jose, CA 95131
408-943-0596

Matrix Instruments

230 Pegasus Ave.
Northvale, NJ 07647
201-767-1750

MetaSoft Corp.

6509 W. Frye Rd., No. 12
Chandler, AZ 85224
800-621-1908

Micro Control Systems, Inc.

143 Tunnel Rd.
Vernon, CT 06066
203-872-0602

MicroGraphics Technology

1820 McCarthy Blvd.
Milpitas, CA 95035
408-996-8423, ext. 421

Micrografix

1701 N. Greenville, No. 703
Richardson, TX 75081
214-234-1769

Modgraph

1393 Main St.
Waltham, MA 02154
617-890-5764

NEC Home Electronics

1401 Estes Ave.
Elk Grove Village, IL 60007
312-228-5900

Nicolet Zeta Corp.

2300 Stanwell, Box 4003
Concord, CA 94524
415-671-0600

Number Nine Computer Engineering

691 Concord Ave.
Cambridge, MA 02138
617-492-0999

PC+ Products-Plantronics

1751 McCarthy Blvd.
Milpitas, CA 95035
800-638-6211

PC Products, Inc.

2907 Ladybird Lane
Dallas, TX 75220
214-357-5300

Personal CAD Systems

15425 Los Gatos Blvd.
Los Gatos, CA 95030
408-356-3183

Polaroid Corp.

Industrial Products Div.
575 Technology Sq.
Cambridge, MA 02139
800-225-1618

Princeton Graphics Systems

1101-1 State Rd.
Princeton, NJ 08540
609-683-1660

Quadram Corp.

4355 International Blvd.
Norcross, GA 30093
404-923-6666

Redding Group, Inc.

609 Main St.
Ridgefield, CT 06887
203-431-4661

SAS Institute

Box 8000, SAS Circle
Cary, NC 27511
919-467-8000

Scion Corp.

12310 Pinecrest Rd.
Reston, VA 22091
703-476-6100

STB Systems, Inc.

601 N. Glenview Ave.
No. 125
Richardson, TX 75081
214-234-8750

Symtec

15933 W. 8 Mile Rd.
Detroit, MI 48235
313-272-2950

Synetix, Inc.

15050 NE 95 St.
Redmond, WA 98052
206-828-4884

T&W Systems

No. 106
7372 Prince Dr.
Huntington Beach
CA 92647
714-847-9660

Tecmar

6225 Cochran Rd.
Cleveland, OH 44139
216-349-0600

Tektronix, Inc.

PO Box 4828
Portland, OR 97208
800-547-1512

Texas Instruments, Inc.

PO Box 202430 h-642
Dallas, TX 75240
800-527-3500

Third Millennium Eng.

No. 394
1015 Gayley Ave.
Los Angeles, CA 90024
213-473-2102

3Design

4710 University Way NE
No. 1512
Seattle, WA 98105
800-392-9210

TSK Electronics Corp.

18005 Courtney Ct.
City of Industry, CA 91748
213-810-1291

USI Computer Products

71 Park Lane
Brisbane, CA 94005
415-468-4900

Vivitar Computer

PO Box C-96975
Bellevue, WA 98009
206-454-9250

Wyse Technology

3040 N. First St.
San Jose, CA 95134
408-946-3075

Business Graphics

4000 colors, this system offers much for the business graphics user. Furthermore, a variety of business software is available for the Pro 350.

The Tektronix Model 4109, with Model 4170 processing unit, provides an even more powerful graphics capability. For \$16,000 to \$20,000, this system gives access to the bottom line of engineering packages, providing a great deal more graphics power. At the same time, the CP/M-86 operating system should provide access to many business graphics programs.

The eight colors that this computer can put on a chart are chosen from a 64-color palette and can be changed on the graph easily with a "joy disk." The 480 × 360-pixel image is superb. And the system can drive a signal for video projection.

Hewlett-Packard represents the top level in microcomputer-based graphics systems. For about \$17,000, the HP-8936 computer offers 4960 colors (or shades of gray) from which to choose and 500K (expandable to 7M) of user RAM. Its very-high-resolution 512 × 390-pixel screen brings more life to colors than other systems, since it is backed by four memory banks that provide 16 shades for each of the system's displayable 199,680 pixels. And to round things out, the HP-8936 makes it possible to use 3D graphics, even though software support for 3D is not yet really ready for the business user's needs.

Practical Considerations

A single graphics screen takes time to compose. Developing the 10 to 20 graphics screens that might normally be used during an hour-long presentation can require 4 to 5 hours of computer and composition time, which doesn't include time spent fussing with the data to get the charts to show what you want them to show and in what manner. To take advantage of microcomputer business graphics charting, plan to spend about one hour of work per chart.

In Closing

The ability to use 16 colors and 100 lines in a chart is a technical triumph. It is also a practical disaster! The brilliance of *not* using all the available technology simultaneously comes only with experience in constructing useful and informative graphics images. One learns fairly rapidly that communicating information effectively is best accomplished in relatively small, easy-to-digest bites. ◇

New Architectures (Continued from page 74)

"One other thing worth mentioning," said Dr. Shaw, "is that there is at least one other project that we on the Non-Von project view as being of a kindred spirit, even though it's very different in some ways. That's the Connection machine up at MIT. One of the main people there is Dan Hillis. Like ours, the Connection machine is based on massive parallelism.

"They, too, are trying to put a number of processors on a chip. Like ours, it's based on something called SIMD (Single Instruction Multiple Data) execution, which says that all—in our case, it's actually large subsets of—the processing elements are at any given time all doing the same thing instead of working as completely independent processors. And many of our colleagues don't believe that's the right way to go. In fact, probably the majority of our colleagues think that it's a mistake. They think it's better to use a different approach where the processors are independent. But this approach to the problem doesn't allow you as many processors.

"So things are very controversial, but I think it's too early to say who's right. What would be exciting to all of us, I think, would be if one type of parallel architecture emerged ten years from now that turned out to be better than the Von Neuman machine. And it also turned out to be better for most purposes, even if not all, than most of the other kinds of machines.

"It's clear to everybody that, if you want to do a particular problem as fast as you can, and you have a large amount of money to spend (there are such applications), it will be best done by a special-purpose machine. None of us is going to come up with a general-purpose machine that will do as well. On the other hand, the big prize in the field, will be to come up with a successor to the Von Neuman machine.

"That's what we're all trying to achieve. It will be some new way of organizing computers that, although it isn't perfect, is good enough for people to adopt it for 90% of what they do. And it can be capable of being mass produced and sold to a very wide set of markets.

We don't yet have any evidence of whether that can be done. I rather suspect that it can. It would surprise me greatly if, by the year 2000, there weren't some other kind of machine that was general purpose enough for people to use it in a wide range of applications. But we still don't know what that is at this point." ◇

CABLE TV

CONVERTERS

Largest Selection
of Equipment Available

\$ Buy Warehouse Direct & Save \$



36 channel
converter
\$45⁹⁵

36 channel
wired remote
converter
only
\$88⁹⁵



Send \$2 for complete catalog
of converters and equipment

Quantity Discounts • Visa • Master Charge
Add 5% shipping—Mich. residents add 4% sales tax


C&D Electronics, Inc.

P.O. Box 21, Jenison, MI 49428
(616) 669-2440

Put Professional Knowledge and a COLLEGE DEGREE

in your Electronics Career through

HOME STUDY



Earn Your DEGREE

No commuting to class. Study at your own pace, while you continue your present job. Learn from Grantham easy-to-understand lessons, with help from your home-study instructors.

You can earn your B. S. Degree in the Grantham electronics degree program, offered by independent home study and accredited by the NHSC Accrediting Commission.

Our free bulletin gives details. Write for *Bulletin E-84*.

Grantham College of Engineering
2500 So. LaCienega Blvd.

P. O. Box 35499

Los Angeles, California 90035

Stocks and Bonds

(Continued from page 79)

propriate technology.”

To achieve this aim, Hutton began to consider the private communications networks already capable of providing database access to owners of terminals of all varieties throughout the country. An agreement was soon reached with CompuServe, a subsidiary of H. & R. Block in Columbus, OH. CompuServe was to function as the first conduit into the Hutton network. Best-known to most consumers as an information utility, similar in many ways to The Source, CompuServe has for years provided network capability to industry as a competitor to the possibly better-known Telenet and Tymnet.

The agreement negotiated with CompuServe was of a nonexclusive nature and thus allowed Hutton to use other forms of information delivery that might seem attractive. Another method of delivery was found in the three-county area surrounding Miami, FL, where Viewdata Corporation, a subsidiary of Knight-Ridder Newspapers offers a videotex service called Viewtron. (See “Vidiotex and You,” by John Helliwell in the February 1984 issue of *COMPUTERS & ELECTRONICS*.) Hutton adopted this delivery service for Huttonline on a different basis than the CompuServe service uses.

To the client accessing through CompuServe, using whatever terminal is available, the CompuServe link is completely invisible. CompuServe is nothing more than a conduit and the user does not have access to the CompuServe information utility unless a separate agreement has been signed. On the other hand, Huttonline is presented as an option to all Viewtron users, each of whom must have a dedicated videotex terminal (the AT&T Sceptre).

Both CompuServe and Viewtron lines connect with the Hutton Compass system in New York. Compass interacts with the CompuServe network at 9600 baud using X.25 protocol. Information is then transmitted to users at either 300 or 1200 baud, depending on the user's terminal. Data is transmitted to Viewtron using 3270 protocol at 9600 baud; and information goes to users at 1200 baud.

While Hutton wanted its information service to be accessible to as many types of hardware as possible, it also wanted to be in a position to recommend and sell a broad range of hardware that would suit the individual client's needs. It was decided to offer both a low-priced terminal and a full-service microcomputer. The low-priced terminal selected was the Qazon Quik-Link, which sells for \$249

(suggested retail price). It connects directly to telephone lines and can be used with a standard telephone instrument. It can be expanded by adding a computer.

The choice of a microcomputer was relatively easy. Hutton sought one that was certain to be around for a while and that would accommodate the widest possible variety of software for uses other than Huttonline. Furthermore, Hutton did not preclude itself from eventually developing its own software or marketing someone else's. Obviously, then, Hutton wanted to select the equipment with the widest possible distribution. There was only one company with a product that met these criteria—IBM—and Hutton reached an agreement with Big Blue. Hutton also selected another MS-DOS system, the Wang Professional Computer, as an option for their clients. This provides a quasi-IBM-compatible alternative for users oriented toward word processing.

The most interesting of the hardware choices is the Workslate from Convergent Technologies (see the review of this product in the November 1983 issue of *COMPUTERS & ELECTRONICS*). This is a portable computer weighing less than 3 pounds and designed specifically for business people. Its components include a built-in modem, a calculator, a date book with alarm memory, a telephone answering machine, a speaker phone with electronic phone book and auto dialer, and a portable dictating machine. While the Workslate has the same lightweight portability as the Radio Shack Model 100, it has quite a different orientation as far as use is concerned.

The Model 100 is a traditional computer that includes Microsoft BASIC and various applications (including a text editor, a calendar, and communications) contained in ROM. The Workslate, on the other hand, is intended to be an end-user computing tool, centered around a spreadsheet similar to VisiCalc; it is designed as a productivity-enhancement tool for managers and professionals and performs extremely well in this capacity. In announcing the arrangement with Convergent, Epstein said, “We are very pleased to get into the area of personal computer distribution with a product as exciting as the Workslate. It's an excellent tool for many of our clients who require truly portable computing power.” We would go slightly further than that and say that it is an excellent tool for almost every business person.

Options available for the Workslate are a microprinter, Portfolio Analysis TaskWare (a series of programs that an-

alyze stocks and bonds, taxes, and cash flow and perform beta and internal rate-of-return calculations), and connections to financial databases of CompuServe, Dow Jones, and The Source. Hutton is selling the basic Workslate to its clients for \$895, including the initial \$25 Huttonline sign-up fee and one month's unlimited access to Huttonline. Workslate purchases, and all other purchases related to Huttonline, are made through the Hutton client's account executive and can be charged directly to the client's account.

System Operation

Clients sign on to Huttonline by dialing the local telephone number that Hutton has provided with the start-up instructions. (As mentioned, this is actually the local number for CompuServe.) Once connected, the system asks for a “Host Name” and the user responds by entering “EFH,” which directs the system to the Huttonline facility. The system will then request “VIC” and, on receiving the user's response, will request a password. It is these last two entries that identify the user to Huttonline and also ensure the confidentiality of the user's records. The user is then presented with a menu allowing a choice of the following:

1. Use the service
2. About the service
3. Quit the service

This menu is the first of a series that takes the novice user through the system with little difficulty (see Fig. 1). The experienced user can bypass the menu tree by using GO commands to take him directly to the section desired (Table I). Access through either method is smooth and does not irritate the user with inordinate delays, even at 300 baud.

The presentation of information in all areas is both clear and concise and the information is certainly useful to the average investor. The only possible disappointment to the new user may come in the section of the “Your Account” menu entitled “Portfolio.” This choice presents the user with a snapshot valuation of present holdings. It is not a classic portfolio management system that includes the original cost of each transaction, unrealized profit or loss of each open transaction, and other pertinent information. We do not see this as a serious limitation to the user, however, for the investor requiring such information can turn to software such as PEAR, Personal Investor, or Reveal (for the IBM PC). The Workslate user can take advantage of the Portfolio Analysis

Stocks and Bonds

TaskWare, which provides some of these functions. The Huttonline approach to the portfolio section is consistent with the entire system, which presents current snapshots of balances, investment reports, and so forth.

The option "Send Message to Your Account Executive" allows the user to send instructions of a general nature and to request research reports, which are then mailed to the user the same day. It is not intended to be used as a means of order entry. This restriction is consistent with the system design considerations discussed above. The other menu items require little explanation.

Evaluation

The decisive question for investors considering the use of Huttonline—which for some will require switching accounts from another brokerage firm to EF Hutton—is "What will it do for me?" or "How will it improve my investment performance?" Unfortunately, the actual benefits are difficult to quantify. Huttonline allows the client to receive more information in a much more timely fashion than was previously possible. Making optimum use of the system, however, depends on both the client and the AE. The client must make intelligent use of the newly found abundance of information in making investment decisions. The AE must be tuned in to both the capabilities of Huttonline and the cli-

TABLE I—GO COMMANDS

- ACC—Your account menu
- BAL—Balances
- BOU—Bought/sold (transactions by class)
- CHE—AMA/ARA checking
- COM—Communications menu
- DEP—Deposits (transactions by class)
- FEE—Feedback to EF Hutton
- INC—Income (transactions by class)
- INV—Investment briefs
- MAI—Read your mail
- OPE—Open orders
- PAI—Paid out (transactions by class)
- POR—Portfolio
- RES—Research
- TRA—Transactions this month
- USA—Usage tips
- WHA—What's new

Other commands

- F—Forward 1 page
- Fn—Forward n pages
- B—Backward 1 page
- Bn—Backward n pages
- M—Previous menu

ent's interests and needs in order to properly utilize the electronic mail facilities.

The availability of information is very important, but the ability to use it well is more important. Each potential client will have to evaluate the service in relation to these factors. From our point of view, Huttonline is well worth the investment of time and money.

In short, we find Huttonline useful to the investor in its initial implementation and very exciting in its potential. We expect other features to be added to it as time passes, and we expect it to have competition from other brokerage firms if they are to avoid losing customers to Hutton. We commend Hutton for its innovation and we recommend Huttonline to your attention. ◇

We'll back you up!

ATTENTION COMMODORE 64 OWNERS

If you own a disk drive then you'll need "The Clone Machine". Take control of your 1541 drive.

NEW IMPROVED WITH UNGUARD.*
Package includes:

- 1.) Complete and thorough users manual
- 2.) Copy with one or two drives
- 3.) Investigate and back-up many "PROTECTED" disks
- 4.) Copy all file types including relative types
- 5.) Edit and view track/block in Hex or ASCII
- 6.) Display full contents of directory and print
- 7.) Change program names, add, delete files with single keystroke
- 8.) Easy disk initialization
- 9.) Supports up to four drives

\$4995

*UNGUARD Now allows you to read, write and verify bad sectors and errors on your disk making it easy to back-up most protected software.



Dealers & Distributors
Inquiries Invited

CALL (201) 838-9027

MICRO WARE

P.O. Box 113
Pompton Plains, N.J.
07444

Circle No. 34 on Free Information Card

CALCULATOR SAVINGS



HP-11C Programmable	\$74.99	82160A HP-IL Module	\$94.99
HP-12C Financial	99.99	82161A Cassette Drive	347.99
HP-15C Programmable	99.99	82162A HP-IL Printer	347.99
HP-16C Hexadecimal	99.99	82164A RS-232 Interf.	249.99
HP-41C Alpha Progrmb	149.99	92198A 80 col Video Int	269.99
HP-41CV Full Memory	209.99	7470A HP-IL Plotter	899.99
HP-41CX Extnd Functn	259.99	82180A Extnd Functns	59.99
82104A Card Reader	149.99	82181A Extnd Memory	59.99
82143A Printer	299.99	82182A Time Module	59.99
82153A Wand	99.99	82183A Extnd I/O	59.99
HP-71B Computer	419.99	HP-41 System Case	49.99
82400A Card Reader	Call	Port-X Tender to 10 pts	129.99
82401A HP-IL Interface	107.99		
82420A 4K Mem for 41B	59.99		
71B Application Pacs from	64.99		
HP-75C Computer	739.99		
82700A 8K Mem for 75C	149.99		

Call for Low Prices on all Accessories and Software

TI	CC-40 Compact 6K Expandable Computer	\$199.99
	CC-40 Solid State Software	from 49.99
	TI-55-11 Scientific Calculator w/ Statistics	34.99
	LCD Programmer Hexadecimal Converter	59.99
	BA-55 Advanced Handheld Financial	49.99
	TI-5310 Desk Printing Financial	109.99

Sharp	EL-7050 Graphwriter	69.99
	EL-7100 Memowriter	59.99
	PC-1500 Advanced Handheld Computer	139.99
	PC-1500A Advanced 8K Handheld Computer	179.99
	CE-150 Cassette Intrfc 4-color Printer Plotter	179.99
	CE-151 4K Memory for 1500/A	39.99
	CE-155 8K Memory Expansion Box for 1500/A	79.99
	CE-158 RS-232C & Parallel Interfacer for 1500/A	179.99
	CE-159 8K Memory Expan with Battery Back-up	99.99
	CE-161 16K Memory Expan with Battery Back-up	149.99
	PC-1500/A HDM Software Modules	49.99

Casio	FX-700P Handheld Computer 1568 steps	69.99
	FA-3 Cassette Adapter for FX-700P	34.99
	FP-12 20-column printer for FX-700P	59.99
	FX-98 Credit card Solar Scientific Calculator	24.99
	FX-450 Scientific Calculator with Hexadecimal	29.99
	FX-191 Scientific Scalar	44.99
	PF-8000 Data Bank	64.99
	SL-800 Film Card	22.99

Use cash or check, postal money order, VISA, or M/C. Personal checks take five weeks to clear. Add shipping 1% of your order (P3.95 minimum). East of Missp. Rv extra 11.50. CA res add 6%. Subject to availability. USA prices.

ORDER **800-421-5188** Outside CA AK HI

TOLL-FREE Information line (213) 633-3262

tam's
INCORPORATED
Tam's Inc, Dept CE-4
14932 Garfield Ave.
Paramount, CA 90723
(213) 633-3262

Circle No. 42 on Free Information Card

AMAZING DEVICES

PERSONAL DEFENSE AND PROPERTY PROTECTION UTILIZE SPACE AGE TECHNOLOGY. CAUTION THESE DEVICES CAN BE HAZARDOUS AND MAY SOON BE ILLEGAL.

- POCKET PAIN FIELD GENERATOR — IPG50**
Assembled \$59.50
IPG5 Plans \$7.00 IPG5K Kit/Plans \$39.50
- PHASOR PAIN FIELD CROWD CONTROLLER — PPF10**
Assembled \$250.00
PPF1 Plans \$15.00 PPF1K Kit/Plans \$175.00
- BLASTER**— Provides a plasma discharge capable of puncturing a can.
BLS10 Assembled \$79.50
BLS1 Plans \$10.00 BLS1K Kit/Plans \$59.50
- SHOCKER/PARALYZING DEVICE** — Very intimidating and effective.
SHG60 Assembled \$99.50
SHG6 Plans \$10.00 SHG6 Kit/Plans \$79.50

RUBY LASER RAY GUN — Intense visible red beam burns and welds hardest of metals. **MAY BE HAZARDOUS.**

RUB3 All Parts Available for Completing Device \$15.00
CARBON DIOXIDE BURNING, CUTTING LASER — Produces a continuous beam of high energy. **MAY BE HAZARDOUS.**

LC5 All Parts Available for Completing Device \$15.00
VISIBLE LASER LIGHT GUN — produces intense red beam for sighting, spotting, etc. Hand held complete.

LGU3 Plans \$10.00 (Kit & Assembled Units Available)
IR PULSED LASER RIFLE — Produces 15-30 watt infra-red pulses at 200-2000 per sec.

LRG3 All Parts & Diodes Available \$10.00
BEGINNERS LOW POWER VISIBLE LASER — Choice of red, yellow, green — provides an excellent source of monochromatic light.

LHC2 Plans \$5.00 LHC2K Kit \$29.50

SNOOPER PHONE — Allows user to call his premises and listen in without phone ever ringing.
SNP20 Assembled \$89.50
SNP2 Plans \$9.00 SNP2K Plans/Kit \$59.50

LONG RANGE WIRELESS MIKE — Miniature device clearly transmits well over one mile. Super sensitive, powerful.

MFT1 Plans \$7.00 MFT1K Plans/Kit \$39.50
WIRELESS TELEPHONE TRANSMITTER — Transmits both sides of phone conversation over one mile, shuts off automatically.

VWPM5 Plans \$8.00 VWPM5K Plans/Kit \$34.50
TALK & TELL AUTOMATIC TELEPHONE RECORDING DEVICE — Great for monitoring telephone use.

TAT20 Assembled \$24.50
TAT2 Plans \$5.00 TAT2K Plans/Kit \$14.50

Our phone is open for orders anytime. Technicians are available 9-11 a.m. Mon-Thurs for those needing assistance or information. Send for free catalog of hundreds more similar devices. Send check, cash, MO, Visa, MC, COD to: **INFORMATION UNLIMITED**

DEPT Q1, P.O. Box 716, Amherst, N.H. 03031 Tel: 603-673-4730

Circle No. 43 on Free Information Card

Pointers

(Continued from page 69)

ed with parallel rows of transparent, conductive strips. The sheets are placed over the monitor at right angles to one another to provide an intersecting grid of switches that can be easily closed by finger pressure.

Capacitive sensing can also be used. Touch Technology, for example, has developed a touch sensitive screen of glass coated with a transparent array of tin oxide

Touch sensitive tablets are good for the newcomer to computers

ide rectangles. Each rectangle senses the presence of a finger by the resulting capacitance change.

The company makes a touch sensitive screen having higher resolution by applying a uniform film of tin oxide over the entire surface of a glass sheet. Two terminals connected to the sides of the screen sense capacitance changes anywhere on its surface with a resolution of about 100 by 100 points.

Elographics, Inc. uses a resistive sensing method in which a glass sheet coated with a transparent, *resistive* film is covered by a flexible plastic sheet coated with a transparent, *conductive* film. A voltage is applied alternately across each axis of the resistive film. When the plastic cover is pressed against the resistive film, two alternating voltages are developed which, when digitized, enable the computer to determine where its screen has been touched.

All these touch screen sensors attenuate the brightness of the image on the monitor's screen. One sensing method that does *not* employ a grid of infrared beams on the screen. Infrared emitters along two adjacent sides of the screen project their beams to phototransistors along the opposite two sides of the screen. The result is an intersecting grid of infrared beams that permits a computer to determine where a finger has been placed.

Some companies make infrared touch sensor systems that can be mounted over the screen of a standard monitor. Others sell monitors with built-in infrared sensors. Hewlett-Packard's HP 150 personal computer, for example, features many menu driven operating modes that can be selected by touching the appropriate box or icon displayed on the screen.

Digitizing Tablets

Digitizing tablets, the largest family of pointing devices, have flat surfaces that can detect the presence of a special pen, stylus, or even a finger. In 1967, prior to the commercial development of either the mouse or the personal computer, a classic study concluded that the digitizing tablet was the best pointing device (W.K. English, D.C. Engelbart and M.L. Berman, *IEEE Transactions on Human Factors in Electronics*, HFE-8, 1, 21-31). Many experienced users of pointing devices still agree. After all, what could be more natural than a pointing device that's used like a pencil and paper? Until recently, however, digitizing tablets were far too expensive to be considered for use with personal computers. Now the price barrier has been penetrated by the introduction of several kinds of economical digitizer tablets. Some of them are supported by software having surprisingly high quality.

The tablets with the highest resolution, which also happen to be the most costly, use indirect sensing schemes. Typically, the table incorporates a crossed grid of conductors directly under its surface. As a special ballpoint pen or cursor fitted with crosshairs is moved

across the tablet, electromagnetic radiation from oscillatory signals sent sequentially through the tablet's grid is detected by a small pickup coil in the pen or cursor. A properly programmed computer enables the position of the pen or cursor on the active surface to be detected with a resolution of 0.005" or less.

Electromagnetically scanned tablets cost from several hundred to several thousand dollars. And while they have better resolution than pressure-activated tablets, some low-cost units may exhibit pincushion distortion. This means the spacing between minimum resolution points may *increase* around the edges of the table's sensitive region.

This phenomenon may require the time consuming development of software correction factors or grid overlays with curved, rather than straight, lines.

Several new kinds of low-cost, pressure-sensitive digitizing tablets have appeared on the market in the past few years. Designed specifically for use with personal computers, these devices use innovative means to detect the pressure of a stylus or finger on their active surfaces.

The Koalapad by Koala Technologies Corporation is a book-sized table having a pressure-sensitive pad measuring 4 $\frac{1}{4}$ " square. The base of the pad is an aluminum plate to which is attached a plastic

MANUFACTURERS OF POINTING DEVICES

Numerous companies make pointing devices as stand-alone products or as component parts of systems such as computers. Here is a representative listing of some of them:

- Ampower Instrument Co.** (26 Just Rd., Fairfield, NJ 07006)
- Apple Computer** (20525 Mariani Ave., Cupertino, CA 95014)
- Atari Inc.** (PO Box 427, Sunnyvale, CA 94086)
- Bausch & Lomb** (Houston Instrument Div., 8500 Cameron Rd., Austin, TX 78753)
- CalComp** (PO Box 3250, Anaheim, CA 92803)
- Chalk Board, Inc.** (3772 Pleasantville Rd., Atlanta, GA 30340)
- Championship Electronics** (U.S.A.) Inc. (1025 Grandview Dr., South San Francisco, CA 94080)
- Elographics, Inc.** (1976 Oak Ridge Turnpike, Oak Ridge, TN 37830)
- General Digital Corp.** (700 Burnside Ave., East Hartford, CT 06108)
- GTCO Corp.** (1055 First St., Rockville, MD 20850)
- Hewlett-Packard** (1820 Embarcadero Rd., Palo Alto, CA 94303)
- Information Control Corp.** (9610 Bellanca Ave., Los Angeles, CA 90045)
- Inkwell Systems** (PO Box 85152, MB290, San Diego, CA 92138)

- Koala Technologies Corp.** (3100 Patrick Henry Dr., Santa Clara, CA 95050)
- Measurement Systems, Inc.** (121 Water St., Norwalk, CT 06854)
- Mouse System Corp.** (2336H Walsh Ave., Santa Clara, CA 95051)
- Numerics** (418 Pierce St., Lansdale, PA 19446)
- Pencept, Inc.** (39 Green St., Waltham, MA 02154)
- Preh-Werke** (PO Box 1540, D-8740 Bad Neustadt, West Germany)
- Radio Shack** (1500 One Tandy Center, Fort Worth, TX 76102)
- Science Accessories** (970 Kings Highway W., Southport, CT 06490)
- Summagraphics** (35 Brentwood Ave., Fairfield, CT 06430)
- Suncom, Inc.** (650 E. Anthony Trail, Suite E, Northbrook, IL 60062)
- Sun-Flex Co.** (20 Pimentel Ct., Novato, CA 94947)
- Tektronix** (PO Box 1000, Wilsonville, OR 97070)
- TG Products** (1104 Summit Ave., Suite 110, Plano, TX 75074)
- Touch Technology** (111 Chinquapin Dr., Annapolis, MD 21041)
- USI** (71 Park Lane, Brisbane, CA 94005)
- Wico Corp.** (6400 W. Gross Point Rd., Niles, IL 60648)
- Xerox Corp.** (1341 W. Mockingbird Lane, Dallas, TX 75247)

Move up to Microsystems


THE JOURNAL FOR SOPHISTICATED
MICROCOMPUTER USERS.

Microsystems is not, in any sense, for beginners. Unlike "personal computer" magazines, *Microsystems* is written *exclusively* for expert users and designers in the software and support hardware field.

If you need a reliable, high-level, up-to-date journal devoted to CP/M,[®] MP/M,[®] MS-DOS,[™] UNIX,[®] XENIX,[™] OASIS and other operating systems, then *Microsystems* is for you. We feature tutorials on the modification and special use of systems, offer short-cut routines, show you debugging procedures, techniques for interfacing, and much more. Our one purpose is to keep the advanced microcomputer professional at the leading edge of DOS development and use.

In a few recent issues of *Microsystems* you would have seen:

- Reviews of four C compilers: BDS C, Small C, tiny c TWO[™] and Whitesmiths C.
- A programming style comparison: Digital Research PL/I-80[™] vs. Microsoft BASIC.
- Twenty-seven 16-Bit DOS compared.
- Virtual segment procedures under UCSD Pascal.
- An in-depth look at MP/M-80 II.[™]
- A simple 6-byte hexadecimal ASCII conversion routine.
- Using CP/M's undocumented "Autoload" feature.
- An explanation of double density disk controllers.



- A comparison of five popular S-100 disk controller cards.
- OS-1—a UNIX-like DOS with a CP/M adapter.

Every issue of *Microsystems* keeps you at the forefront of the industry in customizing software and adapting hardware to meet new requirements and standards. You'll also find industry news, book and new product reviews, plus our regular *Software Directory* listing newly available programs.


To get the high-level systems information you want, join the club of serious microcomputer professionals who subscribe to *Microsystems*. Use the coupon below to order, and save up to 31%!

PROFESSIONALS
PLEASE NOTE:

Your subscription to *Microsystems* may be tax deductible. Check with your accountant.

Trademarks:

XENIX: Microsoft; tiny c TWO: tiny c assoc.;
PL/I-80, MS-DOS, MP/M-80 II: Digital Research.
Registered Trademarks:
CP/M, MP/M: Digital Research; UNIX: Bell
Laboratories.



Microsystems CN 1987
Morristown, New Jersey 07960

YES, enter my subscription to *Microsystems* for:

- 12 issues at \$21.97—I save 19%.
- 24 issues at \$40.97—I save 24%.
- 36 issues at \$55.97—I save 31%.

Savings based on full 12-issue subscription price of \$26.97

Mr. _____ 8H633
Ms. _____

(please print full name)

Company _____

Address _____

City _____

State _____

Zip _____

CHECK ONE: Payment enclosed. Bill me later.

Offer valid in U.S. and possessions only. Please allow 30 to 60 days for delivery of first issue. Satisfaction guaranteed or a prompt refund for unmailed issues.

NEW SUBSCRIBERS ONLY

Pointers

layer coated with a thin resistive film. A plastic square with a second resistive film on its back and having an adhesive border is installed over the base.

An array of some 2000 tiny, nonconductive bumps in the first plastic layer separates the two resistive films by a few thousandths of an inch. A simple analog circuit alternately switches a current across first one resistive layer and then the other. When the two pads are pressed together, the circuit can detect both the presence of the pressure and its location.

The PowerPad by Chalk Board, Inc. is another innovative, yet affordable, digitizer tablet. Its large 12-inch-square active surface is backed by an array of 120 by 120 pressure-sensitive membrane switches. This provides a resolution of 100 switches per square inch.

The PowerPad's hardware scans all 14,400 switches twenty times each second. Since the device is purely digital, the scanning circuitry detects all switch closures. This means the PowerPad can respond virtually simultaneously to multiple data entries. For instance, it can display on a computer monitor the shape

Computers can be trained to remember words and act accordingly

of a hand pressed down on the tablet's active surface.

Kaolapad and PowerPad are representative of the new generation of touch-sensitive digitizer tablets. Already other companies have introduced similar products and the prices for these devices, currently in the range of \$100 or less, will likely decrease.

Touch sensitive tablets will play an important role in introducing computer novices of any age to personal computing. The icon-oriented software available for Kaolapad, PowerPad and similar tablets is so "user-friendly" even a beginner can perform sophisticated operations without referring to an operator's manual or learning to use a keyboard.

Miscellaneous Pointing Devices

The pointing device families described thus far are supplemented by a wide variety of related devices. Here are some of the more significant:

Joydisks and Cursor Disks. Identical in function to the rate joystick, joydisks and touch disks are circular control disks small enough to be installed directly on a keyboard. A typical joydisk is octagonal in shape and can be pressed along each of its eight sides to move a cursor in a desired direction. A cursor disk such as the one used on the Xerox 860 Word Processor senses finger capacity. The cursor of this machine moves in the direction indicated by finger movements on the cursor disk. The cursor speed is increased when the finger is moved closer to the edge of the disk.

Single-Axis Joysticks and Thumbwheels. A single potentiometer with an attached handle forms a single-axis joystick. It is used to move a cursor along only one axis. A thumbwheel is a potentiometer with a serrated knob whose edge emerges through a slot in a control

QUALITY COMPONENTS - NOT MAIL ORDER "SECONDS"

Send \$1.00 postage and handling for FREE COMPLETE CATALOG which includes coupon for \$1.00 OFF purchase.

ARIES ZERO INSERTION FORCE SOCKETS

cam actuated, true zero insertion - tin plated solder tail pins - capable of being plugged into dip sockets, including wire wrap.

Stock No.	No. Pins	1-9	10-49	50
11055	24	4.98	\$4.35	\$3.90
11056	28	5.15	4.50	4.05
11057	40	6.81	5.95	5.35
11058	64	12.02	10.50	9.45

IC-KOOLERS from UNITRACK dissipate over 2 watts of heat from ICs, producing longer life and better performance. Just push IC Kooler on heat to collect from top and bottom of IC and dissipate. Won't shake loose!




WILD ROVER Touch switch capsule. Operating motion is .005" without the use of a levered arm. Extremely fast on and off with low noise. Normally operated 115 VAC, 1.6 amp 30 milliohm resistance - 615 radius by .160 thick.

Stock No.	1-9	10 & Up
12098	\$1.42	\$1.28

SCREW MACHINED SOCKET PINS

loose, packaged in bags of 100. Stock No. 11310 is solder tail with gold collet tin shell. Stock No. 11311 is wire wrap with gold collet gold shell.

Stock No.	Description	1 Bag	5 Bags	10 Bags
11310	Bag of 100 solder tail pins	\$ 4.95	\$ 4.45	\$3.95
11311	Bag of 100 wire wrap pins	11.95	10.75	9.50



TI WIRE WRAP SOCKETS

Tin plated phosphor bronze contact - 3 wrap

Stock No.	No. Pins	1-99	499	500
11301	8	\$4.00	\$3.30	\$3.00
11302	14	5.90	5.45	4.45
11303	16	6.40	5.80	4.80
11304	18	7.30	6.65	5.55
11305	20	9.90	9.00	7.75
11306	22	11.20	10.20	8.85
11307	24	1.25	1.14	.95
11308	28	1.52	1.38	1.15
11309	40	2.05	1.86	1.55

TI LOW PROFILE SOCKETS

Tin plated copper alloy 688 contact pins with gas tight seal.

Stock No.	No. Pins	1-24	25-99	999
11201	8	\$10.00	\$9.00	\$8.00
11202	14	14.00	13.00	12.00
11203	16	16.00	15.00	14.00
11204	18	18.00	17.00	16.00
11205	20	20.00	19.00	18.00
11206	22	22.00	21.00	20.00
11207	24	24.00	23.00	22.00
11208	28	28.00	27.00	26.00
11209	40	40.00	37.00	33.00

EKI KITS

come with all parts necessary to assemble!
 • Stock No. 88844 TV Jammer Kit "wipes out" your TV screen... \$ 7.71
 • Stock No. 88850 Whooper Alarm Kit makes a great alarm or siren... \$11.33
 MANY, MANY MORE KITS AVAILABLE IN FULL LINE CATALOG



3M ScotchFlex® INSULATION DISPLACEMENT CABLES

Stock No.	OF	1	5	10
03102	14	\$25.20	\$21.42	\$17.64
03103	16	28.80	24.60	20.16
03305	24	43.20	36.72	30.24
03308	40	71.98	61.18	50.34
03309	50	89.98	76.48	62.99
03315	16	32.78	27.86	22.95
03317	24	49.16	41.79	34.41
03323	40	81.94	69.65	57.36
03324	60	102.42	87.06	71.69
03330	14	\$ 43.94	\$ 37.35	\$ 30.78
03332	16	50.24	42.70	35.17
03334	24	75.38	63.65	51.92
03340	40	125.32	106.69	87.86
03341	50	156.90	133.37	109.83


Special of the Month!

MODUTEC BATTERY TESTER
 Tests all batteries ranging from 1.35V to 4.5V.
 Controls:
 3-position switch provides ranges: 1.35-1.5V; 2.7-3.0V; 4.05-4.5V. Durable, pocket size, self-contained. Test leads are permanently attached.
 Stock No. 13733... \$6.95!

PIN FORMING TOOL
 puts IC's on their true row to row spacing. One side is for 300 centers. Flip tool over for devices .600 centers. Put device in tool and squeeze.
 ONE TOOL DOES 8 thru 40 PINS!
 Hand Tool 11059 \$12.95
 NEW! ANTI-STATIC MODEL 10200 \$14.95

Stock No.	Description	Price
11059	Hand Tool	\$12.95
10200	ANTI-STATIC MODEL	\$14.95

OPCOA



Stock No.	Color	1	100
12082	Red	\$1.12	\$.99
12085	Green	1.84	1.63
12087	Yellow	1.92	1.70
12089	Orange	2.08	1.84

OPTEL LCD's with pins
 Stock No. 47005
 No. Description 1 10
 47005 3 1/2 dig. 5" \$ 5.95 \$ 5.50
 47006 4 dig. 5" 5.95 5.50
 47007 4 dig. 7" 11.90 11.00
 Stock No. 47006
 47007 4 dig. 7" 11.90 11.00
 Stock No. 47007

ScotchFlex® Breadboard Systems Basic Kit
 comes with 24 various Dual Sockets, 40 various Plug Straps, wire and tools. Kit can be used with any of the six boards.
 Stock No. Description Price
 03500 Basic Kit \$79.95
 03511 Basic board, 4.5 x 5.5 19.50
 03506 Intel SBC-8010 Board, 12 x 6.75 64.95
 03507 Motorola M-6800 Board, 9.75 x 6 42.95
 03508 S-100 Board, 10 x 5.3 36.95
 03509 Z-80 Board, 7.7 x 7.5 39.95
 03510 Euro Board, 6.3 x 3.9 21.95

The Battery Just Wrap™ Tool
 New battery powered tool wraps insulated wire around .025" square posts without need for pre-cutting and pre-stripping. Complete with ball and 100 ft. 30 AWG wire.
 Stock No. Description Price
 13340 Battery just wrap tool with ball and 100 ft. 30 AWG wire \$59.95
 13341 Replacement ball 7.35
 13342 100 ft. blue replacement wire 10.50
 13343 100 ft. white replacement wire 7.54
 13344 100 ft. yellow replacement wire 7.54
 13345 100 ft. red replacement wire 7.54

MICRO Charts - colorful 8 1/2" x 11" charts eliminate the need to stumble through manuals and summaries. Fully decoded - instant access - totally comprehensive - gives pin outs, cycle times, buy notes, etc., etc.
 Stock No. Reference Price
 23010 Z80 CPU \$5.95
 23011 8080A/8085A \$5.95
 23012 6502 (6500) \$5.95
 23013 8048 and relatives \$5.95
 23014 54/7400 TTL Pinouts \$5.95
 23015 Basic Algorithms \$5.95

SOCKET WRAP ID 13295 14 pin 13296 16 pin 13297 18 pin 13298 20 pin 13299 22 pin 13300 24 pin 13301 28 pin 13302 40 pin 13303 96 pin
 \$1.95 per pack

LOW PROFILE DIP SWITCHES
 sealed bottom - gold plated
 STOCK NO. OF POS. Price
 10351 2 1.24 .95
 10352 4 1.05 .95
 10353 5 1.05 .95
 10354 6 1.50 1.40
 10355 7 1.80 1.45
 10356 8 1.85 1.85
 10357 9 2.10 1.95
 10358 10 2.25 2.05

OK MACHINE AND TOOL
IC INSERTION/EXTRACTION KIT
 Includes DIP IC extractors and inserter to accommodate all ICs from 14 to 40 pins. Tools that engage conductive surfaces are CMOS safe and include ground lugs.
 Stock No. 13399 \$41.34

Pointers

panel. A single thumbwheel moves a cursor along one axis. Usually two thumbwheels are mounted adjacent to one another but at right angles. This provides two-axis control.

The Track Pen. The Track Pen is a modified mouse. Developed by Am-power, it incorporates a rotating ball mounted in one end of a large stylus. It is claimed to be more natural to use than a mouse since it is held like a pen.

Sonic Digitizers. This device incorporates a stylus that emits a series of sonic pulses. Two microphones in a receiver system placed nearby detect the pulses and determine the exact distance between the pen and each microphone. With this information, the location of the pen can then be determined.

Pantograph Digitizers. Pantograph digitizers use cursor crosshairs attached to one end of a mechanical arm that slides up, down and through a slotted assembly placed to one side of the work area. Rows of conductive contacts along the arm and in the slotted assembly act as switches that enable the device to determine the position of the crosshairs. Though they are clumsy to use, they give very accurate results.

Voice Recognition Devices. Voice recognition hardware provides a fascinating new kind of pointing mechanism. Even a brief session with a Texas Instruments' Professional Computer equipped with a voice recognition capability is enough to convince a skeptic. This computer can be "trained" to remember words and respond accordingly when the words are used as commands. This permits menu options to be selected by simply stating the appropriate name.

Eye Position Detection. By detecting light reflected from the cornea or the retina of the eye, it is possible to determine where the eye is gazing. The military has used the former method to develop, among other things, automatic weapon-aiming devices for helicopter gunships. The same technology can be used to control the movement of a cursor on a monitor or to determine where on a monitor a user is staring.

Selecting a Pointing Device

As should be apparent by now, there is a plethora of pointing devices. Since each manufacturer claims its device is the most ergonomic and the easiest to use, remember that no single pointing device is the best for *all* applications.

Currently, the mouse and pressure-sensitive touch tablets are receiving the most attention, but neither provides the natural sensation of the light pen. The lat-

ter, however, has less resolution and is tiring to use with a conventional monitor.

The serious pointing-device user should keep *all* options open. For digitizing drawings, either original or traced, of circuit diagrams, floor plans, surveys and the like, a digitizing table is probably the best choice. For moving a cursor in word-processing applications, consider a cursor disk or a mouse.

Trackballs are excellent for very fast cursor movements. And joysticks are good for tracking and in applications where precise pointing is not important.

As for selecting an actual device, nothing beats a hands-on trial with a variety of working pointing devices. Finally, no matter which device you select, be sure to keep other pointing devices in mind as your requirements expand. ◇



Active



1984 Mail Order Catalog

The One Stop Electronic Shop!

Call Toll FREE 1-800-343-0874

In the United States:

Mail Orders

P.O. Box 8000
Westborough, Mass.
01581
(Mass) (617) 366-0500

Boston

133 Flanders Road
Westborough, Mass.
01581
(617) 366-9684

Seattle

13107 Northup Way
Bellevue, Wash.
98004
(206) 881-8191

In Canada:

Montréal

5651 Rue Ferrier
Montréal, Québec
H4P 1N1
(514) 731-7441

Toronto

14 Carlton Street
Toronto, Ontario
M5B 1K5
(416) 977-7692

Downsview

86 St. Regis Cr. N.
Downsview, Ontario
M3J 1Y8
(416) 630-0400

Ottawa

1023 Merivale Road
Ottawa, Ontario
K1Z 6A6
(613) 728-7900

Calgary

3220-5th Ave. N.E.
Bay 2
Calgary, Alberta
T2A 5N1
(403) 235-5300

Vancouver

3070 Kingsway
Vancouver, B.C.
V5R 5J7
(604) 438-3321

Visit your nearest Active store, call, write or circle the Reader Service Card for your copy of Active's new catalog.

CIRCLE NO. 50 ON FREE INFORMATION CARD

4164

64K DYNAMIC 200 NS

\$595

TMM2016

2KX8 STATIC 200 NS

\$415

STATIC RAMS

2101	256 x 4 (450ns)	1.95
5101	256 x 4 (450ns) (cmos)	3.95
2102-1	1024 x 1 (450ns)	.89
2102L-4	1024 x 1 (450ns) (LP)	.99
2102L-2	1024 x 1 (250ns) (LP)	1.49
2111	256 x 4 (450ns)	2.49
2112	256 x 4 (450ns)	2.99
2114	1024 x 4 (450ns)	8/9.95
2114-25	1024 x 4 (250ns)	8/10.95
2114L-4	1024 x 4 (450ns) (LP)	8/12.95
2114L-3	1024 x 4 (300ns) (LP)	8/13.45
2114L-2	1024 x 4 (200ns) (LP)	8/13.95
TC5514	1024 x 4 (650ns) (cmos)	2.49
TC5516	2048 x 8 (250ns) (cmos)	9.95
2147	4096 x 1 (55ns)	4.95
TMS4044-4	4096 x 1 (450ns)	3.49
TMS4044-3	4096 x 1 (300ns)	3.99
TMS4044-2	4096 x 1 (200ns)	4.49
MK4118	1024 x 8 (250ns)	9.95
TMM2016-200	2048 x 8 (200ns)	4.15
TMM2016-150	2048 x 8 (150ns)	4.95
TMM2016-100	2048 x 8 (100ns)	6.15
HM6116-4	2048 x 8 (200ns) (cmos)	4.75
HM6116-3	2048 x 8 (150ns) (cmos)	4.95
HM6116-2	2048 x 8 (120ns) (cmos)	8.95
HM6116LP-4	2048 x 8 (200ns) (cmos)(LP)	5.95
HM6116LP-3	2048 x 8 (150ns) (cmos)(LP)	6.95
HM6116LP-2	2048 x 8 (120ns) (cmos)(LP)	10.95
Z-6132	4096 x 8 (300ns) (Qstat)	34.95
HM6264	8192 x 8 (150ns) (cmos)	49.95

LP = Low Power Qstat = Quasi-Static

DYNAMIC RAMS

TMS4027	4096 x 1 (250ns)	1.99
UPD411	4096 x 1 (300ns)	3.00
MM5280	4096 x 1 (300ns)	3.00
MK4108	8192 x 1 (200ns)	1.95
MM5298	8192 x 1 (250ns)	1.85
4116-300	16384 x 1 (300ns)	8/11.75
4116-250	16384 x 1 (250ns)	8/7.95
4116-200	16384 x 1 (200ns)	8/12.95
4116-150	16384 x 1 (150ns)	8/14.95
4116-120	16384 x 1 (120ns)	8/29.95
2118	16384 x 1 (150ns) (5v)	4.95
MK4332	32768 x 1 (200ns)	9.95
4164-200	65536 x 1 (200ns) (5v)	5.95
4164-150	65536 x 1 (150ns) (5v)	6.95
MCM6665	65536 x 1 (200ns) (5v)	8.95
TMS4164-15	65536 x 1 (150ns) (5v)	8.95

5V = single 5 volt supply

6800

68000	49.95
6800	2.95
6802	7.95
6803	19.95
6808	13.90
6809E	14.95
6809	11.95
6810	2.95
6820	4.35
6821	2.95
6828	14.95
6840	12.35
6843	37.95
6844	25.95
6845	14.95
6847	11.95
6850	3.25
6852	5.75
6860	7.95
6875	6.95
6880	2.25
6883	22.95
68047	24.95
68488	19.95

6500

6502	4.95
6504	6.95
6505	8.95
6507	9.95
6520	4.35
6522	6.95
6532	9.95
6545	22.50
6551	11.85
6502A	6.95
6522A	9.95
6532A	11.95
6545A	27.95
6551A	11.95
6502B	9.95

8000

8035	5.95
8039	5.95
INS-8050	17.95
INS-8073	49.95
8080	3.95
8085	4.95
8085A-2	11.95
8086	24.95
8087	CALL
8088	8228
8089	89.95
8155	6.95
8155-2	7.95
8156	6.95
8185	29.95
8185-2	39.95
8741	29.95
8748	24.95
8755	24.95

8200

8202	24.95
8203	39.95
8205	3.50
8212	1.80
8214	3.85
8216	1.75
8224	2.25
8226	1.80
8228	3.49
8237	19.95
8237-5	21.95
8238	4.49
8243	4.45
8250	10.95
8251	4.49
8253	6.95
8253-5	7.95
8255	4.49
8255-5	5.25
8257	7.95
8257-5	8.95
8259	6.90
8259-5	7.50
8271	79.95
8272	39.95
8275	29.95
8279	8.95
8279-5	10.00
8282	6.50
8283	6.50
8284	5.50
8286	6.50
8287	6.50
8288	25.00
8289	49.95

Z-80

2.5 Mhz	
Z80-CPU	3.95
Z80-CTC	3.95
Z80-DART	10.95
Z80-DMA	14.95
Z80-PIO	3.95
Z80-SIO/0	11.95
Z80-SIO/1	11.95
Z80-SIO/2	11.95
Z80-SIO/9	11.95
4.0 Mhz	
Z80A-CPU	4.49
Z80A-CTC	4.95
Z80A-DART	9.95
Z80A-DMA	12.95
Z80A-PIO	4.49
Z80A-SIO/0	12.95
Z80A-SIO/1	12.95
Z80A-SIO/2	12.95
Z80A-SIO/9	12.95
6.0 Mhz	
Z80B-CPU	9.95
Z80B-CTC	12.95
Z80B-PIO	12.95
Z80B-DART	19.95
Z80B-SIO/2	39.95
ZILOG	
Z6132	34.95
Z8671	39.95

DISC CONTROLLERS

1771	16.95
1791	24.95
1793	26.95
1795	29.95
1797	49.95
2791	54.95
2793	54.95
2795	59.95
2797	59.95
6843	34.95
6847	39.95
UPD765	39.95
MB876	29.95
MB877	34.95
1691	17.95
2143	18.95

CRT CONTROLLERS

6845	14.95
68B45	19.95
HD46505SP	15.95
6847	11.95
MC1372	6.95
68047	24.95
8275	29.95
7220	99.95
CRT5027	19.95
CRT5037	24.95
TMS9918A	39.95
DP8350	49.95

8200

8202	24.95
8203	39.95
8205	3.50
8212	1.80
8214	3.85
8216	1.75
8224	2.25
8226	1.80
8228	3.49
8237	19.95
8237-5	21.95
8238	4.49
8243	4.45
8250	10.95
8251	4.49
8253	6.95
8253-5	7.95
8255	4.49
8255-5	5.25
8257	7.95
8257-5	8.95
8259	6.90
8259-5	7.50
8271	79.95
8272	39.95
8275	29.95
8279	8.95
8279-5	10.00
8282	6.50
8283	6.50
8284	5.50
8286	6.50
8287	6.50
8288	25.00
8289	49.95

Z-80

2.5 Mhz	
Z80-CPU	3.95
Z80-CTC	3.95
Z80-DART	10.95
Z80-DMA	14.95
Z80-PIO	3.95
Z80-SIO/0	11.95
Z80-SIO/1	11.95
Z80-SIO/2	11.95
Z80-SIO/9	11.95
4.0 Mhz	
Z80A-CPU	4.49
Z80A-CTC	4.95
Z80A-DART	9.95
Z80A-DMA	12.95
Z80A-PIO	4.49
Z80A-SIO/0	12.95
Z80A-SIO/1	12.95
Z80A-SIO/2	12.95
Z80A-SIO/9	12.95
6.0 Mhz	
Z80B-CPU	9.95
Z80B-CTC	12.95
Z80B-PIO	12.95
Z80B-DART	19.95
Z80B-SIO/2	39.95
ZILOG	
Z6132	34.95
Z8671	39.95

EPROMS

1702	256 x 8 (1us)	4.50
2708	1024 x 8 (450ns)	3.95
2758	1024 x 8 (450ns) (5v)	5.95
2716	2048 x 8 (450ns) (5v)	3.95
2716-1	2048 x 8 (350ns) (5v)	5.95
TMS2516	2048 x 8 (450ns) (5v)	5.50
TMS2716	2048 x 8 (450ns)	7.95
TMS2532	4096 x 8 (450ns) (5v)	5.95
2732	4096 x 8 (450ns) (5v)	4.95
2732-250	4096 x 8 (250ns) (5v)	8.95
2732-200	4096 x 8 (200ns) (5v)	11.95
2732A-4	4096 x 8 (450ns) (5v) (21vPGM)	6.95
2732A	4096 x 8 (250ns) (5v) (21vPGM)	9.95
2732A-2	4096 x 8 (200ns) (5v) (21vPGM)	13.95
2764	8192 x 8 (450ns) (5v)	6.95
2764-250	8192 x 8 (250ns) (5v)	7.95
2764-200	8192 x 8 (200ns) (5v)	19.95
TMS2564	8192 x 8 (450ns) (5v)	14.95
MCM68764	8192 x 8 (450ns) (5v) (24 pin)	39.95
MCM68766	8192 x 8 (350ns) (5v) (24 pin)(pwr dn.)	42.95
27128	16384 x 8 (300ns) (5v)	29.95

5v = Single 5 Volt Supply 21vPGM = Program at 21 Volts

EPROM ERASERS SPECTRONICS CORPORATION

Timer	Capacity Chip	Intensity (uW/Cm ²)	
PE-14	9	8,000	83.00
PE-14T	X	9,000	119.00
PE-24T	X	12,000	175.00
PL-265T	X	30,000	255.00
PR-125T	X	25,000	349.00
PR-320T	X	42,000	595.00

- * Computer managed inventory — virtually no back orders!
- * Very competitive prices!
- * Friendly staff!
- * Fast service — most orders shipped within 24 hours!

CRYSTALS

32.768 khz	1.95
1.0 mhz	3.95
1.8432	3.95
2.0	2.95
2.097152	2.95
2.4576	2.95
3.2768	2.95
3.579545	2.95
4.0	2.95
5.0	2.95
5.0688	2.95
5.185	2.95
5.7143	2.95
6.0	2.95
6.144	2.95
6.5536	2.95
8.0	2.95
10.0	2.95
10.738635	2.95
14.31818	2.95
15.0	2.95
16.0	2.95
17.430	2.95
18.0	2.95
18.432	2.95
20.0	2.95
22.1184	2.95
32.0	2.95

CMOS

4000	.29	4528	1.19
4001	.25	4531	.95
4002	.25	4532	1.95
4006	.89	4538	1.95
4007	.29	4539	1.95
4008	.95	4541	2.64
4009	.39	4543	1.19
4010	.45	4553	5.79
4011	.25	4555	.95
4012	.25	4556	.95
4013	.38	4581	1.95
4014	.79	4582	1.95
4015	.39	4584	.75
4016	.39	4585	.75
4017	.69	4702	12.95
4018	.79	74C00	.35
4019	.39	74C02	.35
4020	.75	74C04	.35
4021	.79	74C08	.35
4022	.79	74C10	.35
4023	.29	74C14	.59
4024	.65	74C20	.35
4025	.29	74C30	.35
4026	1.65	74C32	.39
4027	.45	74C42	1.29
4028	.69	74C48	1.99
4029	.79	74C73	.65
4030	.39	74C74	.65
4034	.95	74C76	.80
4035	.85	74C83	1.95
4040	.75	74C85	1.95
4041	.75	74C86	.39
4042	.69	74C89	4.50
4043	.85	74C90	1.19
4044	.79	74C93	1.75
4046	.85	74C95	.99
4047	.95	74C107	.89
4049	.35	74C150	5.75
4050	.35	74C151	2.25
40			

2114 450 NS 8/\$995

2114 250 NS 8/\$1095

74LS00

74LS00	.24	74LS173	.69
74LS01	.25	74LS174	.55
74LS02	.25	74LS175	.55
74LS03	.25	74LS181	2.15
74LS04	.24	74LS189	8.95
74LS05	.25	74LS190	.89
74LS08	.28	74LS191	.89
74LS09	.29	74LS192	.79
74LS10	.25	74LS193	.79
74LS11	.35	74LS194	.69
74LS12	.35	74LS195	.69
74LS13	.45	74LS196	.79
74LS14	.59	74LS197	.79
74LS15	.35	74LS221	.89
74LS20	.25	74LS240	.95
74LS21	.29	74LS241	.99
74LS22	.25	74LS242	.99
74LS26	.29	74LS243	.99
74LS27	.29	74LS244	1.29
74LS28	.35	74LS245	1.49
74LS30	.25	74LS247	.75
74LS32	.29	74LS248	.99
74LS33	.55	74LS249	.99
74LS37	.35	74LS251	.59
74LS38	.35	74LS253	.59
74LS40	.25	74LS257	.59
74LS42	.49	74LS258	.59
74LS47	.75	74LS259	2.75
74LS48	.75	74LS260	.59
74LS49	.75	74LS266	.55
74LS51	.25	74LS273	1.49
74LS54	.29	74LS275	3.35
74LS55	.29	74LS279	.49
74LS63	1.25	74LS280	1.98
74LS73	.39	74LS283	.69
74LS74	.35	74LS290	.89
74LS75	.39	74LS293	.89
74LS76	.39	74LS295	.99
74LS78	.49	74LS298	.89
74LS83	.60	74LS299	1.75
74LS85	.69	74LS323	3.50
74LS86	.39	74LS324	1.75
74LS90	.55	74LS352	1.29
74LS91	.89	74LS353	1.29
74LS92	.55	74LS363	1.35
74LS93	.55	74LS364	1.95
74LS95	.75	74LS365	.49
74LS96	.89	74LS366	.49
74LS107	.39	74LS367	.45
74LS109	.39	74LS368	.45
74LS112	.39	74LS373	1.39
74LS113	.39	74LS374	1.39
74LS114	.39	74LS375	.95
74LS122	.45	74LS377	1.39
74LS123	.79	74LS378	1.18
74LS124	2.90	74LS379	1.35
74LS125	.49	74LS385	3.90
74LS126	.49	74LS386	.45
74LS132	.59	74LS390	1.19
74LS133	.59	74LS393	1.19
74LS136	.39	74LS395	1.19
74LS137	.99	74LS399	1.49
74LS138	.55	74LS424	2.95
74LS139	.55	74LS447	.95
74LS145	1.20	74LS490	1.95
74LS147	2.49	74LS624	3.99
74LS148	1.35	74LS640	2.20
74LS151	.55	74LS645	2.20
74LS153	.55	74LS668	1.89
74LS154	1.90	74LS669	1.69
74LS155	.69	74LS670	1.49
74LS156	.69	74LS674	14.95
74LS157	.65	74LS682	3.20
74LS158	.59	74LS683	3.20
74LS160	.69	74LS684	3.20
74LS161	.65	74LS685	3.20
74LS162	.69	74LS688	2.40
74LS163	.65	74LS689	3.20
74LS164	.69	81LS95	1.49
74LS165	.95	81LS96	1.49
74LS166	1.95	81LS97	1.49
74LS168	1.75	81LS98	1.49
74LS169	1.75	25LS2521	2.80
74LS170	1.49	25LS2569	4.25

74S00

74S00	.32	74S132	1.24	74S225	7.95
74S02	.35	74S133	.45	74S240	2.20
74S03	.35	74S134	.50	74S241	2.20
74S04	.35	74S135	.89	74S244	2.20
74S05	.35	74S138	.85	74S251	.95
74S08	.35	74S139	.85	74S253	.95
74S09	.40	74S140	.55	74S257	.95
74S10	.35	74S151	.95	74S258	.95
74S11	.35	74S153	.95	74S260	.79
74S15	.35	74S157	.95	74S273	2.45
74S20	.35	74S158	.95	74S274	19.95
74S22	.35	74S161	1.95	74S275	19.95
74S30	.35	74S162	1.95	74S280	1.95
74S32	.40	74S163	1.95	74S287	1.90
74S37	.88	74S168	3.95	74S288	1.90
74S38	.85	74S169	3.95	74S289	6.89
74S40	.35	74S174	.95	74S301	6.95
74S51	.35	74S175	.95	74S373	2.45
74S64	.40	74S181	3.95	74S374	2.45
74S65	.40	74S182	2.95	74S381	7.95
74S74	.50	74S188	1.95	74S387	1.95
74S85	1.99	74S189	6.95	74S412	2.98
74S86	.50	74S194	1.49	74S471	4.95
74S112	.50	74S195	1.49	74S472	4.95
74S113	.50	74S196	1.49	74S474	4.95
74S114	.55	74S197	1.49	74S482	15.25
74S124	2.75	74S201	6.95	74S570	2.95
				74S571	2.95

VOLTAGE REGULATORS

7805T	.75	7905T	.85
78M05C	.35	7908T	.85
7808T	.75	7912T	.85
7812T	.75	7915T	.85
7815T	.75	7924T	.85
7824T	.75		
		7905K	1.49
7805K	1.39	7912K	1.49
7812K	1.39	7915K	1.49
7815K	1.39	7924K	1.49
7824K	1.39		
		79L05	.79
78L05	.69	79L12	.79
78L12	.69	79L15	.79
78L15	.69		
		LM323K	4.95
78H05K	9.95	UA7854K	1.95
78H12K	9.95		

C, T = TO-220 K = TO-3
L = TO-92

SOUND CHIPS

76477	3.95	AY3-8910	12.95
76488	5.95	AY3-8912	12.95
76489	8.95	MC3340	1.49

DATA ACQUISITION

ADC0800	15.55	DAC0808	2.95
ADC0804	3.49	DAC1020	8.25
ADC0809	4.49	DAC1022	5.95
ADC0817	9.95	MC1408L6	1.95
DAC0800	4.95	MC1408L8	2.95

INTERFACE

8T26	1.59
8T28	1.89
8T95	.89
8T96	.89
8T97	.89
8T98	.89
DM8131	2.95
DP8304	2.29
DS8833	2.25
DS8835	1.99
DS8836	.99
DS8837	1.65
DS8838	1.30

CENTRONICS

IDCEN36	
Ribbon Cable 36 Pin Male	8.95
IDCEN36/F	
Ribbon Cable 36 Pin Female	8.95
CEN36	
Solder Cup 36 Pin Male	7.95



MICROCOMPUTER HARDWARE HANDBOOK FROM ELCOMP — \$14.95

Over 800 pages of manufacturers data sheets on most commonly used IC's.

Includes:

- * TTL — 74/74LS and 74F
- * CMOS
- * Voltage Regulators
- * Memory — RAM, ROM, EPROM
- * CPU's — 6800, 6500, Z80, 8080, 8085, 8086/8
- * MPU support & interface — 6800, 6500, Z80, 8200, etc.

FEDERAL EXPRESS SERVICES AVAILABLE!

7400

7400	.19	74123	.49
7401	.19	74125	.45
7402	.19	74126	.45
7403	.19	74132	.45
7404	.19	74136	.50
7405	.25	74143	4.95
7406	.29	74145	.60
7407	.29	74147	1.75
7408	.24	74148	1.20
7409	.19	74150	1.35
7410	.19	74151	.55
7411	.25	74153	.55
7413	.35	74154	1.25
7414	.49	74155	.75
7416	.25	74157	.55
7417	.25	74159	1.65
7420	.19	74160	.85
7421	.35	74161	.69
7425	.29	74163	.69
7427	.29	74164	.85
7430	.19	74165	.85
7432	.29	74166	1.00
7437	.29	74167	2.95
7438	.29	74170	1.65
7442	.49	74173	.75
7445	.69	74174	.89
7446	.69	74175	.89
7447	.69	74177	.75
7448	.69	74181	2.25
7451	.23	74184	2.00
7473	.34	74185	2.00
7474	.33	74191	1.15
7475	.45	74192	.79
7476	.35	74193	.79
7482	.95	74194	.85
7483	.50	74195	.85
7485	.59	74197	.75
7486	.35	74198	1.35
7489	2.15	74221	1.35
7490	.35	74246	1.35
7492	.50	74247	1.25
7493	.35	74259	2.25
7495	.55	74273	1.95
7497	2.75	74276	1.25
74100	1.75	74279	.75
74107	.30	74366	.65
74109	.45	74367	.65
74116	1.55	74368	.65
74121	.29	74393	1.35
74122	.45		

CONNECTORS

RS232 Male	2.50
RS232 Female	3.25
RS232 Hood	1.25
S-100 ST	3.95

EXAR

XR 2206	3.75
XR 2207	3.75
XR 2208	3.75
XR 2211	5.25
XR 2240	3.25

INTERSIL

ICL7106	9.95
ICL7107	12.95
ICL766	2.95
ICL803	3.95
ICM721	5.59
ICM726	15.95

90 J

9316	1.00
9334	2.50
9368	3.95
9401	9.95
9601	.75
9602	1.50
96S02	1.95

LINEAR

LM301	.34	LM340 (see 7800)	
LM301H	.79	LM348	.99
LM307	.45	LM350K	4.95
LM308	.69	LM350T	4.60
LM308H	1.15	LM358	.69
LM309H	1.95	LM359	1.79
LM309K	1.25	LM376	3.75
LM310	1.75	LM377	1.95
LM311	.64	LM378	2.50
LM311H	.89	LM379	4.50
LM312H	1.75	LM380	.89
LM317K	3.95	LM380N-8	1.10
LM317T	1.19	LM381	1.60
LM318	1.49	LM382	1.60
LM318H	1.59	LM383	1.95
LM319H	1.90	LM384	1.95
LM319	1.25	LM386	.89
LM320 (see 7900)		LM387	1.40
LM322	1.65	LM389	1.35
LM323K	4.95	LM390	1.95
LM324	.59	LM392	.69
LM329	.65	LM393	1.29
LM331	3.95	LM394H	4.60
LM334	1.19	LM399H	5.00
LM335	1.40	NE531	2.95
LM336	1.75	NE555	.34
LM337K	3.95	NE556	.65
LM337T	1.95	NE558	1.50
LM338K	6.95	NE561	24.95
LM339	.99	NE564	2.95

H = TO-5 CAN

T = TO-220

K = TO-3

RCA

CA 3023	2.75	CA 3039	1.29	CA 3082	1.65
CA 3039	1.29	CA 304			

7400

*Number of Pins at each I.C. for easy socket purchase purposes

MICROPROCESSOR COMPONENTS

Digital™

Table listing various microprocessor chips with columns for Part No., Pins, Price, and Manufacturer.

Table listing microprocessor chips, including the Z80, 8080, and 8085 series, with columns for Part No., Pins, Price, and Manufacturer.

Table listing dynamic RAMs with columns for Part No., Pins, Price, and Manufacturer.

DT1050 — Applications: Teaching aids, appliances, clocks, automotive, telecommunication, language translations, etc. The DT1050 is a standard DIGITALTALKER kit...

DT1057 - Expands the DT1050 vocabulary from 137 to over 260 words. Includes 2 ROMs and spacers. Part No. DT1057 \$24.95 ea.

DT1050A Processor Chip \$34.95 ea. DT1051 Processor Chip \$14.95 ea.

Table listing Intersil ICs with columns for Part No., Pins, Price, and Manufacturer.

Table listing 74LS series ICs with columns for Part No., Pins, Price, and Manufacturer.

Table listing 6500, 8080, and 8085 series ICs with columns for Part No., Pins, Price, and Manufacturer.

Table listing PROMs and EPROMs with columns for Part No., Pins, Price, and Manufacturer.

30009 1983 Intersil Data Book (136pp) \$4.95

Table listing 74HC High Speed CMOS ICs with columns for Part No., Pins, Price, and Manufacturer.

Table listing 74S series ICs with columns for Part No., Pins, Price, and Manufacturer.

Table listing disk controllers with columns for Part No., Pins, Price, and Manufacturer.

Table listing data acquisition ICs with columns for Part No., Pins, Price, and Manufacturer.

Table listing 74C series ICs with columns for Part No., Pins, Price, and Manufacturer.

Table listing CA-LINEAR ICs with columns for Part No., Pins, Price, and Manufacturer.

Table listing LOW PROFILE (TIN) SOCKETS with columns for Pin Count, Price, and Manufacturer.

Table listing SOLDAERTAL (GOLD) STANDARD (TIN) SOCKETS with columns for Pin Count, Price, and Manufacturer.

Table listing LINEAR ICs with columns for Part No., Pins, Price, and Manufacturer.

Table listing CD-CMOS ICs with columns for Part No., Pins, Price, and Manufacturer.

\$10.00 Minimum Order — U.S. Funds Only. California Residents Add 6 1/2% Sales Tax. Shipping — Add 5% plus \$1.50 Insurance. Send S.A.S.E. for Monthly Sales Flyer!

Spec Sheets — 30¢ each. Send \$1.00 Postage for your FREE 1984 JAMECO CATALOG. Prices Subject to Change.

30003 1982 Nat. Linear Data Book (1952 pp) \$11.95

MasterCard, American Radio Shack, and Visa logos with address: 1355 SHOREWAY ROAD, BELMONT, CA 94002. 5/84 PHONE ORDERS WELCOME — (415) 592-8097 Telex: 176043

Computers & Electronics Marketplace

CLASSIFIED RATES: Per Word, 15 Word Minimum. **COMMERCIAL:** \$5.00. **PERSONAL:** \$3.00. **EXPAND-AD®:** \$7.50. Ads set in all bold type @ 20% premium. Ads set with background screen @ 25% premium. **DISPLAY:** 1" x 2 1/4", \$605.00. 2" x 2 1/4", \$1,165.00. 3" x 2 1/4", \$1,675.00. **GENERAL INFORMATION:** Frequency rates and prepayment discounts available. Payment must accompany order except credit card—Am. Ex., Diners, MC, VISA (include exp. date)—or accredited ad agency insertions. Copy subject to publisher's approval; must be typewritten or printed. First word set in caps. Advertisers using P.O. Boxes MUST supply permanent address and telephone number. Orders not acknowledged. They will appear in next available issue after receipt. Closing date: 1st of the 2nd month preceding cover date (e.g., Mar. issue closes Jan. 1). Send order & remittance to: Classified Advertising, **COMPUTERS & ELECTRONICS** Magazine, 1 Park Avenue, New York, NY 10016. To Charge your ad to a major credit card, call Lois Price at (212) 725-4312.

FOR SALE

GOVERNMENT and industrial surplus receivers, transmitters, snooper scopes, electronic parts, Picture Catalog 25 cents. Meshna, Nahant, Mass. 01908.

RECONDITIONED TEST EQUIPMENT \$1.00 for catalog. **WALTER'S TEST EQUIPMENT**, 2697 Nickel, San Pablo, CA 94806, (415) 724-0587.

ELECTRONIC CATALOG. Over 4,500 items. Parts, & components. Everything needed by the hobbyist or technician. \$2.00 postage & handling (United States Only), refundable with first \$15.00 order. T & M Electronics, 472 East Main St., Patchogue, NY 11772, (516) 289-2520.

PRINTED CIRCUIT BOARDS, your artwork. Quick delivery. Reasonable. Atlas Circuits, Box 892, Lincolnton, NC 28092, (704) 735-3943.

CABLE TV CONVERTERS & EQUIPMENT. Plans and parts. Build or buy. For more information send \$2.00: C & D ELECTRONICS INC., P.O. Box 21, Jenison, MI 49428.

FREE FLYER! IC's, resistors, capacitors, jacks, etc., plus SSM music synthesizer/audio IC's, power amp modules, analog delay IC's, computer books, and more. Also plans for analog delay/chorus unit! PGS Electronics, Route 25, Box 304 Terre Haute, IN 47802.

POLICE CODE UNSCRABLERS, lets you hear the coded messages of Police, Fire and Medical channels; plus other scanner accessories, satisfaction guaranteed. DNE Inc., Rf. 7, Box 257-A, Hot Springs, AR 71901, (501) 623-6027.

WHOLESALE: MATV/CATV/VCR equipment, Antennas, Audio, Cables, Adapters, Original and Replacement Cartridges, Stylis, Telephone Accessories, Radios, Cassette Recorders, Speakers, etc. Send letterhead for catalog, 212-897-0509, D&WP, 68-12 110th St., Forest Hills, NY 11375.

FREE CATALOG. Large selection of electronic kits and parts. Chaney Electronics, Box 27038, Denver, Colorado 80227, (303) 781-5750.

HARD TO FIND lightbulbs thousands types buy, sell. Jetco, P.O. Box 8755, Newport Beach, CA 92658.

FREE! 1984 CATALOG. 1001 bargains. Speakers-parts-tubes-video cassettes—record changers—tape recorders—kits. **EVERYTHING IN ELECTRONICS.** Write: **McGEE RADIO & ELECTRONICS**, 1901 McGee Street, Kansas City, MO 64108-1891.

PRINTED CIRCUIT BOARDS, QUICK PROTOTYPES production, design, reflow solder. Send print or description for quote to: **KIT CIRCUITS**, Box 235, Clawson, MI 48017.

SATELLITE TELEVISION COMPLETE SYSTEMS. Free catalog. Call: (612) 780-4088. Write: **Sunspur Sales**, P.O. Box 32245 A-5, Fridley, MN 55432.

MICROWAVE ANTENNA SYSTEMS

Freq. 2.1 to 2.6 GHz • 34 db Gain •
COMPLETE SYSTEMS (as pictured)
 Commercial 40" Rod Style \$89.95
 Parabolic 20" Dish Style \$79.95

TWO YEAR WARRANTY
PARTS AND LABOR
CALL OR WRITE FOR KITS • PARTS
• INDIVIDUAL COMPONENTS

We Repair All Types Down
Converters & Power Supplies

Phillips-Tech
Electronics
 1043 N. Stadium Dr.
 Tempe, Az 85281
 (602) 967-6972

Special Quantity Pricing • Dealers Wanted

Telephone Listening Device

Record telephone conversations in your office or home. Connects between any cassette or tape recorder and your telephone or telephone LINE. Starts automatically when phone is answered. Records both sides of phone conversation. Stops recorder when phone is hung up. This device is not an answering service.

Each \$19.95
 Qty. Disc. Avail.


Super Powerful Wireless Mic

10 times more powerful than other mics. Transmits up to 1/4 mile to any FM radio. Easy to assemble kit. 15V battery (not incl.)
 Call (305) 725-1000 or send \$19.95 + \$1.00 shipping per item to **USI Corp.**, P.O. Box CE-2052, Melbourne, FL 32901. COD's accept. For catalog of transmitters, voice scramblers and other specialty items, enclose \$2.00 to USI Corp.

CABLE TV


Buy Direct & Save

SUPER SPECIALS




40 CHANNEL CONVERTER
\$29.95


Advanced Solid State design and circuitry allows you to receive mid & super band channels. Restores programming to Video Recorders.



36 CHANNEL REMOTE CONTROL CABLE CONVERTER
\$69.95



JERROLD 400 THE ULTIMATE CABLE TV CONVERTER



60 CHANNEL INFRARED REMOTE CONTROL
\$129.95

Send \$5 for Complete Catalog

DIRECT VIDEO SALES
 P.O. BOX 1329
 JEFFERSONVILLE, INDIANA 47130
 CALL 1-812-282-4786


NEW! MULTI-CHANNEL MICROWAVE

Complete Antenna Systems from \$69.95


Full 800 Mhz Range
Tune 1.9-2.7 Ghz
Includes all ITFS Channels

DEALERS WANTED


COO's and Credit Card Orders call TOLL FREE
1-800-247-1151




GOLD STAR



SILVER STAR



TELE STAR



STAR II

GALAXY ELECTRONICS
 6009 N. 61 Avenue
 Glendale, AZ 85301
 1-602-247-1151

CABLE TV SECRETS, the informative publication the cable companies are trying to ban. HBO, Movie Channel, Showtime converters, etc. Send \$8.95 to: **CABLE FACTS**, Box 711-PE, Pataskala, Ohio 43062.

GEARMOTORS \$35.00. 12VDC(6-36) 60 RPM. 1/6 HP. Instructions. Also speed controls. Drives robots, antenna doors, gates, carts. Sepac, 625 NW 41 Street, Seattle, WA 98107.

RF MODULATORS for SATELLITE TELEVISION, MICRO-COMPUTERS CCTV. Also monitors, cameras, kits. **FREE VIDEO CATALOG.** Phone (402) 987-3771. Dealers Welcomed. **ATV RESEARCH**, 13-P Broadway, Dakota City, NE 68731.

FREE Catalog of special function IC's and quality components. Goldsmith Scientific, Box 318M, Commack, New York 11725.

World's Most Remarkable Radar Jammer!



Causes speed radar guns and devices to read out your choice of either a percentage of your true speed when in automatic mode (example: Your speed; 76 mph, auto mode set for 75%, speed displayed — 57 mph), or the speed that you dial in when in manual mode. Transmits only in the presence of speed radar, or by manual override. Operates on both X and K bands. **WARNING:** The device described in this literature is not legal for use against police radar, and is not FCC approved.

For complete literature and plan package, send \$14.95 to:
Phillips Instrument Design Co. Inc.
 9560 S.W. Barbur Blvd., Suite #109 C
 Portland, Oregon 97219

BUILD AND SAVE, TV EARTH STATION, DETECTIVE ELECTRONICS. Video Recorders, Color Cameras, advanced Telephone Projects. **BROADCAST Electronics.** 50 page color catalog of unusual electronic projects **AIR MAILED \$3.00;** with 3 hour audio cassette dramatization of our catalog \$5.00. Don Britton Enterprises, PO Drawer G, Waikiki, Hawaii 96815.

LCD PEN WATCH, excellent for everyone. Special, 2 for \$7.00. Calculator alarm wristwatch \$14.00. Wireless telephones. Water purification system—plans \$5.00. Guaranteed, fantastic, unusual gift items available. Send \$1.00 for catalog. Next day shipment. Visa/Master card. Starburst Industries, 6354 Van Nuys Blvd., Suite 161, Van Nuys, CA 91401, (213) 994-5671.

TV & RADIO TUBES, 59¢ each. Send for **FREE CATALOG.** Cornell, 4213 University, San Diego CA 92105.

WERSI electronics

ORGAN & PIANO KITS

ALPHA DX 300



fully DIGITAL RS 232 Interface

For Free Sound Info
 Call 1-800-233-3865
 or write **WERSI USA**
 Dept. M3 P.O. Box 5318
 Lancaster, PA 17601

THE WORLD LEADER

12 SATELLITE DISH AND POLAR MOUNT. Total weight 125-lbs. For \$189.00. For information send \$4.95 (Refundable u.p.) to: Satellite Operational Systems, P.O. Box 2022, Titusville, FL 32781.

CABLE TV products. Jerrold, Hamlin and Oak, send \$3.00 to **ADDITIONAL OUTLET CORP.**, 111 E. Commercial Blvd., Ft. Lauderdale, FL 33334.

PRINTED CIRCUIT ARTWORK DESIGN/LAYOUT Quality prompt **SOMMER CIRCUIT DESIGN** P.O.B. 635 Wooster OH 44691 VISA/MC (216) 263-6930

DESIGN AND BUILD YOUR COMPUTER. Your hardware, software, language. Not a kit or course. Complete details \$1.00 RFS 828 Wood St. Statesville, NC 28677.

CABLE TV EQUIPMENT. Notch filters for "Beeping" Channels. Information \$1.00. Goldcoast, Box 63/6025 CE, Margate, Florida 33063 (305) 752-9202.

LOWEST POSSIBLE PRICES ANYWHERE! Computers Hardware—Software—Printers. Audio, Video, Car Stereo, ELECTRIFIED DISCOUNTERS, 996 Orange Ave., West Haven, CT 06516. MC/VISA. (203) 937-0106.

RECONDITIONED FAX, G-2. hand-operation, with paper. \$385.00 C&F USA per unit. For more information write: Musashino Machine Co., Ltd., Minami-Hanahata 3-7-13, Adachi-ku, Tokyo 121, Japan.



REMOVES VOCALS FROM RECORDS!

Our **VOCAL ELIMINATOR** can remove most or virtually all of a lead vocal from a standard stereo record and leave most of the background untouched! Record with your voice or perform live with the backgrounds. Used in Professional Performance yet connects easily to a home component stereo system. Not an equalizer! We can prove it works over the phone. Write or call for a free brochure and demo record.

Write to: **LT Sound, Dept. CE, PO Box 338 Stone Mountain, GA 30086**

In Georgia Call (404) 493-1258

TOLL FREE: 1-800-241-3005 — Ext. 37

FREE 1984 COMPUTER FURNITURE CATALOG. Over 20 manufacturers. Free a shipping charge. Visa/MC. Interior Design Systems, 3641-CE St. Mary's Place NW, Washington, D.C. 20007.

ALARM EQUIPMENT—Burglar, Holdup, Fire, Medical. We prewire. Easy installation! Wholesale prices. Fast police notification service—Nationally; Catalog \$1.00 U.S. DETECTION, 109 21st. South, Birmingham, Alabama 35233.

ELECTRONIC test equipment. Catalog 25¢. EF Electronics, 10 Afton, Aurora, IL 60538.

COMPUTER EQUIPMENT/PARTS

SAVE 90% Build Your Own Minicomputer. Free Details. Digatek, 2723 West Butler Dr., Suite 20C, Phoenix, AZ 85021.

APPLE BUILDERS—Send stamp for our flyer of Apple parts, IC sets, ROM sets, component packages, Shugart—Apple modification kits, Apple 9-track tape drives etc. Electrovalue, P.O. Box 376-P, Morris Plains, NJ 07950.

NOW! TRADE BUY OR SELL used computer hardware. Fabulous results! **NATIONAL LISTING SERVICE** will match clients. Specify hardware. Send \$3.00 to **BIM Enterprises** 58B Nuttatch Knob Glastonbury CT 06003

FREE 64 PAGE COMPUTER CATALOG crammed full of thousands of the best buys and lowest prices around! **A.P. COMPUTER PRODUCTS**, Dept. CC, 214A East Main, Patchogue, NY 11772. (516) 698-8636.

USED COMPUTER terminals, printers, modems, cables, surplus electronic parts. Specials: CRT's \$20.00, Modems \$20.00. Modems \$35.00. Catalog \$1.00. **Rondure Company, "The Computer Room"** CE, 2522 Butler Street, Dallas, TX 75235. (214) 630-4621.

48K APPLE COMPATIBLE COMPUTER: US \$380.00 and hundreds of programs. Details US \$1.00. Reliant, P.O. Box 33610, Sheungwan, Hong Kong.

COMPUTERS. CLONES, DRIVES, monitors, expansions, software bargain prices—directory of manufacturers in Taiwan, Hong Kong, \$4.00. Multitek, Box 25, Allentown, PA 18105.

TI-99/4A PROTECTION VIOLATION removed from x-basic programs using (call load) and more! **#IB-2A, \$14.95 EXCHANGE PROGRAMS** over phone with-out modem or expansion, using inexpensive items. **#IB-1A, \$14.95 Save \$\$\$** order **#IB-1A&2A, \$19.95.** VID-COM, 1018 East Philadelphia St., York, PA 17403.

WANT A PLEASANT SURPRISE? Call or write for quotes: Atari, Commodore, Timex, T.I., Corona (IBM work-alike), Amdek, Gemini, Apple & IBM accessories. Hayes. More. **GET SURPRISED! HARDWARE SOFTWARE ANYWARE CO.,** 10 Coles Street, Brooklyn, NY 11231. (212) 596-3592.

COMPUTERS, CLONES, DRIVES, monitors, expansions, software bargain prices—directory of manufacturer's in Taiwan, Hong Kong, \$4.00. Multitek, Box 25, Allentown, PA 181205.

COMPUTER SOFTWARE

COMPUTER PAPER—SAVE\$\$\$; Top quality. Low single carton prices. **Free shipping via UPS. Call A-1, 405 Third, Long Beach, CA., (800) 628-8736 or (213) 804-1270.**

FREE VIC-20 and COMMODORE 64 USERS GROUP MEMBERSHIP with software purchase. Why pay to belong to a users group when you don't have to? Benefits: Newsletter, extensive club library, discounts, contests, questions hot-line and more! Free details—(803) 797-1533. Lords of Basic, P.O. Box 459, Dept. 102 Ladson, SC 29456.

DISKETTE FORMAT CONVERSIONS/DOWNLOADING, from \$5.00. Port-A-Soft, 423 #800 N. Orem, UT 84057. 801/226-6704.

HORSE RACE SOFTWARE-TRS-80, C64 VIC20, CALL OR WRITE for free catalogue, Computer Research Tools, 725 South Evanwood Ave., West Covina, Calif. 91790 (213) 962-1688.

TI-99/4A PROGRAMMERS: Affordable Software! Catalog, only \$1. **PROGRAMS SOFTWARE,** 1435 Burnley Square North, Columbus, Ohio 43229.

TS 1000 ZX81 TI 99/4A VIC-20 SOFTWARE Send for **FREE Catalog** Midwest Software 9922 Harwich, Crestwood MO 63126

SOFTWARE JUNKIE? RENT/buy Apple, Atari, IBM games. Free brochure. Soft Source-R Inc., Dept. E., Box 2931, Joliet, IL 60434.

HANDICAPPING PROGRAMS FOR MOST PERSONAL COMPUTERS. Free Catalog: **Gambler's Edge Computing, Dept. B6, 250 Richards Rd., Suite 254, Kansas City, MO 64116. 1-(800) 821-3343. 1-(800) 471-8660.**

TI-99/4A SOFTWARE BARGAIN! Complete library of 120 programs. Only 50¢ each! Free catalog. Exchange, PO Box 46, Sterling, VA 22170. (703) 435-2789.

TI-99/4A CASSETTE CABLES \$16.71 (Extended Basic, Logo, Mini-memory \$88.11 each!), PHP1250 Drive \$210.94. CSC, Box 1361, Bloomington, IL 61702-1361. (309) 828-3251.

RENT PUBLIC DOMAIN SOFTWARE. It's not copyrighted, no fees to pay. Copy hundreds of useful business, utility and game programs from our rental libraries onto your own computer at home! **SASE NATIONAL PUBLIC DOMAIN LIBRARY,** 1062 Taylor, Vista, CA 92083. (619) 941-0925.

SOUND AND VOICE: on ATARI, APPLE, IBM-PC. **COMMODORE-64, TRS-80,** write for free catalog on hardware and software available. Micro Interface, 11423 Overbrook, Houston, Texas 77077.

TI-99/4A SOFTWARE: Programs for astronomy, Mathematics, Finance, Education. Send 40¢ for catalog East-bench Software, 1290 Cliffside Drive, Logan, UT 84321.

COMPUTER GAMES For Commodore 64/Vic 20 urgently required from vendors. **Top money paid for marketing in UK and Europe.** Call **Stewart Kaye, (619) 271-5473.**

COMMODORE 64 OWNERS. Rent software for less. Hundreds of programs on tape, disk, and cartridge. No membership fee. Rental charge can be applied toward purchase. Copy system 1.0 on disk—\$19.95. Will back up disk and cartridges. Call or write for free catalogue! Centisble Software, PO Box 263, Stevensville, MI 49127, (616) 465-6632.

TI-99/4A SCHEMATIC DIAGRAMS. 11x17. \$7.50 per set post paid. L.F. Carbaugh, 6427 Carlyle Pike, Mechanicsburg, PA 17055.

TI-99/4A OWNERS. Get your free catalog of new, exciting, low cost software. D.E., Box 690, Hicksville, NY 11801.

FREE TI99-4A/Commodore-64/VIC-20/TRS80-coco/Ti-mex programs! Send stamps. Ezra Ezra Company, Box 5222-CMY, San Diego, California 92105.

ENGINEERING/TECH. Programs—basic 16K or less. By registered engineer. Most less than \$10.00. Send \$2.00 for catalog and sample to: **WAYNE M. KNOTH, PE, P.O. Box 202, Belmont, MI 49306.**

ADAM-OWNERS ACHIEVE THE FULL POTENTIAL OF YOUR SYSTEM. Our interactive data pack tape explains capabilities not covered in your manual. **Tape includes basic and word processing tutorial plus many business, game, and test programs. Act now! Send \$29.95 to TapeWare Technology, P.O. Box 95691, Atlanta, Georgia 30347.**

DISCOUNT SOFTWARE/HARDWARE/PRINTERS—30% minimum below retail. Apple II/IIe, Atari 400/800/XL, TI-99/4A, VIC-20, Commodore-64, IBM/PC, TS-80 I/III, CP/M 8 inch. Examples: Elephant Disks \$18.50; Printers: Gemini 10X \$275, Okidata 92P \$445. Software: Flight Simulator II \$37.50, Zork I/II/III \$26.50 each. Send \$1.00 for extensive software/hardware catalog. Specify computer system. Multi Video Services, P.O. Box 246, East Amherst, NY 14051. (716) 688-0469. (5:00-9:00 P.M.)

FREE SOFTWARE CATALOG. OVER 50 PROGRAMS. The Professor, 959 N.W. 53rd St., Fort Lauderdale, Florida 33309. (305) 771-6498.

TI, TIMEX 16K, VIC OWNERS. 5 fun programs for \$1.00! Get Baseball, Etching-Sketch, Blackjack, Dungeon, Galactic Patrol. Listings \$1.00. Cassette \$3.00. Specify your computer. **CHIPMUNK SOFTWARE,** 634 Littlecroft, Upper-Darby, PA 19082.

COMPUTER PUBLICATIONS

PROTECT YOUR OWN DATA! Information computer security newsletter. **SASE.** Arkey, 6378 Crist Hill, Thornville, OH 43076.

"DISK DRIVE MANUAL."—Drive Alignment, Speed Adjustment, Maintenance, Repair-Without Special Software, Equipment. Comprehensive, 15,000+ words. \$15. Brochure \$1. **CONSUMERTRONICS, 2011 Crescent, Alamogordo, NM 88310.**

"THE SWAP LIST" has bargains galore. Subscribe now! 6 months for \$4.00; 1 year only \$6.50. **"THE SWAP LIST,"** Box 988-E, EVERGREEN, CO. 80439.

MICRO MOONLIGHTER NEWSLETTER—our third year of home computer business resources! Sample \$3.00. Dept. CC, 4121 Buckthorn Court, Lewisville, TX 75028.

COMPUTER CLUBS

Commodore—64 software 40% off, Free Programs, Newsletter, Rent Software, more! Membership \$12.00 yearly. CCAE, PO Box 784C, Bronx, NY 10473. (212) 409-0717.

COMPUTER GRAPHICS

AVL computer graphics & programming systems. Slide, Motion, Overhead, Video, & Audio equipment & supplies. Rentals & Staging. Custom Graphics, Slides & Presentations. **NEW ORIENT MEDIA-IL.** 1-(800) 223-9473. 1-(312) 428-6000.

TIMEX/SINCLAIR

TREE FORTH for the 2K+ Sinclair User—\$49.95. Multi-tasking forth for ZX81 and TS1000. Free information. Contact: **Softmagic Corp.,** 1213 West High Street, Bryan, Ohio, 43306. (419) 636-4531.

ONLY MONIXWARE HAS COMPUCAT!!! You load this 16K catalog into your Timex/Sinclair computer—it's not on paper. Tape has 4 FREE sample programs also! Just \$4 ppd. from **MONIXWARE,** Box 318C, New Foundland, NJ 07435.

FREE SOFTWARE/HARDWARE CATALOG for your TS/ZX-81/16K; New programs. **JPR SOFTWARE,** Box 4156, Winter Park, FL 32793.

TS-1000 16K: GETTING BORED? Try our 8+ high speed graphics functions to spice up your programming. Cassette \$9.95 PPD. (NY residents add 7% sales tax). **SOFT-GEMS,** PO Box 119, Mayville, NY 14757.

TIMEX TS2068 COLOR SOFTWARE! Finest Games/Educational/Household. Plus ZX/TS1000/1500 programs. **FREE program!** Send stamp: **Rhees,** 4001 Penwood #3, Las Vegas, NV 89102.

TIMEX/SINCLAIR Users: Challenging, Educational Programs: **MATH, SCIENCE, GEOGRAPHY.** Written in understandable BASIC. Documentation in plain English. **Tag SOFTWARE,** BOX 688, Naugatuck, CT 06770.

C.B. EQUIPMENT

CB MODIFICATIONS, conversions, books, plans, kits, repairs. Catalog \$2. CBCI, Box 31500PE, Phoenix, AZ 85046. (602) 996-8700.

SERVICES

ELECTRONIC FIRM in Florida seeks contacts to assemble PC Boards and electronic products. Call collect (305) 684-1177.

CABLE T.V.

CHANNEL 3—60db notch filter, 66 5MHz \$32. Crosley, Dept. 607, Box 840, Champlain, NY 12919.

DEALERS WANTED: Channel 2, 3, & 4 notch filters. Send \$15 for sample and quantity price list. Specify channel(s). Lee Kurtz, P.O. Box 291394, Davie, FL 33329.

PLANS AND KITS

HBO CONVERTER. Complete instructions and schematic. Send \$4.00 and SASE. Electrographics, 630 Sullivan, Deltona, Florida 32725.

PROJECTION TV ... CONVERT your TV to project 7 foot picture... Results comparable to \$2,500 projectors... Total Cost less than \$30.00... PLANS AND 8" LENS \$19.95 ... Illustrated information FREE. Macrocoma CI Washington Crossing, Pennsylvania 18977. Creditcard orders 24 Hours. (215) 736-3979.

MICROPROCESSOR CONTROLLED. Six voice polyphonic synthesizer plans. \$15.00. Syntron 1075 1/2 Mill Rd., Helena, Mt 59601.

TELEPHONES MADE EASY. How to install and repair telephones. Free details. OES, 467 Saratoga Ave., Suite 226, San Jose, CA 95129.

MAILING LISTS

COMPUTER SHOW ATTENDEES N.Y., N.J.: 15,000 NAMES. \$30/M. P/S labels. For info, (201) 297-2526.

FREE MAILING LIST analysis. Details. GOC-3N, Box 1107, Stuart, FL 33494. (305) 334-5205.

WANTED

GOLD, electronic, circuit board scrap, silver, platinum, tantalum, mercury. Ores, metals assayed. Samples evaluated. Wholesale Terminal, toll free 1-800-932-1010, (617) 326-3442 in Mass.

AUTHORS! Major publisher of popular how-to computer books seeks manuscripts. Send sample chapters. Outline, to: Acquisitions Compusoft Publishing, 535 Broadway, El Cajon, CA 92021.

GOVERNMENT SURPLUS

IS IT TRUE YOU CAN BUY JEEPS FOR \$44 THROUGH THE U.S. GOVERNMENT? Get the facts today! Call (312) 742-1142 Ext. 4649.

TUBES

TUBES: "Oldies", Latest. Supplies, components, schematics. Catalog Free (stamp appreciated). Steinmetz, 7519-PE Maplewood, Hammond, Ind. 46324.

HUGE INVENTORY! Thousands of types. Wholesale prices. FREE CATALOG! ETCO Electronics, DEPT. 290, Plattsburgh, NY 12901.

TUBES-RECEIVING, Industrial and Semiconductors Factory Boxed. Free price sheet including TV, radio and audio parts list. TRANSLATERONIC, INC., 1365 39th St., Brooklyn, NY 11218. Telephone: (212) 633-2800. Toll free: (800) 221-5802. Ask for Abe.

7,000,000 TUBES. World's largest inventory. Free catalog. UNITY ELECTRONICS, Dept. CE, P.O. Box 213, Elizabeth, NJ 07206.

TV & RADIO TUBES. 59¢ each. Send for FREE CATALOG. Cornell, 4213 University, San Diego, CA 92105.

MONITOR TUBES any typed any color. (AMBER?) Send tube number for quote. ELCOM, Box 1321, Tucker, GA 30084.

PERSONALS

UNIVERSITY DEGREES BY MAIL! Bachelors, Masters, Ph.Ds. Free revealing details. Counseling, Box 317-EP5, Tustin, California 92680.

MAKE FRIENDS WORLDWIDE through international correspondence, illustrated brochure free. Hermes-Verlag, Box 110660/Z, D-1000 Berlin 11, W. Germany.

FREE: WORLD'S LARGEST PARTNER PHOTO CATALOG for friendship and marriage. Personalized introductions. INTERCONTACT, Box 12, Toronto, Canada M4A 2M8.

INSTRUCTION

UNIVERSITY DEGREES BY SPECIAL EVALUATION of existing credits and Job Experience. Fast, inexpensive. Call (614) 863-1791. Or write: EVALUATION, Box 13151-A5, Columbus, Ohio 43213.

REPAIR ELECTRONIC ORGANS—Revised home study course covers all current makes and models. Free booklet. Niles Bryant School, P.O. Box 20153, Sacramento, CA 95820.

F.C.C. COMMERCIAL RADIOTELEPHONE LICENSE. Home Study. Fast, Inexpensive! Free details. COMMAND, D-100 Box 2223, San Francisco 94126.

UNIVERSITY DEGREES BY MAIL! Bachelors, Masters, Ph.D.s ... Free revealing details. Counseling, Box 317-PE5, Tustin, California 92680.

LEARN WHILE ASLEEP! HYPNOTIZE! Astonishing details, strange catalog free! Autosuggestion, Box 24-ZD, Olympia, Washington 98507.

FOR INVENTORS

INVENTIONS, IDEAS, NEW PRODUCTS WANTED! Industry presentation/national exposition. Call free 1-800-528-6050—Arizona, 1-800-352-0458. X831.

PATENT AND DEVELOP your invention. FREE PATENT INFORMATION. Richard L. Miller, P.E., 3612-E, Woolworth Building, New York, NY 10007, (212) 267-5252.

BUSINESS OPPORTUNITIES

MECHANICALLY INCLINED individuals desiring ownership of Small Electronics Manufacturing Business—without investment. Write: BUSINESSSES, 92-K5 Brighton 11th, Brooklyn, New York 11235.

ERASE DEBTS with little-known law—create wealth!! Details FREE—Wealth Kit, No. EE5, Billings, NY 12510.

ONE MAN CRT FACTORY. T.V.'s. Business machines, Monitors, Scopes, VDT's. \$3.00 rebuilding nets \$100-\$500 each tube. Higher profits overseas. New/used. FACTORY, 1909 Louise, Crystal Lake, IL 60014. (815) 459-0666.

BORROW \$300-\$30,000 INTEREST FREE! Keep indefinitely! Free Details. Write: American, 1601 Main, Plainfield, Indiana 46168.

BUMPER STICKER PRINTING DEVICE. Cheap, simple, portable. Free details. Bumper, POB 22791 (PE), Tampa, FL 33622.

FREE CATALOGS. Repair air conditioning, refrigeration. Tools, supplies, full instructions, Doolin, 2016 Canton, Dallas, Texas 75201.

ELECTRO MECHANICAL ASSEMBLERS ASSOCIATION is looking for assemblers interested in working at home. Potential \$600 per week. Write for application. Enclose \$3.00 for processing. EMMA, Dept. CE, Box 9186, Columbus, MS 39705.

BORROW \$30,000 without interest! All eligible. Repay anytime. Free details! Infohouse-CE, 808 Post, San Francisco, CA 94109.

EARN EXTRA INCOME with your microcomputer. Super opportunities! Free details. Scitec, Box 02038, Columbus, OH 43202.

START YOUR OWN Microcomputer based mail order business. Free info. Bark Research, 21 Foxanna Dr, CE Hershey, PA 17033.

#10 SASE BRINGS financial independence information. Write Thomas Krohn, 610 Silverthorn Road, Gulf Breeze, Florida 32561.

PROJECTION TV ... MAKE \$\$\$'s assembling Projectors ... Easy ... Results comparable to \$2,500 projectors. Your total cost less than \$20.00. PLANS, 8" LENS & Dealers information \$17.50 ... Illustrated information FREE ... Macrocoma-CHX. Washington Crossing, Pennsylvania 18977. Creditcard orders 24 Hours (215) 736-2880.

MAIL ORDER OPPORTUNITY! Start profitable home business without experience or capital. Information free. Mail Order Associates, Inc., Dept. 680, Montvale, NJ 07645.

ACQUIRE WEALTH! Borrow \$30,000 interest free! Keep indefinitely. Erase debts with little-known law! Free details: Financial Technologies, Box 40434C5, Fayetteville, N.C. 28309.

BE A COMPUTER BROKER/CONSULTANT if you are good with micros, then your advice is needed. Book tells all to get you started as a broker/consultant in your own home. Where to buy. How to get clients. Cash in on fast growing area of micros. \$5.00. ETC Marketing, P.O. Box 5205, Hacienda, CA 91745.

\$360 WEEKLY/UP. Mailing Circulars! No quotas. Sincerely interested, rush stamped envelope: Commission Mailing, Box 15967-E5, San Diego, CA 92115.

REAL ESTATE

NEW ... FREE CATALOG! Top real estate values coast to coast! Please specify types, property and location desired. UNITED FARM AGENCY, 612-EP West 47th, Kansas City, MO 64112.

COMPUTER HARDWARE

ATARI EPROM BOARDS FROM \$7.95. Call or write VDC. Box 539, Glencoe, MD 21152 (301) 428-0605.

WHSE SALE Apple Compatible Floppy \$165. Hard disk 10MB for Apple \$1450, for IBM \$1495. Floppy 1/2 ht for IBM \$189. Free brochures. Oztech, (800) 222-6677, in California (408) 980-9987.

EMPLOYMENT OPPORTUNITIES

ELECTRONICS/AVIONICS EMPLOYMENT OPPORTUNITIES. Details FREE. Aviation Employment Information Service, Box 240E, Northport, New York 11768.

BOOKS & MAGAZINES

SATELLITE TV VIEWERS
Get the most complete weekly listings
Send \$1 for sample copy.

Satellite TV Week

P.O. Box 308, Fortuna, California 95540
800-358-9997 (U.S.) • 800-556-8787 (Calif.)
707-725-2476 (all others)

MISCELLANEOUS

KINETIC ENERGY scientific toy. Roll it and it mysteriously returns. Guaranteed. Send \$4.00 to: Kinetic Toy, 118 Auden Drive, Greensboro, NC 27406.

PROFIT MAKER



Computers & Electronics not only sells itself at a nice profit, it creates awareness of the hardware and software in your store. It's like having another salesperson on your staff—one who *pays you*. One who goes home with customers and continues to influence buying decisions long after you're closed for the day. If you're interested in a low-ticket item with top-of-the-line sales power, let's talk now.

CALL COLLECT: (212) 725-7679

Or write: Ziff-Davis Publishing Company

ZD

One Park Avenue
New York, NY 10016

Minimum order, 10 copies.
We pay all shipping costs to your store.

Computer Mart

RATE: Ads are "by 3". 1 insertion: \$935.00. 6 insertions: \$900.00 ea. 12 insertions, \$865.00 ea. Closing date: 1st of the 2nd mo. preceding cover date. Send order and remittance to Computer Mart, Computers & Electronics, 1 Park Ave., N.Y., N.Y. 10016. Direct inquiries to (212) 725-4215.

TRS-80 COMPUTER DISCOUNTS

- Factory Direct
- Best Prices Anywhere
- No Out-of-State Taxes
- 100% Radio Shack Warranty
- Free Price List
- Authorized TRS-80

SCOTT TASSO ASSOCIATES


175 North Delsea Drive
Vineland, N.J. 08360
800-257-0426
NJ 609-691-7100

CIRCLE NO. 131 ON FREE INFORMATION CARD

GET THE MOST FROM YOUR VIC-20/C64

CASSETTE INTERFACE

- * USE ANY STANDARD CASSETTE RECORDER
 - * CONNECTS TO THE CASSETTE PORT
 - * CONTROLS THE CASSETTE MOTOR
 - * NEEDS NO BATTERIES
 - * COPY FROM RECORDER TO RECORDER
- THIS IS THE BEST ONE FOR LESS \$\$\$
ONLY \$34.95 POSTPAID. ADD \$2.50 FOR SHIPPING OUTSIDE US.
CANADA, MEXICO



THE MODEM INTERFACE

- * CONNECTS TO THE USER I/O PORT
- * NEEDS NO BATTERIES/SOLDERING
- * CONNECTS ANY STANDARD MODEM
- * USE MODEM AUTODIAL/ANSWER FEATURES
- * COMES WITH A FREE TYPE IN BASIC TERMINAL PROGRAM
- * ONLY \$24.95 POSTPAID. ADD \$2.50 FOR SHIPPING OUTSIDE US.
- * CANADA, MEXICO



CHARGE OR COD ORDERS CALL

1-800-227-3800

ASK FOR OPERATOR 225

BYTESIZE MICRO TECHNOLOGY
PO BOX 12309 DEPT CJ
SEATTLE, WA 98111
(206) 236-8YTE

CALL OR WRITE FOR DEALER INFORMATION

maxell®

Floppy Discs

CALL NOW - TOLL FREE
1-800-328-DISC

Dealer inquiries invited. C.O.D.'s and charge cards accepted.

All orders shipped from stock, within 24 hours. Call toll FREE.



North Hills Corporation
3564 Rolling View Dr.
White Bear Lake, MN 55110
1-800-328-DISC
MN Call Collect 1-612-770-0485

Votrax® SC-01A SPEECH SYNTHESIZER

\$42 Each (\$32 in hundreds)

Order in Ones or Thousands

The SC-01A Speech Synthesizer is a completely self-contained solid state device. This single chip phonetically synthesizes continuous speech of unlimited vocabulary.

Computer interfaces and text-to-speech algorithms also available for product development.

Micromint is the largest U.S. distributor of the SC-01A. Call us for a price quote.

Call 1-800-645-3479, in N.Y. 1-516-374-6793

MICROMINT INC.
561 Willow Avenue
Cedarhurst, NY 11516



Add \$2.00 for shipping & handling.



CIRCLE NO. 108 ON FREE INFORMATION CARD

PRINTER STAND or DESK

- * Size: 27h x 24d x 27" w.
- * Black Painted Steel
- * Sh. Wt. 75 Lbs.
- * Shipped Freight Collect
- * Use Order No. 2A70585



\$39.95



FAN CONTROL

Controls Speed Of AC MOTORS!

ONLY **\$388** 3 for \$10.00

Muffin Fans, Caravel Fans, Blowers, ETC... Good for 115/220 VAC up to 6 amps stall current. Control rated at 1.6 amps. Size: 1 1/4 x 2 x 1" Shaft mounting. Use Order No. 3BS0269.

BNF Enterprises

119r FOSTER St.
Peabody MA 01960
(617) 531-5774




40 Page Catalog Free!
Customer Pays All Shipping Charges.

CIRCLE NO. 125 ON FREE INFORMATION CARD

Radio Shack TRS-80™ Computers

At Guaranteed Savings



from
Pan American Electronics

1117 Conway Ave.
Dept. CE
Mission, Texas 78572
Ph. 512/581-2766

Telex 767339

CALL TOLL FREE
800-531-7466



Full Line Computers, Printers & Peripherals

ICs PROMPT DELIVERY!!! SAME DAY SHIPPING (USUALLY)

DYNAMIC RAM

256K	200 ns	\$69.00
64K	200 ns	5.87
64K	150 ns	5.99
64K	120 ns	7.50
16K	200 ns	1.56

EPROM

27128	300 ns	\$22.50
2764	250 ns	8.75
2732	450 ns	5.30
2716	450 ns	3.60
2532	450 ns	4.75

STATIC RAM

6264P-15	150 ns	\$39.00
6264LP-15	150 ns	41.00
6116P-3	150 ns	5.75

MasterCard VISA or UPS CASH COD

Factory New, Prime Parts

MICROPROCESSORS UNLIMITED

24,000 South Piedmont Ave

BEGGS, OK 74421 (918) 267-4961

Prices shown above are for Feb 16 1984
Please call for current & volume prices. Prices subject to change. Please expect higher prices on some parts due to world wide shortages. Shipping and insurance extra. Cash discount prices shown. Small orders received by 5 PM CST can be delivered to you by the next morning via Federal Express Standard Air @ \$5.99

Now we can make any computer sing as well as talk, for only \$219.



As featured in Ciarcia's
Circuit Cellar,
"BYTE" Magazine,
September,
October 1982.

Microvox.

MICROVOX is a completely self contained professional voice quality text-to-speech synthesizer. MICROVOX may be easily interfaced to any computer, modem, RS-232C serial or parallel output device.

- SC-01A phoneme based speech synthesizer
- 64 crystal controlled inflection levels
- 3000 character buffer
- RS-232C and parallel port interfaces
- On board power supply
- Music and sound effects capability

MV01 Microvox Assembled & Tested \$299.00
MV02 Microvox, complete kit \$219.00



To Order: Call Toll Free
1-800-645-3479
In N.Y. 1-516-374-6793

MICROMINT, INC.
561 Willow Avenue
Cedarhurst, NY 11516

CIRCLE NO. 115 ON FREE INFORMATION CARD

DISCOUNT COMPUTER EQUIPMENT

LOWEST PRICES on Printers,
Disk Drives, Software, and
Other Computer Equipment!
EPSON, Star Micronics, Okidata,
Tandon, TEAC, & Many Others.

Call toll-free for a FREE catalog:

800-331-3896

In Oklahoma Call 918/825-4844




918/825-4844
AMERICAN BUSINESS COMPUTERS

Computers & Electronics

EPROM Eraser \$44.90

EPROM Programmer \$159



ERASER

- contains same features as competitors' but cost less than one half their price
- erases up to 9 chips
- 6.4 mW/cm² on chips
- chip drawer prevents UV exposure to users
- long life UV tube
- erase time from 15 min

PROGRAMMER

- ★ PROGRAMS & COPIES: 2516, 2532, 2716, 2732, 2732A.
- ★ 4K INTERNAL RAM BUFFER STORAGE CAPACITY.
- ★ NO PERSONALITY MODULE REQUIRED.
- ★ POWER CAN BE REMOVED FROM ZIF SOCKET WHEN LOADING EPROMs.
- ★ BINARY ADDRESS AND DATA DISPLAY.
- ★ INDEPENDENT UNIT -- VERIFIES, PROGRAMS, INPUTS DATA FROM BINARY KEYBOARD, LOADS DATA FROM EPROM TO RAM, AND CHANGES ANY BIT OF DATA.
- ★ FULL 90-DAY GUARANTEE ON ALL PRODUCTS FOR ANY DEFECTS IN MATERIALS AND WORKMANSHIP.

ANGO ELECTRONICS CORP. 212-685-6336
P.O. BOX 117 HARRISON, NJ 07029 T.L.X.: 421531 ARTISTI

Mail orders: Please add \$3 handling charge
N.J. residents: Please add 6% sales tax

20 PROGRAMS on 2 cassette tapes

for 16K
TS1000,
TS1500,
& ZX81
only
\$19.95



*for TS2068 C-64, VIC 20, ATARI,
TRS COLOR & MC-10 only \$29.95

Save money. learn about the exciting world of home computing and have fun doing it with the new HOME-PAC.

The HOME-PAC with 21 page user manual covers educational, graphics, recreational, home-finance & utility applications.

10 DAY MONEY BACK GUARANTEE

Please add \$2.00 shipping and handling to order.

SIMPLEX SOFTWARE

220 N. Centre St., Dept. CEI
Merchantville, NJ 08109
MC, VISA & Checks Accepted
Orders & inquiries state computer type

CIRCLE NO. 113 ON FREE INFORMATION CARD

COMPUTER FURNITURE

CD 3624 PS 3024



Genuine Oak

Veneer \$89⁹⁵ Each

Completely Finished — Ready for Use
Excellent for Student, Home or Office

Send name and address with check or money order for \$89.95 per unit. Specify model no. Add \$15.00 for castors. Include \$10.95 for prompt shipping. Mail to: C.F.M.

P.O. Box 520652 • Salt Lake City, UT 84152

MONEY BACK GUARANTEE

A Division of
Timeless Computer Furniture Manufacturers



Scotch[®] DISKETTES

Call Toll-Free

1-800-328-DISC for prices and information. Dealer inquiries invited. C.O.D. and charge cards accepted.

All orders shipped from stock, within 24 hours. Call toll FREE



North Hills Corporation

3564 Rolling View Dr.

White Bear Lake, MN 55110

1-800-328-DISC

MN Call Collect 1-612-770-0485

BUILD YOUR OWN COMPUTER!!

68000 BASED MULTI-BUS COMPATIBLE KIT

4 BOARD SET INCLUDES:

- 1 6 SLOT MOTHER BOARD
- 1 CPU CARD
- 1 0 with UPD 765 FLOPPY CONTROLLER
- 1 128K RAM CARD

SCHEMATICS PARTS LIST & ASSEMBLY DRAWINGS

KT 1001 COMPUTER KIT (FLATBOARDS ONLY)	\$ 189.99
KT 1004 COMPUTER KIT (UNTESTED BOARDS, POPULATED)	\$ 399.99
KT 1002 COMPUTER KIT (DOCUMENTATION ONLY)	\$ 35.00
KT 1003 PAL FOR RAM BOARD	\$ 16.99
KT 1005 CP/M FOR KIT (INCLUDES BIOS)	\$ 350.00

WE CARRY A COMPLETE LINE OF ELECTRONIC COMPONENTS SEND FOR A FREE CATALOG!!!



MICRON ELECTRONICS
1000 CANOGA AVE. UNIT B 8
CHATSWORTH, CALIF. 91311
(818) 341 8833

CIRCLE NO. 114 ON FREE INFORMATION CARD

COMMODORE 64-VIC TIMEX

We carry these and many other hard to find items

SINGLE and DUAL DISK DRIVES FOR C64/VIC
IN STOCK


single	399.95
dual	699.95



80 Col. Thermal Printer
Commodore 64-VIC \$199.95
Extra Paper \$10.95/2 Rolls

80 Col. Gorilla Printer

Commodore 64-VIC	\$299.95
TIMEX 1000, 1500	\$294.95
Extra Paper	\$39.95/Case



To Order: Include \$6.95 Shipping in the U.S.A. Foreign customers call or write for shipping charges. VISA and Mastercard accepted. Include exp. date. We carry a complete line of Commodore/TIMEX items. Write for our free brochure. Foreign, include \$2.00 postage.

Copyright 1983 by

E. Arthur Brown Company

Dept. #C3E 1702 Oak Knoll Drive
Alexandria, MN 56308 612/762-8847

MICROSETTE

5 1/4-Inch DISKETTES

- Single or double sided, all double density (SSDD, DSDD).
- Soft sector, reinforced hub.

ITEM	10 PACK	50 PACK
SSDD	\$25.00	\$100.00
DSDD	35.00	150.00

CASSETTES


- Error-free computer grade.

C-10	7.50	32.50
C-20	9.00	39.00
C-60	11.00	50.00
C-90	15.00	70.00

UPS SHIPPING INCLUDED
In Continental USA
CA Customers add taxes

MICROSETTE CO.
475 Ellis St., Mtn. View,
CA 94043 (415) 968-1604

HAVING LOADING PROBLEMS ?



GET A Z-DUBBER

Because of the great variation in cassette recorders used with the ZX80/81/TS1000 (some in very poor shape), you may be having a hard time loading cassette programs. The Z-Dubber connects between the cassette recorder and the computer, and its circuitry produces a much better signal for the computer to read. The Z-Dubber also allows you to connect two cassette recorders together to make perfect backup copies. The Z-Dubber can be yours for \$31.95 post paid. Add \$2.50 for shipping outside the US, Canada or Mexico.

CHARGE OR COD ORDERS CALL

1-800-227-3800

ASK FOR OPERATOR 225

BYTESIZE MICRO TECHNOLOGY PO BOX 12309 DEPT. CJ
SEATTLE, WA 98111
(206) 236-BYTE

CALL OR WRITE FOR DEALER INFORMATION

MODULES FOR TIMEX-Sinclair

\$149.95
MD-2B



MODEM

2 FREE HOURS COMPUSERVE

NOW BOTH ORIGINATE AND ANSWER

- Send & Receive Programs by Phone
- Copy Information Into Memory, Print it, Review It, Save It On Tape, Send Text From Memory.
- Use Timex 2040 Printer or Any RS-232 Printer.
- RS-232 Printer Port Provided.
- No extra Memory Required. But with 64K Memory You Can Store Up To 60 Full Screens.

ADAPTABLE TO THE NEW 2068
BYTE-BACK CO. Rt. 3 Box 147 Brodie Rd.,
Leesville, S.C. 29070 Ck. COD VISA/M/C AM EXP
Ph. 803-532-5812 Add \$4.95 shipping to all orders
10 day money back guarantee plus 90-day warranty

ELECTRONIC COMPONENTS



MOUSER ELECTRONICS
PURCHASING MANUAL NO. 542
NEW PRODUCTS
FREE 160 PAGE CATALOG

MANUFACTURERS OF QUALITY ELECTRONIC COMPONENTS
OVER 15,000 DIFFERENT ITEMS IN STOCK!

MOUSER ELECTRONICS
11433 WOODSIDE AVE., SANTEE, CA 92071
PHONE: (619) 449-2222 TWX: 910-331-1175

CIRCLE NO. 102 ON FREE INFORMATION CARD

DRIVE CONTROL UNIT



Turns off 8 inch Drives when not being accessed
Save Drive, Save Media, Quiet Operation. Easily installed. Thousands are in use. For Shugart 800/850, Siemens 100/200, CDC Qume DT8, Remex 4000 Kit \$29.95 Assembled and Tested \$49.95
Call or send for literature package
VISA, MASTERCARD, COD Accepted

OPTRONICS TECHNOLOGIES 716-377-0369
2990 Atlantic Ave. Penfield, NY 14526

Now available for the computer experimenter!

COMPUTER CONNOISSEUR'S DELIGHT!
ONLY \$6.00 EACH ASSORTMENT OF SIX FOR \$26.50
OVER A THOUSAND COMPUTER PROGRAMS TO CHOOSE FROM TO LIST HERE. LEARN HOW TO RECEIVE VERY USEFUL PUBLIC DOMAIN MATERIAL. SUCH AS: "SHOW", "SWEEP", "SD", "LIF", "MODERN", "D", "SORT", "MERGE", ETC. UNIQUE GAMES—VERSIONS OF DONKEY KONG, SPACE INVADERS, ADVENTURE, STAR TREK, ETC.—WILL ENHANCE SYSTEMS WITH UNSOPHISTICATED GRAPHIC CAPABILITIES AND ALLOW YOU TO PLAY THEM ON ALMOST ANY COMPUTER. MATHEMATICS, ASTROLOGY, ASTRONOMY TOO!

UNPUBLISHED MATERIAL
The one you've all been waiting for
Computel
PUBLISHED MONTHLY
ONE YEAR SUBSCRIPTION \$14.00 (SAMPLE COPY \$2.00)

COMPUTEL—the complete SOURCE for everyone. You can now do the things you've only heard about, right in the privacy of your own home. Indispensable reference to phreaks and hackers. Learn how to get all kinds of computer programs FREE. Get the inside story of big business systems—their quirks and flaws—and remain up to date with vital occurrences within the computer industry. Computel is a publication designed for everyone who has an intense curiosity of computer systems, containing a wealth of hard to find information, codes, and numbers. Published monthly.
161 Computer Publishing Society CPS
6354 VAN NUYS BLVD. / VAN NUYS, CA 91401

CIRCLE NO. 118 ON FREE INFORMATION CARD

COMMODORE 64 INTERFACING BLUE BOOK

Written by a college professor in a friendly and informative style, this book is a gold mine of practical information on how to build a variety of useful interfaces for your computer. Over 30 projects including cassette interface, printer interface, expansion bus, light pen, RS-232 interface, more user ports, thermometer, speech synthesizer and two other voice projects. A/D and D/A converters. 5 telephone interfaces including a sophisticated voice mail project, motor controllers, AC power control logic analyzer, capacitance meter, spectrum analyzer, home security system and many more. \$16.95 postpaid. Foreign orders add \$3 for AIR MAIL shipping.

VIC 20 INTERFACING BLUE BOOK

30 hardware interfacing projects for the VIC 20. Similar to the 64 book above. See what your VIC can do with a little interfacing. \$14.95 postpaid.

microsignal
Dept. B, P.O. BOX 22
MILLWOOD, NY 10546

SAVE 90%

IBM Machine with a 40% plus in performance-8086 based system with 128KB memory two RS232 Ports plus a Centronics Port for ~\$235 Upgradable!

CPM Machine-4MHz Z80A based 64KB memory, two RS232 Ports for ~\$120.00

16/32 bit commercial workhorse a 68000 based, 128KB memory three RS232 Ports for ~\$265. Expandable!

Floppy Interface \$60, 25 x 80 CRTs \$200, Software, Boards ROMs, Parts and MORE!

FREE CATALOG

DIGATEK CORPORATION
SUITE 7
2723 West Butler Drive
Phoenix AZ 85021

Why waste money on a Commodore, Atari, TI, etc. when a system with a future costs less?

FREE -- MAIL ORDER CATALOG

Tuners, amplifiers, effects, keyboards, studio equipment, drum computers, books, easy to assemble kits & more...

name _____

address _____

city _____ state _____ zip _____

PAIA Electronics, Inc.

Dept. 1-P, 1020 W. Wilshire Blvd.
Oklahoma City, OK 73116
800-654-8657 9AM-5PM CST M-F



LEO ELECTRONICS, INC.
8921 S. Sepulveda # 208
Los Angeles, CA 90045
(213) 641-3101 (800) 421-2418
TLX: 664-688 Interline LSA

PRICE!
QUALITY!
SERVICE!

RAMS		
4116 (150ns)	1.35	16K UPGRADE
4116 (200ns)	1.25	
4164 (150ns)	4.95	64K UPGRADE
4164 (200ns)	4.75	
6116P-3	4.40	
EPROMS		
2708	3.00	2532 4.50
2716	3.20	2732 3.95
TMS2716	4.75	2764 7.00

TERMS: Check, Visa, Mastercard. Call for C.O.D. U.S. Funds only. California residents add 6% sales tax. SHIPPING: Add \$2.00 for Ground and \$5.00 for Air. ALL MAJOR MANUFACTURERS ALL PARTS 100% GUARANTEED Pricing subject to change without notice.

got a

COMMODORE 64 OR TIMEX SINCLAIR COMPUTER?

GET STARTED WITH BOSS DISCOUNT SOFTWARE


GAMES, BUSINESS, EDUCATION, TUTORIAL

WRITE FOR FREE CATALOG

EULYN ENTERPRISES
4N 650 RIDGEWOOD
BENSENVILLE, IL., 60106

(312) 543-4225

A/D 8 channels + D/A 8 channels



APPLY YOUR MICRO TO ANALOG SIGNAL PROCESSING & CONTROL

Connects to µ processor bus of most Z80 & 6502 computers including Timex, TRS-80, Apple, CBM 64. Our pin rearrangement feature eases interfacing.

FAST: 200,000 samples per sec with Z80A

EASY TO PROGRAM: One PEEK chooses the channel, starts conversion & gets data. Routines provided.

SOFTWARE AVAILABLE: FFT in Z80, 256 points in one second storage scope for Timex

LOW COST: Assembled & tested \$195. Cable \$15

Please call or write for free catalog

Computer Continuum


301 Sixteenth Avenue
San Francisco, CA 94118 (415) 752-6294

POWER LINE PROBLEMS?



SPIKE-SPIKERS™... The Solution!

Minimize equipment damaging spikes and conducted RF noise to or from sensitive equipment. Transient surge protection plus low pass RFI hash filtering. All units 120V 15A.



MINI II \$44.95

Wall Mount
3-stage filter
2 sockets

QUAD II \$59.95

Wall mount. Dual 3-stage filter
4 sockets & light

DELUXE \$79.95

Dual 5-stage filtered
ckts. 8 switch sockets
main switch, fuse, light



Kalgio Electronics Co., Inc. Order Factory Direct
65 84 Ruch Rd., Dept. C E 215-837-0700
Bethlehem, PA 18017

Out of Store
800-523-9685

DEALERS INVITED

PA Res. Add 6% + COD add \$3.00 + Shipping

CIRCLE NO. 129 ON FREE INFORMATION CARD

GREAT DISKETTES

Super low prices
SYNCOM

The low priced, high quality diskette with a LIFETIME WARRANTY. Packed in polybags of 10 with Tyvek envelopes, labels and reinforced hubs.

One of the best buys we've seen. **LIFETIME WARRANTY!**
\$139 ea. 5 1/4"SSDD **\$185**
QTY 20 5 1/4" DSDD ea. QTY 20

OTHER GREAT VALUES:

DISKETTE 70—Holds 70 5 1/4" diskettes in dust free safety \$14.95 ea. + \$3.00 Shpng.

DISK CADDIES—Flip up style holds 10 5 1/4" diskettes \$1.65 ea. + .20 Shpng.

Shipping: 5 1/4" DISKETTES—Add \$3.00 per 100 or fraction thereof. OTHER ITEMS: Shipping charges as shown in addition to diskette shipping charges. Payment: VISA or MC. COD orders only, add \$3.00. Taxes: Illinois customers, please add 8%.

Nationwide: 1-800-621-6827
In Illinois: 1-312-944-2788

Minimum Order \$35.00
WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE!
DISK WORLD!
Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

SYNCOM

★MICROCOMPUTER★

BUSINESS SOFTWARE

MEDICAL MGMT...
DENTAL MGMT...
INSURANCE AGENT
LEGAL BILLING....
PROPERTY MGMT..
AND MUCH MORE!

UNIVAIR INTERNATIONAL
9024 St. Charles Rock Road
ST. LOUIS, MISSOURI 63114

(314) 426-1099

CIRCLE NO. 133 ON FREE INFORMATION CARD

SATISFY YOUR DRIVES



Z-80A with
256-K bytes RAM as

FAST RAM DISK A: 192K bytes

54K USER RAM

ROM DISK B: CP/M, COPY, DIR, LOG pgms.

DISK C: 192K byte 5 1/4" floppy drive

DISK D: optional external expansion

DISK E: optional external expansion

- Bundled with software included on 5 1/4" floppy disk.
- R/W IBM, KAYPRO, MORROW and OSBORNE disks.
- Transportable-7"hx4"wx14" d.8lbs., 120 VAC 40 W
- (2) RS-232C serial ports (110-19,200 baud)
- (1) Bi-directional parallel port (incl. Centronics)
- (1) Expansion buss (up to 256K addl. RAM or ROM)

EXPAND YOUR (computer's) MIND... INSTANTLY!
The COMPANION can add 256K byte storage, printer spooling, port expansion and CP/M programs to your portable computer or terminal.

PRICE \$1095 Terms Min. 25% Dep Bal COD
MasterCard or VISA OK

COMPANION COMPUTERS
192 Deerfield Rd. Apex, NC 27502 (919)362-6655



SAVE MORE THAN EVER ON 3M Scotch® DISKETTES

LIFETIME WARRANTY!

\$185 ea. 5 1/4"SSDD **\$235** ea.
(744) (745)→
Qty. 20 Qty. 20

5 1/4" SSGD—96TPI (746) \$2.60 ea.

5 1/4" DSQD—96TPI (747) \$3.25 ea.

8" SSSD (740) \$2.05 ea.

8" SSSD (741) \$2.50 ea.

8" DSDD (743) \$3.10 ea.

Shipping: 5 1/4" DISKETTES—Add \$3.00 per 100 or fraction thereof. 8" DISKETTES—Add \$4.00 per 100 or fraction thereof. OTHER ITEMS: Shipping charges as shown in addition to diskette shipping charges. Payment: VISA or MasterCard. COD orders only, add \$3.00. Taxes: Illinois customers, please add 8%.

Hours: 9 AM-5 PM Central Time

For fast service call

Nationwide: 1-800-621-6827

In Illinois: 312-944-2788

DISK WORLD!

Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

Authorized Distributor
Information Processing Products **3M**

GENERAL INSTRUMENT SPO256-AL2

Speech Synthesizer

UNLIMITED VOCABULARY **GI** EASY INTERFACES TO ANY COMPUTER

\$2500 each plus \$2.00 shipping

The General Instrument ALLOPHONE speech processor is a single chip LSI device that synthesizes continuous speech of unlimited vocabulary. Not to be confused with limited (stored) vocabulary speech chips like the JPO256-017. Documentation includes program listings, interfacing, etc.. For use with Apple, VIC-20, Commodore 64 and TRS-80. Also general info for use with other systems!!

PARTIAL KIT: ALSO AVAILABLE

Includes CHIP, PC board, hard to find components, documentation, etc.

Apple \$42. Commodore 64 \$40.

VIC-20 \$40. TRS-80 (1-111) \$40.

plus \$3.00 shipping

SEND CHECK or M.O. to:


SILICON SCIENCE, INC.

4710 Wellington Blvd.

Alexandria, La. 71303



Call (518) 442-7755 for VISA or MasterCard orders.



Best Prices On TRS-80 Computers

Our 6th year of discounts
Ed or Joe McManus
Fgt. Prepaid. Save Tax.
Toll Free 800-231-3680

Marymac Industries, Inc.

22511 Katy Fwy., Katy
(Houston) Tx 77450

1-713-392-0747

Telex 774132

See us in the Wall Street
Journal every Tues. Wed. Thurs.

It's simple. . . .


CALL & SAVE MONEY

1-800-841-0860

**UP TO 20% DISCOUNT
COMPUTERS**

MONITORS • PRINTERS

CALL FOR BEST PRICES



MICRO MANAGEMENT SYSTEMS

TELEMARKET DEPT. # 12

2803 THOMASVILLE RD. EAST

CAIRO, GEORGIA 31728

GA. & INFO 912-377-7120

SALES POWER

Computers & Electronics not only sells itself at a nice profit, it helps sell the hardware and software in your store too. Because it goes home with customers and continues to influence buying decisions long after you're closed for the day. Let's talk now.

**CALL COLLECT:
(212) 725-7679**

Or write:

Ziff-Davis Publishing
One Park Avenue
New York, NY 10016



Minimum order: 10 copies. We pay all shipping costs.

Leading Edge Personal Computer

(Continued from page 37)

screen prompts are concerned, all the Leading Edge MS-DOS programs follow the IBM conventions. So if you're an experienced user, there is virtually nothing new to learn.

As mentioned, Leading Edge includes Microsoft's GW Basic programming language in the purchase price of the machine. This is very important since the IBM, or PC-DOS, version of BASIC will most definitely not work on the Leading Edge PC. My first, and only attempt to load IBM BASIC resulted in the disks whirring a lot; but nothing actually happened. The problem has to do with inevitable code differences in the IBM and Mitsubishi ROM chips.

Is this a problem? No, not really. According to Leading Edge, this version of BASIC will correctly execute any IBM BASIC program. Of course, if you want a machine that will run all IBM programs and IBM BASIC with absolutely no surprises, then you'd better buy an IBM PC, because that's the only street-legal 100% compatible product around. If you want to run some IBM programs and are willing to load Microsoft BASIC from disk, then the Leading Edge PC is not a bad choice.

Like many of its peers, the Leading Edge PC is a bit noisy since it uses an electric fan to keep the system cool. Again, this is just a small point, but it could be bothersome in an office where two or three machines are in constant use. Certainly, the fan works since there were no signs of overheating during the time I used the machine. The main air vents are along the back of the system unit, near the power sockets.

Documentation

If there is one thing that really makes life hard for the user it's poor documentation. Leading Edge, however, has managed to avoid a lot of the common traps and provide a well-designed set of manuals for its personal computer customers. These manuals are quite well-written, professionally printed, and have a number of high-quality illustrations wherever relevant.

The technical specification sections provide very detailed information for all interested users, and an index of contents is supplied. (It's amazing how many other document writers for this type of equipment have failed to include indexes with manuals.)

Conclusion

The Leading Edge PC is not an espe-

cially pretty machine. But what it lacks in design it makes up for in terms of price and performance. There are other IBM compatibles on the market that are less expensive than this machine—the Tava and the Sanyo PCs for example. But I liked the Leading Edge idea of supplying a machine that comes standard with almost everything a user might immediately need.

You can use the Leading Edge PC to write BASIC programs, run MS-DOS and PC-DOS software, and see it all on the monitor supplied within the purchase price. You can then print out hard copies of documents using either the serial or parallel communications port. Plus, at the flick of a microswitch, you can make the machine do lots of processing tasks at a speed that is anywhere up to twice as fast as an ordinary Intel 8088-based computer.

If you've already decided to buy an MS-DOS machine, but don't want to pay the full price for an IBM PC, the \$3000 Leading Edge PC should be a serious contender for your business. ♦

PROFIT MAKER



Computers & Electronics not only sells itself at a nice profit, it creates awareness of the hardware and software in your store. It's like having another salesperson on your staff—one who *pays you*. One who goes home with customers and continues to influence buying decisions long after you're closed for the day. If you're interested in a low-ticket item with top-of-the-line sales power, let's talk now.

CALL COLLECT: (212) 725-7679

Or write: Ziff-Davis Publishing Company

Retail Sales
One Park Avenue
New York, NY 10016

Minimum order: 10 copies.
We pay all shipping costs to your store.

WORLD'S LARGEST COMPUTER MAGAZINE

Computers

& ELECTRONICS

ADVERTISERS INDEX

RS no.	ADVERTISER	PAGE no.
50	Active Electronics	117
	Apple Computer	14-15
	C & D Electronics	111
	Classified Advertising	123-129
	Cleveland Institute of Electronics, Inc	38-41
60	CompuServe	17
11	Computer Mail Order	91
14	Digi-Key Corp.	118-119
4	Fuji SVEA	105
	Grantham College of Engineering ..	111
5	Handy Products/RSP Electronics Corp.	95
6	Hayes Microcomputer	46-47
24	Heath Co.	28-31
41	IBM Corporation	4-5, 86-87
	Information Unlimited/ Scientific Systems	113
10	Inmac	107
21	Jameco Electronics	122
22	JDR Microdevices	120-121
23	J & R Music World	43
26,20	Leading Edge	Cover 4, 2
	Memotech Corp.	Cover 2, 1, 43
2	Microstuf, Inc.	45
34	Micro-Ware	113
	National Technical Schools	18-21
	NRI Schools	8-11
40	Protecto	24-25
	Radio Shack	13
32	Sanyo	7
	Scottsdale Systems	107
36	Sintec Co.	116
38	Star Micronics	Cover 3
39	Tab Books	97
42	Tam's Inc.	113
	United States Air Force	57-59

When it comes to superior performance, we study our lines very carefully.

Superior printer performance is not a fluke. It evolves from analyzing printed line after printed line. Taking the time to test and retest. After 30 years of manufacturing precision parts, we know that there are no shortcuts.

And so we took the Gemini-10X and methodically put it through its 120 cps pace. We achieved a print head life of over 100 million characters with an extremely precise dot alignment creating each crisp character.

So far so good.

Next, sophisticated performance demanded versatility. A wide choice of character sets, a buffer expandable to 8K, and the ability to interface with all popular personal computers. We added macro

instruction, giving Gemini-10X the capability to perform up to 16 operations with one command. We included as standard a paper feed system that has a friction and fully adjustable tractor feed. Then we even built in the dexterity to print graphics and text on the same line.

Done.

And, of course, staying the best means constant reviewing and fine-tuning. Keeping the Gemini easy to find, easy to afford and so reliable it can be warranted for up to twice as long as its major competitors.

Only the most careful engineering has built the new hard-working Gemini-10X. You'll applaud its performance.

stairTM
MICRONICS • INC


THE POWER BEHIND THE PRINTED WORD.

Computer Peripherals Division
2803 N.W. 12th Street, Dallas/Ft. Worth Airport, TX 75261



Circle No. 38 on Free Information Card

COMMAND OF THE LANGUAGE.



Quite simply, Leading Edge® is the simplest, yet most powerful word processing program ever created for sophisticated Personal Computers like the IBM® (or the even more-powerful Leading Edge PC).

You can learn the basics of the system in a matter of minutes, master it in a matter of hours, and never outgrow it in a lifetime.

Thanks to the system itself, even the most complex functions are typically reduced to just one or two keystrokes with Leading Edge. And thanks to an impeccably logical and easy-to-reference Operator's Manual, you can quickly flip to any function you want to perform, and immediately start performing it.

So you can hunt and peck your way into the future, or (if you're already a good typist)... you can fly.

It's backed by a lifetime warranty, available at around a thousand stores across the country, and comes standard with a toll-free Technical Help Hot Line that connects you directly with a highly trained human being to walk you through, talk you through, any questions you may ever have. For more information, or for the name of the nearest dealer, just give us a call, toll free 1-800-423-0300. In Mass., call collect (617) 828-8150.

Leading Edge®. Big word processing for the small computer.

LEADING EDGE PRODUCTS, INC., SOFTWARE SALES DIVISION, 55 PROVIDENCE HIGHWAY, NORWOOD, MA 02062. HELP HOTLINE 1-800-522-HELP OR (617) 449-6060

IBM is a registered trademark of International Business Machines Corporation.

Circle No. 26 on Free Information Card

