61,000

MAY - 1905

VOL. VII. NO. 5

Price 10 cts.



HOISTING HEAVY LOADS
WITH
ELECTRIC MAGNETS
MANUFACTURING CEMENT
A
REMARKABLE INDUSTRY

LIFE-SAVING KITES
AND
HOW TO MAKE THEM
SIGNING BANK CHECKS
BY
WIRE 1,000 MILES AWAY



100 Miles an Hour With Motor Iceboat -- See page 517

Machinery and Supplies from the St. Louis World's Fair

The Chicago House Wrecking Company bought the complete LOUISIANA PURCHASE EXPOSITION, which cost over Fifty Million Dollars to construct. Here is an opportunity for you to purchase supplies of every kind at extremely low prices.

We are the largest Machinery Dealers on earth. Our plant covers 25 acres, and we are in a position at all times to supply anything needed in the Machinery or General Supply line.

ELECTRICAL APPARATUS

A Million Dollars' worth of material, good as new.

Rubber Covered Wire in sizes from No. 14 to 500,000 C. M.

Weatherproof Wire, sizes No. 14 to No. 2-0.

Slow Burning Weatherproof Wire, 16 to 600,000 C. M.

Lead Covered Cables, all voltages and sizes.

100,000 used Incandescent Lamps, practical for further service, each 5 cts.

200,000 new Incandescent Lamps, 104 Voltage, 8 candle power in natural colors, Amber, Green, Opal and Ruby.

200,000 No. 9171 Receptacles.

Weatherproof Sockets, Knobs, Cleats and thousands of other items. Write for our complete list.

MOTORS.

50 Motors, ranging from 1 to 45 H. P. These Motors were used only during the Exposition and are practically new; Voltages 110 to 500.

PIPE.

10,000,000 feet of Standard Black and Galvanized Wrought Iron Pipe; also Hydraulic Pipe, extra heavy pipe, steel riveted pipe, spiral riveted pipe, converse joint pipe, cast iron pipe, tile pipe and pipe of every kind.

VALVES AND FITTINGS.

Thousands of them for sale, good as new. Also fittings of every kind.

BOLTS, RODS, LAG SCREWS, ETC.

1,000 tons Bolts, Rods, Lag Screws, Turnbuckles and Washers,

150 Track and Lever Jacks.

LUMBER AND BUILDING MATERIAL.

100,000,000 feet of highly Seasoned Lumber from the Exposition. Also Sash, Doors, and Building Material of every kind. Send us your bills for our estimate. We will save you big money.

CONTRACTORS' SUPPLIES.

4,000 Steel Shovels.

500 Steel Picks.

600 Mattocks, Lanterns, Axes, etc.

500 Wheelbarrows.

Thousands of other items:
Furniture and Office Equipment, Household Goods, Settees,
Fire Extinguishers, Tanks,
Safes, Flags and Flag Poles,
Roofing Material, and in fact
anything manufactured.

WRITE FOR OUR SPECIAL CATALOGUE NO. 539

CHICAGO HOUSE WRECKING CO., West 35th and Iron Streets, Chicago



EVERY MECHANIC WILL FIND THE



Quadruple

Nickel

STYLE B

Never

Rust

"Universal Grip" A Nut Pipe Wrench and Thread Cutter


INDISPENSABLE IN THE SHOP, HOUSEHOLD, AUTO and on the FARM. MONEY BACK IF NOT SATISFACTORY. Sent Prepaid on receipt of price.

Frosted Metai

STYLE A

Non-Rusting

75c. Mailed



ESPECIALLY TOUGHENED CARBON STEEL AND WORKMANSHIP PROTECTED BY OUR GUARANTEE.

Indispensable for removing "NEVERSLIP" and "ROWE" CALKS. Length 8 inches. Grips from ¼ inch to 1% inch diameters. Furnished for pump rod, carriage bolt, English, Foreign and Withworth threads.

Special prices in quantity lots to dealers, jobbers and agents
SELLS ON SIGHT. GET THE BEST



163-173 Jefferson Street, CF WE ARE THE MANUFACTURERS

CHICAGO





MAY, 1905

Popular Mechanics

JOURNAL BUILDING, CHICAGO, U. S. A.

H. H. WINDSOR.....EDITOR

SUBSCRIPTION, \$1.00 PER YEAR
MAILED POSTAGE FULLY PREPAID TO ANY

ADDRESS IN THE WORLD

All subscriptions are discontinued at expiration Please examine the date printed on your wrapper

Published Monthly by POPULAR MECHANICS COMPANY Entered as mall matter of the second class at the postoffice at Chicago, Ill.

Eastern Advertising Office: 116 Nassau St., New York.

CONTENTS.


FACSIMILE WRITING AT LONG DISTANCE 501
How to Telephone from Every Room in a
Residence 502
Iron-Band Pavements
WIRELESS TELEGRAPH POLE 212
FEET HIGH 502
Porilons Phase to Clear
Perilous Place to Sleep
NETE HEAVY LOADS WITH MAG-
HOW TELEPHONES HELPED THE
TADANESE HELPED THE
JAPANESE 506 Ancient Romans Determined our Standard
Pollman Cauca
Railway Gauge 506
MINING COAL WITH COMPRESSED
Chimney Building from a Derrick in Can-
Cuminey Building from a Derrick in Can-
ada 508
Will the Mississippl Be Harnessed? 508
Japanese Jinrickshas Made in America 508
Razors Made of Copper 509
Parcels Carried by Street Cars 509
THE "CARONIA" NOW THE LARGEST
VESSEL IN THE WORLD 509
The Cape Cod Canal
How to Reproduce Photographs in Watch
Cases 510
Torpedo-Boat Destroyers 511
Tramway Tracks 2,500 Years Ago 511
Motorcycles for Mail Collection in Budapesth 512
"Pop" All Your Life for \$10 512
HOW COTTON UNDERWEAR IS KNIT 512
French Crane and Ladle 513
KITE FLYING FOR BUSINESS, PLEAS-
URE AND LIFE-SAVING 514
The Engineer's Cab on Some European
Railways 516
New French Cruiser of 40,000 Horsepower 516
MOTOR ICEBOATING THE COMING
WINTER SPORT 517
Gravel Pumped Like Water 518
REMARKABLE SUCCESS OF THE
CLEVELAND ROLLING ROAD 519
Gunpowder Van Used in England 520
Self-Propelled Railway Passenger Coaches., 520
"AUXETOPHONE" MAKES OPEN-AIR
CONCERTS WITH THE GRAMO-
PHONE POSSIBLE
How Spirit Portraits are Painted by
Ghosts 521 Warships Converted into Gay Floating Ho-
Warships Converted into Gay Floating Ho-
tels
MACHINE FOR WRITING SHORTHAND 523
President to Use Wireless on Hunting Trip 523

Gravel Elevating and Screening Machine., 524 Aerial Yacht Dumont's Latest
\$350 Offered in Prizes 524
HOW PORTLAND CEMENT IS MANU- FACTURED
Disinfecting Filter for Hospital Sewage 529
English Steam Omnibus
WONDERFUL DISCOVERY IN PHO- TOGRAPHY530
River Boat Made 1,000-Mile Ocean Voyage 531
Dakota Lignite for Irrigating Work 531 How to Make a Storm Ventilator 531
HOW GAS AND ELECTRIC METERS WORK
MECHANICS FOR YOUNG AMERICA— To Make a Binder for Popular Mechan-
ies 551
How to Make a Hammock
How to Build a Wireless Telegraph 552
Book for Boys 552
The Day
Measuring the Flow in Underground Streams 554
President Lincoln's Private Car
Films 556 Butcher vs. Baker 556
Dutcher vs. Daker
SHOP NOTES.
Using Motorcycles for Shop Power
Compasses for Metal Work 536
An Easy Way to Empty an Oil Barrel 536
Aging Oak with Ammonia Fumes 536 Preparing Borax for Use in Welding Steel 536
How to Make a Substantial Forge 537
A German Method of Cleaning Machinery. 537 Arch in Side Walls of Furnace. 537
Arch in Side wans of Furnace
Grinding Attachment for a Lathe
Grindiag Attachment for a Lathe
Grindiag Attachment for a Lathe
Grinding Attachment for a Lathe
Grinding Attachment for a Lathe
Grinding Attachment for a Lathe
How to Make Tracing Paper
Grinding Attachment for a Lathe
Grinding Attachment for a Lathe
Grinding Attachment for a Lathe

A HANDY THING TO HAVE

OUR NEW=

POCKET CATALOGUE FOR 1905



A Little Volume that tells of

1 O O
New Tools

Besides a great many older ones



FOR THE ASKING. YOU'LL WONDER HOW YOU EVER GOT ALONG WITHOUT IT—
IF YOU ARE A MACHINIST OR A WORKER
IN METAL.


Handsomely Illustrated, and with full details. SEND FOR IT TO-DAY

GOODELL-PRATT COMPANY, Greenfield, Mass., U.S.A.

Folds in Five Seconds

THE FULTON FOLDING GO-CART

Most Modern, Practical and Convenient Type of -Child's Carriage.=



TRONGLY made, beautifully finished, both sitting and reclining positions, folds up like a pocketbook

The Price is Within the Reach of Everybody.




Sold by dealers generally. If not on sale in your city write. Send dealer's name. WE WILL SEE YOU GET ONE.

Fulton Manufacturing Co. 21 N. Elizabeth St., Chicago

are the recognized standard for accuracy, workmanship, design and finish. Whether you use tools to earn your daily bread or for amusement and relaxation from a different vocation, it pays to use GOOD tools. You wet a better quality of bread and a good deal

more pleasure.



USE STARRETT TOOLS

We make hundreds of different tools. Ours is the largest plant in the world where nothing but fine mechanical tools are made. All these tools are fully described and illustrated in our Catalogue No. 17AP, which you may have by sending us your address. There is a good deal of valuable information in its 176 pages which it will pay anyone who uses tools

to have.

THE L. S. STARRETT COMPANY ATHOL, MASS., U. S. A.




To Those Accepting ur Very Liberal Offer

DRAUGHTSMEN! TOOL MAKERS! MACHINISTS! ELECTRICIANS! NOVICES! APPRENTICES! PATTERNMAKERS! EVERYBODY!

A New, Handy and Convenient Device for Taking Measurements is the

Wiet-Goethe Combination Gauge

Now Offered for the First Time Those Interested



The Scale is graduated to 64ths of an inch. The Protractor in degrees and numbered.

Did it ever occur to you when called upon to perform some mechanical work to be confronted by almost insurmountable difficulties because you did not have handy the right kind of a tool to take measurements?

Is it practical for any man to carry a cumbersome tool chest to take measurements? Suppose you could carry in your vest pocketall in one instrument

A Divider A Straight Edge A Center Square An Angle Pro-An Outside Caliper An Inside Caliper A Divider An Angle Edge A Try Square A Depth Gauge An Angle Protractor A Center Gauge and many other combinations too numerous to mention, but understood and appreciated at once by all having to deal with any kind of measurements.

We now present a tool which will enable you to fill all these requirements and take all measure-

ments, within its scope, accurately and quickly.

It is made of superior steel, carefully and thoroughly tested as to its accuracy.

It will be found to be a novel and valuable addition to the tool chest of any mechanic.

The practical men will find constant and novel uses for it under any and all circumstances.

It will enable one to solve all the different and difficult problems which arise in the shop or elsewhere where.

It is so portable and convenient-being small enough for the pocket-that it can always be at

The gauge is made by first-class mechanics and no expense is spared to insure accuracy. We commend it as a finished and perfect tool for the various uses to which it can be put.

The combination gauge is enclosed in a neat leatherette case with metal trimmings, so as to be conveniently carried in the pocket. YOU CAN GET ONE OF THESE INVALUABLE GAUGES FREE IF YOU ACCEPT OUR OFFER.

HERE IS THE SPECIAL OFFER. READ IT.

HERE IS THE SPECIAL OFFER. READ IT.

We Want to increase the Subscription List to Our Monthly Journal.

MODERN MACHINERY The foundation of civilization rests on inventions of new maaim of every intelligent man. Our publication keeps you informed, and it is written so all can understand it, and the best illustrated of its class. MO DERN MACHINERY costs \$1.00 a year. We want to get you started reading this paper regularly, and therefore make you this offer.

Send us your subscription at once, enclosing \$2.00 and we will mail you MODERN MACHINFRY every month for two years and a WIET-GOETHE COMBINATION GAUGE. FREE, at once. If not just as represented, send the gauge right back and we will refund your money. Don't delay accepting this proposition; write today. Remember, money back tomorrow if dissatisfied.

Modern Machinery Publishing Co., 1333 Security Bldg., Chicago COUPON-

MODERN MACHINERY PUBLISHING CO., 1333 Security Building Chicago.

Date

Gentlemen:—Enclosed find \$2.00 for which please send me MODERN MACHINERY for two years, and also send me one WIET-GOETHE COMBINATION GAUGE as advertised in POPULAR MECHANICS without further cost to me. It is understood that if I am dissatisfied that I may return the gauge and my money will be refunded.

..................




ELECTRIC ENGINEERING CD. ENGINEERING CD. ENGINEERING CD. ENGINEERING CD. HARTFORD CONNUISA



SIMPLE RELIABLE PRACTICAL

No Electrician Needed to Install or Operate

Large Outfits for Any Size Place, Launch or Yacht



ALL OUR
OUTFITS COMPLETE IN
EVERY DETAIL

Very Best Material Used

Light all the Time as Every Outfit Includes a Storage Battery

NO. 8. 20-LIGHT OUTFIT FOR MOUNTAIN AND SHORE

COTTAGES OR SMALL HOMES, \$450, EVERYTHING INCLUDED. OTHER SIZES TO \$1,800

PHE GAS, GASOLINE OR STEAM ENGINES FURNISHED GIVE PLENTY OF POWER FOR SAWING WOOD, PUMPING WATER, REFRIGERATION, ICE MAKING, ETC. FOR INTERESTING AND VALUABLE PRINTED MATTER, ADDRESS

Electric Light Dept. RICHARDSON ENGINEERING CO., Hartford, Conn.

If You Like "Pop." Why Not Send it to a Friend

FOR ONE YEAR?

Cannot fail to please any man and will please him for twelve months Fill in address and mail with One Dollar at our risk.

POPULAR MECHANICS, Journal Building, Chicago

NAME		PHENOMETER.
STREET		
СІТУ	STATE	
and notify party named abov	e that the subscription has been paid for, and is sent with	the compli-

MORE MONEY

is made from Patents than from any other class of Investments. .

SUCCESS SURE IF YOU HAVE A GOOD INVENTION BACKED BY A STRONG PATENT AND BUSINESS ABILITY.

THE FIRST STEP

If you have made an invention and contemplate applying for a patent, the first point is to learn whether your idea is new and patentable. Do not depend on the fact that you or your friends have never seen anything of the kind. Send us a pencil drawing, showing plainly your invention, and write out a description of its construction and operation, as well as you can. If you have a model, send it instead of the drawing. We will compare your sketch or model with all patents issued in the United States for inventions resembling yours, and for inventions in which similar mechanical constructions or principles are used. If a patent is found for an invention exactly like or closely resembling your idea, we will send you a copy of such a patent. If nothing is discovered to prevent getting a patent for your invention we will so advise you.

The charge for this service, unless otherwise agreed upon by special arrangement, is five dollars. This examination is an important step in connection with every patent application and requires great care and skill. An incompetent attorney may overlook a patent which closely resembles or completely anticipates your invention, or he may not know where to look. A dishonest attorney will purposely fail to find an anticipating patent in order that he may get the fee for preparing the application. The inventor is the loser in either case.

WHAT A PATENT COSTS.

Opinion as to novelty and patentability of an invention, after thorough examination of United States patents.....\$ 5.00 Preparing official drawing—one sheet 5.00 First Government Fee 15.00 Total cost of application, first Government fee, official drawing, preparing all papers Within six months after the application has been allowed, the Government charges a

Intricate inventions cost more to patent, but we will state the exact cost in advance in each case. We assist our clients in selling and promoting their patents without advance charges.

POPULAR MECHANICS PATENT BUREAU

Main Office: Journal Building, Chicago, Illinois

Associate Offices, WASHINGTON, D. C., LONDON, BERLIN and other large cities.

PRACTICAL BOOKS FOR PRACTICAL MEN-

SPANGENBERG'S STRAM ELECTRICAL ENGINEERING

- Some of the Authors

This book is really a text-book of the St. Louis School of Engineering, the entire mechanical portion, except that pertaining to the locomotive, having been written by Prof. E. Spangenberg, C. E., the Superinted dent of that institution, a graduate of the shop and work bench as well as of the University. Mr. Spangenberg has been eminently successful as a teacher, having enabled hundreds of men to pass satisfactory examinations for stationary and marine engineers' licenses.

Mr. E. W. Pratt, author of the portion on Locomotive Engineering, is master mechanic of one of the large railroads, and has made the locomotive his life-study.

life-study.

Mr. Albert Uhl, A. I. E. E., Instructor in Practical Electrical Engineering at the St. Louis School of Engineering, is a successful electrical contractor who has risen from the ranks, having worked as dynamo tender and wireman's helper in his younger days.

- 695 Pages-648 Illustrations -

Written so You can Understand It. A practical book for practical men. Intended especially for the use of Steam and Locomotive Engineers and Firemen.
Electrical Workers and others interested in Engineering. The work is written in the form of 1,035>
Questions and Answers and gives a complete course in Engineering, Stationary and Locomotive, Compressed Air Refrigeration, Gas and Gasoline Engines, Elevators, Repairs and Electrical Engi-

When Ordering use Attached Coupon

Price \$3.50

SPANGENBERG'S Answers relating to STEAM ENGINEERING

This 192 page book is intended for beginners only and contains questions and answers regarding the fundamental principles of Steam Engineering, such as the following:

- What is steam?
- Is there a difference between steam and water aeriform bodies?
- vapor.

 3. What are the general qualities of steam?

 4. Is heat a body?

 5. What general qualities are due to a body?

 1. What general qualities are due to a body? 6. What do you understand by the word:
- aggregate?
 7. What are the general qualities of heat?
 8. Are we able to transfer light into heat?
- Would heat be developed by compression of
- 10. Can you give me examples showing that mechanical motion causes sensible heat?
- 11. What do you understand by combustion of a body?
- What other causes of sensible heat do you 12. know?
- 13. What is the unit of our length measure?

When Ordering Use Attached Coupon Price, 75 Cents.

SPANGENBERG'S Practical Arithmetic: SELF TAUGHT

228 pages. A plain, easily understood manual, not intended for children, but for those who have not had the benefit of early schooling or who have forgotten what they knew of arithmetic. Does not require explanations in order to be understood. Will enable the learner to make all necessary calculations and solve the problems required in industrial pursuits and trades.

WHEN ORDERING USE COUPON ATTACHED

Price, 50 Cents

SPECIAL OFFER: The above 3 books on receipt of \$4.00


REFUNDED YOUR MONEY

if any of the above books are not all we claim for them and satisfactory in every way. As the edition is limited, kindly fill out and send in the attached coupon to-day. If your purchase is not perfectly satisfactory re-turn it within ten days at our expense and get your money back.

Agents Wanted everywhere; write for terms, commissions and club rates. Will be sent prepaid to say address upon receipt of price.

GEO. A. IEILER BOOK CO. Hr. Street. Farne and Guy grate





NO FROZEN CYLINDERS TO REPLACE
WATER TO BOTHER OR CARRY

恭恭

WE GUARANTEE PERFECT COOLING

TWO HORSE POWER AIR COOLED. SHIPPED READY TO RUN AND RUNS WHEN YOU'RE READY

This Engine and Pumping Jack make the most simple pumping power plant on earth. Almost as cheap as a windmill and far better. Where a windmill is in use this outfit can be attached and used when most wanted, when it is hot and dry and the wind don't blow. Can be used for separating, churning, cutting, feed, etc., etc., when not pumping. Just the outfit for Summer Homes, Resorts, etc. Write for free catalogue and particulars of our FREE TRIAL OFFER. We will tell you how to get one for \$15.00. DO IT NOW. WE HAVE A FINE AGENCY PROPOSITION AND WANT GOOD, LIVE AGENTS.

DES MO!NES GAS ENGINE AND ELECTRIC CO., 415 Tacoma Bldg., CHICAGO

Bill" THIS IS "BROTHER" BILLBAL THE BOLL ANCED PUNCK JACK

and

ABSOLUTELY FREE! Without Money-Without Price READ! READ! READ!



We are determined to secure 100,000 more users of our WONDER-FUL BLUING, and to do it immediately. We have fully decided to make this unheard of offer. Here it is: To sell only 18 packages of our WONDERFUL BLUING at 10c. a package. When sold send us the \$1.80 you get for the bluing and we will send you abso-FREE lutely THIS ELEGANT COO COO CLOCK, guaranteed by the maker for 5 years. A perfect time keeper; an ornament to any home. We allow 30 days

to sell the bluing and return the money. Where cash accompanies the order we will put in 5 extra packages of bluing or we will send you a handsome STICK OR HAT PIN for the BOY OR GIRL. When cash is sent with order we ship the clock and bluing by express the same day. Do not lay this aside. Order today. This may not appear again. DEPT. C. BUFFALO CHEMICAL CO., Buffalo, N. Y.

Rodman to Civil Engineer

HEN Harry W. Claybaugh, of Uniontown, Pa., enrolled for the Civil Engineering Course in the International Correspondence Schools, he was employed as a rodman on a surveying corps. His salary averaged about \$20 a month. Through the knowledge gained in

the Course, he is now a member of the firm of George Whyel & Co., civil and mining engineers. His income is six times as large as before.

The story of Mr. Claybaugh's success is similar to that of thousands of other ambitious people who, desiring to better their condition, have

used the I. C. S. as the medium to increase their income. What we have done for others we can do for you if you will devote a little of your spare time to our training.

a little of your spare time to our training.
We teach all branches of Engineering;
Architecture; Mechanical Drafting; Bookkeeping; Stenography; Ad Writing, French,
German, and Spanish (with Edison
phonograph).

Write, stating which Course interests you.

International Correspondence Schools
Box 872, SCRANTON, PA.

POPULAR MECHANICS


Vol. 7. No. 5.

CHICAGO, MAY, 1905.

10 Cents a copy. \$1.00 a year.

Facsimile Writing at Long Distance

New French Apparatus Which Makes It Possible to Sign a Check Thousands of Miles Distant



Long Distance Electric Writing Machine

A man can sit in his room in a hotel in San Francisco and sign a check in New York, which the cashier of the bank there will honor, when the new device for long distance facsimile writing comes into general use. Not only can one send his own signature as rapidly as lightning flashes, but he can transmit an entire letter or legal document, all in his own unmistakable

00000 REE - 8

penmanship. All the eccentricities of his handwriting, the peculiar formation of certain letters, his special habit of dotting "i's" and crossing "t's" will appear with perfect accuracy at the further end of the line. Pictures also may be transmitted in the same way, and the escape of criminals will become more difficult than ever before. This remarkable instrument is the invention of a French

scientist, Professor Cerebotani. It will copy exactly the writing, drawing or marks made by a person holding the pencil of the transmitter. This wonderful instrument produces its complicated movements with only one wire.


Any curve may be drawn by the two movements made by the sender shown in If the pencil A is moved, either backward or forward, it propels the rod B, which transmits the current through C, this constitutes one movement. The other is the lateral movement which propels the rod D and sends the current through E. A hand operating the pencil is shown in Fig. 3. Fig. 2 shows the receiver and its connection with Fig. 1, the sender. The current from E, Fig. 1, produced by the lateral movement is transmitted to the clockwork, M, which propels the rod N and so moves the board, O, in a lateral position. In like manner the current, from C, Fig. 1, produced by a backward or forward movement is transmitted to the clockwork L, Fig. 2, and so produces the same movement there. inventor is now working on an apparatus which can be used either as a sender or a receiver.

HOW TO TELEPHONE FROM EVERY ROOM IN A RESIDENCE.

In a number of business places and some residences telephone connections making it possible to telephone from every room by the use of only two telephones have been established. In the walls of each room plugs connecting with the lead from the exchange to the residence are placed. A fixed telephone does the ringing for the whole house and another 'phone is carried by the occupants of the building to whatever part of the house they are engaged in. When the bell rings, the plug of the movable 'phone is placed in the one in the wall and the person talks just as well as if he had run down a flight of stairs or two.

IRON-BAND PAVEMENTS.

A new kind of pavement being tried in Germany is called "iron-band pavement," and consists of artificial stones of concrete held together by iron bands. Where there are street car lines, joining stones are laid along the rails, which insure less deterioration of the rails and easier motion of wheels of vehicles. The pavement is said to be very durable, cheap, easily made, free from dust and can be used again when torn up.



WIRELESS TELE-GRAPH POLE 212 FEET HIGH.

Los Angeles has a wireless telegraph pole which lifts its slender spire 212 ft. into the air, just 100 ft. higher than any other pole in the city. The tall pole has been a matter of popular interest and during its erection crowds gathered daily to watch the progress of the guying and the painting; the steeplejack who did the painting, appearing verv small, like a crawling insect, to the people watching below.

This pole is a part of the first station of a wireless line to be established between Los Angeles and Puget Sound.

PERILOUS PLACE TO SLEEP.

Tramps are not the only ones, it appears, who ride in dangerous places, out of sight under cars. Many theatrical companies traveling in their own cars, have been using the "tool boxes" suspended beneath the floor of the car as sleeping bunks for the stage hands and roustabouts. In these dangerous, cramped and coffin-like boxes, little more than a foot above the rails, the men spend a dusty, uncomfortable night. In case of a their location wreck means almost certain death. Some railroads are now refusing to haul cars used in this manner.

Hoisting Heavy Loads With Magnets

Mysterious Operation of An Invisible Power a Great Time Saver

A pile of pig iron lay rusting in the back yard of a great iron works. There were tons upon tons, each block of iron weighing several hundred pounds. Suddenly, and without any apparent reason, the arm of a crane swings over the mass, and a plain block of steel descends until it rests upon the top of the heap.

In an instant, like a sleeping army called to arms, the inert iron bars awake from their lethargy, and climbing over one another, each endeavoring to be first, cling to the steel block until there is no longer room for any more.


No human hand has touched the pile; no human form is visible; no explosion or earthquake has occurred to explain this strange behavior.

It is all simply the result of touching an electric button which set in operation the wierd, mysterious workings of a magnetic crane.


Could the intelligent workman of an hundred years ago have witnessed the scene, he would have had little choice between an exhibition of the supernatural and the belief that he had lost his mind.

And yet the scene described is rapidly becoming a familiar one in our large industrial iron works, in many of which not one, but a score of lifting magnets are in constant daily use. The operation, moreover, like many another wonder-producing effect, is extremely simple and easy to understand.

The block of steel which constitutes the



Sheet Iron Going Up



Lifting Baled Tin

magnet is suspended from the hook of the crane, and becomes magnetic or loses its power, when a direct current of electricity is allowed to energize the magnet, or is cut off.

A flexible twin conductor cable is used to convey the current to the magnet and a small switch operated by the crane man is usually the only additional apparatus necessary. The amount of current used is small, being from one to twelve amperes, according to the service for which the magnet is designed.

In operation, the magnet is lowered upon the material to be lifted, and the switch closed, thus causing the magnet to attract and hold the material, which may then be hoisted by the crane and transported to the desired point. By simply opening the switch the current is cut off, the lifting block loses its attracting power, and the material is instantly released, being deposited where the operator desires. The magnet will support its load in mid air for hours, and days and even endless years, if only the electric current continues to flow through the two small wires.

Comparing this method of operation with the common methods of connecting the load to the hook of the crane, with chains, hooks or clamps, the saving in both labor and time is apparent. The attachment of the magnet to the load, as well as the release of the load, may be accomplished by the crane operator without assistance, thus saving the labor of one or more men for prying up the material, attaching the hooks and chains

By Courtesy of the Electric Controller & Supply Co., Clerchard, O. Car Couplers

Machine Borings

at the point of loading and additional men at the point of delivery for unhooking the load from the crane.

Magnets can be so quickly attached to and detached from a load that by their use the work which may be done by a given crane is greatly increased, in some cases more than doubled. It frequently occurs that the attachment of lifting magnets to existing cranes so increases their capacity for handling material that the purchase of additional cranes for handling an increased output is rendered unnecessary.

Again, lifting magnets require much less head-room than hooks or chains for lifting material of considerable width such as plates. Therefore, by the use of magnets materials can be conveniently piled to a greater height in the storage space under a given crane than is possible when chains are used, thus increasing the capacity of a given storage space without altering the crane runway or increasing the size of the building.

Lifting magnets may be used to great advantage in handling pig iron, scrap, rivets, bolts, great sheets of steel, and countless metal articles of similar character. In the illustrations are shown a few of the many operations of the lifting magnets. In one pig iron is being raised, in another scraps of tin, in others scrap iron and similar material.

A single design of magnet is not adapted to handling the full range of material above mentioned, on the contrary the magnet must in every case be designed to meet the form of material to be handled. For instance, there is a wide difference in the design of a magnet for lifting ingots or blooms and one adapted to the handling of thin plate. A magnet which would handle five tons in the form of an ingot might not handle five hundred pounds in the form of thin plates. It is therefore necessary to understand in each case the operating conditions with special reference to the form and range of material to be handled.

Magnets are always built and tested to from four to five times the specified load, special testing machines being employed by the makers for the purpose. There are some forty types of magnets built for as many different kinds of work. The rapidity of the operation may be understood from a few sample tests. A magnet built to lift 800 lbs. of pig iron at one time performed the operations of lowering the magnet, attaching the load, raising, transferring and depositing it at the rate of one ton in three minutes.

For "skull-cracker" work, which consists in raising a ball weighing from one to six . tons and dropping it upon iron castings which are to be broken, the magnet system is a great saver of time, and the ball can be dropped with the same accuracy as an expert gunner on a battleship places his shot in a nearby target.

The evolution from the little red horseshoe magnet of childhood to the great silent-




Lifting Small Scrap Iron

ly working hoisting magnets which deal in tons, forms another example of how modern industries have adapted and and put to practical use principles which only a few years ago were confined to child's play or merely interesting experiments on a very small scale in the college lecture room.

Russia's sunken warships will be raised from the deep by three salvage steamers chartered at Antwerp by Japan. The steamers are equipped complete with modern wrecking machinery.

HOW TELEPHONES HELPED THE JAPA-NESE.

During the present war the attention of the world has been called to the remarkable ingenuity of the Japanese in adapting modern devices to their own particular needs. Among others the introduction of the telephone on to the field of battle is most noteworthy, as it has enabled a ruling head to control the movements of each division of an army when scattered over



Japanese Field Telephone at the Front on the Shaho

many miles of territory. Hitherto in warfare the general plan of attack was prearranged at a conference of the commander and chief with his subordinates. This plan they endeavored to carry out to the best of their ability, but oftentimes unforeseen circumstances would arise which rendered an immediate change of tactics necessary, and aid-de-camps and couriers were attached to the general's staff whose duty it was to convev his orders to one division or another whenever he deemed a change of plan advisable. In cases where the different commands were in close proximity this method was fairly satisfactory, but otherwise it was a slow and most dangerous practice,

and is quite inadequate to the requirements of modern warfare.


The Japanese army in its operations around Mukden was often distributed over many miles, and in some of the recent engagements their fighting line has extended to the extraordinary length of an hundred miles. Regardless of this their unity of action and concentration of efforts have been most conspicuous and they were possible only through their ingenious use of portable telephone apparatus. Whenever a detachment of the army entrenched the engineers followed, and setting up an instrument soon had instantaneous communication headquarters. By this means Field Marshal Oyama seated at the temporary "Central," was enabled to direct the movements of each division of his 450,000 men, distributed as they were, with quickness and precision. There could be no blundering on the part of incompetent subordinates acting on their own responsibilities through lack of definite orders. Oyama, so to speak, had them at his fingers' ends. Did a regiment need reinforcements to complete an operation; was it advisable to concentrate the strength of the army at a certain point in the enemy's line, the necessary commands were telephoned to the respective parties and the maneuvers quickly made. Contrast this with the want of unity among the Russian leaders and we need seek no further for an explanation of the present status of the war.

ANCIENT ROMANS DETERMINED OUR STANDARD RAILWAY GAUGE

Many persons no doubt have stood and looked down a railroad track and wondered how such an out of the way measurement as 4 ft. 81/2 in. came to be adopted as our standard railway gauge. It would seem that the responsibility for the choice of this measurement rests with George Stephenson, of locomotive fame. While inspecting some portions of the Roman wall through which chariots used to be driven, he discovered that deep ruts had been worn in the stone. Upon measuring the distance between them he found it to be in the neighborhood of 4 ft. 81/2 in., and not doubting that the Romans had adopted this gauge only after much experience, he determined to use it as a standard in the construction of his railroads. From that time on this measurement has been the standard gauge in England and the United States.

Mining Coal With Compressed Air

New Radial Machine Which Will Cut a Channel in Any Direction



Courtesy Ingersoll-Sergeant Drill Ca.

The Radial Coal Cutter

Seated comfortably on a low stool, and directing its operations very much as the sighter directs those of a Gattling gun, the operator of the latest type of pneumatic coal cutter accomplishes the work of many men, without any weariness whatever to himself. There is as much difference between the old, painful way of excavating with a pick a seam of coal until ready for a "fall," and the machine work with compressed air as power, as there is between the efforts of the ordinary citizen trying to set up a stove pipe or having it done by a furnace man.

The machine coal cutter is a small engine which can be set in any position desired, using air instead of steam, and which drives a drill or chisel-shaped tool into the coal at the rate of several hundred blows per minute.


As an undercutting machine it is adapted

for undercutting headings to any desired depth at a single setting. It will also shear either one or both of the sides of an entry, from the floor of the mine to the roof, to any desired depth at one setting. The cut made is 8 ft. in depth and diminishes from a width of 4½ in, at the face to about 2 in, at the bottom. In the illustration the machine is cutting a vertical shear, the point where the drill strikes being frequently changed by turning the small crank shown. The hose-pipe conveys the supply of compressed air which comes from a compressor. The workman at the right is cleaning out an undercut.

Thirty-one of England's old battleships, the original cost of which was \$15,000,000, have been sold at auction for \$680,000. The vessels cannot be sold to a foreign power, according to the terms of the sale.

CHIMNEY BUILDING FROM A DERRICK IN CANADA.

The accompanying engraving is from a photograph of a brick chimney erected by R. Corrick & Sons, for the new plant of the Sarnia Gas and Electric Light Co. The chimney is of red brick, built on a concrete



Building a Chimney From a

foundation 9 ft. deep by 17 ft. square, and is 12 ft. 6 in. square at the base and continues the same form and dimension to a height of 28 ft. Above that it is of octagonal form 97 ft. high, with an outside diameter at the top of 11 ft. and finished with a cement cap, making the total height from foundation, 125 ft. It is provided with a double wall to the height of 74 ft. 10 in.; 28 ft. of which is of fire brick, and the balance of ordinary brick, between which and the outside wall there is ample air space. The inside diameter is practically 61/2 ft. throughout the entire height. The derrick, as seen in the photograph, was built its entire height before the chimney was commenced, and all material was hoisted up inside it. It is one of the largest chimneys of its kind in Western Ontario.—Contributed by A. E. Kaiser, Sarnia, Canada.

WILL THE MISSISSIPPI BE HARNESSED?

A bill has been introduced into Congress granting a franchise by which a company will have the power to do with the Mississippi what has already been done at Niagara. Should this bill pass it is the intention of the men interested to build a large dam across that river between Keokuk, Iowa and Hamilton, Ill., and construct an enormous power plant which will develop a much larger horsepower than that obtained from the present plant at Niagara Falls. This plant with the dam is expected to cost in the neighborhood of \$6,000,000 and will provide power for all towns within a radius of sixty miles. The dam, when built, will be nearly 5,000 ft. long and 35 ft. high and will be in complete control of the United States government.

JAPANESE JINRICKSHAS MADE IN AMERICA.

It is not generally known that the jinricksha, the national vehicle of Japan, is manufactured in the United States and shipped in
large quantities to the East. But so it is,
and by constant redesigning and the application of various modern improvements the
jinricksha has become in detail at least more
American than Japanese. The vehicles are
very light, being made for the most part of
wood with wheels of steel tubing, many of
which are equipped with rubber tires. Jinrickshas, though generally considered peculiarly a Japanese carriage, are also used in
somewhat modified forms in China, South
Africa and the Philippinė Islands.

RAZORS MADE OF COPPER.


The remarkable claim is made of the discovery by a Nova Scotia blacksmith, of a process for hardening copper to such a degree that it will take an edge sufficient to be used as a razor.

American Consul Halloway, at Halifax, writes: "A razor has been made of the hardened copper with which one can shave. Having been made in a blacksmith shop the razor is necessarily crude, but the blade is hard and carries a sufficiently sharp edge to remove superfluous hair. The inventor says he can harden copper to any desired degree of hardness."

PARCELS CARRIED BY STREET CARS.

Parcels are carried on the street cars in Manchester, England. The district covered has been divided into two districts, an inside zone including the city of Manchester, and an outside area including the suburbs; and parcels are delivered to all parts of the district covered at intervals not longer than The charges are as follows: 15 minutes Inside area, parcels not exceeding 14 lb., 4 cents; 28 lb., 6 cents; 56 lb., 8 cents; 112 For the outside area the lb., 12 cents prices for the same weights are, respectively, 6, 8, 12 and 16 cents. The "inside area" has a population of 800,000 people.


The "Caronia" Now the Largest Vessel in the World



S. S. "Caronia" Leaving Port on her First Trip

Standards of size in the big liners that ply the seas change rapidly. But a short time ago the "Baltic" was announced as the "largest vessel in the world;" before the "Baltic" the "Cedric" and the "Celtic" together held the palm; now all of these are eclipsed in size by the huge Cunarder "Caronia," which has recently made her maiden trip across the Atlantic from Liverpool to New York.

The "Caronia" is a twin-screw vessel 675 ft. long, 72 ft. 6 in. breadth, of 30,000 tons displacement and having a speed of 19 knots—two knots speedier than the "Baltic." She has eight continuous decks, on six of which passengers are carried. The vessel is handsomely fitted up and has accommodations for 2,650 passengers, which, with a crew of 450, make a total of 3,100 persons she is able to carry.



S. S. "Caronia" -- Deck Rises Upon Deck

In the construction of the vessel 12,000 tons of steel were used, a great number of the plates being 1½ in. thick, 32 ft. long and 5½ ft. wide and riveted with 1½ in. rivets, the riveting being done with hydraulic pressure. In all, 1,800,000 rivets were used.

The reciprocating engines used in the vessel are of great size and strength. The total height from the center of the shafts is 30 ft., and from the base of the bed plate 36 ft. The diameters of the respective cylinders are 39 in., $54\frac{1}{2}$ in., 77 in. and 110 in. The latter, with one exception, is the largest cylinder yet adopted for vertical engines. The stroke is 5 ft. 6 in., and the length of the connecting rods is 12 ft, between centers.

The two engines are separated by no longitudinal bulkhead and make an impressive appearance when running at 90 revolutions.


THE CAPE COD CANAL.

The building of the canal from Buzzards Bay to Massachusetts Bay will soon be under way. This canal will traverse a distance of 71-3 miles together with approaches aggregating 4½ miles and will occupy more than three years in building. It will be constructed by the Boston, Cape Cod & New York Canal Company.

HOW TO REPRODUCE PHOTOGRAPHS IN WATCH CASES.

Any workman accustomed to enameling can reproduce photographs on watch cases by following carefully the outlines of the process as given here.

Prepare the cap by coating with transparent frit so that it appears as if coated with transparent lacquer. The picture is produced by the "dusting in" or "powder" process. Take a good negative, the actual size the picture on the watch case is to be, and provide a piece of plate glass of suitable size. Rub the surface of the glass with powdered tale, but leave none of the powder on the glass. Prepare a solution composed of 60 gr. of pure, clean bits of gum arabic; 45 gr. glucose; 10 mm. glycerine; 30 gr. bichromate of potash; 2 oz. distilled water. Mix, warm and filter through muslin. Flow a film of this mixture evenly over the plate glass and dry it in the dark. Expose the film-covered surface of the glass under the negative for a length of time which must be ascertained by experiment. Then carefully protect the coated glass from the action of light and take it to a cellar or some other place where the air is moist and it can absorb moisture in proportion to the action of the light. All portions screened from the light receive the most moisture. and these portions will best take and hold any dry powder brushed over the surface.



Like the Stories of a Great Office Building

No dust will adhere where the light has acted in full force.

For the dust use dial painter's black. This is intensely black glass ground to a powder so fine it is impalpable. Brush it dry over the face of the print with a camel's hair brush. Remove all particles except those which are held by the tacky surface. Very beautiful and perfect positive pictures are produced in this way.

To transfer the picture to the cap of the watch flow a coating of tough collodion over the picture on the glass and allow it to dry. Then separate the collodion film from the glass and wash away the coat of gum and dextrine. Place the positive picture, collodion side out, on the watch case and heat the cap in a muffle. The collodion will burn away and the black enamel pigment will fuse and incorporate itself with the transparent glaze on the watch cap.

TORPEDO-BOAT DESTROYERS.

The torpedo-boat destroyer has made a great record in the present war. The Japan Times says: "The great service rendered by our torpedo-boat destroyers in the present war is almost incomparable, the successes attained in robbing the enemy of fully half of his moral and material strength in the very first engagement, in taking the principal part in the work of

maintaining the blockade, and in making themselves the ears and eyes, hands and feet of the great fleet, in carrying out the reconnoissances, orderly and intelligence services—all these being placed to their credit."

The Asahi says: "The destroyer is a parent-excelling child born of the torpedo-gunboat as father and the torpedo-boat as mother, and as a late comer in the field she has yet had no opportunity of showing her worth until the present war, which has proved her wonderful capacities."

TRAMWAY TRACKS 2,500 YEARS AGO.

The first railroad track was constructed by the Greeks as far back as 600 B. C., or 2,500 years ago. The tracks were constructed through the mountains on the road to the temple at Delphos and were to guide the wheels of the wagons bearing sacrifices and sacred vessels thither. Had an accident happened to the wagons en route it would have been an ill omen and a sign of the gods' displeasure, hence the tracks.

These tracks were two parallel grooves about 3 in. deep and 4 ft. 9 in. apart. The cart wheels traveled in the grooves which were cut with great precision. Parts of these tracks may still be seen in various localities in Greece.

MOTORCYCLES FOR MAIL COLLECTION IN BUDAPESTH.

Mail collection by motorcycle is declared by the Austrian minister of posts and telegraphs to be a success both as to time and money-saving.

The motorcycle shown in the engraving has a hood to protect the mail from the



Courtesy Austrian N inlister of Posts.

Postal Motor Tricycle

weather and as it is in tricycle form it is easily managed by one man.

These vehicles, of which twenty-two were first installed, cost \$380 each. The twenty-two tricycles make about 93,205 miles a year. The cost, as compared to the method of horse and wagon collection, shows a marked saving, and the gain in time is considerable.

The ministry has decided to further enlarge the service by increasing the number of both tricycle and quadricycle machines.

The collectors are required to clean their own machines, but repairs are conducted by skilled men employed by the department.

"POP" ALL YOUR LIFE FOR \$10.

In response to several inquiries for the price of a life subscription to Popular Mechanics, the publishers announce the following liberal offer: On receipt of \$10 we will send this magazine to any person for the remainder of his life. The address can be changed as often as desired.

A life subscription makes a very acceptable present to any one.


HOW COTTON UNDERWEAR IS KNIT.

Modern machinery nowadays enters into nearly every department of the making of cotton underwear, from the winding of the yarn upon cones to the actual knitting of the goods and the cutting of the finished cloth. The yarn arrives at the knitting mills in car loads and is stored in a house built especially for the purpose. If not already on cones it is taken to the large winding machines and placed in charge of an operator who is capable of handling forty cones. The yarn is then ready for the knitting machines, one operator being in charge of four machines.

These kniting machines are almost human in their activities, 800 to 1,000 needles working at once from eight to sixteen bobbins and automatically changing the style of the work as it knits a cuff and then the full width of the sleeve. It is a system of both horizontal and perpendicular needles. Some of the machines are used for the knitting of sleeves and others knit the cloth for the body of the garment. The machines can be so adjusted as to knit either union suits or separate piece suits and the same machines are gauged to the many different sizes of all



Where Parts of Garments are Assembled and Seamed



Automatic Knitting Machines

garments. The cloth comes from these machines in a long seamless webb. In one of the accompanying photographs fifty knitting machines are shown.


After the cloth comes from these machines it next goes to a reversing machine at which the long strips are turned inside out ready for the fleece lining process, which is accomplished by means of two kinds of rollers alternated, one of wires laid slanting and others standing straight. Some of the finer grades of goods are not fleeced. There is a reversing machine for the sleeves and another for the body of the garment.

The long webbs of cloth are next cut up into the parts for separate garments by means of an electrical machine which will cut twenty-four thicknesses at one time. There are some kinds of garments, however, which have to be cut by hand. Once cut into the desired lengths they go to the sewing machine girls who put them together, after which the seams are smoothed out by machinery. The garment is now ready for the finishing touches such as the crocheting of the edges, the making of the button holes and the sewing on of the buttons. The subsequent operation of pressing is done upon a large machine equipped with successive iron plates which in some instances are heated and in others are not.

"Shop Notes for 1905" will interest you. Contains kinks for every craft. Price 50c.

FRENCH CRANE AND LADLE.

A French builder has constructed a new type of combined locomotive, crane and ladle for use in a Bessemer plant. The power is steam generated in two upright boilers on the car. One set of cylinders



Ladle Crane for Steel Works

propel the car; another set work the crane through the medium of hydraulic power. Two men are necessary to the operation of the machine, one to run the car and one to operate the crane and ladle.

Diamonds, a great wealth of them, may be hidden in that part of Canada between the Great Lakes and Hudson Bay, declares Dr. Ami of the Canadian geological survey. Surveying parties and explorers are instructed to be on the look-out for any traces of the gems.


KITE FLYING FOR BUSINESS, PLEASURE AND LIFE-SAVING.

Day and Night Sky Signs—Handbills Distributed in Mid-Air—Progress of the Art

By Edward E. Harbert

Kite flying is no longer boy's play; it is a business; and a business in which the compensation is not only dollars, but precious human lives.

I was an electrician in Chicago at the time I first began to study kites and their operation, and was led to do so on account of the numerous skyscrapers. For many years I ran wires for telegraph and other purposes in all parts of the business district. It was hard enough work at any time, but when



Harbert and His Kite

the fifteen and twenty-story skyscrapers sprung up, our difficulties were immediately multiplied. One day after all other means had failed to get a wire between two very inaccessible points, I rigged a kite and in a few minutes accomplished what ten hours hard and extremely dangerous work had failed to accomplish. After that I used kites right along, and became so interested in their possibilities I finally devoted my entire time to the work.

The kite subject commanded almost as much interest at the St. Louis fair as the balloons although the press of the country paid little attention to the contests. In this connection it is interesting to note that the first and second cash prizes for kite work

were awarded to one other mechanic and myself against the "professonal" kite fliers, men whose names are well known in this and other aerial work. In one of my demonstrations there I maintained for longer than the specified time, a kite at an angle of 43 deg., with 1,500 feet elevation.

After experimenting with all the many types of kites I prefer a flat kite, something like the Malay, of a size 6 ft, high and 6 ft. wide, and without a tail. This shape kite can be worked tailless by making two pockets with holes in each, and placing one on both sides of the backbone and above the cross-stick. The covering I prefer is nearsilk, but any similar material will The kite complete, including the two sticks, weighs only 1 lb., and is collapsible, folding into a space 3 ft. long and 3 ft. wide. One of these kites will, in only a light wind, carry up a ball of strong cord 1.500 ft. long, which can be dropped at any desired moment over a point 2,000 ft. distant from the kite operator. I have repeatedly demonstrated the effectiveness of this device (see Fig. 1) as a means of carrying a line from a lake steamer to the shore.

For heavier work fly your kites in tandem at distances of 500 ft. apart. With five such kites in tandem, and using a correspondingly heavy kite line, a body weighing 60 lbs. can be carried to a height of one mile and maintained there as long as the wind holds. For this work a securely anchored windlass is necessary to let out and take in the kite line which must be the size of a small clothes line.

I believe the time will come when every vessel and every life-saving station will be supplied with a kite outfit for passing a line between the shore and stranded vessel. Usually in near shore wrecks the wind is toward the land, making it very easy to carry a cord to shore, which establishes connection between the two. A heavier line and finally a life line can then be drawn to the vessel. If the wind is off shore the same result can be had, but requires a little more time, as a vessel a half-mile out is a comparatively small mark in a gale; but it can be done.

The commercial side of the work lies at present more in the nature of sky signs, which are becoming more general each year. A bright banner 30 to 50 feet long, floated a thousand feet or more above a place of business, and announcing special sales, openings, etc., never fails to attract attention. The air is free, there is abundance of room, and the expense is not great. In some cities

professional kite fliers are making time contracts for this work, the charges being so much per hour while the banner is in suspension. For night work specially built searchlights are used to "spot" the banners, thus bringing the words out in bold relief.

A recent novelty is the wholesale distribution of hand bills or circulars which are sent




Fig. 1.-Two Views: Upper Closed; Lower Open and Ball Released. Device is Fastened on Line Near Kite.

up and released where and as often as desired. The distance these announcements will travel when dropped from a height of a thousand or more feet is surprising. The same apparatus by which this is done can be used to work the shutter of a camera. The device is very simple and will, I think, be understood from the illustration, and can easily be made by anyone.

There are two ways to release in mid-air. In Fig. 1 two views are shown of the same device. The upper view shows a device to




Fig. 2.-Tripping Mechanism of the "Traveler." This is a Part of the Device (but without the Wings) Shown in Fig. 3.

be fastened to the kite by giving the kite line a turn around the two buttons. device should be attached when say from 200 to 500 ft. of the kite line has been let out. The sketch shows the manner of attaching something to be released later on. A ball of twine for instance, such as would be used in flying a line from ship to shore. In the sketch the size of the ball is made very much smaller in proportion in order to leave room to show the arrangement. In the lower part of Fig. 1, the wire has been released, the ball has dropped, unwinding as it fell, and one end remains fastened to the device which is in turn fastened on the kite line. Instead of a ball of twine a package of bills could be hung and released in the same way

The release is effected by a "traveller" or




Fig. 3--The "Traveler." Wings as Open to Ascend on Kite Line; Wings as Closed to Return to Operator.

trolley shown in Fig. 2 and Fig. 3, which runs on the kite line suspended from the two small grooved wheels shown in Fig. 2. The two wings carry the traveller up until it strikes the trip in Fig. 1, when it releases the burden carried by Fig. 1, and at the same time works the trip in Fig. 2. This allows Fig. 2 to drop anything which it may carry, and also lets the two wings close on their hinges, when the traveler, no longer offering any resistance to the wind, slides down the kite line to the operator. It can then be

loaded and sent aloft, the operation being repeated indefinitely.

The traveler as well as the device shown in Fig. 1 is made of light wood and pieces of ordinarily stiff steel wire which anyone can bend with a pair of pincers.

As an outdoor recreation, kite flying is one of the most fascinating and inexpensive of sports, and when once a person takes it up he is surprised to find how much there is to it, and how great are its possibilities.

THE ENGINEER'S CAB ON SOME EURO-PEAN RAILWAY LINES.

The American engineer in his cosy cab, protected from the fierce elements and sufficiently comfortable that his mind need not dwell on the requirements of his body, but




"Engineer and Stoker are Exposed to the Lashing Rain"

is free to concentrate itself on the control of his iron steed, the perspective of glimmering rails ahead, and the signals he must watch for, is far better off than many of his brother engineers on European lines. The illustration shows the cab of a locomotive which hauls a fast express between Calais and Paris, France. Only in recent years has the protection for stoker and engineer been even so much as shown. As it is they are exposed to the lashing rain and sleet. The other occupants of the cab are Prince Ferdinand of Bulgaria, and M. Morizot, the chief engineer of the line.

The potter's wheel is probably the most ancient of mechanical devices. In China and Japan a simple form, differing but little from that used in Egypt 4,000 years ago, is still used for shaping porcelain ware.

NEW FRENCH CRUISER OF 40,000 HORSE-POWER.

There will soon be launched in the shipyards at St. Nazaire, France, the French armored cruiser "Ernest Renan." Though the length and displacement of this vessel is but little in excess of many of the cruiser type now being built here and abroad, its horsepower is enormous, indicating 40,000. The ship is 515 ft. long, 72-ft. beam, with a draught of 27 ft. and a displacement of 13,644 tons. The armor belt is 121/4 ft. wide and 6% in. in thickness, and the ship is designed for a coal capacity of 2,300 tons. A comparison with our own cruiser Washington, the keel of which was laid in 1903, will be instructive. This vessel is 502 ft. in length, 73-ft. beam, with a draught of 261/2 ft., and a displacement of 14,500 tons, but its coal capacity will not exceed two thousand tons and it will indicate only 23,000 horsepower.



This Cruiser Has 40,000 Horsepower

Motor Iceboating The Coming Winter Sport

Wpeed of 100 Miles and More an Hour-New and Exciting Sport for Winter Months to Replace Autos and Launches



This Boat Made Over 40 Miles an Hour

Over the frozen waters of the lake it speeds-the wonderful iceboat of the winter of 1905-06. It started from the shore with a careful calculating motion, as though it would measure the course whereon its powers were to be displayed. With a gliding spring it rose easily over the bumps and ridges of ice near the shore and then, with a sudden acceleration of speed, made its way out on the glittering, fascinating sea of glass. Faster and faster it goes, and its course is as steady as the flight of a homing dove. A giddy ice-yacht with a cumbersome spread of sails is just ahead, and its course is uncertain, depending on the freak of the wind, but the iceboat, under perfect control, steers clear of the yacht, and flies past like a meteor impelled of some celestial sphere. The occupants of the two vessels call out a gay greeting, but the iceboat is gone so quickly that only the wind catches the full intent of the words. From a speed of 40 miles the number has increased to 50-75-and even 90 miles an hour. The eyes of the driver are fixed on the little mechanism that records the speed. Steadily-surely-it increases, until at last the little indicator has reached the 100-mile point and remains there without a flicker.


Undoubtedly, iceboating is the coming winter sport. During the past winter hardly a man or boy, near a frozen body of water of any size, in either this country or Canada, who did not try to rig up and use some form of ice-craft. Many of these were successful, and the records made on the northern lakes and rivers with ice-yachts were surprising. Now, however, comes the motor iceboat, the invention of F. M. Underwood, of Toledo, Ohio, and promises to eclipse all precedent in the sport. The experiments were taken up too late to be carried out entire during the past winter, but the first boat successfully constructed made a speed of 40 miles an hour, demonstrating that the principles were alright and that, with some changes and greater power, a boat capable of making 100 miles an hour was easily possible.

The craft illustrated was not completed until late this spring and only a few opportunities to use it were possible before the ice on Lake Erie became unsafe. This was a great disappointment and Commodore Underwood (for he is commodore of the Toledo Yacht Club) is impatiently waiting the return of another winter. The boat is 12 ft. long, 40 in, wide at the bow, tapering to a sharp point at the stern. The runners are sheet steel. The steering runner is controlled by a tiller and works the same as on a sail boat. The sheet steel or dashboard is to protect the machinery and passengers from deadly blows from pieces of ice which fly up from time to time, for meeting a nice bright chunk of ice at 40 miles an hour is not at all desirable. The engine is set cross-wise in the boat instead of the line shaft running fore and aft as in a propeller launch. The driving wheel is of steel, 36 in. in diameter, with 12 spokes, the face of the wheel being 2 in., set with 96 sharp pointed spikes 1 in. high. These spikes are not placed directly opposite each other, but are "staggered," which gives a better hold. The driving wheel is hung in a V-shaped frame, the two open ends being hinged securely at a point opposite the engine shaft. The other ends unite and are fastened to a strong vertical spring which holds the wheel firmly to the ice, but at the same time is sufficiently yielding to allow the driver to ride over reasonably large obstructions without danger of breaking it or upsetting the boat. The locking lever operates a clutch, which throws the driving chain in and out of action at will.

The entire construction will be so readily understood from the above description and the illustration that our readers will have no difficulty in constructing a motor ice-boat in good season for next winter, and those who already own either an auto or a small launch can remove their engines from the summer service and install the same power in a winter craft.

The new boat now under construction will differ from the other in that it will have two drive wheels, one on each side, and be equipped with a four-cylinder 10-h.p. gasoline engine. Power will be transmitted by a regular automobile chain and an automatic spring on the runners will cause them to raise, should the boat strike an open sheet of water or weak ice, without the attention of the driver. The boat will thus ride over the spot without injury to either machine or occupants.

Gravel Pumped Like Water



This Plant Will Lift 100 Yards of Gravel a Day

Pumping gravel like water through a large iron pipe may seem a strange and unique proceeding, but this is what is actually being done in certain districts in Indiana. Great difficulty has always been experienced in obtaining gravel from river beds for use in road building, but the new method promises to put an end to this. A six-inch pump is used, driven by a 15 h. p. engine, and three men are necessary for its operation. A plant of this kind has a capacity of lifting over 100 yards of gravel a day.

Remarkable Success of the Cleveland Rolling Road


A moving roadway ascending a steep hill at the rate of four miles an hour and bearing with it heavily laden teams and vehicles of all kinds, is the sight which now greets the astonished visitor to Cleveland, Ohio. Moving sidewalks have been much talked of and experimented with, but it has remained for engineers of that city to successfully apply the principles of their construction to a roadway and put it into every day use.

This rolling road, as it is called, is 420 ft. long and rises 65 ft. in that distance, the ground traversed being a steep incline in Factory street hitherto shunned by all teamsters because of the difficulties of its ascent. But these have now been overcome by this novel invention. The heaviest loads are driven on to the rolling road at its lower end, the huge belt is set in motion, and in three minutes the team has reached the top of the hill without any effort on the part of the horses.

The roadway consists of a long moving platform eight feet wide made up of heavy boards arranged crosswise and divided into trucks of two boards each to give pliability to the structure. These boards are metal bound and are fastened together with metal links. The belt so formed is extremely heavy, weighing 99 tons, and turns upon a drum at each end rotated by means of chains and sprockets, there being several idlers to support the roadway as it returns on the underside. Two safety cables extend the entire length of the belt and at short intervals links pass up through the road from them to which the wagons are clamped to prevent their slipping. road is operated by four electric motors controlled from a cabin at the summit.

The rolling road is equipped with sufficient power to carry all the wagons which can be driven upon it at one time and its average daily capacity is estimated at 600 vehicles per day. The charge for transportation varies from ten to twenty-five cents per trip, depending upon the kind of vehicle and the loading, and as the use of the road means a saving of fully fifty minutes in time to the teams of the surrounding warehouses it will not want for patronage. Passengers are also carried at the rate of two cents per person.

This roadway has proved so great a suc-




Easy to Mount the Steep Grade

cess that Col. Isaac Smead is now engaged in designing a more elaborate structure which will be operated over a viaduct specially constructed for the purpose in another hilly street in Cleveland.

An electric elevator is soon to be installed in the grand Cathedral at Berlin, for the exclusive use of the German emperor. An elevator in a church is quite unusual, but a private elevator is even more of a novelty.

GUNPOWDER VAN USED IN ENGLAND.

In conveying gunpowder and other explosives the great risk assumed by the railway makes it imperative that the means of conveying it be perfectly adapted to the purpose. Our illustration shows a 7-ton gunpowder van, which the Locomotive Magazine, London, says is used on the North British Railway.



For Conveying Gunpowder


The inside dimensions of the car are length, 15 ft. 8 in.; width, 7 ft. 1½ in.; height 6 ft. 3% in.; the wheelbase is 9 ft. and the distance from the rails to body is 3 ft. 1 in. The underframe and axles are of steel, the wheels of wrought-iron and the body and roof are built of mild steel plates, angles and tees. Inside, the body is wood, cased with yellow pine boards. These are secured with brass screws without projections. To a height of 2 ft. above the floor the doors, sides and ends are lined with lead sheets fastened with flat-headed copper nails to the wood casing, all joints being soldered.

The locks, hinges and bottom fastenings of the doors are of brass and the hinges and socket for the top door fastening are secured with brass bolts. Thus no iron or steel part comes in contact with any other part made of these metals and wherever iron or steel work comes in contact with wood it is well coated with white lead oil paint. Thus there is hardly a chance by which a spark of fire could be emitted by friction. The van is painted vermilion, varnished, has no ventilators and is absolutely dust-proof.

SELF-PROPELLED RAILWAY PASSENGER COACHES.

Single passenger coaches speeding across our prairies and hills, from city to city and supplanting the arrogant locomotive almost entirely for local passenger service, may be the next great innovation in railway motive power departments. Railway engineers all over the country are turning their attention to the possibilities of the internal combustion motor for directly driving passenger coaches and thus doing away with locomotive, smoke and dirty coal tender, and meaning as well a reduction in labor.

A passenger coach designed along these lines and directly driven by a gasoline motor has been built at the Omaha shops of the Union Pacific railroad and will be used for local passenger service at Portland, Ore. This is the first serious test of the kind The coach, which has seating capacity for 25 persons, is mounted on specially designed trucks, having 42-in, wheels and the construction of the whole is very strong. The roof is fitted with ventilators and the floor is watertight, so that it can be flooded and cleaned readily. Acetylene gas is used for illumination, and an acetylene headlight is




Requires No Locomotive

mounted at the front of the car. The coach is shaped to offer the least resistance possible. The car is heated by a system of piping which is arranged to cool the jacket water of the motor also. The motor supplies power for a speed of 40 miles an hour. Compressed air is used for starting the car, handling the brakes, opening and shutting the doors and lowering and raising the step from the driver's compartment. This step arrangement keeps passengers from alighting before the car has stopped and so prevents accidents.

"Auxetophone" Makes Open-Air Concerts With the Gramophone Possible

Before the summer is over, the people who throng to our parks and summer pleasure resorts of evenings may be privileged to hear the voices of all the great singers of the world and the finest orchestral productions, as well as the voices and words of many great and distinguished persons they may never chance to see. All this is to be brought about—not by the much maligned

magnet as indicated, is connected directly with the gridiron, and so the air emission varies with the vibration the gridiron receives from the contact of the needle on the record. The apparatus is very simple and, it is said, wholly successful. A library of the voices of famous people is being made up by the controlling company and will be offered to the British Museum.



"This Attachment Enables the Gramophone to Sound as Loud as a Full Brass Band."

phonograph—but by the gramophone fitted up with a special attachment called an "auxetophone" which increases the volume of the gramophone and enables it to sound as loud as a full brass band in the open air, says the Illustrated London News.

The auxetophone is the invention of the Hon. Charles Parsons and consists of a "gridiron" or "comb" which is attached at the small end of the tapered arm of the trumpet. Air is forced by a pump or motor through an open tube, A, extending from the gridiron and passes through some wadding. The emission of this air from the ridiron is controlled by a row of slots exactly in front of which the gridiron is placed. The needle, C, which is held in place by a

HOW SPIRIT PORTRAITS ARE PAINTED BY GHOSTS.

A recent exposé of fraudulent spiritualistic mediums brought out the interesting details of the process by which "ghosts" paint "spirit portraits."


The patron or "sitter" who desires to have painted the portrait of a departed friend is received in the sitting room on an upper floor; on the floor below is stationed the ghost—an expert photographer. A photograph of the dead person is given by the sitter to the first medium, who wraps it in several folds of tissue paper—so there will be no chance of fraud—and passes it over her brow. As she does so a series of raps

begins to sound on the table near the second medium. These raps are made by the thumb nail of the second medium, but the sitter cannot detect it. Naturally the sitter turns to No. 2, who declares she is in communication with the spirit and tells the sitter to put his hands on the table to establish the current. The duty of No. 2 now is to hold the sitter's attention. While No. 2 is thus engaged No. 1 drops the photograph through a slit in the floor near her, to the "ghost" below. The "ghost" makes a negative of the photo, rewraps it in the tissue and passes it back to the medium. It is done in less than two minutes. There are more messages and finally the spirit-the model of the painting-is there. Through the medium the spirit bids the sitter come again Thursday as he cannot get into communication at the present time.

In the interval between the next sitting the "ghost" makes an enlargement of the photograph on sensitized canvas, paints it over and also makes ready a blank canvas exactly like the canvas on which the portrait is made.

When the sitter comes back communication with the spirit is again established. The blank canvas wrapped in tissue paper is set up in the window. Medium No. 2 again holds the sitter's attention with fraud messages, and while she does No. 1 substitutes the completed portrait for the blank canvas. When the sitter turns the painting shows dimly through the folds of tissue. Again and again No. 2 holds his attention by conversing with the spirit—and each time he turns the picture shows brighter-successive layers of tissue having been torn off in the meantime by No. 1. At last all the remaining paper is torn off and there is revealed a perfect portrait of a spirit painted by a spirit. Of course the sitter is willing enough to pay a good price for such a wonderful manifestation.

Warships Converted Into Gay Floating Hotels



The Transformed Battleships Would Look Like This

Floating hotels—a whole flotilla of them—decked with gay streamers, fitted up with every accommodation that would appeal to lovers of the deep and anchored in the beautiful Kyles of Bute. This is the picture conjured up by an English artist who has suggested to the British admiralty the plan of converting their disabled battleships into floating hotels, and so create a new,

and in all probability, profitable source of revenue, instead of selling the ships for a nominal sum.

The artist suggests converting the fighting top into a band stand, training vines up the masts and many other attractive features. The plan would afford a delightful means of spending a summer outing and would doubtless be highly popular.

Machine for Writing Shorthand

French Invention Which May Revolutionize Present System of Learning Shorthand

Shorthand can now be written on a machine. For many years there have been attempts made to construct a machine for this purpose, and while several inventions have been made and put upon trial they have not come into general use. However, a Frenchman, M. Bivort by name, has recently brought out a machine which he calls the stenophile and which promises to be of the greatest value, inasmuch as it is capable of practical use for all business purposes and is qualified to supplant the present method of writing shorthand by hand.

Recognizing the necessity of having a rational alphabet which would contain the greatest number of sounds in the fewest signs, M. Bivort has designed an alphabet in which all similar consonant sounds are consolidated, and has constructed a system of syllabic writing by means of which the operator is enabled to attain the speed of shorthand writers of to-day. Following the phonetic principles used in present systems he has combined several of the consonants, such as B and P, F and V, T and D, etc., thus reducing the number of keys necessary to twenty, ten for each hand. There are two intermediate keys, one for the aspirate H. while the other moves the paper forward. An accessory key moves the carriage for the writing of numbers and signs much on the order of the upper case key in the single keyboard typewriters. In appearance and general plan of construction the stenophile is very similar to a small typewriter, but the arrangement for holding and feeding the paper is manifestly different, it being placed on the machine in a large roll and gradually unwound from one spool to another.

The speed of the machine rests, of course, upon the skill of the operator, but however rapid the action the legibility of the writing is unimpaired. It is claimed that with a week's practice an average pupil can write fifty words a minute from dictation, and that at the end of two or three months he will easily attain a speed of from 125 to 150 words a minute, the speed of the competent business stenographer of to-day.

One of the greatest difficulties with shorthand as now written is that the writer is usually the only one capable of reading his notes, and if he is hard pressed the rapidity of his writing distorts the characters so much that he himself often experiences difficulty in their transcription. By the use of the stenophile this difficulty is removed. The characters as written are constant in form and are easily transcribed by all who understand the basis of the system, so that one person may be employed in doing noth-



Taking Notes in Shorthand by Machine

ing but taking speeches or letters, as the case may be, and others in transcribing them.

The stenophile so far has only been applied to the French language, but it is easily applicable to all others, and we may expect to see it introduced into business houses all over the world as a companion to the typewriter in the near future.


PRESIDENT TO USE WIRELESS ON HUNTING TRIP.

President Roosevelt, while on his hunting trip in Colorado will keep in touch wth Secretary Loeb and his official staff at Glenwood, Col., by means of wireless telegraphy. Two expert signal service corps telegraph operators will accompany the hunting party. The field outfit will be conveyed by an army automobile as far as possible and then transferred to the backs of horses.

GRAVEL ELEVATING AND SCREENING MACHINE.

For handling gravel the outfit shown in the illustration is most efficient. It digs the sand and gravel from the loose bank, elevates and screens it so as to give two products, casting all large stones or tailings off on the ground beside it.

The outfit consists of an elevator and



Elevates and Screens Gravel

revolving screen mounted on a flat car. The elevator is composed of buckets mounted on an endless chain. It is placed to one side of the car and extends 2 in, below the track level and projects 6 in. in front In operation the car is run of the car. directly to the face of the bank and a man stationed at the top of the bank can easily keep the elevator supplied with the loose material. The gravel is spouted from the elevator to the revolving screen in the center of the car, where the smallest of it falls through a fine wire screen, thus separating the sand. This screen is set at an angle and all that will not pass through it falls by gravity to a second wire screen of larger mesh. The gravel passes through this screen and the tailings fall over the end and are spouted to the ground.

The sand and gravel are discharged by belt conveyers from the machine into two dump cars placed alongside. The machine is driven by steam power generated on the car.

We want one live representative in every manufacturing plant in the United States and Canada, and pay very liberally. Write for full details of what others are doing. We believe you will be surprised to learn how much money you can earn during noon hours.

A 10 10 10

AERIAL YACHT DUMONT'S LATEST.

"My aerial yacht," says Santos-Dumont, "will soon start on its first cruise. Beneath the egg-shaped balloon, slightly less elongated than my No. 9, will be seen hanging what looks like a little house with a balcony window running half its length on each side. The balcony window will be the observation room of the floating house, and in it the motor will have place. Behind it is a closed sleeping room, while in front you will see an open platform holding the steam producing boiler. Steam can also be led by means of a pipe to the open room for cooking and the closed room for heating purposes.

"As the floating house is designed to remain for days at a time in the air, protection from cold may become important; therefore the closed room can be made quite tight to retain the heat. It is like a whole car composed of a framework of pipe, aluminum and wire tightly covered with varnished balloon silk of many thicknesses. It will contain two cot beds, in which my guests may remain at ease."

Santos-Dumont foretells that the airship will be a successful opponent of the submarine boat.

\$350 OFFERED IN PRIZES.

Many of our readers will be interested in the handsome prize offers made by the Engineering News Publishing Co., 220 Broadway, New York, for the two best papers on the "Manufacture of Concrete Blocks and Their Use in Building Construction." The first prize will be \$250, the second \$100. The conditions of the competition are as follows:

Paper must not contain less than 5000 words nor more than 10,000; it must be typewritten, and must be received at the New York office of the company not later than July 31, 1905. The paper must be signed with some nom de plume and be accompanied by a sealed envelope containing the name and address of the author and marked on the outside with the nom de plume signed to the paper. It may be accompanied by any photographs or drawings the author thinks necessary for its illustration. Manuscripts and accompanying matter must be sent by express prepaid or registered mail. The outside of the package should be marked "For the Concrete Prize Competition."


How Portland Cement is Manufactured

Huge Rolls Crush 5-Ton Rocks-Rotary Kilns 150 Feet Long-How the Fuel is Pulverized


A large plant for the manufacture of Portland cement has recently been completed and put in operation at Hull, P. Q., Canada, just opposite Ottawa, where there is abundance of the necessary raw materials. The plant has a capacity for 2,500 bbl. of cement per day, and involves a number of new features. An electric cableway, with a 1,200 ft. span, is used for conveying the raw materials from the quarry to the crushing house, and the machinery throughout the plant is electrically driven by powerful motors. The process of manufacture employed is known as the dry process, and involves the use of huge rotary kilns for burning the cement. Each of these kilns, in this instance, weighs 150 The stone crushers of the plant will crush about 175 tons per hour.

The process through which the raw materials, commonly cement rock and limestone, pass in the manufacture of Portland cement in a large modern plant, is unique and interesting in the extreme. The two materials are found close together and loosened largely by blasting, though much of the material is so soft it can be shoveled out by steam shovels working on a railway. From the electric cableway the loaded skip is lowered into the crushing house to a platform, 50 ft, or more above the floor and opposite the mouth of the hopper, above the main crushing roll. The contents of the skip are discharged into the hopper by electric power, and the empty skip returned to the quarry.

In one typical plant of the kind the first pair of crushing rolls are 5 ft in diameter and 5 ft. long, and have crusher faces of cast-iron plates covered with projecting lugs. These rolls are capable of crushing a single rock weighing five tons. The speed of the crushers is about 250 revolutions per minute.



One of the 150-Ton Kilns Loaded on Flat Cars



The Electric Cableway


From these huge rolls the crushed rock drops into a 10-ton hopper below, whence it is fed through three sets of 36 in. rolls and passes through the last set reduced to ½ in. and less in size. On being screened all tailings from the crushed rock are returned to the crushing house and recrushed.

From the lowest set of rails the crushed rock drops through a chute upon a 24-in. belt conveyor, which carries it upward, at a speed of 500 ft. per minute (the speed of all the conveyors at this plant), to the top of what is called the "drier house." Here the material falls by gravity over screens of 1/2 in. mesh. All that will not pass through-the "spalls"-is recrushed and returned to the drier house. Material passing through the screens falls to the drier. This drier consists of a cast-iron box 40 ft. high, 8 ft. square and filled with baffle plates. The fall from the last screen to the bottom of the drier occupies just 25 seconds. The capacity is 3,000 tons per day. An 80-in. exhaust fan driven by a 60-hp. motor draws out the gases at the top of the stack and in the way of economy these are passed through the dust-settling chamber, thence to the atmosphere. By this drier process the percentage of moisture in the crushed rock is reduced to about one per cent from the original four or five per cent. The gases on emerging from the stack have a temperature scarcely above 212 deg. F.


From the bottom of the drier stack the crushed stone is carried by a belt conveyer up an incline to the transfer tower and is delivered to another belt conveyer, and an automatic sampler draws samples as the rock passes from the one conveyer to the other. This sampler is a most ingenious piece of mechanism. It is a broad plate hinged something like a damper, and at stated intervals it is thrust forward into the material taking a 1-lb. sample at each thrust. It is withdrawn by means of a weight. It acts in accordance with the speed of the conveyor as it is only thrust forward in response to an escapement mechanism belted to the conveyor shaft.

On the second 24-in. conveyor the rock is carried down the full length of the stockhouse cupola and by means of a self-propelled tripper deposits its load in bins, a number for each of the two materials, and an extra bin for mixing. Cement rock and limestone are mixed by discharging the contents of these bins upon belt conveyors running in a tunnel beneath. From the stockhouse the tunnel conveyors bring the crushed rock to the first dump at the upper part of a weighing house where there are two 300ton bins, one for cement rock and one for ilmestone, and a 10-ton weighing bin beneath each of these, in which the proper proportions of the materials are secured.

At what is known as the "chalk" grinding house, material is ground between sets of rolls to an exceeding fineness. These rolls have a compression of 1500 lbs. per square inch and handle about 300 bbls. of material per hour and about 86 per



Ball Mills For Grinding Clinker



Installing Rotary Kilns at the New Cement Plant at Hull, Canada


cent of the ground material passes through a sieve having 200 meshes per linear The ground material is conveyed inch. to a blower house, where the finer is separated from the coarser. Entering at the top of the blower house, the belt conveyor passes two stationary trippers, each of which takes off its proportion of the load and replaces the rest. The material they take is supplied to the discharge pipes of sixteen fan blowers. The material, falling through a system of baffles and transversely through the current of air maintained by the blowers. the finely ground is carried into the settling room where it settles into bins but the coarse falls by gravity through the current of air, instead of being conveyed by it, and is sent back to the grinding house. From the settling room bins the chalk is conveyed to the chalk storehouse. The walls of the settling chamber are of coarse gunny sack, and much of the machinery throughout the plant is protected with this material.

From the chalk stockhouse, which is of 1,000 tons' capacity, the chalk is conveyed by a long screw conveyor to a belt which leads to the kiln house.

The burning of material in the huge rotary kiln is the most interesting process involved in the manufacture. The kilns used nowadays exceed in size anything that was seen

four or five years ago. Time was when a steel kiln 6 ft. in diameter and 60 ft. long was considered a monster, but this large plant uses cast-iron kilns 150 ft, long and 9 ft. in diameter. These kilns, of which there are sixteen in the plant we are describing, are supported on 30 wheels, called "idlers," at 15 points of their length and revolve at a speed of about one revolution in 45 seconds. Power is supplied by geared motors midway of the kilns. The rotaries are inclined and are held in place by two thrust wheels bearing against turned rings encircling the shell. The output of each kiln is about 750 bbls. per day of 24 hours, and less than 75 lbs. of fuel is used per barrel of product. The fuel used is pulverized soft coal which must be especially prepared for the purpose. It is first put through what is called a "grizzly" in which the larger pieces are crushed, it then goes to a drier house where steam coils drive heated air through the drier stack at the rate of 30,500 cu. ft. per minute. From the drier the coal falls into a storage hopper and is taken by a screw conveyor to the coal grinding house. Here it passes through a tube mill and comes out in a finely pulverized state and is conveyed to a fine coal storehouse near the roaster. This fine coal is fed into the lower end of each kiln by means of compressed air.


The chalk as it descends through the kiln reaches the stage of incipient vitrification and forms clinker, the heat to which it is



Section of Ball Mill

subjected being most intense. Sometimes it becomes wholly vitrified and collects in rings and obstructs the flow. A peculiar means is taken to again open the kiln. A naval gun operated by compressed air is loaded with a ready-made cement slug about 11/2 in. diameter and 15 in. long and discharged into the kiln, breaking up the rings of glass within. At the lower end of the kiln the clinker drops out into a cylindrical revolving cooler. Air drawn through the cooler serves to cool the clinker, and as it passes over the hot clinker is heated, and this warm air is admitted to the kiln. The cooler rotates just as the kiln does; it is, however, set at a greater inclination and the clinker passes through more rapidly. From the cooler the clinker drops into a bucket conveyor from which it is spouted to what is called the "bad clinker" elevator and which discharges upon the pavement outside the roaster house. The clinker is then conveyed to the grinding house where it is first reduced in size by ball mills and then pulverized by tube mills. The proper amount of plaster of paris not exceeding two per cent is added after the crushing in the ball mill. This is to retard the setting of the cement. The ball mill grinds it by means of loose tumbling balls of steel carried in a rapidly revolving drum.


The tube mill reduces the clinker to the market fineness of which 92 per cent must pass through a 100-mesh sieve. The tube mill consists of a steel plate cylinder, provided with a driving gear and lined with hard iron, silex or porcelain bricks.



For Crushing Coal

Material is fed at one end through a hollow trunnion and discharged at the other end. The mill is filled to a point a little above its axis with material and pebbles and made to revolve, causing the mass of pebbles and material to tumble about, upon and over each other with wave-like undulations, producing an enormous grinding surface capable of reducing to any desired fineness without screening any dry material subjected to its action.

The pulverized cement is finally put through a second blower house which separates all coarse particles from the fine and is then stored until such time as it shall be put on the market.




Rotary Drier

DISINFECTING FILTER FOR HOSPITAL SEWAGE.

By Dr. Maurice Budwig

Sewage from hospitals, carrying with it germs of all manner of contagious and infectious diseases, is a menace to the public health and may at some far removed spot, contaminate whole communities. Germs of many diseases live through all extremes of weather, some of them for years, as in the case of the typhoid germ.

The only precaution against diseases being



Filter for Hospital Sewage


carried in this manner from hospitals is the thorough disinfection of sewage. My apparatus for this purpose consists of a copper tank into which the vessel containing sewage is placed and the tank filled with water. A powerful gas burner is arranged beneath the tank and brings the water to a temperature of 212 degrees F. The water is allowed to boil one minute and both vessel and contents are thus thoroughly disinfected.

A 2-in, valve at the outlet of the tank allows the contents to escape through a trap into the sewer, so that there is no chance of further infection. By turning the water valve the tank and vessel are cleansed.

An excellent quality of soft coal is found in the Indian Territory. The 116 mines produced 3,320,057 tons last year. The four coking plants coked 50,000 tons.

ENGLISH STEAM OMNIBUS.

The latest steam omnibus has been built for the London Road Car Co. It is of 32 hp.




London Steam 'Bus

and kerosene is used for fuel. The vehicle seats 34 passengers and is of the double deck type.

Our readers are invited to contribute to the Shop Notes department any kinks which they have worked out, or may be using to advantage, and which others might use with benefit. We can make use of rough sketches of any size.

NEW SUBMARINE TELESCOPE.

It is believed that in many cases a sub-



marine telescope would avoid the necessity of diver going down. Where a search is to be made, or where the diver must first locate an object before going to work upon it, the submarine telescope is calculated to save a great deal of time. It can be used at any depth to which a diver can safely descend. viewing tube is made in sections which are added

as the lower end of the tube, which contains the lens, is let down. In order to secure sufficient light at the bottom an electric lamp securely inclosed in a strong glass case is attached. When the light is turned on the water is illuminated and easily explored.

Wonderful Discovery in Photography

Portraits in Colors by a Purely Photographic Process--Negative Partly Developed Under Sunlight

Among all of the investigations and discoveries that have recently been made relative to the phenomena of light in connection with photography, the experiments of Mr. J. Ellsworth Hare, a Chicago photographer, are showing some of the promising practical results. While photographers all over the world have been attempting to discover methods of photographing in colors or of producing colored photographs by one process or another, this young man has actually succeeded in producing portraits in colors by a purely photographic process. These portraits bear a distinctively poster character in appearance and, although the process has only been perfected within the past few weeks, the new style colored photographs are already commanding high prices among the members of Chicago's four hundred.

The process of making the "poster portraits in colors," as the inventor calls them, is a printing process, the result being brought about by a double exposure to the light and a triple manipulation of the chemicals. The photograph is made on a thin metallic plate, very light in weight, which is prepared by a complicated system of coating before it is ready for printing.

The first coat is of a collodion nature, containing the double salts of silver. After this coating has been allowed to dry over night in a dark room, it is recoated with a heavy coat of specially prepared and sensitized bicromate solution, in which enough black carbon pigment has been added to make the solution perfectly opaque. The plate, when thoroughly dry, is ready for printing.

An ordinary portrait negative such as is used by all photographers is used to print from. Although the operation of placing the sensitized metallic plate in contact with the negative must be done in the dark room, the printing is done in the sunlight. The first exposure is determined by time.

After the first exposure has been made the plate is removed to the dark room, where it undergoes a process of washing in hot water. This removes the opaque substance, or outer coating, from the high light part of the photograph, leaving the high lights and half-tone portion of the underneath coating free to the action of light for the next exposure and the shadows remaining perfectly blank.

The plate should then be thoroughly dried, when it is ready for the second exposure.

This exposure is made by artificial light, the time of which can only be determined by the printer's judgment. The plate is then ready for the toning bath, which is to produce the desired color. The different colors are produced by the use of a series of toning baths, the chemical combinations of which are a secret of the inventor. Thus a variety of shades from bright red to pink and from pale green to deep yellow are obtained in the high lights and throughout the half tones. This leaves a striking photograph in two colors, the high lights standing out from the black with marvelous effect, which makes the person photographed appear to be seated in a dark room with a flood of strongly colored light of the selected tint falling upon him.


Photographs of even greater effectiveness than those already mentioned are obtained in three colors by the same process, with the exception that colored carbon pigment is used in the bicromate solution in place of the black employed in the original process. This gives the shadow in one color, the high light in another and the half tones in a third color, which is produced by the presence of one color overlying another.

The metallic plate is used for two reasons. First, it acts as an opaque backing, which prevents the action of light on the inner or first coating from the back. Secondly and most important of all, the plate, having a hard surface, prevents the coatings from sinking in as is the case with photographs made on paper. This produces a photograph of a luminous quality. The latter effect constitutes one of the chief beauties of the new style of color photography and is a distinct innovation in the photographer's art.

The discoverer of the process explains his invention as an inspiration which came to him after dreaming over an idea and ruining scores of plates while experimenting during the past four years.

Little oak boxes are placed on some of the tombstones in Paris, and their purpose is for receiving the cards of those who visit the graves, that the friends of the deceased may know whom else holds the departed in loving remembrance.

River Boat Made 1,000-Mile Ocean Voyage



The "H. C. Grady" on The Tempestuous Pacific

When the "H. C. Grady," a river steamboat formerly navigating the Columbia river, was sent down the Pacific coast to San Francisco bay last season, in response to a demand for flat-bottomed river steamers, seamen along the coast prophesied she would never make her destination in safety and the chances against it were so great that her crew deserted. The river boat in construction is not at all adapted to ocean navigation. The "H. C. Grady," a staunchly-built little craft 125 ft. long, 26 ft. beam and 26 in. draft, looked entirely out of place on the

tempestuous Pacific. The guards of the craft were scarcely three feet out of the water, and the flat bottom somewhat less under water. The cabins and pilot house towered high in the air and offered a fine broadside to squalls. The stern wheel enhanced the difficulties, as when the bow dipped the stern flew up and increased the strain on the engines.


Nevertheless, with a crew of landlubbers under command of Captain Denny, the boat made the 1,000-mile ocean voyage in just five days without disaster.

DAKOTA LIGNITE FOR IRRIGATING WORK.

The production in great tracts of North Dakota land can be increased ten fold by means of irrigation. The U. S. Geological Survey, in a comprehensive report, recommends a plan for doing this. Great beds of lignite are near the surface, and crop out from hillsides. With suitable pumping machinery water from rivers and creeks can be raised 100 or more feet and easily distributed over the level plains. The lignite is very easily mined,


HOW TO MAKE A STORM VENTILATOR.

The ventilation of a room in stormy weath-



er in such manner that rain or snow cannot blow in and spoil curtains and carpets may be effected by

a very simple means, says the Physical Culture Magazine. Build a box with one end and one side open, using ½-in. boards (preferably matched), and making it just large enough to fit the sides of the window frame close-



Exterior View

Interior View

ly. The box may be of any depth desired, 18 in, is a good average. Paint, cover or stain the box to make it sightly and then adjust in the window as shown in the illustrations. The box need only be used in stormy weather, being removed entirely during fair weather. The current of air it admits to the room may be increased or decreased by allowing it to extend farther out on the outside, or by drawing it farther into the room.

How Gas and Electric Meters Work

One of Each Type Explained Will Make Others Easily UnderstoodMany Very Ingenious

Two types of gas meters are in use, the wet meter and the dry meter. Figs. 1 and 2 show the most important parts of a dry meter. In Fig. 1 is represented a cross-section of the tinned case having apartments C. D. E. and F. In apartments C and D are disks fastened together by flexible leather, L, forming a sort of bellows as in an accordeon. Piston and valves are represented at N. Suppose gas to enter at H, Fig. 2. Its pressure opens valves into Q which expands, driving the gas out of the chambers C and D into the consumer's pipe. As the bellows empty, the chambers refill. The amount Q will hold is known. Referring to Fig. 2, end view, N transmits the motion of the bellows to the shaft, S, which in turn moves the dial gear wheels, causing the hands to register the amount of gas passed in. B is a chamber containing levers and the dial mechanism.


Figs. 3 and 4 refer to a wet meter, Fig. 3 showing a front view and Fig. 4 the interior arrangement at the back. W represents the water level, water being put in at U. Too much water will overflow through V. A is a sheet metal cylinder. Within this revolves another cylinder on an axis. This cylinder is divided into four chambers,


A, G, J, and K, having four outlets, 1, 2, 3, and 4. Gas enters around the axis and flows up through the tube T which reaches above the water line, W, into the chamber K. Its lightness causes the inner cylinder to revolve in the direction of the hands of a clock. The chamber K fills, revolves, then empties through 4, just as G is doing through 1. This rotation is transferred by the axis to a gear wheel, X, Fig. 3, and by the shaft, S, to the dial wheels, and is registered, the capacity of each chamber being known. This continues until the consumer's pressure is equal to that of the gas main, when the meter stops until the pressure again lessens in the consumer's pipe. Too high or too low water causes a float, G, to rise or fall, thus shutting off the gas until the meter is adjusted to read correctly.

Wet meters freeze and require more attention than dry meters and are less used. Dry meters should be frequently examined, as the leather will become hard and brittle with age.

To read the register, Fig. 5, of a gas meter, proceed as follows:


Dial "A" reads "6" because it has not yet reached "7." Dial "B" reads "7" for a like reason, and dial "C" reads "7." Put down






these figures, namely, 677, and add two ciphers, because the lowest, "C," dial represents hundreds. Thus you have 67,700 cubic feet. Subtract from this the figures of the last month's reading, ending say 65,000, and you have what you must now pay for, 2,700 cubic feet.


An electric recording wattmeter is really



an electric motor. To understand how it works, let us suppose a current of electricity to flow in a wire, Fig. 6, in the direction of the arrow. Experiment has shown that this wire will then be surrounded by a force which electricians call a field, or "lines of force," sometimes likened to rubber bands. This same strange force appears between the opposite poles of two magnets, as in Fig. 7, and in order to talk about it we will use the terms "field" or "lines of force." Suppose in Fig. 7 we are looking at the end of two wires, A and B, joined at the other end.



The lines of force will run straight across from S to N if undisturbed. But send a current in at A and out through B and a field, rubber bands if you wish, forms, turning in the direction indicated by the respective arrows. These two fields tend to bend the lines of force running from S to N in the manner shown. At the same time, the S N lines try, like stretched rubber, to remain straight, lifting B up and pushing A down. Fasten these two wires to a center and we have the armature of a motor. In the wattmeter instead of one loop of wire, the armature is made up of a number of loops of fine wire which are wound lengthwise of a spool on the shaft. In place of the S and N poles of magnets, the wattmeter has two fixed loops or coils of heavy



wire, Fig. 8, and through these the current (amperes) to the consumer passes, making many, few, or no lines of force according as he uses much, little, or no current; and making the armature turn slow or fast as did A and B, Fig. 7. The armature is connected across the circuit coming into the consumer's house to get the effect of the electric pressure (volts). Combining the effect from the current coils, and that from the armature, the wattmeter reads amperes x volts = watts.

An additional loop of wire called a shunt, Fig. 8, is wound on the current coils to give enough added lines of force to make up for friction. Friction is slight, the shaft being set in jewelled bearings as in a watch. Sometimes too much current flows through the armature, even with no load. This makes the armature turn and is termed "creeping."




Fig. 8

It can be stopped by taking some of the wire out of the shunt coil.

As the shaft revolves a set of gear wheels are turned, registering on the dial the number of watt hours (watts x hours.) A wattmeter is tested by putting it on the same circuit with a reliable instrument, or on a known load. If it runs too fast the poles of the magnet, which act as a drag on a copper or aluminum disk, are brought farther from the axis, giving more leverage; if too slow they are moved toward the axis.

Wattmeters read either in watt-hours or kilowatt-hours. Referring to the register, Fig. 9, dial A has not registered; dial B reads "5" because it has not reached "6;" dial C reads "4;" dial D reads "2;" and dial E




Fig. 10. Watt Meter

reads "7." Putting down these figures gives 5, 6, 4, 2, 7 watt-hours, or dividing by 1,000, gives 56.427 kilowatt-hours. Take from this the figures of the last reading paid for, say 46.427, and you now pay for 10.000 kilowatt-hours.

The hands on the adjoining dials revolve in opposite directions, hence a reading should always be verified, as it is easy to mistake the direction of rotation.

While excavating for the new Paris subway, the main postern and drawbridge of the Bastile was discovered. The gate is to be reconstructed on the Avenue Henri IV., where part of one of the towers of the famous prison fortress has been set up for a number of years,




Fig. 9. How to Read the Dials of a Wattmeter

SHOP NOTES

USING MOTORCYCLES FOR SHOP POWER.

A motorcycle may be rigged up to run shop machinery with excellent results. The motorcycle will provide as much power as a 3-hp. gasoline engine and is not at all injured for use on the road by putting it to this purpose in the shop, says a correspondent of the American Blacksmith.


The arrangement is very simple. Make a stand, as shown in the sketch, to raise the wheel from the floor. Block the front wheel with a block on each side of the wheel, one in front and one at the rear. For the rear axle make a stand, A, and

This arrangement is suitable for running a drill press, horse clipper, grindstone, lathe or emery wheel.

Dwelling houses of hollow concrete blocks have been constructed by the San Pedro, Los Angeles & Salt Lake R. R. for some of its section foremen Each house is provided with a concrete cistern.

REMOVING OLD GEAR WHEELS FROM SHAFTS.

Gear wheels which have been on the shaft a long while so that they are in a decaying




Using a Motorcycle for Shop Power

screw it fast to the floor. Make a small shaft, B, and fasten in the end of it a 20tooth, 14-in. sprocket, C. Have it flush. Make journals or bearings, D. to hold the shaft and use collars, E, to keep it in place. Set this directly under the large sprocket of the rear wheel of the motorcycle, fasten it there and get a chain long enough to reach all the way around. Make the pulley, F, 6x3 or 4x3, of whatever speed desired, and put in place. Set the machine upstairs or down, as desired, and run the belt from the spark shaft to the line shaft. Fill the bicycle tank, which holds 1 gal. of gasoline, sufficient for 100 miles' run at a cost of about 14 cents. It is not necessary to keep gasoline in storage as when riding to and from the shop one may have the tank filled at a store. The bicycle can be taken from its stand for use on the road in five minutes.

condition may be removed by means of a ram rigged up as shown in the sketch.

Five-foot gear wheels with 9-in. hubs




Removing Old Gear Wheels

which had been on a 6-in. shaft for 12 years were removed in this way by C. J. Case of Troy, Pa. An old shaft, 4½ in. in diameter and 6 ft. long was hung from the ceiling by means of a rope. This served as the ram and was propelled by four men. The wheels came off readily.

COMPASSES FOR METAL WORK.

The compass shown at Fig. 1 can be made by most any one out of sheet material. The compass has no locking device, as it depends on the tightness of the point to keep it in




position when in use. Use thicker material than is used for calipers, says the Model Engineer, London, and harden and temper the points. Fig. 2 shows another useful form of compass which is not difficult to make.

AN EASY WAY TO EMPTY AN OIL BARREL.

For emptying oil from the barrel into the oil tank, the arrangement shown in the sketch is highly recommended by a correspondent of the Engineers' Review. device is operated by air pressure.

A short piece of 2-in, pipe is fitted to a valve, and a nipple having the female side of a coupling screwed to it, is fitted into the



Emptying an Oil Barrel

valve. A rubber hose is connected with a piece having the male part of the coupling screwed on it and this pipe is connected to the air line. In the bung hole on the side of the barrel a pipe, proportioned so that it reaches up above the top of the tank and extends over so as to empty in through the round hole that is in the top of most tanks, is fitted.

When ready to empty a barrel of oil, it is rolled near the tank, stood on end and a hole to receive the 2-in pipe having the valve is bored in it, the pipe is screwed in and the valve closed tight. The barrel is then tipped down, the plug in the side removed, and the pipe which runs up the side of the tank is screwed in. This should fit tightly so there will be no leaking. The air is then turned on, the pressure forces the oil up into the tank and the barrel is emptied in a short time.

It might be possible to work this scheme with water pressure, but unless there were some efficient means of draining the bottom of the tank, the little water that would be apt to collect there would cause the tank to rust.

AGING OAK WITH AMMONIA FUMES.

Strong ammonia fumes may be used for aging oak says the Manual Training Magazine. Place the piece to be fumed, with an evaporating dish containing concentrated ammonia, in a box and close it airtight. Leave for 12 hours and finish with a wax polish, applying first a thin coat of paraffine oil and then rubbing with a pomade of prepared wax made as follows: Two ounces each of yellow and white beeswax heated over a slow fire in a clean vessel (agate ware is good) until melted. Add 4 oz. turpentine and stir till entirely cool. Keep the turpentine away from the fire. This will give the oak a lustrous brown color, and nicking will not expose a different surface, as the ammonia fumes penetrate to a considerable depth.


PREPARING BORAX FOR USE IN WELDING STEEL.

Put 1 lb. of borax in an old iron kettle and set it over the forge fire and cook it thoroughly. Keep stirring slowly after the borax is all melted and until it resembles popcorn. There will be about three times the original quantity, and it will go farther and do its work better.-Contributed by Wm. Raymond, New Sharon, Iowa.

HOW TO MAKE A SUBSTANTIAL FORGE.

The farmer or other person in a remote place who wishes to become his own blacksmith can make a cheap and substantial forge in one day, after the following method:

Make a square box of 8-in, board, 2 ft.



on the sides, and place legs of convenient length inside the corners. Nail a solid floor on the bottom of the box. In a 2-in, iron pipe, 30 in, long, drill about a dozen ¼-in, holes in a small circle near the center. Pass the pipe through snug holes cut in two opposite sides of the box, leaving it protrude 2 in, on either side. If one end of the pipe is threaded, screw it into fan before running through the box.

Make concrete of Portland cement, one part, sand three parts, and mix with enough water to make it of the right consistency. Tamp the concrete into the box above and below the pipe, leaving the top sloping toward the holes in the pipe. Put a heavy 4-in, ring around the holes and cement it in. A plug in the outer end of the pipe allows ashes to be blown out when necessary.

The fan should be about 6 in, wide and 18 in, in diameter, with iron or hard maple boxes and a 2-in, pulley. Mount the fan on the same board that forms the bottom of the forge box, for rigidity. A hood may be suspended over the hearth and connected to the forge back by a strip of sheet iron. When the cement has hardened, a durable fireproof forge is the result. A welding heat can be obtained in one minute with this outfit.—Contributed by Muron Tombaugh, Streator, Ill.

A GERMAN METHOD OF CLEANING MA-CHINERY.


The use of blotting paper for cleaning machinery in many of the large shops in Germany has been found very effective and economical. The German workman formerly used on an average 250 grams of cot-

ton waste, one new sponging cloth and one or two renovated ones per week; now he is supplied with 150 grams of cotton waste and eight to ten sheets of blotting paper, at a cost of two and a half cents, instead of six and a quarter cents, as formerly. The paper is, therefore, not only cheaper, but does not soil the engine with fiber and dust. like sponge cloth and woolen waste, which was used, besides being otherwise preferable even to cotton waste. It has the advantage of being less combustible than other cleaning materials, and safer in another way; by eliminating the chances of having the hand drawn into moving machinery while in

process of cleaning.

ARCH IN SIDE WALLS OF FURNACE.

The constant repairing of side walls of the furnace of externally fired boilers is a big item of expense. An arch in the side wall, spanning the entire length of the grates, will save the cost of its installation many times in a year, says a correspondent



Arch in Side Walls of Furnace


of the National Engineer. When the fire brick are burnt out and must be replaced, only the brick beneath the arch need be removed, and the upper part need not be interfered with. Each engineer must determine the height of the arch required in his individual case.

GRINDING ATTACHMENT FOR A LATHE.

A grinding attachment, intended for short work and internal grinding, which does away with an overhead drum with belt and hangers and which can be put on and taken off a lathe in a few moments is described by a correspondent of the American Machinist.

HOW TO MAKE TRACING PAPER.

Tracing paper for use with either pen or ink may be made by brushing a solution, consisting of one part of castor oil in two parts of methylated spirits (poisonous), over one side of some good thin printing paper. Blot off and hang up to dry, after which it is ready for use.



Grinding Attachment for a Lathe

The shaft, B, has a spline, so that the drum, A, which is provided with set screws to fasten it, can be slid to any position over the lathe bed. The shaft boxes, C, are selfadjusting and can be raised to take up the slack of the belt, F, and then secured by the collars, D. The upper portion of the stanchion, E, is hinged so that the shaft and drum may be swung to conform to the different angles in which the grinder is used, and thereby causes a flat belt to run better on the driving pulley of the grinder. Silk ribbon is used for high-speed belts, Any simple form of grinder can be fastened to the tool block of the lathe and belted to the drum. A. The stanchions are fitted to the slides of the lathe and held by a bolt that screws into a flat piece placed under the inside projections of the lathe bed.

The belt, F, must be connected so it can be readily put together or taken apart. A steel belt hook fastened to one end of the belt may be used successfully with holes punched in the other end, so that the hooks when slightly bent will enter and stay as well as when clinched.

REPAIRING A WORN-OUT DRILL SOCKET.

There is an old and easy method of repairing a worn-out drill socket which may not be known to some, and which will be found of particular benefit in repairing morse taper shanks, which in time become



Repair for Worn-Out Drill Socket

worn so that the tang will no longer hold. By drilling out and tapping at the bottom of the slot a piece may be screwed in and squared out again, thus making the socket as good as new. By drilling from each side and tapping, a plug may be made a very tight fit, thus avoiding any chance of working loose.—Contributed by A. C. Eggleston,


The 1905 edition of Shop Notes just out; 200 pages; 385 illustrations; only 50 cents.

SUBSTITUTE FOR A SWAGE-SHAPER.

A filer who had some full-swage gang edger saws to fit, but had no swage-shaper, used a side file instead and put the same

A GOOD METHOD FOR ATTACHING LINE WIRES TO ROCK.

Telephone lines must often pass in a circuitous and lengthy route in mountainous




Swage-Shaper Substitute

bevel on each tooth in a manner which was both ingenious and efficient.

In a small piece of leather belting, nearly 1/4 in, thick, he cut a slot so that it could be slipped over the end of a 10-in, file. He held the file on an emery wheel and ground off the sharp corners so they would not scratch the saw. Then by resting the leather on the saw plate, it gave him a bevel back from the face of the tooth and also from the extreme cutting edge towards the eye of the saw. This gave a tooth with the cutting edge the widest. By the aid of a gage he filed until the swage just touched the gage and so made all teeth the same spread. The saws so made worked nicely and cut smoothly, says a correspondent of

countries, because of no convenient means of attaching wires to rock. A correspondent of the American Telephone Journal describes a good rock fixture for this purpose.

A piece of strap iron, 1/4 in. by 11/4 in. and tapered slightly at one end is split in the center of the tapered end as shown at A in the drawing. A hole 4 in. deep is then drilled in the rock, and a wedge, like B in the sketch (previously made), is placed in the split end of the iron rod and the rod is then driven into the hole drilled in the rock, as at C. It is practically impossible to withdraw a rod put in in this way as the two fingers of the rod spread apart as it is driven against the wedge, and the effect of an expansion bolt is produced.



the Wood-Worker, but the method is recommended only for emergencies when a swage-shaper cannot be had.

In a new clock for a sick room, an electric lamp is arranged behind the dial, and when the invalid presses a button, the shadow of the hours and hands, greatly magnified, is thrown on the ceiling where he can see it without turning his head. The sketch shows this scheme applied to a vertical rock at D, the two rods or straps being bolted together, and applied to the under side of a rocky ledge at E. In each case, the insulators are screwed to steel pins, which are screwed to the iron straps.

A hot pin may be cooled by pouring a half teaspoonful of aqua ammonia in the oil cup with the oil.

HOW TO MAKE A FOUR-EYE MAST BAND.

On all ship yards and masts and on derricks, also, bands having a number of eyes are used, the number being determined by the circumference of the mast. The purpose of the band is to strengthen the mast




Fig. 1-Jump and Stamp Block

and to equalize the strain on it when lifting weights. On one eye (on a boat the eye pointing toward the bow) is hung the boom or spar for lifting the weights, and to each of the others is fastened a wire stay so that each pulls against the other and causes a down pressure instead of a side pressure, says the American Blacksmith.

To make such a band having four eyes, first determine what the circumference of the band should be. Suppose the mast is 16 in. diameter and the iron for the band 4 in. wide and 1½ in. thick. To the 16 in. (diameter) add 1½ in. (thickness of iron) which gives 17½. Multiplying this by 3 1-7 gives 55 in. as the required circumference. This divided by the number of eyes to be used (4) gives 13¾ in. as the distance from center to center of jumps.

Mark the center in a bar of iron 60 in. long, as at H, Fig. 2, and measure half the distance there is to be between jumps, or 6% in., at one side of the center, and upset well as at A, Fig. 2. Drive the fuller down into this upset portion well, and by splitting with a hot chisel and fullering with a sharp fuller, gradually shape as shown at B. Measure for each jump from the first one made and make the other three in the same way.

Have ready the four jumps as shown at C, Fig. 1. Heat one of the jumps and a portion of the bar into which it is to go to a good red heat, set the bar on its edge and drive the jump into place. Hammer and scarf down well as at D, Fig. 2. Place in the fire, put a thin shell over it, and slowly heat, being careful not to burn it. When it is hot, put it in the stamp block, E, Fig. 1, and drive down well. Knock the stamp block off, finish the edges and chamfer between Y and Z. Put a jump on at P, Z and X.

The band should be first bent at each jump, as at F, so the jump will not tear it when bending to a circle. Measure off the circumference as at G and I, Fig. 2, add the thickness of the iron for welding and bend and weld. To work the eyes in the





Fig. 2-How the Jumps are Placed on the Band

jumps, use a round punch, flattened at the point, which will swell out in the iron when punching. Round the eyes with an eye-bolt fuller and swage. The finished band is shown at K and L, Fig. 3.



Top and Side Views of Finished Mast Band

This makes a neat solid job, with jumps that will not tear out or loosen either while bending the band or punching the eyes in them.

HOW TO LETTER ON TIN.

Draw the letters and ornaments upon a smooth, thin piece of light brown paper, onebalf inch larger than the sign, using a lead pencil and making the characters neatly and precisely. Rub whiting over the back of the paper, a neat coating, and place the whiting side directly upon the face of the tin. Remove both to a drawing table and tack firmly in place through the margin of paper. Go over all the letters, etc., with a tracer, or other sharp point; this will leave a white line on the tin, so transferring the pattern, and it is then ready for laying gold size, or for finishing in any other way desired. When all is through, says the Master Painter, rub off accidental spots of tracing with a pad of cotton.

HOW TO REMOVE FILM FROM A SPOILED NEGATIVE.

Hold the plate over a pan of boiling water for a few seconds, being very careful not to melt the film, until the film slips by the pressure of the thumb. It if fails to come easily, hold again over the steam. This is the simplest method, says the Photo-Beacon.


INSULATING WIRES FROM TREES.

The following method of insulating wires from trees comes highly recommended from one who has had considerable experience in line work.

To each end of a piece of No. 6 gauge, hard-drawn wire, 3 or 4 ft. long fasten a glass insulator, first knocking the end of the insulator out with a piece of iron so that there is a hole clear through. For a 1,000-volt-current use but one insulator on each end of this wire, but where for 2,000 volts use insulators on each end. Twist the wires on the insulators securely.

Fasten this wire to the limb or any part of the tree affected by the line wire by means of a loop of greasy leather nailed to the limb and large enough for the wire to pass through freely.

Put the line wire through the groove of the insulator on one end of the still wire, loop it loosely acress under the limb so



Insulating Wires from Trees

that it touches no part of the tree, and fasten it at the other side to the insulator on the other end of the still wire.

This affords excellent insulation in wet weather and is just as safe then as any other part of a good line.—Contributed by W. J. Catlin, Glen Ellyn, Ill.


A GOOD BROWN FOR VEHICLES.

A good brown color for vehicles is obtained by using Indian red and black for the first coat, and black rubbing varnish charged with vermilion for the second. Burnt umber and burnt sienna in proportions to taste will give a warmer brown. Add a little white if too dark, or burnt and raw umber in equal parts. Make the first coat flat, and the second color-and-varnish.—From John L. Whiting & Son's book, "What Else to Do."

Popular Mechanics mailed monthly, postage prepaid, to any address in the world, \$1 per year

ABUSE OF TWIST DRILLS.

Before proceeding with this article I wish to state that I look at all things from a proprietor's point of view. Therefore, I want to tell just how our drill case appeared to me. I believe I am safe in saying that twist drills receive more abuse than any tool about the shop, and when a man is compelled to buy them he is interested in the care they receive. They are run at all speeds, and in case of a hurry-up job, I have seen the fire fly. The pressure applied to them varies according to the strength in the operator's arms, which covers a wide range, from 50 lbs. up to and including a ton, or whatever he is capable



of pulling on a lever and twisting on a hand wheel.

Judging from the looks of our drill case, they have been used as punches, but they did not give as good service as the boiler punches did. The point of the drill looked like Fig. 1. Worn off to about one-half size, the cause being too high speed. If one of the boys becomes a little excited, he immediately declares war against the small tools. The twist drill, of course, bears the brunt of the attack. The weapon used is an emery wheel, which is very destructive to the drill when the boys get excited. As I viewed our drill case I thought of the old story of John and the pants which he brought home on Saturday evening to wear the following Sunday morning. Finding them 2 in. too long, he instructed his


mother to cut off 2 in. Fearing she would forget, he instructed his sister, also fearing that she, too, might forget, he instructed his grandmother likewise. It so happened that the mother, sister and grandmother had good memories. And they each cut off 2 in. John's pants reached the high water mark the following Sunday morning. So it is with the twist drill. Frank uses a drill and wears the outer points of the cutting edge off in a rounding shape (A, Fig. 2); Bill grinds the rounding points off without grinding the point (E, Fig. 2); making the angle that of B; Bill also wears the outer points off; Frank again grinds after Bill without grinding the point, E, making the angle that of C. This is repeated, each grinding after the other the dull outer edge without grinding the point, until the angle, D. is reached. At this stage the honor of being a first-class countersink is bestowed upon the drill. The angle, like John's pants, has reached high water mark .- Paul S. Baker, Muscatine, Iown.

WINE COLOR FOR VEHICLES.

A good "wine color" paint for vehicles is made by adding a little vermilion to carriage part lake. Use a standard grade, and one coat of this and a coat of color-andvarnish will cover without any ground.— John L. Whiting & Sons' Book, "What Else to Do."

HOW TO HARDEN A STILLSON WRENCH.


The easiest method of hardening a Stillson wrench is to take the jaws out, anneal them and file them sharp. Then heat the



jaws red and lay some nitrate of potash on the jaws and teeth as at A in the sketch and plunge into water. A correspondent of the Blacksmith and Wheelwright says he has had jaws tempered in this way for years, and has never experienced difficulty in getting the right temper.


TO PROTECT A MOTOR FROM DUST.

To protect a motor from dust, which is sure to be present even where a fan system is used for carrying it away, a galvanized iron cover, A, Fig. 1, made to fit the



motor frame snugly and fastened rigidly to the frame, is satisfactory, says a correspondent of the Engineer. Access to the commutator and brushes is afforded by a hinged cover, B, and sparking may be detected, without opening the casing, through a peek-hole, D, about 4 in. square and covered with mica.

A jet of air, supplied by the siphon or jet blower shown in Fig. 2, and which is operated by compressed air, is kept blow-



ing in at C, and the air forces its way out through the openings and cracks at the top and sides of the machine. This jet of air allows no dust or grit to settle upon the motor and keeps the machine cool, also.

The color of common mahogany may be improved by applying a solution of potassium hydrate, or lye, to the surface. To determine the required strength of the solution test on a piece of waste stock of the same kind before applying. Fill with a dark paste wood-filler, varnish and polish with shellac.

READY REFERENCE METRIC CONVER-SION TABLE.

C. H. Nicolet, of La Salle, Ill., sends to Engineering News the table which we print below, and regarding which he says:

I send herewith an excellent little conversion table which has had a place in my pocket note-book for many years, and has proven very useful. It is sent to you with the belief that it may be appreciated by other engineers. The arrangement of the

Millim	cte	rs									×	.03937		Inches.
	4	-		Ť							=	25.400	×	# *
Meters					ē	Ī					×	3.2809	-	Feet.
+88	10		ু	٥	٩						-	.3048	×	
Kilome	eter	18			0						×	.621377	-	Miles.
.01		-	0	ě				0			-	1,6003	×	7. • Contract of the contract
Square	o	en.	tio	me	ete	m	í.				×	.15500	=	Square Inches.
**				1			1		٧.		=	6.4515	×	** **
Square	m	et	er	3				0	í.		×	10.76410	=	Square feet,
***	-	**		_		-		0			=	.00200	×	344 44
Square	k	ile	one	ie	ter	5			0		×	247.1098	200	Acres.
***						_					=	.00405	×	**
Hectar	es	_							_		×	2.471	-	**
**			Ŏ,			Ů.		1			202	4947	×	••
Cubic o	cen	tit	m	et	en	e a					×	.061025	=	Cubic inches.
11		-		7			ı	٦,	Ü		=	16.3866	×	
Cubic	me	te	rs				Ī		i	1	×	35-3156	-	Cubic feet.
**		**			٥	ů	1		٠	1	-	.02832	×	11 11
**		++		2				0	1		×	1.308	=	Cubic yards.
		**		3	0	3	0		-	0	=	.765	×	
Liters	2.		2		Ġ						×	61,023	-	Cubic inches.
44	0		ı		7	ū	Ĭ.		0	1	-	01010	×	
40		N	0			9			0		×	.26418	=	U. S. gallons.
**			Ü	Ō	0				0	ं	-	3.7854	×	11 **
Grams			ı	0			0		0	ij.	×	15 4324		Grains,
**	7			7							=	.0048	×	••
**		D	0			0	0				×	.03527		Ounces, av'dupois:
44						्					=	28.3495	×	** **
Kilogra	am						ij.			į.	×	2.2046	-	Pounds.
				Ŷ.	Ü				i		-	-4536	×	**
Kilog's	De	r	50	١.	ce	ni	in	et	er		×	14.2231	200	Lbs. per sq. inch
			11		7		**			I	×	.0703	×	
Kilogra	ım	p	er	c	ub	ic	п	ret	er	Ö	×	.06243		Lbs. per cubic foot
- 1		•	7	H.				++		0	=	16.01800	×	11 11
Metric	tor	15	ti	1.0	xx	1	kil	og	18	1	×	1.1023		Tons (2,000 lbs.)
**	**									1	-	.9072	×	" "
Kilowa	115						í				×	1.3405	-	Horse-powers.
	-				-					7	-	.746	×	
Calorie	9						1				×	3.9683		B. T. units.
14											=	2520	×	**
Francs					1						×	-193		Dollars.
44	100					0			9		-	5.18	×	44

table is especially commendable, as the entire conversion process is at once apparent, thus:

 $M = \text{(millimeters)} \times .03937 = I \text{ (inches) or,}$ reversing,


I (inches) \times 25.4 = M (millimeters).

TO PROTECT LABELS ON BOTTLES.

To protect labels on bottles so that they will adhere for years and not be affected by acids or dampness first give them a coating of size, and then a coating of gelatine, prepared by swelling a little cooking gelatine in cold water and making it fluid by placing the vessel containing it in a dish of nearly boiling water. Allow the gelatine coating to dry and then apply a single coat of "church" or "oak" varnish which will dry in a few hours, and affords better protection to the labels than other quick-drying varnishes. The Photo-Beacon says that the labels on bottles in chemical laboratories are protected in this way.

PUNCHING STRUCTURAL STEEL FOR LOCOMOTIVE TENDERS.

Structural steel shapes, chiefly channels and I-beams, are used in the construction of locomotive tenders, and many methods are used in the various shops for punching these rolled shapes, says Railway and Locomotive Engineering. Most of these



Punching I-Beams

methods are very difficult of execution as an attempt is made to do the punching so that the axes of the holes shall be parallel with the web of the rolled sections.

In one railway shop a much simpler method of punching without reference to the parallel idea, so far as the axes of the holes is concerned, is used. The bevel side of the flange is laid flat on the die and the descending punch encounters the upper surface of the flange at an angle. This method of punching causes the holes to be as they appear in the illustration. A reamer, when run through before rivets are applied, somewhat modifies the angle at which the hole is punched, but the rivets when driven are not straight; the important point, however, is that the holes of the I-beam and the plate are absolutely in register, and as the rivet is made to fill both holes, and as there is no vestige of a shoulder at the point of union, the bending of the axis of the rivet is not thought important. In fact, a certain advantage is claimed for it, and that is that the bent rivet lessens the strain on the rivet heads, and the punching can be done without any specially constructed supports or apparatus for holding the steel I-beam or channel in place. A shearing punch is not necessary, but the face of the punch should be flat or slightly hollow, and not rounded.

TO MAKE CASEIN COLD WATER PAINT.

Either of the following formulae for making casein cold water paint is recommended by the Master Painter:


For interior use—10 lb. pure casein, 1½ lb. soda ash, 58 per cent; 88½ lb. plaster of paris or whiting.

For exterior use—9 lb. pure casein, 4 lb. pulverized air-slaked line, ¾ lb. silica, 86¼ lb. plaster paris or whiting.

HOW TO MAKE AN ALCOHOL BURNER.

An alcohol burner which is much safer than a gasoline torch for soldering and other purposes may be made at home. The one shown here was devised by a correspondent of Machinery, who says, that while the flame cannot be focused to a small point, the burner is very handy for drawing the temper in broken taps.

To make the burner take the bottom of an oil can, stuff it full of waste, and solder in the brass tubes, A and C. Draw candle-wicking through these tubes, as shown. At the top end of tube, A, fit another tube, B, and drive A into an opening at E. Have a hole at F, plugged with a cork, for refilling. Solder a blowpipe into permanent position, the small end being nearly central to the open end to tube, B, serves also as a handle to hold the burner.



Home-Made

To start this torch, light the wicking in tube C, which will heat tube B. The alcohol gathered at E will form a gas immediately; the gas ignites and comes out of both ends of B, when the air is forced into and through the blowpipe the flame will come from the opposite end of the blowpipe. The flame is very green in color and somewhat better than the flame from a gasoline torch.

THREADING AN ELL.

In removing an old hot water tank having 1½-in, connections and replacing it with a larger tank having 2-in, connections, a correspondent of the Metal Worker, who had no fittings of any kind larger than 1½-in, on hand, but had a 2-in, die and stock and vise made good connection by threading an




Fig. 1. Method of Threading An Ell

ell. To apply this kink under similar conditions, proceed as follows:

Start a 11/2-in, beaded malleable iron ell on one end of a piece of pipe about two or three threads. Take the faceplate out of the stock and put in the 2-in. die, reversed from the ordinary position. Slip the pipe through the dies and guide until the ell strikes the die. Then grip the pipe tightly in the vise, close to the guide; put a piece of pipe over the handle of the stock, so as to reach to the floor and prevent the stock from turning. Into the other end of the beaded ell screw a piece of 11/2-in. pipe 2 or 3 ft. long. Then everything is ready to start the work and in a very few minutes a 2 x 11/2 in, street ell can be produced, as the operation will thread the bead on the outside of the ell.

Fig. 1 shows the method of working. The screwing up of the ell on the threaded pipe feeds or forces it into the 2-in. die and results in a thread being cut on the outside of the bear, so that it can be screwed into any 2-in, fitting. Another advantage that this manufactured ell has when it is com-

pleted is that it is threaded on the inside so as to receive the delivery tube or pipe, as shown in Fig. 2, to conduct the cold water to the bottom of the boiler.

The table below shows what sizes of pipe





Fig. 2. Ell Threaded on Outside

for different fittings now on the market can be threaded:

11/2-inch beaded fitting can be threaded to fit 2-inch pipe. 14-inch not adapted for any standard size. 1-inch plain fitting can be threaded to threaded to fit 1-inch plain m 14-inch pipe. nch plain fitting 1-inch pipe. threaded to fit can be 34-inch 1/2-inch plain fitting fit threaded to %-inch pipe. %-inch plain fitting fit can be threaded to 1/2-inch pipe. threaded to tit 1/4-inch plain fitting can be %-inch pipe.

WRENCH FOR REMOVING VALVES FROM PUMPS.

Any size pipe can be used as a wrench for this purpose by taking a hack saw and sawing slots in it to fit the bridging on the pump valve. Such a wrench is easily made



Novel Wrench

with but few tools. Valves that have been in pumps for years I have removed in this way with a 3-in, pipe.—Contributed by W. J. Catlin, Superintendent Electric Light and Water Works, Glen Ellyn, Ill.

For lubricating journals, a compound consisting of one part fine plumbago and eight parts Albany grease is good.

All the articles appearing in this department are reprinted in book form at the end of the year. Price 50 cents postpaid.

TABLE OF KILOWATT-HOUR COSTS.

It is frequently necessary to reduce kilowatt costs per year to kilowatt-hour costs, or vice versa, and to do so entails calculations that though simple are irksome, says a correspondent in Journal of Electricity, Power and Gas. Such costs, of course, depend upon the hours of daily service ren-

Cost Per	Cost Per Kilowatt-Vear-Hours Per Day,									
Kilowatt-Hou-	10	21	14							
\$0.015	\$54.75	\$114.97	\$131.40							
Q.0145	52.92	111.14	127.02							
0.014	51.10	107.31	122.64							
0.0135	49.28	103.48	118.26							
0.013	47 - 45	99.64	113.88							
0.0125	45.62	95.81	109.05							
0.012	43.80	91 98	105.12							
0 0115	41.98	84.15	100.74							
110.0	40.15	81.13	. 96.36							
0.0105	38.33	80.48	91.78							
0.010	36.50	76.65	87.40							
0.0095	34.68	72.82	83.22							
0.009	32.85	68.98	78.84							
0.0085	31.02	65 15	74.46							
0.008	28.20	61.32	70.08							
0.0075	27 37	57-49	65.70							
0.007	25.55	53.65	61.32							
0.0065	23.72	49.82	56.49							
0.006	21.90	45.99	52 94							
0.0055	20.07	42, 161	48.18							
0.005	18.25	38,321	43.80							
0.0045	16.42	34-47	39.42							
0.004	14.60	30.66	35.04							
0.0035	12.77	26.83	30.66							
0.003	10.95	22.99	26.28							
0.0025	9.12	19.16	21.90							
0.002	7.30	15.33	17.52							
0.0015	5 47	11.50	13.14							
100.0	3.65	7.66	8.76							
0.0005	J 1 82	3 82	4.38							


dered, and in ascertaining them it has been found convenient to reduce them to a tabulated form for ready reference, when they appear as follows for daily services amounting to ten, twenty-one and twenty-four hours respectively:

SIMPLE METHOD OF PRESERVING ARTI-CLES FOR REFERENCE.

Articles, pamphlets and old catalogs which one may desire to keep for reference may be preserved in convenient form in the following manner:

Select an old out-of-date catalog of good size and having board covers. Strip the covers from the contents and cut off the flexible back up to the point where the stiff boards are glued to it. About ¾ in. from the back edge of the cover and from the inside cut the board cover nearly through lengthwise, as in Fig. 2, so that the back may be broken. This cut line may be made to act as a hinge by bending the cover over a straight table edge, the flexible binding holding the parts of broken board together. Put in such papers as it is desired to

preserve, with brass pamphlet pins (Fig. 1), running the pins through the loose pages and the hinge pieces, Fig. 3. The pamphlet pins




Preserving Articles for Reference

cost about 20 cents per 100. Smooth holes may be made through the pamphlet and binder by the use of a belt punch like the one shown at Fig. 4, says the Metal Worker; this tool costs about 20 cents. If wished an index sheet may be bound in with papers, and the covers of the book may be labeled.

CONCRETE ANVIL BLOCKS.

The difficulty of holding the anvil secure on the block is solved by the use of a concrete block, such as that shown in the illustration.

To make such a block, encase concrete, made of crushed stone and cement, in a rectangular box made of %-in. cast iron, 18 in. high and having a base 14x18 in. tapering to 8x10 in. at the top. The inside measurement at the top should be just 1 in. larger than the base of the anvil, which rests on the concrete 2 in. below the top



Concrete Anvil Block

of the casting. On each side of the anvil (front and back) embed a bolt and nut in the concrete to a depth of 3 in., allowing the nut to project upward nearly to the top of the casting and about 1 in. above the concrete. Pour melted lead on top of the concrete, until the space (2 in. deep) between the base of the anvil and the top of the casting is filled. The nut of the bolt and the taper of the casting will hold the lead to the cement.

The cost of mounting anvils in this way is very little, says a correspondent of Machinery, and the noise and vibrations when the anvil is struck are done away with. It takes the poetry out of the ringing blows of the blacksmith's hammer, but will be found a most convenient arrangement, especially for colleges.

HOW TO MAKE A SMALL STORAGE BATTERY.

Procure an old battery jar about 6 in. high by 4 in. in diameter, and a piece of sheet lead 3 ft. long and 7 in. wide. The lead may be obtained at any hardware store or plumber's. Cut the lead exactly in half, making two pieces 18 in. long and 7 in. wide. Remove a strip 1 in. wide and 17 in. long from each of the plates, leaving them 6 in. wide, with a lug at one end for connections. Cut an old piece of cord or rope ¼ in. in diameter, into four pieces, each 18 in. long. This is for insulating the plates from each other when ready to charge.

Lay two lengths of the rope across one of the plates, about 4 in. apart, and place the other plate upon the two cords, with the two remaining cords laid upon the second plate. Be careful to have the two lugs on the same side and at opposite ends.


Get a piece of an old broomstick, and carefully wind the whole on the stick, making sure that at no point the lead plates come in contact with each other; otherwise, the battery will be short-circuited and will not receive a charge. It will be found that the coil fits into the jar neatly. The next step is to prepare the acidulated water, which can be easily done by mixing 1 oz. of sulphuric acid with about 10 oz. of water. This is the right proportion, but about twice that amount must be used to fill the jar with two lead plates in it.

The battery is now ready to charge. Either post may be marked plus, but they must not be changed after they have once been charged. The first time the battery will lose its charge rapidly, but the second or third time it is charged it will retain a current for quite a long time. Two or three of these batteries will light a small 2-candlepower electric lamp, or will run a large motor.—Contributed by E. H. Klipstein, East Orange, New Jersey.

HOW TO PREVENT MOISTURE IN SHOW WINDOWS.

The device shown in the illustration is for securing ventilation in windows lighted by gas in a way that prevents moisture in the windows, says the Acetylene Journal.

A simple 6-in, galvanized iron conductor pipe is fitted tightly over the top of the



For Preventing Moisture in Show Windows

lamp and extends upward and outward into the open air, and carries off the products of combustion. If more convenient, the pipe may connect with a chimney instead of passing through the roof. The lamp is turned off and on by means of chains extending over pulleys to any convenient point. The lamp may be placed close to the ceiling so that it will not hang down in an unsightly position, and it is said that trouble from either frost or moisture is entirely obviated by this means.

Holes as smooth as glass may be obtained in long cast-iron tubes of large diameter, as 15-in. for instance, if kerosene is used as a lubricant and, for boring, a "packed bit," such as is used for gun-boring.

Only lead lined tanks with seams burned together instead of soldered should be used for pickling cast iron in vitriol. The acid ruins zine and solder in a short time.

HEAT RESISTING PAINTS.

For painting exhaust pipes or mufflers, the Pacific Coast Gas Association recommends the following paints as being able to withstand anything up to a red heat:

Lampblack, 3 lbs.; graphite, 3 lbs.; black oxide of manganese, 1 lb.; japan gold size, 1 pint; turpentine, 1.5 pints; and boiled linseed oil, 1 pint. Powder the graphite and mix all the ingredients to a uniform consistency. Give two coats.

Or, black oxide of manganese, 2 lbs.; graphite, 3 lbs.; and terra alba, 9 lbs. Mix and pass through a fine sieve, then mix to required consistency with the following compound: Sodium silicate, 10 parts; glucose, 1 part; and water, 4 parts.

HOW TO SUSTAIN A POLE ON ROCK.


In line-building in mountainous sections, it is often necessary to sustain telephone poles on rock, says the American Telephone Journal, and instead of the ordinary method of making a hole in the rock by blasting, which takes a great deal of time, is very dangerous and expensive, the method illustrated in the accompanying diagram is used.

All that is necessary is to drill five 1½ or 1½-in. holes in the rock and set an iron pin in each. A hole is bored in the butt of the pole and it is set on the central pin. Guy wires are run from the top of the poleto the other pins. The iron pins are secured in the rock by pouring sulphur or lead around them. An iron ferrule around the butt of the pole keeps it from splitting while being raised.

This is a great improvement on blasting, as it is almost impossible to blast a round hole of small diameter. A blasted hole of sufficient depth is funnel shaped, probably 3 or 4 ft, in diameter at the top and tapering toward the bottom,


DEVICE FOR SMOOTHING COMMUTATORS.

A simple device such as shown in the sketch, is very convenient in smoothing commutators. It consists of a block, Fig. 1,



of hardwood made to fit the circle of the commutator and just as wide, and having No. 00 sandpaper tacked to it. The sandpaper is put on with pointed pins at D, Fig. 2, and has little flat springs, E and F, to hold it down on the pins. These pins have an advantage over tacks, says a correspondent of the Engineers' Review, in that old paper may be removed and replaced with new more easily. A bandle on the block keeps the fingers from getting caught in the dynamos.

In working with aluminum the best lubricant for the machine operation of milling is crude oil; for drilling, kerosene, and for turning, plenty of soap water.



Sustaining a Pole on Rock

SIMPLE ANTI-HUM DEVICE.

Persons annoyed by the humming of telephone wires may prevent the humming by using a piece of No. 14 insulated weather-proof wire, either iron or copper, from the pole to the house.—Contributed by E. H. Umdenstork, Osage City, Kan.

A SIMPLE RIG FOR WINDING COIL SPRINGS.

In the rig for winding coil springs shown here, the hooked or bent end of the spring is made first, as in Fig. 1. Fig. 2 shows the front elevation of the coiling block, and Fig. 3 the end elevation, the portion at A being rounded off to the same radius as the hooked end of the spring. A plan of the coiling clamp is shown at Fig. 4 and an elevation of it at Fig. 5.

To wind a spring with this apparatus, cut off the required length of wire, grip the coiling block in the vise and insert the wire in the block at the hole, B, and bend over the radius, A. Put the slot in the coiling clamp over the coiling pin, C, of the coiling block and, by means of the winged nut on top, grip the loose end of the wire, in the groove, D, cut in the bolt head.

Wind the coiling clamp around the pin, C, the requisite number of times, keeping the wire tight and even. Then slacken the wing nut and the spring will ease enough to allow the end to be pulled out of the hole. Take off the spring and make the eye in the opposite end by means of the two pegs shown at

top of C. Fig. 6 shows the manner of making the eye. Use pliers to finish the end.

A correspondent of the American Machinist who describes this rig, says he uses 16-gage wire, 20 in. in each spring of 8 coils, and that a boy can make 25 springs per hour in this way.

LUBRICANTS FOR GASOLINE PUMPS.

Nearly all oils are absorbed by gasoline and for that reason the hemp or string used in the stuffing box of gasoline pumps must be kept moist with some liquid or semiliquid substance which gasoline does not act upon.


"There are two such substances," says Gas Power: "one is common soap and the other glycerine." First soak the string or packing with glycerine, then screw it down in the stuffing box and the joint will keep moist for a long while. If castile or laundry soap is handier than the glycerine, wax the string thoroughly and the results will be almost as good as with glycerine.

LIQUID FOR ETCHING ON STEEL.

Either for biting deeply into the metal or for producing a beautiful frosted appearance on the surface, the following liquid for etching on steel may be used:

Sulphuric acid, 1 oz.; alum, ¼ oz.; salt, ½ teaspoonful; vinegar, 1 glll; nitric acid, 20 drops.

The effect produced depends upon the time the liquid is allowed to act.



Rig For Coiling Springs

MARQUETRY WOOD STAINS.

Wood stains are now used largely in marquetry work instead of, as of old, inlaying the article of furniture to be ornamented with thousands of small pieces of veneer of various colors and sizes. The old process was slow and tedious, the new requires about one-fourth the time. The Decorators' Gasette gives some reliable formulae for these stains, which have hitherto been known only to manufacturers. They are as follows:

EBONY.

- 6 gals. water.
- 6 lbs. ground garnet shellac.
- 3 lbs. ground borax.
- 1 lb. water ebony A.

WALNUT.

- 5 gals. water.
- 5 lbs. ground garnet shellac.
- 21/2 lbs. ground borax.
- 21/2 lbs. Scotch soda.
- 15 ozs. water walnut A.

OAK.

- 6 gals. water.
- 6 lbs. ground orange shellac.
- 3 lbs. ground borax.
- 161/2 oz. water oak.

PINE.

- 8 gals. water.
- 8 lbs. ground bleached shellac.
- 4 lbs. ground borax.
- 12 oz. water pine.

SATINWOOD.

- 5 gals, water.
- 5 lbs. ground bleached shellac.
- 21/2 lbs. ground borax.
- 15 ozs. water satinwood.

MAHOGANY.

- 6 gals. water.
- 6 lbs. ground orange shellac.
- 3 lbs. ground borax.
- 18 ozs. water mahogany 10,522.

GREEN.

- 6 gals, water.
- 6 lbs. ground garnet shellac.
- 3 lbs. ground borax.
- 12 ozs. pure green P. G. M. ROSEWOOD.
 - 5 gals. water.
- 5 lbs. ground garnet shellac.
- 21/2 lbs. ground borax.
- 11/4 lbs. water rosewood.

Directions for Mixing.—Put shellac and borax into the water, and boil until dissolved, and while still very hot, pour this over the staining color, but never boil up the colors to dissolve them, or they may be destroyed by the heat. Stir up well, and strain carefully when cold. Then bottle for use.

These directions apply to all the formulae, unless specified otherwise.


HOW TO MAKE LIME WHITEWASH.

Slack stone lime, not air-slacked, in hot water, keep stirring and use sufficient water to make a mass like mush when slacked. Thin with sweet skim milk, says the Master Painter, and you will have a whitewash which will not rub off if used inside, or wash off if used outside.

Another good method for ceilings is to slack, as in the first instance, and thin with a solution made of 1 lb. powdered alum dissolved in the least possible quantity of hot water and having sufficient lime added to make 10 qts. of whitewash. This will prevent suction and make a wash that will not work up under the brush when putting on a second coat. A little ultramarine blue, first wet up in water, added to the wash, will improve the tone and make a clearer job. For kalsomining, glutol is an excellent substitute for glue.

CABLE SEWING KNOTS.

The illustration shows a number of knots used in sewing cables. In each instance A is the needle end of the cord and B is the short end. The "sewing" of the "form," says the American Telephone Journal, is done with a needle. Every lineman should know how to sew these knots.



Cable Sewing Knots

MECHANICS FOR YOUNG AMERICA

TO MAKE A BINDER FOR POPULAR ME-CHANICS.

Get ½ yd. of cloth, one shoestring, a pasteboard box for covers, and some heavy

in, from back to show above the vise. Bore three 3/16-in, holes ½ in, from the back, one in the middle, the other two 1½ in, from each end. Make corresponding holes in the strips of the binder and use the shoe-




Fig. 1. To Make a Binder For Popular Mechanics

paper. Cut the pasteboard into two covers, 14 inch larger all around than the magazine, except at the back with which they should be even. Next cut a strip 1 in. wide off the back of each cover. Place the covers on the cloth, Fig. 1, with the back edges 1/4 in. farther apart than the thickness of the volume to be bound. Cut the cloth around the covers, leaving 11/2 in. margin. Paste the cloth on the covers as they lay, and turn over the 11/2 in. margin, pasting down smoothly. Cut a piece of stiff paper to fit and paste on the back. Take a piece of cloth as wide as the cover, and long enough to extend over the back and 11/2 in. beyond each "strip." Paste on to hold all together. Two pieces of paper the exact size of the magazine, pasted on the inside of each cover protects the edges of the cloth, and adds to the appearance. Let dry slowly.

With backs and edges of magazines even, place in a vise and set up tight allowing % string to complete as in Fig. 2.—Contributed by L. L. Winans, Mexico, Mo.

HOW TO MAKE A HAMMOCK.

Any one can make a hammock as good as can be bought and that at a cost so small that every member of the family can possess one providing there are places enough for hanging them.

The materials required are a needle about 7 in. long, and with a big eye, an iron ring for each end of the hammock, two long smooth sticks on which to knit the hammock and two pounds of strong hemp cord or twine. The twine may be colored in any color or combination of colors desired. A Roman stripe at each end of the hammock makes a pretty effect. The cost of the materials should not exceed 75 cents.

A hammock 45 in, wide will not be too




Fig 2. Binder for Popular Mechanics Complete'

large for solid comfort. To knit it first thread the big needle and holding it in the left hand, hold the cord in place with the thumb until you have looped the cord over the tongue, then pass the cord under the needle to the opposite side and catch it over the tongue. Repeat this operation until the needle is full. Cut a 2-yd. length of cord and make a loop and fasten to the door knob or to some other convenient place. Tie the cord on the needle to this loop three inches from the end of the loop. Place the small mesh stick under the cord with the beveled edge close to the loop, and, with a thumb on the cord to hold it in place, pass the needle around the stick and then, point downward, pass it through the loop from the top, and then bring it over the stick so forming the first half of the knot.

Pull this tight and hold in place with a thumb while throwing the cord over your hand, which forms the loop. Pass the needle from under through the loops and draw fast to fasten the knot. Hold this in place and repeat the operation.


Make 30 of these knots and then push them off the stick and proceed in the same way with the next row, passing the needle first through each of the thirty knots made for the first row. Make thirty rows and then tie the last loops to the other iron ring. Stretchers may be made and put in place and the hammock, strong and durable, is finished. The work must be carefully and evenly done. One is apt to have a little trouble getting the first row right, but after that the work proceeds quite rapidly.

ELECTRIC RAT EXTERMINATOR.

Some time ago we were troubled by numerous large rats around the shop, particularly in a storehouse about one hundred feet distant, where they often did considerable damage. One of the boys thought he would try a plan of electrical extermination, and in order to carry out his plan he picked up an old zinc floor plate that had been used under a stove and mounted a wooden disc 6 in, in diameter in the center. On this disc he placed a small tin pan about 6 in, in diameter, being careful that none of the fastening nails made an electrical connection between the zinc plate and the tin pan.

This apparatus was placed on the floor of the warehouse where it was plainly visible from a window in the shop where we worked and a wire was run from the pan and another from the zinc plate through the intervening yard and into the shop. A good sized induction coil was through connected with these tires and about six dry batteries were used to run the induction coil whenever a push button was manipulated.

It is quite evident that when a rat put its two fore feet on the edge of the pan



in order to eat the mush which it contained, that an electrical connection would be made through the body of the rat, and when we pushed the button up in the shop the rat would be thrown two or three feet in the air and let out a terrific squeak. The arrangement proved quite too effective, for after a week the rats all departed and the boys all regretted that their fun was at an end.—Contributed by John D. Adams, Phoenix, Arizona.

HOW TO BUILD A WIRELESS TELEGRAPH.

An illustrated descriptive article telling how to build a complete working set of wireless telegraph instruments, will appear in this department next month.


BOOK FOR BOYS.

We have reprinted in book form a large number of the articles which have appeared in the department "Mechanics for Young America." Tells "How to Build." Every boy should have a copy; 64 pages; price 25 cents postpaid.

THE DAY.

A correspondent sends the following drawing and questions: "Let the circle represent a circle on the earth parallel to the equator, rotation being in the direction of the arrow. Let point A be a place where it is midnight, say between Wednesday and Thursday. (1) How far does Wednesday extend east? (2) When it is midnight in Chicago between Wednesday and Thursday it is about 2 P. M, in the Philippines, but what day is it?"

The day of a person residing at a fixed place on the earth begins and ends by com-



mon consent at midnight. If one travels west around the world, which is the direction opposite to that of the earth's rotation, he destroys as far as he is concerned one complete rotation of the earth, that is, he loses a day. Traveling east he adds one rotation; that is, he gains a day. He must add or subtract a day to make his reckoning agree with the calendar. To save annoying many people this change is made in midocean.

In some old school geographies is shown a line beginning at Behring Straits, running southwest, curving close to Asia west of the Philippines and then running east through Easter Island almost to the coast of South America. This line is called the "international date line" or "change of day line," and on crossing it going west the traveler calls the day, as regards our questions, Thursday instead of Wednesday. The Philippines lies east of this line, therefore, when it is near midnight of Wednesday, Fig. 1, A, in Chicago, it is about 2 P. M. of Wednesday in the Philippines, Fig. 1, D; and going west of the Philippines to the international date line, and crossing it, we find the people calling the day Thursday.

Take an illustration more striking. A person traveling one-half around the world (180°) east or west will find a difference in


time of 12 hours. Suppose on Jan. 1, 8 A. M., a man could instantly transfer himself east from London, Fig. 1, B, to a place on the 180 meridian, C (which is near the date He would find the date and time withere to be Jan. 1, 8 P. M. Suppose at the same time a man starts west from London. B, and reach the 180 meridian in an instant. He will find the time there to be Dec. 31, 8 . P. M. Here are two times for the same place differing in day, month and year, and yet both are correct. The two dates arise from the fact that the men reached their destination from different directions. date most convenient is used. Places lying in Australia or waters near, take Jan. 1, 8 The Philippines take the American date, Dec. 31, 8 P. M. On the east of the date line, the date is one day earlier than on the west of it. In Alaska this made the American Sunday fall on the former Russian Monday.

FIVE-YEAR SUBSCRIPTION OFFER.

To the many readers of Popular Mechanics who have expressed themselves as unwilling to have their subscriptions lapse for even a single month, we are now making a special subscription offer of five years for \$3. Please notify us promptly of any change of address.

PROPER DISTRIBUTION OF LOAD.

A great deal of valuable effort is wasted by reason of not knowing how to do things



properly. The cut shows how to place the balance of weight in two-wheel carts or wagons, where the same is to be hauled up or down a hill.

MEASURING THE FLOW IN UNDER-GROUND STREAMS.

In mountain regions, and especially in California, rivers often rise among the mountains, flow for a distance upon the surface, and then suddenly disappear.

In an interesting paper read before the Western Society of Electrical Engineers, Prof. Slichter discussed the flow of water through the ground, and the apparatus used for measuring the rate of flow. Measurements were made among others, upon the Rio Hondu and the San Gabriel rivers east of Los Angeles, California. Rising in a canyon they flow above the ground to its mouth,




Fig. 1.

and then disappear for ten miles. Rates of underflow of from 3.8 ft. to 48 ft, per day were found.

The measurements were made between drive wells sunk for the purpose. Common 11/2-in. or 2-in. drive well pipe is used, having on the end an ordinary 11/2-in, brass jacket well point from 42 in. to 48 in. in length, with a brass gauze strainer. The pipe is cut in lengths of 6 or 7 ft., threaded 11/2 in. at each end, wrought iron recessed couplings being used to fasten the lengths together for different depths. Rolled steel shafting 4 in, long with a hole for the escape of air is screwed on the upper end of the pipe for a driving head, and a heavy oak cylinder 51/2 ft. long by 51/2 in. in diameter with iron rings shrunk on the ends is used to drive the pipes down.

Fig. 1 shows the way the drive wells are located, AC being the probable direction of the flow as determined by the slope of the land. For deep work the wells are put father apart to throw out any mistakes due to driving the wells not plumb.

In Fig. 2, two wells, say A and D, are electrically connected as follows: On the pipe D is a binding post from which a wire runs to an ammeter, A, for measuring the current; then the current runs through a battery of five or six dry cells and to the binding post on the case of well A. Inside the well D is a %-in, nickled brass rod, 4 ft. long, kept from touching the well case by wooden spools. From the upper end of this rod a rubber covered wire connects with the wire from the casing on well A as shown. In every group, each of the down stream wells is connected, as just described, to the upstream well A.

To find how fast water is traveling through the soil from A to B. C and D, a pail of water into which all the sal ammo-




Fig. 2.

niac it will dissolve has been placed, is poured into the well A. It will flow toward the B, C and D and being a conductor of electricity, when it reaches any one of the three wells it will form a circuit between the casing and the nickle bar, and a current from the battery will at once swing the ammeter needle well up on the scale. The distance from A to each down stream well being known, this divided by the time elapsing between putting sal ammoniac in well A, and the swing of the ammeter needle, will give the rate of underflow.

Finely powdered sal ammoniac may be used in well A, lowering it as in Fig. 2 by a wire screen bucket holding about two pounds. The method succeeds using only common pipe, and wiring between the casing of up-stream and down-stream wells, leaving out the nickled rod.

Special clock work and self recording instruments have been made which measure the slowest and fastest flows yet found, so that after the wells are driven, wired, and salted, the observer need not be always present. A No. 2 cast iron pipe puller and five-ton railroad jacks will serve to pull the well casings when through.

POPULAR MECHANICS

SHOP NOTES for 1905

EASY WAYS TO DO HARD THINGS OF DAILY USE TO EVERY MECHANIC

"Worth its weight in gold," writes one.

"Best book I ever had," says another.

REVISED AND ENLARGED FOR 1905

Compiled from the "Shop Notes" Department of Popular ... Mechanics, up to and Including December, 1904 ...

200 Pages

385 Illustrations

"INDEXED SO YOU CAN FIND IT"

FOR SALE BY ALL NEWSDEALERS.

PRICE, POSTPAID,

50 CENTS


POPULAR MECHANICS

Journal Building,

CHICAGO

PRESIDENT LINCOLN'S PRIVATE CAR.

President Lincoln's private car is an interesting relic, still carefully preserved. It was built at Alexandria, Va., for his personal use and had reached completion only a few days prior to his death. Its first trip was to bear the president's remains, with those of his son, from Washington to Springfield, Ill. says Knowledge and Scientific News, London. Other methods are objectionable on account of their effect on the development or fixing. M. Mercier has lately tried, with good effects, tannin the gelatine. A bath is made up of the following: Alcohol (90 degrees) 250 cc, tannin 60 gr., water 500 cc. The plates are immersed for two or three minutes in this bath, after which they are



"Its first trip was to bear the President's remains."

It was considered a masterpiece of car building in those days, although there are more comfortable coaches today running on suburban trains. The car is low, the ventilation poor, and the windows small. A brakeman had to remain on the platform to put on the brakes by turning a hand wheel when the engineer whistled. Oil lamps furnished the light, and a coal stove the heat. The use of four sets of four-wheel trucks was considered a great feat toward the accomplishment of easy riding, an elliptic spring being placed over each wheel.

TO PREVENT THE STRIPPING OF PHOTO-GRAPHIC FILMS.


In warm climates it is often difficult to prevent the gelatine film from becoming detached from a plate during development, and the usual methods, such as adding a little alcohol to the developer are not sufficient, carefully washed before being placed in the developer. The final washing must be continued until all traces of tannin have disappeared.

BUTCHER VS. BAKER.

Some interesting comparisons of the relative cost of bread and meat, and their nutritive values is made by Prof. Snyder in the Baker's Helper. He says:

"The butcher gets nearly a third of what the laboring man pays for his food, while the baker and miller together get less than a tenth; but for this third of his income (\$110.50) spent for meat, he gets only half as much total nutritive material as is supplied by the \$29.20 worth of flour at three cents a pound."


The comparison is graphically expressed by the heavy black lines.



Secondary Winding for Powerful 1-2 to 5-8 inch Spark Coil, \$2.50; Primary Core and Winding for above, 60c.; Vibrator (platinum points,) \$1.50; Condensers, \$1. Buy the difficult parts, make the rest at home and save money.

Send Stamp for Bullettns

NEW ENG. COIL WINDING CO. ATLANTIC, Mass.





BUY A CAPITAL GAS ENGINE

And you will not sit up nights worrying about expensive power.

Our engines are beyond the standard set by older gas engine builders and no one who is looking for the best and most economical power should buy any engine without first investigating the merits of the Capital Engine. Write for Catalog P.

CAPITAL GAS ENGINE CO., - Indianapolis, Ind.

MILK BOTTLES MADE FROM PAPER.

Bottles manufactured from heavy spruce wood fibre paper are the latest contribution toward the solution of the problem of sanitary milk supply. Not only is much trouble experienced in thoroughly cleansing the glass bottles now in use for delivering milk, but many unscrupulous milkmen forget to wash their milk bottles before refilling them for other customers. By their neglect disease germs are often carried about and infection spread. Experiments have shown that paper bottles are not only more suitable and more hygienic in every way, but that they can be manufactured cheaply enough to allow of their being thrown away when once used. bottles are made in the shape of a cone, are dipped into a boiling solution of parrafine and then baked. By this method the paper bottle is sterilized and the milk is prevented from coming in contact with the paper itself. As soon as the experiments now going on are perfected we may expect to have our milk delivered in these paper receptacles and they will be a great boon to the consumers as tests show that milk will keep sweet two days longer in them than in the glass bottles.

CATALOGUES RECEIVED.

A large, well-illustrated book containing interesting diagrams has been issued by the Crane Company of Chicago, to describe their steam and oil separators. These are manufactured in four different styles, horizontal, vertical, angle and distributing, and range from one inch to thirty inches in size.


75 Cents ELECTRIC NIGHT LIGHT, Postpaid. COMPLETE OUTFIT. JUST WHAT YOU WANT



Wake up any old time of night and see what time it is. 1-3 1-2 volt lamp, Socket, Push-button, 3 cell battery, 10 ft. wire tacks, etc. Send stamp for circulars, and electrical catalog.

HERBERT E. SMITH, 9 Park Pl., Betavla, N. Y.

Modern Electricity



Explains X-Rays, Wireless
Telegraphy, Radium,
Transmission & Distribution,
Power Stations, Wiring, etc.
Written in plain English.

All Problems Solved

Practical—Accurate—Scientific 150 illustrations. 355 pages. Cross index.

"A practical handbook for students, apprentices, and electrical engineers."—Scientific American,

Silk Cloth. decorative cover, silver stamping. . \$1.50 Seal Leather, marbled edges, gold stamping. . 1.00

LAIRD & LEE, PUBLISHERS CHICAGO

CHAUFFEURS WANTED
Salary \$60 to \$100 per month, including board and room. Automobile operators or "chauffeurs" are always in demand. Any young man of but limited education can successfully operate a gasoline or electric Automobile with a few hours'study with our new self-instruction "Automobile Hand-Book." Over 300 pages, 118 illustrations, red morocco, gold edges; price, \$2.00 prepaid. We return your money if not as represented. We are the largest publishers of books for home study in the world. Write for complete catalogue, sent free. FREDERICK J. DRAKE & CO., 200-211 East Madison St., Chicago.

SCHOOL FOR STAMMERERS

Send for terms and description of treatment

J. W. CORLEY, M. D.

108 West 124th Street, - - - New York City

BANDAGEEN

THE NEW ANTISEPTIC DRESSING FOR WOUNDS

Sample Bottle and Booklet "First Aid to the Injured" mailed on receipt of 25 cents.

INTERNATIONAL BANDAGEEN COMPANY Garden City Bldg., Chicago

We manufacture Metal Specialties. Also Special Machinery and Small Tools. We give special attention to experimental work. Our Prices are Reasonable.

KOHLER DIE AND SPECIALTY CO., Presses, Dies and Machinery, 50 W. Washington St., Chicago.

50% OFF CATALOGUE PRICES Hereafter we will give to the public direct in full all teacher's and dealer's discounts on VIOLINS, GUITARS, MANDOLINS and other stringed in-

Other instruments, all at 50 per cent off, from \$125.00 \$10.50 and \$25.00 up to.

We are the largest and oldest exclusive stringed instrument house in the U. S. and import direct from OUR OWN workshops in Elsleben, Germany, and Padua, Italy, We permit TEN DAYS' TRIAL of any instrument before actual purchase. Write for catalog.

WM. LEWIS & SON, 211 B WABASH AVENUE, CHICAGO

You Can Make Gas

100 Candle Power Strong at

15 CENTS A MONTH

by using our

Brilliant Gas Lamps

We Guarantee Every Lamp

Write for our P M. Catalogue. It tells all about them and our gasoline system.

Brilliant Gas Lamp Co. CHICAGO, ILL. 42 State Street.





Catalog Free.

The season is here to

MAKE MONEY

Get started early.


\$40 to \$75 AWEEK

Can be made with one of these

Steam Peanut Roasters and Corn Poppers

S. DUNBAR & CO.

16-18 No. Desplaines St. CHICAGO.



FEW DEATHS CHARGED AGAINST AUTOS

This table shows the little real substance there is in the rabid frothings against automobiles. cluding murders, the homicides of 1904 in New York city were classified as follows:

Building accidents, 3; automobiles, 7; derricks, 5; runovers (wagons), 62; building elevator accidents, 21; runovers and other accidents caused by cars of street and subway railroads, 63; killed by cars on Brooklyn bridge, 3; killed by steam railroads running into Grand Central station and along Eleventh avenue, 20.

Of the seven deaths charged to automobiles three occurred at the same time. A drunken chauffeur drove over an embankment at midnight and with two of his carousing companions was killed .- Motor World.

USED HIS NOSE FOR BAIT.

A party, including a small boy, were boating on Lake Keuka, N. Y. The lad was leaning over the side of the boat when an immense fish darted out of water and seized his nose. The fright caused him to throw his head back violently, landing the fish safely in the boat. The event was so remarkable that the neighbors caused a photo of the fish and boy side by side to be taken, the picture showing plainly the wounds made on the boy's nose by the sharp teeth of the fish.

A man wanted a railroad ticket and had only a It required \$3 to get the ticket. He took the \$2 bill to a pawnshop, pawned it for \$1.50. On his way back to the depot he met a friend, to whom he sold the pawn ticket for \$1.50. That gave him \$3. Now, who's out that dollar?"





FICTION OR FACT?

Three Hundred Years Ago a Writer Described a Wireless Telegraph.

Three hundred years ago the Jesuit Strada, one of the first writers on the subject, has a story of two friends who corresponded at a distance without any visible means of communication between them. Each of them, he says, had a needle which had been touched by a certain loadstone of such strength that when one of the needles moved, the other simul-taneously moved in the same manner, no matter how great a distance they were from one another. Many of the seventeenth-century writers, especially those who treated religious subjects, found Strada's account highly diverting, and more than one of them quotes it in proof of the absurd lengths to which credulity will sometimes go, for it would appear that, even then, there were people who actually thought the story might be true! At the beginning of the eighteenth century Addison, in one of his Spectators, gives full details of Strada's extravagant notion of a "chimerical correspondence." The two friends each made "a kind of dial plate, inscribing it with the letters of the alphabet, in the same manner as the hours of the day are marked upon the ordinary dial plate. They then fixed one of the needles on each of these plates in such a manner that it could move round without impediment, so as to touch any of the four-and-twenty letters. their separating from one another into distant countries, they agreed to withdraw themselves punctually into their closets at a certain hour of the day, and to converse with one another by means of this their invention. Accordingly, when they were some hundred miles asunder, each of them shut himself up in his closet at the time appointed, and immediately cast his eye upon his dial plate; if he had a mind to write anything to his friend, he directed the nee-dle to every letter that formed the words which he had occasion for, making a little pause at the end of every word or sentence to avoid confusion. friend in the meanwhile saw his own sympathetic needle moving of itself to every letter which that of his correspondent pointed at. By this means they talked together across a whole continent, and conveyed their thoughts to one another in an instant over cities, or mountains, seas, or deserts."

"YANKEE DOODLE" GERMAN; NOT AMERI-CAN.

United States Consul Schumann, at Mainz, Germany, has discovered in some old German dance music what appears to be the original of our American "Yankee Doodle," which probably was brought over to this country by Hessian musicians employed by the English during the war of 1776.

Made-to-Order Suits \$12.50

Nothing Ready-Made Guaranteed to fit and please you. You take no risk. You simply allow us to prove now have better our garments are than those you buy of your local tailor for twice our price. 10,000 Pairs of \$5 Trousers Free To induce you to give us your first order, we will give you a pair of \$5.00 All Wool Trousers Free with your first suit order, providing you write today for Free Cloth Samples of our elegant \$12.50, \$15, \$18 and \$20 guaranteed all-wool suits, each made strictly to order.

We hereby agree to give you 5 days to examine and try on the garments in your own home, with the distinct agreement to refund the entire amount upon the fund the entire amount upon the return of the garments to us, if unsatisfactory. Write today for book of styles, measurement blanks and superb assortment of nobby all-wool suiting samples free, and see for yourself how well we can dress you and the dollars you can save by ordering a suit of us and get-ting a pair of \$5 all-wool trousers free OWEN T. MOSES & CO., TAILORS, 212 Moses Building, Chicago : Any one of our 900,000 Custemers or the Milwankse Ave State Bank, Chicago. Capital Stock, \$250,000,00 Fill out and mail this coupon today --Owen T. Moses & Co., 212 Moses Bidg., Chicago. Gentlemen:-Please send me style book and samples of suits, including your free trousers samples. I expect to buy a suit costing about \$......color......weight,

Good Tea and Coffee

We are making a Special Proposition to those who enjoy a beverage that is not only delicious, but more appetizing and nutritious than any other tea and coffee on the market.



Write for Special New Year Proposition to persons getting up clubs or sending orders of \$5.00 and upwards,

It is worth your while, as we intend to use unheard-of efforts to increase the number of customers during the next two months.

This offer applies only to readers of Popular Mechanies

Write us at once-to-day-to

MR. CARL,

Great American Tea Co.,

31 & 33 Vesey St., P. O. Box 289, New York

Andrews Office Desks



Have a name to their credit and are a CREDIT to their name, for they are made by

Specialists who know how.
STEEL TYPEWRITER

CHAIRS \$4, DELIVERED

The A. H. Andrews Co. 174 Wabash Ave., Chicago



Please mention Popular Mechanics when writing Advertisers.

EUGENE DIETZGEN COMPANY

181 Monroe Street, CHICAGO 119-121 W. 23d St., NEW YORK

SAN FRANCISCO



Most complete line of

Drawing Materials and Surveying Instruments

Our Rapid Printing Blue Print Paper has no equal. The Celebrated Vandyke Solar Paper for Blue and Black line prints. Send for sample prints.

ALL GOODS WARRANTED

WRITE FOR CATALOG "P"-416-pp, PROFUSELY ILLUST'D,

Earn \$50 to \$200 a Week

with our Moving Picture machine outfit, complete for \$75.00 to give entertainments. Agents wanted.

ZUELCH @ CO. 119 E. 23d Street, - NEW YORK CITY



Air Brush for Art Work

WE ARE MAKING THE STANDARD.

The best in use for applying color by a jet of air. Enables you to do better work in less time. Found in every complete studio. Circular free. WRITE TO-DAY-

Air Brush Mfg. Co., 127 NASSAUST. ROCKFORD, ILL., U. S. A.

= PHOTOGRAPHS | The Greatest IN NATURAL COLORS WITH ANY CAMERA

Invention.

SEND \$1.00 FOR DIRECTIONS

New York Camera Invention Co., 119 E. 23rd Street, New York City

MONTHS FREE

If you are interested in any kind of investment— Oil, Mining, Plantation, Industrial, Lands, Stocks, Bonds, Mortgages, etc., send us your name and address and we will send you The Investor's Review for three months free of charge. A journal of advice for investors. Gives latest and most reliable information concerning new enterprises. Knowledge is power. Great opportunities come and go. Great fakes likewise. Get posted before investing. Write today.

INVESTOR'S REVIEW, 1461 Gaff Bidg., CHICAGO, ILL

MARVELOUS SYSTEM So cheap and simple, anyone can now learn in 20 lessons by mail. No interference to regular work. Greatest educational offer of the age. Endorsed by leading papers and eminent educators as the greatest work in the history of education. Thousands of testimonials and graduates. Campaign of Education. Bl15 Broadway, New York City Greatest

INITIATIVE PAYS.

The world bestows its big prizes, both in money and honors, for but one thing. And that is initiative. Initiative is doing the right thing without being told; but next to doing the thing without being told is to do it when you are told once. Next, there are those who never do a thing until they are told twice; such get no honors and small pay. Next, there are those who do the right thing only when necessity kicks them from behind, and these get indifference instead of honors, and a pittance for pay.-Hubbard.

HOW THE EYE OF THE SEWING MACHINE NEEDLE WAS LOCATED.

Elias Howe in inventing the sewing machine encountered one of his most troublesome problems in locating the eye of the needle. Day and night this point troubled him, and he was nearly beggared before, by a strange incident, he discovered where to put it.

One night he dreamed that he was building a sewing machine in a strange country for a savage The king had given him 24 hours to complete the machine and make it sew, but try as he would he could not make the needle work, and finally he gave up in despair.

At sunrise he was taken out to be executed, and with the mechanical action of the mind in times of great crises he noted that the spears carried by the warriors were pierced near the head. Suddenly he realized that here was the solution of the sewing machine needle. He begged for time—and while still begging, awoke. It was four o'clock. Hastily he dressed and went to his workshop-at nine o'clock the model of the needle with an eye at the point was

A SURE TEST OF DEATH.

In cases where there is uncertainty as to whether a person is dead or not the following test is said to be absolutely sure:

It will be noticed, by holding one's hand with finger touching finger in front of a candle light that the circulating blood shines red through the skin where finger touches finger. This is true so long as life lasts, even in catalepsy or other states of apparent death; but in the dead the blood will not shine through. This fact was discovered by a Frenchman 25 years ago and is yet the simplest means of ascertaining whether life remains in the human body.

THE INTERCHANGEABLE AIR BRUSH

Is made like a Watch-Simple and Strong as a Crowbar

finished.

The best Brush for the artist, photographer, drafts-man, architect and show card writer.

SEND FOR DESCRIPTION AND PRICE

....

C. WOLD, 155, 9 West Madison St., CHICAGO, ILL.

THE BROOKS ST

IF you can drive a nail and cut out a piece of material from a full-sized pattern, you can build a canoe—row boat—sail boat or launch in your leisure time at home, and the building will be a source of profit and pleasure.

All you need is the pattern, costing from \$2.50 up and materials from \$5.00 up. The tools are common in every household. Patterns of over forty styles and sizes—all lengths from 12 to 55 feet.

The Brooks System consists of exact size printed paper patterns of every part of the boat—with detailed instructions and working illustrations showing each step of the work, an itemized bill of material required and how to secure it.

Over six thousand Amateurs successfully built boats by the Brooks System last year. Fifty per cent of them have built their second boat. Many have established themselves in the boat manufacturing business.

Ostalogue and particulars free. For 25 cents, 100 page catalogue containing valuable information for the amateur yaobtaman, ring several working illustrations of each boat, and a full set for one boat. Full line of knock-down and completed boats as cordered, patterns are expressed, charges prepaid, C. O. D. to allow examination.

BROOKS BOAT MANUFACTURING COMPANY.

SHIP STREET Originators of the Pattern System of Boat Building BAY CITY, MICH., U. S. A.

Originators of the Pattern System of Boot Building 3705 SHIP STREET



J.J.EGAN'S "ACME" COMMUTATOR COMPOUND.

Agents Wanted.

FREE SAMPLE J. J. Egan's Acme Commutator Compound, the only article that will absolutely prevent sparking, cutting or unnecessary wear of the commutator. Commutator always bright.

50 Cents per Stick ALL SUPPLY HOUSES OR \$5.00 per Dozen J. J. EGAN, 317 Austin Ave., Chicago

MANUFACTURERS Why not locate where intelligent labor, raw material and demand



for your product obtains. All these and more found on the BURLINGTON ROUTE. For information write to

W. H. MANSS, Industrial Commissioner

209 Adams Street Chicago

$\frac{5}{32} + \frac{11}{128} - \frac{3}{16} + \frac{7}{64} - \frac{9}{128} + \frac{13}{64} = ?$

.15625 + .08594 - .1875 + .10938 - .07031 + .20313 = ?

The Fractometer

With a turn of the Disc Gets the Correct Result Instantly.

This device consists of three revolving discs, as shown, upon which are printed the fractions and their decimal equivalents. The most intricate prob-lems in the addition and subtraction of fractions and decimals, can be solved with the greatest ease and rapidity. It can also be used as a table of decimal equivalents, saving the time and trouble involved in hunting up such table in a book.


Indispensible to Engineers, Draftsmen, Machinists, Foremen and Students.


PRICE 50 CTS. POSTPAID.

Orgiven for securing one new yearly subscriber.

POPULAR MECHANICS

Please mention Popular Mechanics when writing Advertisers.





"Quick Action"

IGNITING DYNAMOS and MAGNETOS

The most Reliable Sparkers on the Market.

Take the Place of Batteries.



Jump Spark Coils

Single, Double, Triple and Quad-ruple for Stationary Engines and Automobiles. Guaranteed in every particular. Fine Vibrator. BEND FOR CATALOGUE D.

THE KNOBLOCK HEIDEMAN MFG, COMPANY



500 BOOKS

Our new catalog of latest mechanical and technical books, now ready. Write for a copy.

Typewriter Free?

It takes no money and very little effort to earn A FINE TYPEWRITER. This is certainly the greatest offer we have ever made. Write at once for "How To Get It."

Popular Mechanics, JOURNAL BUILDING,

MEN EVERYWHERE

To learn how to make new and resilver old mirrors. Immense profits in the work and we guarantee you success. We tell free of charge how to emboss, etch, foll, gold leaf, gild, frost and chip glass. Send for particulars and start at once.

G. L. Patterson @ Co., Chicago, Ill.

CHALK MARKS LAST MANY YEARS.

Chalk marks ofttimes last for many years. There was an instance a few years ago where an old city bell was taken down, and written on it in chalk was the name of a one-time famous engineer, name had been written 13 years before. Even a more singular instance is the names and date, July 4, 1882, written on a bridge built over the Big Gunpowder falls, 14 miles from Baltimore in that year. The names and date may be read at this day.

OLD LOCK ONCE SECURED A DOOR IN NINEVEH.

A gigantic lock, which is opened only with a huge key 31/2 ft. long and of about the thickness of a 4-in. drain tile is the oldest lock in existence. It was used to secure one of the gates of the ancient city of Nineveh. The gate to which it was fitted was of wood, hung with enormous brass hinges and having heavy brass bars. When the lock was found these hinges and bars were somewhat corroded, but still in fair condition.


HOW AND WHERE INDIAN INK IS MANU-FACTURED.

Indian ink might more properly be termed "China ink," as it is manufactured only in the province of Anhui, China, whence every year tons of the valuable product are sent out all over the world. Strangely enough, however, the best grades are used in China, and not exported.

The ink is made from oil expressed from poisonous colza seeds to which varnish and pork fat are By the combustion of the substances lamp-black is formed. The lamp-black is graded according to its fineness and the length of time occupied by the process of combustion. Glue is added to the lamp-black to form a paste, and this paste is beaten on wooden anvils with steel hammers. One hammerer can prepare in this way in a day about 40 pieces, each weighing 1/2 lb .- or 20 lb. The ink is scented with musk of the musk-deer or with Baroos camphor and from 20 to 160 gold leaves to the pound of ink are added to give a metallic luster. The material is then moulded in moulds of carved wood and dried. The drying requires about 20 days. The sticks of ink are adorned with Chinese characters in gilding. Thirty or 32 sticks make a pound, and as there are many grades the prices range from 25 cents to \$35 per pound.

CREMATION IN ENGLAND

Cremation in England is making headway slowly and the prejudice against it is gradually weakening, says a recent consular report. There are six crematories in that country, the first having been established in 1885, and the total number of incinerations so far has been 4,407. The number for 1904 increased by 91 over the year before. Only the bodies of those who stipulate in their wills that they wish their bodies disposed of in this way are cremated. This is due to a court law that everyone is entitled to Christian burial and that cremation does not constitute Christian burial.



LIGHTNING WELL MACHINERY,

Rotary, Coring or Rock Drilling,

Any Diameter, Any Depth, for

Water, Oil, Coal or Mineral Prospecting,

Descriptive Catalog on request.

The American Well Works,


Aurora, Illinois, U. S. A.

CHICAGO, ILL.

DALLAS, TEX.

TRAIN USED IN 1837.

The illustration shows the first train used on the Lake Shore & Southern Michigan road. This train was used in 1837, the company's name at that time



being the Erie & Kalamazoo R. R. The run was between Toledo and Adrian, a distance of 33 miles, and it took four hours to cover it.

AT THE BOTTOM OF THE OCEAN.

The temperature at the bottom of the ocean is nearly down to the freezing point, and sometimes actually below it. There is a total absence of light, as far as sunlight is concerned, and there is an enormous pressure, reckoned at about one ton to the square inch in every 1,000 fathoms, which is 160 times greater than that of the atmosphere we live At 2,500 fathoms the pressure is about thirty times more powerful than the steam pressure of a locomotive when drawing a train.

Send three one-cent stamps for 5-color PICTURE OF LINCOLN PARK BRIDGE

W. L. STEBBINGS

Civil and Consulting Engineer LICENSED ARCHITECT

Monadnock Block,

Chicago

Tel. Harrison 1104

Cable Address "Stebbings" Directory Code

Leading Law School In Correspondence Instruction

Thirteenth Year

Prepares for the bar of any state. Improved method of instruction combining the Text-Book, Lecture and Case Book methods. Approved by the bench and bar. Three Courses: College, Post-Graduate and Business Law. The One-Price School. Write today for Catalogue.

Chicago Correspondence School of Law, Reaper Block, Chicago.



Eldredge Battery Volt-Meter

Reading 0 to 3 Volts in 10 Divisions

A convenient and practical instrument for those who use Primary and Storage Batteries. Its range will cover two cells of primary or one cell of Storage Battery, is Dana Barris its readings. Non-removable nots on strong contact posts. . Price \$4.

ELDREDGE ELECTRIC MFG. CO., Springfield, Mass,





ROBERT VOLT AMMETER

Guaranteed

Forwarded prepaid, including case, upon receipt of \$4.50 3-VOLTS SEND FOR 30 AMPERES CATALOGUE

THE ROBERT INSTRUMENT CO. Detroit, Mich

SAL FOR

Two useful patented articles just the thing for mail order busi-ess. Will sell or place on royalty. For particulars address

C. J. NACHTRIEB 401 Prescott St., - - Toledo, Ohio



STEERE. 260 Clark

Street, Chicago

GFO.

"WE ANALYSE EVERYTHING"

AT REASONABLE RATES

Should you want to know what is contained in any preparation or product, address

ELLSWORTH LABORATORIES


MAX D. SLIMMER, Ph. D.

357 DEARBORN STREET, CHICAGO

BE A WATCHMAKER

EARN WHILE YOU LEARN. Send for our Book Free.

"How to be a Watchmaker." Postal will do.
Plesse Meetion Fopular Mechanics. Globe Bldg., St. Paul, Minnesota.



Fairbanks-Morse Jack-of-all-Trades

Gasoline Engine will saw more wood than any other 2 H. P. Gasoline Engine.

It is sent all set up and ready to run.


Awarded Gold Medals at World's Fair, 1904

Cut out complete advertisement and send to

FAIRBANKS, MORSE & CO., Monroe St., Chicago, Ill.

Plase send me illustrated Catalogue No. H449 Gasoline Engines. I may want... Engine to run. Name Street No Town State.

AUTOMOBILE AND MARINE MOTORS



SIMPLE. COMPACT and POWERFUL

Best material. Perfect workman-Send for Catalog.

ALEXANDER & CROUCH. 71 W. Monroe St.,

1,2 & 4 Cylinder

4, 8 & 16 H. P.

Chicago


Gasoline Engines



ARE you in the marthe mar-ket for Gasu-line Engines or Accessor-ies? We con-duct a real Bargain Place on these lines. Write us.

Booklet on Request.

L. W. GILLESPIE & COMPANY, MARION, IND.



EROSENE

Stationary, Marine, Portable. Send for catalog Int'l Power Vehicle Co., 381 Dearborn St., Chicago

G PICTURE

Machine Castings for \$10.00 to make complete machine, order at once.

119 E. 23rd Street, NEW YORK CITY ZUELCH & CO..

FOR SALE A BUCYRUS EXCAVATOR

A Standard Gauge Bucyrus Steam Shovel, fitted with 32-foot boom and a 1-cubic yard "Clam Shell" Bucket. Machine is complete and in A1 condition and can be shipped to destination on its own trucks, Located South. Price \$3,200. Specifications and inspector's report on request.

WILLIS SHAW - MACHINERY - CHICAGO

Work. Inventions developed cheap. Send sketch or drawings.

ZUELCH & CO., NEW YORK CITY

IN PLACE OF OIL, USE . . .

LUBRIA

(The Water Lubricant)

A heavy oil to be mixed with 20 to 25 times its bulk of cold water for Boring, Turning, Topping, 4c., and Automatic Machine Work.

Ask for Free Trial Lot.

FOOTE, PIERSON @ CO., 80-84 Fulton Street, - - NEW YORK

AND STORM COVER EVER MANUFACTURED.

Adjustable and disappearing. Send for Catalog.

HARLOW CANOPY CO., Janesville, Wisconsin

Economy is Wealth

If you knew that one engine would do your work on less fuel than another, you would surely choose the more economical one. Thous-ands of users have decided in favor of the Otto to their everlasting profit. We have taken part in many competitive tests and never failed to show a 10 per cent saving over the competing engine. In most cases we have done the same work on from 20 to 33 1-3 per cent less fuel. The first cost of the "Otto" is a little greater but you get it all back-and more.



OTTO GAS ENGINE WORKS, Phila, Pa.

TANDARD OF THE

TRAINING THE FACULTIES.

Nikola Tesla was talking about his student days at Prague. "I remember well at Prague," he said, "an old professor of great originality and acumen. This professor insisted on the value of a free use of the perceptive faculties, and he was always pointing out the need for this use in strange ways.

'One day, on arising to lecture, he began: 'Gentlemen, you do not use your faculties of observation

as you should.'

"He laid on the table before him a pot, filled with some vile-smelling chemical compound—a thick, brown stuff.

"'When I was a student,' he went on, 'I did not fear to use my sense of taste.'

"He dipped his finger deep into the pot and then stuck the finger in his mouth.

"'Taste it, gentlemen. Taste it,' he said, smil-

ing grimly.

"The evil pot passed round the class, and one after another we dipped our fingers in it and then sucked them clean. The taste of the thick brown compound was horrible. We made wry faces and spluttered. The professor watched us with a grim smile.

"When the pot was finally returned to him, his

thin lips parted, and he gave a dry chuckle.
"'I must repeat, gentlemen," he said, 'that you do not use your faculties of observation. If you had looked more closely at me you would have observed that the finger I put in my mouth was not the one I dipped into the pot."—Canadian Machinery.

"Popular Mechanics is one of the most satisfactory family scientific journals published."—W. H. Clay, publisher Church of the United Brethren.

IMPORTED IMITATION

DEDION SPARK PLUGS JUST NOW

THE MOTOR CAR SUPPLY CO. 1427 Michigan Ave., Chicago, Ill.

MOTORS

Electrical Repairing and Construction SEND FOR BARGAIN SHEET

PEERLESS ELECTRIC CO., 141-143 So. Clinton St., Chicago Phone Main 1025

stamp for catalogue STEFFEY MFG. CO., Brown and Pennock Sts., Philadelphia, Pa.

Vertical and Horizontal, 11/4 to 15 h.p. Stationaries, Portables, Pumping Outfits and Sawing Rigs.

GET OUR PROPOSITION

and 1905 catalogue Western Malleable & Grey Iron Mfg. Co. 134 Chase Street, Milwaukee, Wis,

The MIETZ @ WEISS

OIL ENGINE, Stationary and Marine

1 to 75 H. P.

128-138 Mott St. - New York

15 Days' Trial on this Engine

No cash payment required. We pay freight to any point within 1,000 miles of Chicago. Spark Plugs guaranteed for 365 days, \$1.50 each.

Second-Hand Engines all Sizes McDONALD & ERICKSON,

36 West Randolph St., Chicago.

A complete line from 1½ to 10 h. p., for Bicycle, Automobile, Marine or Stationary. Also attachable motor outlits and Complete MOTOR-CYCLES. Send

13 H.P. Bike Motor \$7 GASTINGS WITH DRAWINGS,

IMPROVED New 1905 MODEL NOW READY

Now is the time to make that motorcycle and have it ready when warm weather comes. We also have 24 H. P. castings, send for catalogu e

EUREKA MFG. & SUPPLY CO., ST. PAUL, MINN. Please mention Popular Mechanics when writing Advertisers.





IS YOUR BOY WASTING HIS TIME?

IS HE MAKING EVERY SPARE MOMENT COUNT?

If you want your boy to keep happily busy at home, write us. We will send Free our Illustrated Catalog to examine and show him. He will be interested at once and so will you. It will illustrate fully our plan for TEACHING MANUAL TRAINING with tools furnished by us—not toys—TOOLS. A splendid hardwood bench and set of HIGHEST-GRADE TOOLS included in the scholarship fee.

Don't put the matter off. Write at once for our booklet. The course will make an

earnest thinker and a worker of your boy. It will give him ambition and bring out his natural bent. The education that skills the hands while it cultivates the brain forms the


best possible combination of theory and practice.

WRITE NOW. OUR COURSES BEGIN EVERY DAY IN THE YEAR.

AMERICAN MANUAL TRAINING SCHOOL

Department X

40 Dearborn St., Chicago, Ill.



WE WILL SEND YOU One Set GENUINE Armstrong Stocks

Armstrong Stocks and Dies,

One Pipe Cutter, One Wrench. All for handling pipe from % to 1 inch. ON RECKIPT OF \$10.50

Send for Catalogue of Complete Line, ARMSTRONG MFG. CO., Bridgeport, Conn.

General Manufacturing Co., 652 Rookery, Chicago

W PLUMBING BILLS & Get them by paying right prices for supplies. We sell

SUPPLIES AT WHOLESALE

You save 20% to 40% on every article. Highest trade goods and line complete. Free illustrated catalog gives all particulars. Write for it.

B. P. KAROL, 229 W. Harrison St., Chicago,

BE YOUR OWN BOSS

MANY MAKE \$2,000 A YEAR

You have the same chance. Start a Mail Order Business at home. We tell you how. Money coming in daily. Enormous profits. Everything furnished, Write at once for our "Starter" and FREE particulars.

P. M. Krueger Co., 155 Washington St., Chicago, Ill

WHEN IT PAYS TO BE IN DEBT-GOOD AD-VICE TO THE YOUNG MAN.

Every young man should be in debt. Not in debt to his tailor, or his landlady, or for a bar bill, for that class of obligation does more harm than good, even if he does pay within a reasonable time. It is well, though, to be encumbered by some real estate mortgage; not a burden which is going to become a drain to make life a drudge and a call for every spare penny, but one which will have a tendency to make him select his pleasures rather than drift into them for want of any other object in life,

Most young men do not see much to gain by saving a few dollars each month from their salaries, and they fall into the habit of letting it all go. A small partial payment investment in real estate, entered into at 21 years upon a basis of \$10 per month, with the natural additions he would make having once become interested, will amount to a very snug little equity by the time he is 40. The same will prove true from an investment in endowment insurance.

A man usually determines at 40 whether his life is a business success or failure. If a success, the little accumulation which taught him how to shut off foolish expenditures has probably been the secret of success. If a failure, the fact that he has a snug little sum in cash or its equivalent, will be found a very pleasing reflection. The payments all come during what may be termed his best producing years, and are rarely a hardship. The mistake is frequently made of going in too deep, particularly in real estate. Anxiety to make a fortune quick instead of accomplishing a competence has ruined many careers which under the plan of gradual accumulation would have been both successful and brilliant. A heavy load means both physical and mental strain. No man can afford to shut off his pleasures and recreation altogether. He needs both the society of women and the companionship of men, as well as a class of recreation which will keep his mental faculties clean and active. No one can afford to starve the mind and heart to feed the pocket. Every life needs laughter as much as the rose needs the sun, and every life needs some responsibility, some re-striction. The man with an investment, no matter how small, sails under control, he with none merely drifts. Good luck may drift him into harbor, but the chances are against it.

If you want anything and don't know where to get it write us.

If you have a new idea or invention ask our Patent Bureau what you want to know and they will answer promptly and fully without charge.

We want a mechanic in every shop to act as our agent. Write for particulars.

POPULAR MECHANICS CO.

We Carry at All Times



A complete line of Goods USED AUTOMOBILES

Write us about how much you desire to pay, how many passengers you want to carry and how fast you want to travel. : : : : : :


We will submit cuts and prices. Our references are Dun or Bradstreet or any bank in America

C. A. COEY & CO., 1327 Michigan Ave., - - Chicago, Ill.

WATER AND DIGESTION.

Few know the great part water plays in the act of digestion. Water forms ninety-nine parts out of one hundred of the saliva used in masticating our food; ninety-seven parts out of one hundred of the gastric juice in the stomach are water; the bile is eighty-seven parts water, and the pancreatic juice ninety parts water. But for the agency of water, not one of the changes that constitute digestion could be carried out. This necessity for water in the animal economy explains some of the disastrous consequences of conducting drinking water through lead pipes, as the slightest trace of lead regularly imbibed will ruin the best digestion.

PAY YOU! THE BOWSER



Handles
All
Grades
and
Kinds
of
Lubricating
Oils

SINGLE SQUARE CABINET

NO WASTE, NO OIL - SOAKED FLOORS


The "OILER" is exactly filled AT ONE STROKE; there is no overflow.

Fifty Different Styles.

Send for Catalog XII.

S. F. BOWSER & CO., Ft. Wayne, Ind.

Reduced to 2½ h. p. "Little Giant" \$96



Don't Buy Any Engine

until you have fully investigated the merits of this excellent "Little Giant." We can satisfy you at a saving of one-quarter. WRITE TO-DAY FOR ENGINE CATALOGUE. Sentgratis.

Montgomery Ward @ Co.

A Roth Motor will Drive Any Kind of a Machine Tool


No shafting, pulleys or belting to maintain. The motor running any machine not in use can be shut off.

Considering Economy, Efficiency and Design, the ROTH MOTOR is beyond reach of competitors.

Self-oiling, noiseless in operation, free from sparking and automatic in its speed regulation at variable loads.

Write us of your motor wants and we will send illustrated catalogue free.

ROTH BROS. & CO., Manufacturers, 27-31 So. Clinton Street, CHICAGO



Dynamo and Motor Bargains

We carry in stock over 600 machines in all sizes from ½ to 100 horse power, both new and second hand, all guaranteed. Small factory equipments our specialty.

NO ONE

Can sell you a first-class machine for less money. We repair all makes. Send us your inquiries.

Guarantee Electric Co.

CHAS. E. GREGORY, Pres.

153 to 159 S. Clinton St., CHICAGO

SAYINGS OF THE LATE PHILIP D. ARMOUR.

Good men are not cheap.

An American boy counts one long before his time to vote.

Give the young man a chance; this is the country of the young.

We can't help the past, but we can look out for the future.

Hope is pretty good security to go to a bank to borrow money on.

A "sit-down method" won't do a minute in this age of aggressiveness.

There is nothing else on earth so annoying as procrastination in decisions.

A man does not necessarily have to be a lawyer to have good, hard sense.

An indiscreet man usually lives to see the folly of his ways; and if he doesn't, his children do.

A man should always be close to the situation, know what he is doing, and not take anything for granted.

There is one element that is worth its weight in gold, and that is loyalty. It will cover a multitude of weaknesses.


It is an easy matter to handle even congested controversies, where the spirit of the parties is right and honest.

The trouble with a great many men is, they don't appreciate their predicament until they get into the quicksand.

When you are striving to do that which is right, be courteous and nice in every way, but don't get "turned down."

The man who wants to marry happily should pick out a good mother and marry one of her daughters; any one will do.

Do you suppose that with an engine like this I could afford to put anything into the boiler that would make the machinery run wild?



Turner "1905" Carburettors

are the most advanced type of Automatic, positive feed, increasing the speed and power of a motor from 10 to 25 per cent. Gives perfect mixture at all engine speeds and under all atmospheric conditions.

The air as well as the gasoline can be regulated at will of operator. It is not necessary to buy high gravities of gasoline at double the price of common as is the case with all others.

We manufacture two styles, with or without control, for Automatic or Marine use. Write for prices.

THE TURNER BRASS WKS., 55 N. Franklin St. CHICAGO

Combination Self-Feed Rip and Cross-Cut

(Almost a complete workshop in one machine)

is suitable for various kinds of work—ripping (up to 3½ inch thick), cross-cutting, mitering, etc., and with the addition of extra attachments, rabbeting, grooving, gaining, dadoing, boring, scroll-sawing, edge-moulding, beading, etc.

The heaviest, most substantial, accurate and easiest running


machine of its kind on the market.


Machines Sent on Trial.

Send for Catalog "A"

THE SENECA FALLS MFG. CO.

102 Water Street, Seneca Falls, N. Y.





GREAT CENTRAL ROUTF

BETWEEN THE NORTH AND SOUTH.

THE PORTSMOUTH AND ROANOKE RAIL ROAD AND THE CHESAPEAKE BAY STEAMBOATS.

HROUGH FROM HALIFAX N.C. TO N YORK IN FORTY ONE HOURS BEING THREE HOURS IN ADVANCE OF ANY OTHER LINE, AND THIS WITH-OUT A MOMENTS NIGHT TRAVELLING ON RAIL ROAD SOUTH OF PHILADELPHIA, AND WITH-OUT THE LOSS OF SLEEP-Thus:

From Halifax to Portsmouth 6 hours. Portsmouth to Balti pore 14 14 Balumore to Philadelphia .. Philadelphia to N. York 3 Stoppages 5 41

L'TLeaves Halifax every Sunday, Wed nesday and Friday; Baltimore every day, Wednesday and Friday-and Washington City every Wednesday Fare from Halifax to Philadelphia, including every expense (meals porterage &c) \$18.

Office P. &.R. R. R. Co.) Portsmouth Va., May 28, 1838.

FOOT and POWE

AND TURRET LATHES, PLANERS SHAPERS AND DRILL PRESSES ::::

SHEPARD LATHE CO.

A131 W. 2d St.,


Cincinnati, Ohio




Lathes

for everybody.

Many styles and sizes. If in the market write for descriptive matter . F. Barnes Company, Rockford, Illinois.






FOOT and POWER LATHES

9 to 15 inch swing. Built for service. High Grade, Low Price Accurate Tools CATALOGUE FREE.

SEBASTIAN LATHE CO.

107-109 Culvert Street CINCINNATI, O.



LATH

9 to 13 inch Swing

List price, \$65.00 and up according to size. When ready to buy send for Lathe Catalog and prices

W. F. & John Barnes Co. 100 Ruby St., : : Rockford, Ill.

"THE MYSTIC" ELECTRIC VEST POCKET FLASH LIGHT Sent to any address post paid
Send for free catalog. 90c
FAY MARTIN CO.
1650 N. Clark Street Chicago III. Dept. 3



The Largest Factory in the United States for Manufacturing Metal Specialties IS AT YOUR

Write us for estimate on any article you want manufactured.

Prompt and careful attention given all correspondence

FORT DEARBORN

Manufacturers of

MFG. CO. Incorporated 1895.

PECIAL MACHINERY DIES, TOOLS, Etc.

Also Blanking, Forming and Drawing of Sheet Metal

63-65 Crossing Street CHICAGO

Gear and Cam Cutting

Surface and Circular Grinding

Screw Machine Work

PATENTS

Valuable and Salable Patents Secured. Advice as to Patentability and Commercial Value Free

SHEPHERD @ PARKER, PATENT LAWYERS

"During the past 10 years Mr. Shepherd, of Shepherd & Parker, has obtained for us a great many important patents. We have no hesitation in heartily recommending him to anyone having need of the services of a patent attorney.

HALLWOOD CASH REGISTER CO.

Mr. Parker on Nov. 1, 1903, resigned his position as an examiner in the U. S. Patent Officeto enter this firm.

Address

210 Revenue Building

WASHINGTON, D. C.

CHICAGO MODEL WORKS

179 E MADISON ST., CHICAGO, ILL.

ESTABLISHED 1867 WRITE FOR CATALOGUE OF MODEL SUPPLIES

MANUFACTURE WE

Metal Specialties, Dies, Tools, Metal Stampings of all kinds, Screw Machine Work, Novelties, etc. Estimates cheerfully given. Send drawing or models.

Metal Specialty Mfg. Co., 18-24 W. Randolph St., Chicago

PATENT APPLICATIONS.

Applications for patents filed in the United States patent office are classified according to the various arts to which the inventions relate, and are each assigned to one of the thirty-eight divisions in the patent office. They are taken up for examination in each division in regular order of filing-those in the same class of invention being examined and disposed of, as far as practicable, in the order in which the respective applications are completed. Since some divisions in the patent office are frequently months behind others in their work, it often happens that applications prosecuted by the attorney with the utmost promptness in one division are finally acted upon long after applications filed in other

article: we have the brains and the equipment for making it at the lewest cost. We manufacture and ship all kinds of Special machinery on contract.

LET US ACT AS YOUR FACTORY

JOHN WISHART MACHINE WORKS, Engineers and Machinery Mfrs.. (Inc.) 43 to 45 S. Canal Street, Chicago. LONG DISTANCE 'PHONE, MAIN 839.

Established Over 39 Years LXPERIMENTA

AND MODEL WORK ====

Inventors' Ideas Developed. Circulars Free.

WM. GARDAM & SON, (Inc.) 45-51 Rose St. New York

Daus' Tip-Top? TO PROVE that Daus' "Tip Top" is



the best and simplest device for making 100 copies from pen-written and 50 copies from typewritten ori-ginal, we will ship complete duplicator, cap size, without deposit on ten (10) days' trial.

Price 57.50 less trade discount of 33½%, or \$5 net

THE FELIX S. K. DAUS DUPLICATOR CO. aus Building. 111 John St.. New York City

divisions have become patents, so that no general rule can be laid down as to how long it will take to secure a patent, or even just how long it will take to obtain patent office action. Whenever on examination any claim of an application is rejected for any reason whatever, the applicant will be notified thereof, and the reason for such rejection will be fully and precisely stated, and such information and references will be given as may be useful in judging of the propriety of prosecuting his application, or of altering his specification or claims, and if after receiving such notice he shall persist in his claim, with or without altering his specifications, the case will be re-examined. If upon re-examination it shall be again rejected, the reasons therefor will be stated. The claims of an application may be rejected upon anything shown in a prior patent, whether expired or unexpired, or in a foreign patent, or in a printed publication.

elties Made to Order

Metal Stamping

We make Dies and Tools that will turn work out cheaply. Write us-

11-21 SO. JEFFERSON ST., CHICAGO RIFLE MANUFACTURING CO.,



Save time and money by employing a Washington attorney.

WATSON E. COLEMAN. Registered Patent Attorney

COLUMBIAN BUILDING, WASHINGTON, D. C.

Advice Free; Terms Low; Highest References: Best Service

LEGAL OPINION AS TO VALIDITY AND SCOPE OF A PATENT.

Parties contemplating investing money in patents, or in patented inventions, before making any material outlay, should have the validity and scope of the patent or patents carefully examined by competent experts. Many patents, for good inventions, are worthless as a protection against infringers, as broad claims allowed in one class in the patent office may be anticipated and rendered invalid by structures shown in other classes.

Since the courts have uniformly held that the claims of a patent are to be read, not only in the light of the specification, but also in the light of the entire prior art, it becomes a matter of skill, experience and research to determine just what limits the court would be likely to impose upon a patent claim.

To investigations and opinions of this nature Popular Mechanics Patent Bureau gives most careful attention, and their charges depend upon the complexity of the case, and the time required in making the investigation and report.

REJECTED PATENT CASES.

Many valuable inventions are buried among the rejected or abandoned applications at the patent office for which patents might be obtained; and Popular Mechanics Patent Bureau has frequently secured patents for inventions which had been given up as hopeless by the inventors and their attorneys.

In such cases the Bureau is ordinarily willing to accept a fee contingent upon success in securing the patent. Parties desiring us to investigate such cases should send us a letter to the Commissioner of Patents authorizing us to examine their patent applications. If they find there is no chance for a patent they will frankly so advise the inventor.

A new presentation of your rejected application to the patent office by a skilled expert will probably result in a prompt allowance, if the expert by careful, conscientious study of your invention and the references has been able to work out points of novelty and advantage and then has defined these points in the proper technical manner and made clear to the patent office by written or personal argument.



Manufacture Exclusively for Others.

Let Us Act As Your Factory.

That is Our Business. It may give you a lot of satisfaction

TO OWN YOUR OWN FACTORY

But it often proves an expensive luxury and causes more failures than anything else connected with a business

MANY FIRMS

have been manufacturing for years.

THEY WERE SUCCESSFUL

in marketing their product, and to all outward appearances were making a lot of money.

THEY ALONE KNEW

that it took all the money they could borrow to keep up a good front,

OUR MECHANICAL ENGINEERING DEPARTM'T

and plan of manufacturing will turn your losses into profits.

Michigan Novelty Wks., 143-153 Kalamazoo, Mich

Valuable Book on Patents FREE. Tells how to secure them at low cost. How to sell a Patent and What to Invent for Profit. Gives Mechanical Movements in-able to Inventors. Full of Money-Making Patent Informa-NEW BOOK FREE to all who write. O'MEARA & BROCK, Patent Athys., 918 f. Street, Washington, D. C.

NEW YORK OFFICE, 288 Broadway, New York City

you are in the market for any kind of machinery and don't know where to get it, write : : : : : : :

OPULAR MECHANICS



The Franklin Model Shop

EXPERIMENTAL WORK FOR INVENTORS

Anything in metal from a single piece to a complete working model. Apparatus for Colleges, Exhibition Models, Special Tools, Inventions Perfected, Drawings and Designs.

Send for Illustrated Booklet 8

PARSELL & WEED, 129-131 W. 31st St., New York City

MANUFACTURING ORD SPECIAL MACHINERY, MODELS EXPERIMENTAL WORK DROP FORGING DIES AND DROP FORGINGS Hardware Specialties, etc., Manf'd to Order. Send Samples or Drawings for Estimates. Write for Our Booklet. GLOBE MACHINE & STAMPING CO. 973 Hamilton St., - Cleveland, Ohio



Bolts before and after using the Hawkeye

No. 200 Regular No. 400 same as No. 200 only full Nickel Plated The dies in wrench for English and foreign trade, furnished with Withworth style of thread, if wanted.


Best Wrench Made For Automobiles Has More Uses Than Any Wrench Made This wrench should be in the tool box of every mechanic. Will be mailed on receipt of \$1.00. Better order one today.

Manufactured by

The Hawkeye Wrench Co., Marshalltown, Ia.

CENSORED THE PHOTOGRAPH.

When the Russian censor gets through with the foreign magazines and papers, nowadays, they re-



semble patchwork quilts. A French family in St. Petersburg had themselves photographed while reading the censored home journals and sent the photo-.

graph to a French magazine. The French publisher acted as censor also and removed the heads of the group before reproducing the photo.

BLOWN THROUGH 60 FEET OF WATER AND AIR AND SURVIVES.

Four men working under a high-pressure of air in the tunnel now being constructed under East river between Brooklyn and the battery suffered a remarkable experience a few days ago. East river above the tunnel is about 40 ft. deep. One of the men, Richard Creedon, had just discovered that the roof of the tunnel was leaking, the air escaping into the river, and was trying to stop the leak with sandbags, when suddenly the whole roof was blown out, and the four men with it. Bystanders say that Richard Creedon was blown 20 feet into the air, above the level of the water. All the men were rescued almost immediately, and though all were bruised not one was seriously injured. It is the first accident of the kind where the workmen involved have survived.

TESTING WINE BY TELEPHONE.

The latest step in the interests of pure beverages is the devising of a telephone apparatus by M. Maneuvrier, of Frankfort, Germany, for detecting the presence of water or other liquids in wine. Two glasses, one containing what is known to be pure wine and the other the wine that is to be tested, are placed in the apparatus and a current of electricity is passed through them. If the sample being tested contains adulterants a sound is heard in the telephone and by moving an index finger until this sound disappears the operator is enabled to discover the quantity of adulterant the wine contains.

Chapin's Mechanics Hand Soap

This scap is absolutely pure, being manufactured from the very best of ingredients, and is adapted to the use of workingmen of all trades.

G. F. CHAPIN & SON CO.

READING, MASS.
AGENTS WANTED

LOOK FOR THIS PICTURE



ON EVERY CAN

DIRECTIONS

Wet the hands well before applying the soap, then rub the soap in thoroughly until dirt is loosened, then rinse.

One great feature of this soap is the saving of time, a very important thing to the workingman. It requires but two or three minutes to thoroughly cleanse the most soiled hands, and can be used with hot, cold or salt water,

SEND 25 CENTS
For Sample Can

NAME PLATES, TRADE MARKS



TRANSFER WINDOW SIGNS

Civil War Relics and Curios

\$1.00 EACH

For cosy corners and dens.

Write for circular.

WALSH'S SONS & CO., 261 Washington St., Newark, N. J.

FENCE CEMENT POSTS

Cheap as wood, and will last forever. Made with simple and inexpensive tools. Fire Proof, Frost Proof, Wind Proof. Material used—Cement and Sand or Gravel. Will supplant Wood and Iron cutterly. For particular of the proof. A. D. MACKAY & CO., Commerce, Chicago.

Battery Telephones only \$5 a pair

For private lines. Works from 1000 to 2000 ft. with 2 dry batteries. Batteries 20c each. VEST POCKET FLASH

LIGHTS only 60 cts. Postage

Extra Batteries, 25 cents. Send (5) for free Catalogue of Electrical supplies.


HERBERT E. SMITH, 9 Park Pl., Batavia, N. Y.



Typewriters makes

All the Standard Machines SOLD OF RENTED All the Standard Machines SOLD OF MENTED ANYWHERE at HALF MANUFACTURERS' PRICES allowing rental to apply on price. Shipped with privilege of examination. Write for Catalogue TYPEWRITER EMPORIUM, 202 LaSalle St. Chicpen

worth of plating in 2 weeks, writes M. L. Smith of Pa. (used small outlit). Rev. Geo. P. Crawford writes, made \$7.00 first day. J. J. S. Mills, a farmer, writes, can easily make \$5.00 day plating. Thes. Parker, school teacher 2l years, writes, "I made \$9.80 profit one day, \$9.35 another." Plating Business easily learned. We Teach You Free-No Experience Required. Everybody has tableware, watches, jeweiry and metal goods to be plated with Gold, Silver, Nickel and Tin plating. Heavy Plate—latest process, No toy or humbug. Outlits all sizes. Everything guaranteed. LET US START YOU. Write today for Catalogue, Agency and Offer. Address, V. Gray & Co., Plating Works, Cincinnati, O.





"THE ELDRIDGE"

VEST-POCKET ELECTRIC FLASHLIGHT

is the leader of them all. SPECIAL INTRODUCTORY PRICE Postage 10c. extra.

Has cloth covered metal case: = nickel ends; rusze dry batteries. Always ready—simpl the button." Gives most powerful light. List free. Agts. L. ELDRIDGE & CO., 3121 Indiana Av., Chicago, Dept. G.

Mechanics, Stationary Engineers, Farmers and

Factory and Shop Employes



Here is just what you need—a

Good. Durable Pocket Knife

which embodies the following

EIGHT ADDITIONAL -TOOLS-

Alligator Wrench, Wire Pliers, Wire Cutter (will cut barbed fence wire), Hoof Hook (can also be used for a packing hook about the engine), Screw Driver, Screw Bit, Swedging Awl, and Leather Punch. The blades are tempered to withstand hard usage and are made of the best 85 carbon cuttlers, steel. cutlers' steel.

These tools are needed almost every day, and you cannot afford to be without them.

Price \$1.25 Postpaid.

Do not delay but send your order TODAY

Agents Wanted

Devine Specialty Co.

842 State Life Building,

Indianapolis, Ind.



This ELEGANT Watch \$3.75

Befree you buy a watch out this out and send to us with
your name and address, and we will send you by capress
for examination a handsome WATCH AND
CHAIN C. O. D. \$3.75. Double
hunting case beautifully engraved, stem wind and
stem set, fitted with richly seweled movement and
quaranteed a correct timekeeper; with long Gold
plated chain for Ladles of vest chain for Gentz.
If you consider it equal to any \$35.00 GOLD
FILLED WATCH Warranted 20 YEARS
pay the express agent \$3.75 and it is yours. Our
your guarantee sets with each watch. Mention
if you want Gents' or Ladles' size. Address
H. FARHER & CO., CS1, 28 Quincy 84., CHICAGO.



THIS MUSICAL PIG was the hit of the St. Louis Fair You can have more FUN with this cute little porker than anything ever invented. You simply blow him up, then the pig begins to sing. A fler singing a while he squears, then sollapses, then gives up the ghost with a last finite grunt and finally lays down and dies. Don't miss this; it is the best yet. Sent postpaid for 10c. or 3 for 25c., and our big bar th. 10c. logue.

W. H. MILLER SUPPLY CO., 739 E. 4th St., St. Paul, Minn.


25c. BOOKS

on Electricity, Mechanics and other subjects. Send for price list FREE.

HOW TO RUN EN-**GINES AND BOILERS**

by E. P. Watson. Written in plain lang-uage and fully illus-trated.

7,000 COPIES SOLD



\$1.00, Postpaid

SCHNEIDER.—Care and Handling of Electric Plants, \$1.00 DAHLSTROM.—Fireman's Guide to the Care of .50

Boilers

NORRIE.—Induction Coils and Coil Making for AW \$1.00 Purposes • . .

CROMWELL.—Easy Lettering for Draftsmen • .50

JUST OUT .- The most complete set of Wiring diagrams and circuits yet published. Limp Cloth, 50c.

HOW TO TELL THE TIME in any part of the world at a glance, 25c.

SPON @ CHAMBERLAIN

PUBLISHERS OF TECHNICAL BOOKS

Dept. PM, Liberty Bldg., New York

SONG POEMS

ROYALTY PAID and Musical Compositions We arrange and popularize Pioneer Music Pub. Co., (Inc.) 263 Manhattan Building.

CHICAGO, ILL.

The New

Popular Mechanics

PREMIUM LIST

Fully Illustrated Is Now Ready

BOOKS FOR MECHANICS, ELECTRICIANS, ENGINEERS SHOP TOOLS OF ALL KINDS SPORTING GOODS, WATCHES, ETC.

> Something for everybody given for one or more new subscribers.

> > - ADDRESS

Popular Mechanics JOURNAL BUILDING, & CHICAGO

DRAWING STUDENTS NEED THE DRAFTSMAN

25c for 4 months—Cleveland, Ohio

BOOK REVIEWS.

ELEMENTS OF MECHANICS. By Mansfield Merriam. Cloth; 12mo.; 172 pages. Price \$1.00. John Wiley and Sons, New York.

This book comprises 40 lessons for beginners in engineering and attempts to apply the best methods of applied mechanics to the development of the fundamental principles and methods of rational mechanics. The book makes constant appeals to experience as the best master and gives many numerical illustrations and queries and problems.

MODERN GAS ENGINES AND PRODUCER GAS PLANTS. By R. E. Mathot, M. E. Cloth; 300 pages; 175 illustrations. Price \$2.50. Norman W. Henly Publishing Co., New York.

To assist the gas engine designer, user and en-gineer to a perfect understanding of the construction, selection, purchase, installation, operation and maintenance of gas engines is the purpose of this book, and it's object has been carefully and thoroughly carried out. Every part of the gas engine is described in detail in a clear, terse manner, the text being further elucidated by excellent diagrams. There are also helpful suggestions as to the purchase of an engine, its installation, care, operation and remedies for perturbations in running an engine. Considerable space is given to producer gas, its generation and utilization.

BROOKES' AUTOMOBILE HANDBOOK. ROOKES' AUTOMOBILE HANDBOOK. By L. Eliott Brookes. Flexible binding; 325 pages; numerous illustrations. Price \$1.50. Frederick J. Drake & Co., Chicago.

The simplicity of this book will appeal to all owners and operators of automobiles. It includes road troubles, motor troubles, carburetor troubles, ignition troubles, clutch troubles, and starting troubles-all the annoyances that are apt to befall the automobilist at any time. With a practical handbook with him, many of these troubles can be overcome in a few minutes and much delay may be spared him.

BOILER ROOM CHART. By Geo. L. Fowler, Size 14x28 inches. Price 25 cents. The Norman W. Henley Publishing Co., New York.

The construction and arrangement of the best type of boiler plant is shown by this educational chart, and every part has a reference number which corresponds to the number and name of the part in a glossary printed at the sides. The names of

POPULAR ELECTRICIAN BUBIER'S 50c. per year ELECTRICAL BOOKS for Beginners. 10c, 25c, 50c.

Sample Copy and Catalogue FREE Bubier Publishing Co., Dept. 3, Lynn, Mass.

ELEMENTS

MECHANICS

(JUST PUBLISHED)

Forty Lessons for Beginners - in Engineering .

By MANSFIELD MERRIMAN Professor of Civil Engineering in Lehigh University

12MO, 172 PAGES, 142 FIGURES

CLOTH, \$1.00 NET

Order through your bookseller, or copies will be forwarded postpaid by the publishers on receipt of the retail price.

...DESCRIPTIVE CIRCULAR UPON APPLICATION...

JOHN WILEY @ SONS

44 East 19th Street, . . NEW YORK CITY

more than 200 parts are given. The equipment consists of water-tube boilers, ordinary grates, mechanical stokers, feed water heaters and pumps.

GRINNELL'S HAND BOOK ON PAINTING. By V. B. Grinnell. Memorial edition; 180 pages; paper covers. Price, 50 cents. The Western Painter, Chicago.

This book is generally conceded to be one of the most practical works on painting in existence. All the profit from this memorial edition is to go to the support of the author's aged widow, who was left in straitened circumstances.

ALTERNATING CURRENT MACHINERY. William Esty, S. B., M. A. Cloth; 425 pages; numerous illustrations. Price \$3.75. American School of Correspondence at Armour Institute of

Technology, Chicago.

The beginner and the so-called practical engineer is the person for whom this book is primarily intended. Its purpose is to give him a working knowledge of alternating current apparatus, so that he can install and operate it. To study this work one does not need to be a mathematician, as it contains no mathematics beyond the simplest trigonometry. The reader is assumed to have some knowledge of the simpler laws of electricity and magnetism, however. The book contains a great number of illustrations, and a large variety of examples and numerical illustrations.

CATALOGS RECEIVED.

"The Hunt Noiseless Conveyor," is the title of Catalog No. 053, issued by the C. W. Hunt Company, of New York. The catalog treats of various methods used in handling coal and ashes and gives illustrations of a number of installations.

Please mention Popular Mechan ics when writing Advertisers.

AS A SALARY-RAISING PROPOSITION ... TULLEY'S BOOK RANKS FIRST...

All the engineering information you should have; all you really need is contained in this book in plain, practical and concise form.



TULLEY'S HAND BOOK ON ENGINEERING

is a complete library covering the subject in all its various branches, and contains 990 pages.

\$3.50 is the price, and it is sold with the understanding that it may be returned if not satisfactory, and your money will be refunded immediately.

diately.

The fourth and last edition is now ready for distribution. Out of 17,000 books sold only two have been returned. This fact speaks for itself.

CUT OUT AND MAIL TO-DAY

H. C. TULLEY & CO., Wainwright Bldg., St. Louis, Mo.
I accept your offer to send me express prepaid, one of Tulley's
Hand Books on Engineering, price \$3.50, and enclose \$2.00 as
first payment. The balance, \$1.50. I agree to remit in 50 cent
monthly installments, money or express order, or stamps.

Name	 	69	٠	*	
CALLE	 T	-	*	4	

Street or Box No..... City and State.....


PELEGRAPH

Telegraphers' Penmanship and Typewriting COMBINED IN ONE TUITION

We are unable to meet the demands of the railroads for our raduates. Positions guaranteed to all our students. Send graduates. for catalog.

The Chicago Railway & Commercial Institute 97 Washington St., Chicago, Ill.

Complete and short courses. Thoroughly equipped engineering shops. Shop work from the beginning. Short courses in Steam and Electrical Engineering. Expenses low teams related the steeper should all year. Students may enter any time. Correspondence ing shops. HIGHLAND PARK COLLEGE, Des Moines, Ia.



A School Within Itself

Space will not permit our telling you all about this book, but better still, we give you achance to examine it for yourself by our offer to refund money if book is not satisfactory upon examination. Under this offer II,600 copies have been sold and paid for, and out of this number we have refunded for only 20 copies. There are nineteen chapters, carrying you from the fundamental principles of electricity through, the art to the finished dynamo and chapter devoted to the electric automobile and batteries. Contains a dictionary defining 1,500 words.

4th Edition. Price, \$2.00 delivered.

CLEVELAND ARMATURE WORKS: Cleveland, Ohio

"Want" and "For Sale" Ads. 2 cents per word, payable in advance. Replies may be sent to a number, care Popular Mechanics, and will be forwarded promptly without extra charge.

"SHOP NOTES"-Paper covers 50 cents. Popular Mechanics.

AUTOMOBILES.

FOR SALE—Orient Buckboard, 4 h. p., with starting crank instead of strap, good as new and in running order. Getting larger machine. \$200 cash takes it. Chas. Archibald, East Palestine, O.

\$500 MICHIGAN AUTOMOBILE, new, for \$350; motorcycles cheap. C. R. Baker, Salem, O. CHAUFFEURS WANTED—We teach ambitious

CHAUFFEURS WANTED—We teach ambitious young men, by a system of plain and practical correspondence lectures, illustrated by photographic reproduction, together with scale working drawings, showing how to build automobiles, and we follow this up by teaching our pupils how to operate a large tonneau touring car on the road. Our system enables any man of moderate means to perfect himself in this new and promising field, and they are able to retain their present positions until qualified to fill a better one. Our instruction will qualify you to earn at least from \$15 to \$25 weekly. The increasing activity and interest in automobiles is remarkable. Factories and garages want men to demonstrate and sell automobiles on a straight salremarkable. Factories and garages want men to demonstrate and sell automobiles on a straight salary basis. Private parties want competent chauffeurs, and the work is pleasant, agreeable and instructive; often leading to extended trips abroad at a good salary. This is your opportunity. We give you practical instructions and follow them up by actual road work. Our terms for complete course are \$10, payable \$2 down and \$2 weekly. As soon as you have completed your course we will issue a certificate which will be worth money and a good position to you if you are earnest and ambitious. McLaren Automobile Instruction School, 54 N. 13th St., Philadelphia. St., Philadelphia.

BLACKSMITHS.

Be a Master Mechanic and expert steel worker by Be a Master Mechanic and expert steel worker by using Toy's Treatise on new steels explaining how to work them with 75 new methods for working all difficult jobs. Ten receipts for making your own compounds for welding different kinds of steel solid. Thermite welding fully explained; also two colored tool tempering charts; chart A explains all annealing and hardening; Chart B explains both scientific and plain tempering to a standard. All the above for \$1.00. Valuable samples free. W. M. Toy, Sidney, Ohio. Ohio.

BUSINESS CHANCES.

FOR SALE-Foundry and machine shop in town of 3,000; central Minnesota. Well equipped for re-pairing and manufacturing. Nearest competition 70 pairing and manufacturing. Nearest comp miles. Address Box 890, Litchfield, Minn.

\$1 INVESTED in our coal mine today will be worth \$5 in a year; bank references. Write Bitim-ious Coal Co., 540 Andrus Bldg., Minneapolis, Minn.

FOR SALE-A very desirable machine and repair shop, residence, location and business; manufacture wood sawing machinery, which is in great demand; more business than can attend to; want to retire; a bargain. Irving Fox, Rochester, Minn.

START A FACTORY of your own on a capital of \$2. Learn to make the handsomest robes and bed spreads ever invented. Enormous profits, unlimited demand. Easy to learn. Large size sample and full instructions for making for 50 cts. P. O. order. Satisfaction or more back. Address Win-Address Winorder. Satisfaction or money back. ton, Lock Box 45, Honey Grove, Tex.

ENGINES.

EIGHT-LIGHT DYNAMO; will sell cheap for cash or trade for gasoline engine or engine cast-ings. Will Guest, Box 115, Russellville, Ark.

FOR SALE OR TRADE-2 h. p. vertical steam engine in excellent condition. Address C. T. Hyatt, Eaton, Ind.

FOR SALE—At once, 1 set Steppey motor castings, 1½ h. p. and extras ready to finish; partly finished. Price here \$3 cash. John L. Peacock, 182 W. Fair St., Atlanta, Ga.

FOR SALE-1/8 and 1-16 h. p. dynamo castings. Photo for stamp. Roy A. Crihfield, Lincoln, Ill.

MISCELLANEOUS.

EMPLOYES and Watchmen's Recorders, for recording arrival and departure of employes, and the night watchman's trips. Illustrated catalogues free. R. E. Kimball & Company, 274 Wabash Ave., Chicago.

WANTED—Full particulars of meritorious articles suitable for mail order business, and circulars with our imprint for distribution among agents. Agents Supply Co., Detroit, Mich.

WANTED-One second-hand small power air compressor in fair condition; must be cheap for cash. The York Automobile Garage, York Village, Me.

AUTOMOBILE parts to exchange for Edison phonograph or typewriter. A. P. C., 10 S. Wall St., Columbus, O.

OUR NOVELTIE CATALOGUE is just out. Write for it now. Smith Bros., 363 West Van Buren St., Chicago, Ill.

CASH, OR WILL EXCHANGE for kodak or guns, complete lessons "Metal Mining," International Correspondence Schools; cost \$65. Lessons on Correspondence Schools; cost \$65. Lessons on "Cyanide Process;" cost \$15. Blow pipe outfit; cost \$15. Complete drawing outfit; cost \$10. Address "Mining Engineer," care Popular Mechanics.

BRAINS FOR SALE—Do you want a prospectus written and illustrated for your new company or syndicate? Do you want one that will command attention and sell shares? Do you need a catalogue or booklet that will not be thrown in the waste basket? If so write to Expert, care of Popular Machanics, Journal building, Chicago.

CAMERA FOR SALE—Vive camera, 34x34 in., in good condition, \$3. C. L. S., Popular Mechanics.

ADVERTISING COURSE FOR SALE—Full course of lessons from the foremost school in the country. Price \$10. C. L. S., Popular Mechanics.

WHEN YOU WANT anything and don't know where to get it, write Popular Mechanics.

THE FRACTOMETER will instantly solve all problems in addition or subtraction of fractions and their decimal equivalents. Every person has need for this wonderful invention, especially Draftsmen, Engineers and Mechanics. Price 50c postpaid, or given free with a year's subscription to Popular Mechanics at \$1 per year. Popular Mechanics Journal Bldg., Chicago, Ill.

DEATH is said to be pleasant when it takes place by drowning; however, we do not believe you want to die that way. "How to Swim" is the book that

will teach you how to swim. Contains 100 illustrations; sent postpaid for \$1. Popular Mechanics.

WANTED—If you have anything in light metal manufacturing, job or experimental work, write me. Lowest prices. Schwabe & Son, 55 W. Washington St., Chicago,

WE CAN TELL you where to get good bargains in all kinds of second hand machinery. Popular Mechanics.

BINDERS-Will hold Popular Mechanics 12 issues. Sent postpaid on dress Popular Mechanics. Sent postpaid on receipt of 50 cents. Ad-

Five years subscription for three dollars. Popular Mechanics Co. make this offer. A great many peo-ple are taking advantage of it. It's open to you also.

WANTED—Ten light second hand dynamo fair condition; must be cheap for cash. Warren Blaisdell, York Village, Me.

FOR SALE—Printing Outfit, 5x7½ Model press, four fonts type, new. Labor saving leads, slugs, borders, stands, cases, cabinet, stock, etc., etc. This material is all new and in A1 condition: \$35. \$2 for boxing and crating. Enclose stamp to insure Drawer 5, Salineville, O.

FOR SALE—Clarinet, grenadillo, 13 keys, 2 rings, Albert system, nearly new. C the right key for organ or orchestra. A9, care Popular Mechanics.

FOR SALE-Cheap, a complete International Correspondence School course in mechanical draughta complete International ing; all tools, volumes and one oak folding drawing table, or will exchange for a small gasoline engine, D. B. L., care Popular Mechanics,

FOR SALE—Trap Drums, one 3½x15 orchestra snare, one 24-inch rosewood shell bass drum, drum beater and 10 cymbal all new. Cost \$37. Will sell for \$20. Enclose stamp to insure a reply. Drawer 5, Salineville, O.

FOR STEAM WATER OR AMMONIA STILLS.

NEW STEEL CYLINDERS,

Ten feet 6 inches long, 24 inches diameter, welded heads 1¼ inches thick; weld sides ¾ inch thick; tested 1,500 pounds to the inch. Will last a life time. Cost \$250 each. I sell at \$50 each. F. O. B. Melvin Haskell, Gloucester, Mass.

FOR SALE—A course in electric power and lighting; cheap. I. C. S.. Or would trade for motorcycle. Wm. Gunkle, Jr., 782 W. 12th street, Chi-

FOR SALE—New 8 h. p. water-cooled Ohio gas-oline engine and one 3 h. p. air-cooled gasoline en-gine for bicycle. Chas. Archibald, East Palesgine for bicycle. tine, O.

FOR SALE—Receipt to make iron take a bright polish like steel and how to drill hardened steel, 50 cts. each. L. Jazyk, Beaver Dam, Wis.

FOR SALE—At half price, stationary engineer's course in International Correspondence School, Scranton, Pa. Fred Metzler, San Miguel, Cal.

FOR SALE—1-12 110 Motor; Tripod tube level; 35-gal. faucet tank; compound slide rest; alternating and direct arc lamp; large electric condenser; lamp handler for high places. Box 68, Station V, Chainnati C. Cincinnati, O.

FOR SALE-Patterns for sheet metal boat, an excellent hunting and pleasure boat, fast, safe, light and durable; easily and cheaply made; no special tools or models required to build the boat. Write for diagram and prices for full size patterns and drawings. H. F. Thompson, 509 E Main St., Decorah, Ia.

A PRACTICAL BOOK, "Dies and Diemaking." Postpaid \$1. J. L. Lucas, Bridgeport, Conn.

FOR SALE-Watch and shotgun. H. Shabbona, Ill.

FOR SALE-Full set of C. G. Conn's band in-For particulars address Lock Box 155, struments. Duncan, Ind. Ter.

I TEACH YOU how to make mirrors, photo-mirrors, blue print photographs, re-ink old typewriter ribbons, do glass etching, embossing, chipping, transferring, cutting, etc. How to enlarge portraits in one hour. These and many more practical moneymaking methods for agents, painters and mechanics. Send stamp for prospectus and terms. L. G. Hullinger, Francesville, Ind.

G. KIOLA, engraver, 155 W. Madison St., Chicago, Ill. Postal brings circular.

January 1, WANTED-Two copies, 1904, American Electrician. State price. Ad. Os H. Lingel, 2704 S. Jefferson Ave., St. Louis, Mo. Ad. Oscar

AGENTS in every shop to sell simple remedies, mechanical preparation and hand paste. A. T. Ogden, 21 Mill St., Poughkeepsie, N. Y., Dept. M. P.

EXCHANGE-Camera, fine stereopticon, Colts rifle, Soudan quadricycle, complete set bicycle repairer's tools, Victor talking machine, 75 records in case. Want fancy pigeons, or what have you? W. E. Peterson, Warsaw, Ind.

W. E. Feterson, Warsaw, 1nd.

TO EXCHANGE—Edison house phonograph, horn twenty (20) inch bell, best folding stand, 67 records, one record case, holding 36 records. Outfit valued at \$63; Syracuse double barreled, hammerless shot gun, 28 inch, four blade, Damascus barrels, cost sixty (\$60) dollars; Winchester rifle, 22 short, 1890 model, 16 shot, repeater, for Screw-cutting lathe, anything from No. 4 to No. 5½. Barnes preferred. Give description. Address Fred Dutcher, 1730 Lincoln Ave.. Kalamazoo. Mich. coln Ave., Kalamazoo, Mich.

BOOK BOYS

"Mechanics for Young America"

Tells How to Make Things

Reprinted from the Boys' Department of Popular Mechanics. Fully Illustrated. Instructions are "Written so you can understand it."

CONTENTS

How to Make a Paper Boat
How to Make a Barrel Boat
How to Make a Water Wheel
How to Make Your Own Fishing Tackle
Temporary Camps and How to Build Them
Permanent Camps and How to Build Them
How to Build an Imitation Street Car Line
How to Make a Water Bicycle
How to Make a Miniature Windmill
How to Build an Ice Boat
A Novel Burglar Alarm
How to Make a Boot-Blacking Cabinet
Renewing Dry Batteries
How to Make Water Motors
Materials
Lettering a Clock Dial
How to Make a Windmill of One or Two Horse-
power .
power
How to Make a Frap for Rabbits, Rats and Mice.
Kites of Many Klnds and How to Make Them-
Jug Fishing
Jug Fishing
Ornamental Metal Guards for Open Fireplaces
How to Make a Propelling Vehicle
How to Make a Water Telescope
How to Make Paper Balloons
How to Make a Hectograph
Useful Articles and Ornaments Made of Old
Bicycle Parts
Devices for Winter Sports-How to Make and
Use Them
Coasting Sleds, Chair Sleighs, Toboggan Slides
and Skis
How to Make Rubber Stamps
How to Make a Baggage Carrier for Bicycles
A Water Candlestick.
Boys' Hand-Power Auto—How Made How to Make a Pair of Dumb-Bells
How to Make a Pair of Dumb-Bells How to Rid Your Yard of Cats
How to Make an Easel
To Light a Gaslight Without Matches
Things a Boy Can Make Out of old Bicycle Parts.
How to Make a Wind Propeller
Photographing from a Captive Balloon
How to Make a Simple Burgiar Alarm
a kampa Dargar Amuni,,,,,,,,,,

Sent postpaid on receipt of 25 cents, or order from your newsdealer.

Popular Mechanics,

Journal Building, Chicago

ELECTRIC RAILWAYS

Dynamos : Motors : Cas Engines



Complete Working Models, siso Castings and Parts. Everything for the Amateur Electrician. Send for Catalogue B

The CARLIS'LE & FINCH CO.,

262 E. Clifton Ave.

Cincinnati, Ohio



The Wonder Dynamo Motor MOST COMPLETE LITTLE MACHINE MADE

MUGH Unitable
Lights lamps, runs motors, decomposes water, etc.
Output twelve watts, wound for any voltage up to ten.
East laminated armature, waiting the most efficient
Hits-emachine of its kind on the market. Will run
on '110 rolt circuit. Weight 4 lbs. Height 5 inches.
Bend stamp for catalogue. Agents wanted everywhere.

THE R. M. CORNWELL CO., 408 S. Salina St., Syracuse, N. Y., U.S.A

EVERY BOY Own Toy-Maker



It tells you how to make a Steam Engine, a Photographic Camera, a Windmill, a Microscope, an Electrical machine, a Galvanic Battery, an Electric Telegraph, and Electrotyping Apparatus, a Magic Lantern, e.p. Eolian Harp, Boats of every kind, hom a little rowboat to a full-rigged schooner; how to make Kites, Balloons, Paper Toys, Masks, Card Racks, Wagons, Carts, Toy Houses, Bows and Arrows. Pop Guns, Slings, Stilts, Fishing Tackle, Rabbit and Bird Traps, and many other things, and all is made so plain and simple that any boy can easily make anything described. The whole is illustrated with more than 200 handsome illustrations. This is a great book and you should not be without it. Price only 10 cents, postpaid, 3 for 25 cents. Address WESIEN SPEGIALTY CO., 532 Minnehaha Street, St. Paul, Minn.

WESTERN SPECIALTY GO., 532 Minnehaha Street, St. Paul, Minn.



The World's Headquarters for ELECTRIC NOVELTIES and SUPPLIES

s Electric We Have It.—We Undersell All



Xmas Tree Lamps & Battery \$3.00
Fan Motors, \$2.00 to \$15.00
Battery Table Lamp 3.00
Battery Hanging Lamp 10.00
Telephone, complete, \$2.50 to 5.95
Electric Door Bells. 1.00
Electric Carriage Lamps, \$8.00 Medical Batteries, \$12 Belt, with Suspensary, 2.60
Telegraph Outfits. 2.00 to Bicycle Electric Lights, 3.50
Battery Motors, \$1.00 to Bicycle Electric Lights, 3.50
Electric R ilway, 9.25
Pocket Flash Lights, 1.20
SEND FOR NEW CAT., JUST OUT SEND FOR NEW CAT., JUST OUT

\$3 Electric Hand Lantern. Agents Wanted OHIO ELECTRIC WORKS, ... Cleveland, Ohio

IAKE MONEY PRIN TING AT HOME



We Teach You How FREE Full instructions with every Model Press, for doing all sorts of job print-ing. \$1 an hour made or saved in spare time printing for others or yourself. Work easy and fascinating Every press guaranteed. The leader for thirty years. Write far free booklet and endorsements. Established 1874.

Press Model Philadelphia, Pa. 106 N. 10th St.,

ELECTRIC MOTOR, 75c.



Runs with a wet or dry battery. Ask any electrical dealer or look through any electrical catalogue and see if you can buy an electric motor with 2-inch armature, wrought iron field magnet, pulley, etc., for 75 cents, packing and postage, 15 cents.

CATALOGUE FREE

Electro magnets for experimenting, 15e each. Send 10 cents for 10 feet of magnet wire for experimenting and making small magnets.

ARTESIAN ELECTRIC CO, 744 Artesian Ave., Chicago

ONLY ONE PHOTOGRAPH OF THE EMPEROR OF JAPAN.

There is only one picture of the Japanese emperor in existence, it is said, and this was taken many years ago. This accounts for the single likeness the newspapers have been able to reproduce during the present excitement in the Orient, when one might reasonably expect many and varied pictures of the famous Mutsuhito. The Philadelphia Inquirer explains as follows, the authority being a Japanese diplomat:

"When photography first became so popular the emperor was one of the first to sit for his portrait, and was very much pleased with the process, which was carefully explained to him. So childlike was his pleasure that hardly could he wait until the next day to see the proofs. But when the proofs came to the palace and the emperor had looked at them long and earnestly, he laid them by with a sigh, saying:

"If I am as ugly as this I will never be photo-

graphed again."

He never has. It is forbidden in Japan to circulate photographs of the emperor, and the Japanese legation are forbidden to give out photographs of him for publication. Some of the first photos were finished, however, and distributed by an English journalist to several leading papers. Every photo brought a neat price. No other photographs of Mutsuhito will ever be circulated. The emperor says gravely that he does not wish the world to know that an island so beautiful as Japan is ruled over by one so ugly as Mutsubito.

"Who is the belle to-night?" asked she, As they stood on the ball-room floor. He looked around the room to see, And she speaks to him no more.

Will Jas, H. Whitcomb, Baltimore, please send us his street address? Our replies to his several letters are "returned for better address."

Mysterious CHANGING CARDS



With these cards you can do the most wonderful tricks. You can make trays fade into blank cards, blanks into aces and aces into deuces, etc. No practice necessary. Send for a pack and be a real wizard. PRICE ONLY 10c., POSTPAID, with full secret directions. Address WESTERN SPECIALTY CO., 532 E. Minnehaha St., St.Paul, Minn

Telegraph Outfits \$1.95

"Modern Telegraph Outfits," complete with battery and instruction book, only \$1.95 Money refunded if not satisfactory. Send for our Catalogue of


"EVERYTHING ELECTRICAL"

IT IS FREE. BOOKLET AT LOWEST PRICES.

"HOW TO MAKE BATTERIES"

Postpaid 10 Cents. Write us at once.

Modern Electric Co., Muncie, Ind.



Champion Weed Puller

THE BEST AND SIMPLEST WEED PULLER EVER PUT ON THE MARKET



READY TO USE.



WEED PULLED

T consists of three strong iron prongs set solidly into a heavy malleable head and attached to a three-foot handle; also a wire ejector to loosen and throw the weed and roots from the prong.

By pressing the prongs down around the roots of the weed and pulling out with a twisting motion it grasps the roots tightly and pulls them out entire and clean, leaving none to spring up again. There is no cutting off or tearing the roots. Nothing about it to break or get out of order, so it will lest for years.

will last for years.

It is as superior to any other implement for pulling weeds as a corkscrew is to a pair of shears for pulling corks. Anyone can keep a lawn free from weeds with very little work, and the work is a pleasant recreation.

For Sale at all Seed and Hardware Stores PRICE 50 CENTS

CHEAPER THAN ANY OTHER WEED PULLER If your dealer does not have them in stock, write to the company

Agents Wanted Everywhere

CHAMPION WEED PULLER CO., 704 RAILWAY EXCHANGE BLDG. CHICAGO, ILL.

WHO OWNED THIS PEARL?

A woman and her escort were eating oysters in a restaurant when the woman discovered a \$750 pearl. The woman discovered it, to be sure, but her escort paid for the oysters. The proprietor, however, claimed the pearl on the ground that shells and bones were left by customers. In whom did the

ownership properly vest?

The woman and her escort claimed the pearl, and the proprietor carried the matter into court. The judge's decision gave the pearl to the man, stating that to carry the ownership back to the restaurant keeper would mean carrying it back to the fisherman who took the pearl oyster from the ocean.

The Popular Mechanics Company offers many valuable premiums for new subscriptions, Send for It will astonish you. up-to-date list.

THOUGHT THE "CLERMONT" PERFECT.

Robert Fulton's dream of what a vessel for steam navigation ought to be was fulfilled, for him, apparently, when the "Clermont" made its first trip on the Hudson river. The vessel was 133 ft. long, 161/2 ft. wide, flat-bottomed, straight-sided and with The boilers and machinery were exposed amidships, as the vessel was decked only at the ends.

Peter Cooper, who was one of the invited guests on that occasion, used to tell an amusing story. Refreshments were served and speeches made. One of the guests in his speech said that the "Clermont" probably was but the germ of steam navigation and would be followed by much finer and faster boats. He had reached this point when Fulton bluntly asked him to sit down, telling him he knew nothing of what he was talking about.

MAKING MONEY

I was born on a Maine farm. I have made some great successes in business. My greatest through Co-operation. I took \$1,500 capital, supplied by Farmers, Women, Physicians, Clerks, Clergymen, etc., in Belfast, Maine, and in an honest, but very profitable business, earned and paid them through BELFAST NATIONAL BANK, \$5,000 in Cash dividends in the first six months, \$25,000 in cash dividends within the next year, and in 18 months I paid them in round numbers \$330,000.00 CASH.

Every \$1 Earned \$220.00.



This is HISTORY. Reads like a fairy tale but it is TRUE. I made poor people rich. They helped me earn the riches. Just read that over again. I had \$1,500. I earned and paid my stockholders \$330.000 in cash in 18 months. Every stockholder get their share. That's my way of doing business. You must believe this statement is IRUE.for. if I werelying. I wouldn't tell you the place where I earned the money, and the BANK where it was paid.

I have learned the great value of the right kind of co-operation, learned how to make money fast in an honest, profitable business from which millions are made every year.

I now have a new business.

ness from which millions are made every year.

I now have a new business of the same kind, only my field is the world. My plan one of extended co-operation. Stockholders everywhere who can give me information and lend their INFLUENCE. The dividends must be large.

E. F. Hanson, Ex-Mayor of Belfast, Maine.

Ex-Pres. B. & M. L. R. R.

Stockholders in the U. S., Canada, England, Cuba, Mexico, Sandwich Islands, Gibraltar, etc. I want a few more. The shares are going fast. You can invest \$1 or \$100 monthly payments, if you wish. It will be safe and we will make it grow. This is no get-rich-quick scheme, no "Frenzied Finance." You will be met on the level and treated on the square. I place 30 years of untarnished business record behind that statement. I only ask you in your own interest to iNVESTIGATE. You shall have all the Proofyou want. References. Bankers, Business Men, Church and Public Officials, etc. Send your address on a postal card. I will send a 24-page book,


A Guide to Full Pockets,"

FREE. I will pay the postage. Don't be "A Brother to the Ox." Stop plodding. Lift your head long enough to ask me to prove every statement in this ad. This is your opportunity, don't miss it. Don't wait if you want something better than you have got.


E. F. Hanson, Q-143 W. Madison St., Chicago, Ill.

NEW MECHANICAL DEVICES.

A NEW HANDLE which housekeepers and others can easily attach. The handle is slit through the center and may be quickly fastened to any vessel,



such as a kettle, pail or wash-tub, by slipping over the outer ends two split rings which by their spring hold the two parts together.



The Little Teacher


Photographed and contributed by V. H. Collins, Syracuse, N. Y

REVOLVER WITH SEARCHLIGHT ATTACH-MENT-In this revolver, recently patented, a small searchlight is attached to the underside of the barrel and throws a light in the direction in which the gun is pointed, lighting up objects immediately in front of it. Only a partial light is thrown upon the front head of the barrel and none whatever on the rear sight. Its advantages are apparent where the revolver is carried mainly as a protection against



burglars and hold-up men, as an assailant would be blinded and dazed by the sudden flash of the light thrown directly on his face besides offering an easier target than the man whose exact position could only be guessed at. The battery is located in a chamber in the handle of the revolver and is connected with the lamp by a wire running through the stock.

TAP HOLDING DRILL CHUCK-This is a recent adaptation of an ordinary drill chuck and saves



the employment of a chuck specially designed for holding taps. The three upper teeth of the jaws of the chuck are removed and are replaced by square steel blocks of the same size, but different bore, each capable of holding a different sized tap. square end of the tap is placed in the block and the jaws are screwed down, the tap being gripped by its shank, and the square block also held fast in place.



If you are afflicted with baldness or falling hair or any disease of the scalp, write me and I will send you FREE my booklet on care of the hair and scalp and a Free Sample box of my remedy, transportation charges paid. I have had 26 years practice in dis eases of the hair, skin and scalp, having prescribed for thousands in a private office arranged for me in for thousands in a private office arranged for me in the largest Department Stores in the United States, such as Siegel, Cooper & Co., Chicago; Espenhain Dry Goods Co., Milwaukee; Golden Rule, St. Paul; Geo. B. Peck Dry Goods Co., Kansas City, Mo.; Boston Store, Omaha, Neb: Younker Bros., De Moine, Ia; Powers Dry Goods Co., Minneapolis; and in other leading cities of the United States. I guarantee to grow hair, stop falling hair, cure dandruff, quickly restore luxuriant growth to shining scalps, eyebrows eyelashes and restore the hair to its natural color where desired. Write today enclosing stamp for Free Sample and booklet.

I GUARANTEE TO GROW HAIR AN INCH A MONTH PROF. J. H. AUSTIN, Bacteriologist 456 McVicker's Theatre Bldg., CHICAGO

LETTERING

A neat booklet, now ready, contains many good things for students

PRICE, 25 CENTS

DRAFTSMEN, DESIGNERS.

need our new book on dimensions of

Pipe, Fittings and Valves

NO BOOK LIKE IT

FLEXIBLE CLOTH BACKS, 50 CENTS.

HAVE YOU SEEN A COPY OF

DRAFTSMAN? THE

It is a neat monthly magazine on DRAFTING and Home Study.

\$1.00 PER YEAR. 4 MONTHS TRIAL, 25c. or the Magazine and "Lettering" for \$1.00

- ADDRESS -

THE DRAFTSMAN, Cleveland, O.

RHEUMATISM

CURED ON APPROVAL

New External Remedy So Successful That the Makers are Willing to Wait for Their Pay Until the Work is Done.

SEND YOUR NAME TO-DAY

We want to send—free to try—to every rheumatic sufferer in the land, a pair of MAGIC FOOT DRAFTS, the great Michigan external cure for rheumatism of every kind no matter where located or how severe. Send us your name today. The Drafts will come prepaid by return mail. If you are satisfied with the relief they bring you, then you can send us One Dollar. If not, they cost you nothing. This is the only way we sell the Drafts. Nobody pays until satisfied, and you can see that we couldn't afford to make such an offer if the Drafts didn't cure, and cure to stay cured.



The Drafts are worn as MAGIC

MAGIC

The Drafts are worn as illustrated, and cure by absorbing acid impurities from the blood through the pores of the tender foot soles, and also acting on the important nerve calls the thousands of testimonial letters we have received from cured physics accepts in all curte of the solutions.

received from cured chronic cases in all parts of the world. Our free booklet (in colors) on Rheumatism contains a number of these testimonials, with photographs. Write today to the Magic Foot Draft Co., 5x1 Oliver Bldg. Tackson Mich. for a trial pair of 551 Oliver Bldg., Jackson, Mich., for a trial pair of Drafts on approval and our free book. Do it now.

common Red Clover

Cures Cancer, Eczema, Salt-Rheum, Rheu-matism and all other Blood Diseases



How many people realize the true value of our common red clover? It is the best blood purifier known. Thousands of prominent people have been cured of cancer, rheumatism, constipation, eczema, skin and blood diseases by its use. Send your address to D. Needham's Sons, 116c Lakeside Bldg., Chicago, Ill., and they will mail free a full description of Red Clover Blossom Extract, a history of how Mr. Needham cured his cancer and testimonials from many who have used the remedy. If you have any disorder of the blood look into the merits of Needham's Clover. It is the best blood purifier known.

Our 24-page book free describes the greatest invention of the 20th Century, for the relief and cure of Rupture. Shows interesting pho-tos from life and contains new and valuable information. Greatest trial offer ever made by any firm. You will be interested. Write



HA! HA! I fooled Tom with this Water Pistol. He was 10 ft. away, said he was notafraid of it, so I let him have it rightla the face You ought to see him jump. It is three inches long, takes but a second to load. Be Bratin your crowd to have one. Send 10c. for 1; or, 25c. for 3 postpaid. Address

DENCE & MERY, 160 Mery Block, Toledo, O.

W. H. Miller Supply Co., 739 E. 4th Street, St. Paul, Minn.



Two other fast trains leave Chicago 10 a.m. and 11:35 p. m. daily, with through service to San Francisco, Los Angeles and Portland via the

Chicago & North-Western, Union Pacific and Southern Pacific Railways

> All agents sell tickets via this route. Illustrated booklets on application to W. B. KNISKERN, CHICAGO, ILL. or E. L. LOMAX, OMAHA, NEB.

> > OL16

MEXICO

The most interesting and fascinating country on the continent. Perfect climate all the year : : :

The National Lines of Mexico

OVER 500 MILES THE SHORTEST.
SIXTEEN HOURS QUICKER

BETWEEN-

St. Louis, Mo., and Mexico City

The first and only double daily through Pullman Sleeping Car Service across the RIO GRANDE.

Via The Iron Mountain Route and LAREDO, TEXAS

The only lines offering DIVERSE ROUTES IN MEXICO without extra charge

G. R. HACKLEY, General Western Agent

240-113 Adams St., Chicago, Ill.

INDUSTRIES

ARE

OFFERED LOCATIONS

WITH

Satisfactory Inducements Favorable Freight Rates Good Labor Conditions Healthful Communities

ON THE LINES OF

THE ILLINOIS CENTRAL R. R.

AND THE

YAZOO & MISSISSIPPI VALLEY R. R.

For full information and descriptive pamphlet, address

J. C. CLAIR

Industrial Commissioner

I Park Row,

Chicago, Ill.

HOT SPRINGS, ARK.

Only 20½ Hours from Chicago

WABASH

You can leave Chicago daily at 11:30 A. M., on the

BANNER BLUE LIMITED

the finest train on earth, and connect in Union Station, St. Louis, with the Hot Springs Special on the Iron Mountain, reaching Hot Springs next morning at 8 o'clock.

Write for free Booklet telling all about this popular health and pleasure resort.

Ticket Office, 97 Adams St. CHICAGO

C. S. CRANE, F. A. PALMER, G. P. & T. A., St. Louis. A. G. P. A. Chicago.

WING PIANOS

Are Sold Direct From the Factory, and in No Other Way

You Save from \$75 to \$200

When you buy a Wing Piano, you buy at wholesale. You pay the actual cost of making it with only our wholesale profit added. When you buy a piano, as many still do—at retail—you pay the retail dealer's store rent and other expenses. You pay his profit and the commission or salary of the agents or salesmen he employs—all these on top of what the dealer himself has to pay to the manufacturer. The retail profit on a piano is from \$75 to \$200. Isn't this worth saving?

SENT ON TRIAL Anywhere No Money in Advance

We will place a Wing Piano in any home in the United States on trial, without asking for any advance payment or deposit. We pay the freight and all other charges in advance. There is nothing to be paid either before the piano is sent or when it is received. If the piano is not satisfactory after 20 days' trial in your home, we take it back entirely at our expense. You pay us nothing, and are under no more obligation to keep the piano than if you were examining it at our factory. There can be absolutely no risk or expense to you.

Do not imagine that it is impossible for us to do as we say. Our system is so perfect that we can without any trouble deliver a piano in the smallest town in any part of the United States just as easily as we can in New York City, and with absolutely no trouble or annoyance to you, and without anything being paid in advance or on arrival either for freight or any other expense. We take old pianos and organs in exchange.


A guarantee for 12 years against any defect in tone, action, workmanship or material is given with every Wing Piano.



Small, Easy Payments

In 37 years over 40,000 Wing Pianos have been manufactured and sold. They are recommended by seven governors of States, by musical colleges and schools, by prominent orchestra leaders, music teachers and musicians. Thousands of these pianos are in your own State, some of them undoubtedly in your very neighborhood. Our catalogue contains names and addresses.

Mandolin, Guitar, Harp, Zither, Banjo— The tones of any or all of these instruments may be reproduced perfectly by any ordinary player on the piano by means of our Instrumental Attachment. This improvement is patented by us and cannot be had in any other piano. WING ORGANS are made with the same care and sold in the same way as Wing Pianos. Separate organ catalogue sent on request.



YOU NEED THIS BOOK

If You Intend to Buy a Piano-No Matter What Make

A book—not a catalogue—that gives you all the information possessed by experts. It tells about the different materials used in the different parts of a piano; the way the different parts are put together, what causes pianos to get out of order and in fact is a complete encyclopedia. It makes the selection of a piano easy. If read carefully, it will make you a judge of tone, action, workmanship and finish. It tells you how to test a piano and how to tell good from bad. It is absolutely the only book of its kind ever published. It contains 156 large pages and hundreds of illustrations, all devoted to piano construction. Its name is "The Book of Complete Information About Pianos."

We send it free to anyone wishing to buy a piano. All you have to do is to send us your name and address.

Send a Postal To-day while you think of it, just giving your name and address or send us the attached coupon and the valuable book of information, also full particulars about the WING PIANO, with prices, terms of payment, etc., will be sent to you promptly by mail.

Send to the name and address written below, the Book of Complete Information about Pianos, also prices and terms of payment on Wing Pianos.

WING & SON

West 13th

St., New York

WING & SON

851-855 West 18th St., New York

1868-37th YEAR-1905

Technical

Engineering BOOKS

You can get any book published on Mechanics, Engineering, Electricity, Steam, Fuels, Metal or Woodworking, and all the Individual Trades and Professions, in fact any book on any subject, published in this country or Europe, that is obtainable, through the

ar Mechanics Book In every case we prepay in full all mailing or express charges. Popular

Any book desired can be earned by securing one or more subscribers to Popular Mechanics. State book wanted and we will advise you how many subscribers will secure it. This is a very easy way to get the best books.

ENGINEERING

GAS ENGINES, With Instructions for Care and Working of the Same. By G. Lieckfield; translated by Geo. Richmond. 120 pages; illustrated; 12mo.; cloth. Price, \$1. To which has been added full directions for the management of oll engines.

TRACTION ENGINE ITS USE AND ABUSE. By James H. Maggard. Small 12mo.; cloth; illustrated. Price, \$1. Revised and enlarged by an expert engineer. Deals in detail with the principles and parts of a traction engine; directions for starting an engine; use of gauge, try cocks, pumps, governor, slide valve, etc.; water supply; the boiler, its care and management; methods of a good fireman; the engine; handling a traction engine. The book is teeming with practical points and suggestions put in very simple language and very effective manner. It should be in the hands of every man who runs a traction engine. The farmer and creamery operator, especially, should not be without it. ery operator, especially, should not be without it.

HANDBOOK OF MODERN STEAM FIRE-ENGINES. (Roper's Engineers' Handy Book ser-ies.) Price, \$3.50. The only book of the kind ever published in this country. Contains descrip-tions and illustrations of all the best types of steam fire-engines, and fire pumps, injectors, pulsometers, inspirators, hydraulic rams, etc.; and treats more extensively of Hydraulics than any other book on the market.

SIMPLE PROCESS FOR ESTIMATING THE HORSE POWER OF STEAM ENGINES. By Edwin R. Keller, M. E. New edition. Price, 50c. Contains various methods of estimating and calculating the horse power of boilers and engines and ascertaining the power required to run line shafts, individual machines, etc., etc.

MODERN MACHINE SHOP TOOLS. By W. M. Vandervoort. Large Svo. 555 pages; 673 illustra-tions; cloth. Price, \$4. Just out, this "master-plece of the machine shop," no machinist can afford piece of the machine shop," no machinist can afford to be without it. Treats the subject of Modern Machine Shop Tools in a concise and comprehensive manner. Each tool is considered from the following points: First—Its construction with hints as to its manufacture; second—its operation, proper manipulation and care; third—numerous examples of the work performed. A book in which the apprentice will find a thorough course of instruction, the mechanic a valuable manual of practice and the superintendent and foreman many valuable suggestions. In fact, it is in all respects the most complete, concise and useful work ever published on the subject. Of incalculable value as a work of reference. In 34 chapters.

PRACTICAL GAS ENGINEER. What It Is

PRACTICAL GAS ENGINEER. V and How To Do It. Cloth. Price, \$1. What It Is

RECORD BOOK—VALVE SETTING. By A. B. Low. 120 pages; quarto; stiff covers. Price, 60c. For the use of marine engineers.


WATER WHEELS. By A. B. Cullen. 63 pages; 12 plates; quarto; cloth. Price, \$2. Of all the books on Pumps and Hydraulic Motors this is one of the

most practical. Treats of the construction of horizontal and vertical water wheels.

COMPRESSED AIR: ITS PRODUCTION, USES AND APPLICATIONS. By Gardner D. Hiscox, M. E. 4th edition, revised and enlarged; 820 pages; 545 illustrations; cloth. Price, \$5. The most thorough and comprehensive treatise on the subject of compressed air that has ever been published. Well printed and substantial. No phase of the subject is omitted. Is a complete compendium in 36 chapters, valuable for reference and for study. Contents: The physical and operative properties of air from a recount to its liquid state. Its study. Contents: The physical and operative properties of air from a vacuum to its liquid state; its thermo-dynamics; compression, transmission and uses as a motive power in operation of stationary and portable machinery in engineering, mining and manufacturing work; air tools; air lifts; pumping of water, acids and oils; the air blast for cleaning and painting; the sand blast and its work; and the numerous appliances in which compressed air is a most convenient and economical transmitter of power for mechanical work, railway propulsion, refrigeration and the various uses to which compressed air has been applied. Contains a list of patents on compressed air from 1875 to date, and 40 tables of the physical properties of air, its compression, expansion and the volumes required for various kinds of work. various kinds of work.

ELECTRICAL ENGINEERING FOR ELECTRIC LIGHT ARTISANS AND STUDENTS. By Slingo and Brooker. 346 illustrations; 12mo. Price, \$3.50. This new and revised edition contains all data and formulae relating to this branch of electrical application. trical application.

ENGINEERS' PRACTICAL TEST. Actual size, 6x4½ inches; stiff silk cloth. Price, \$1. A guide for all men in or about power plants, Indispensable to engineers, mechanics, machinists, firemen, ble to engineers, mechanics, machinists, firemen, etc. Tells how boilers and engines should be man-All about gas engines, engineers' license examination questions and answers.





MECHANICAL ARTS SIMPLIFIED. By D. B. Dixon, comp. 497 pages; actual size, 8%x5½ inches; illustrations. Price, \$1.50. With an appendix containing a thorough electrical department, an exhaustive treatise on ice making and a large collection of miscellaneous practical examples. A thorough ough and original reference book for architects, iron workers, boiler-makers, contractors, civil and mechanical engineers, firemen and ice machine men.


ELECTRICITY

PRACTICAL APPLICATION OF DYNAMO-ELECTRIC MACHINERY. By McFadden and Roy. Actual size, 6x4½ inches; flexible cloth. Price, \$1. Every motorman, lineman, dynamo-tender and engineer should own a copy. By far the best and cheapest book of its kind. This is the "age of electricity," and every intelligent person ought to be posted as to the working of these great engines that supply us with power.

rengines that supply us with power.

TELEGRAPH INSTRUCTOR. By G. M. Dodge.
300 pages; illustrated. Price, \$1. Of all the numerous volumes published upon telegraphy, this is the only one which is set forth with that simplicity only one which is set forth with the set of plicity so essential for a student wholly unacquainted with the work. Terms employed all concise and comprehensive. Contains all the information necessary for a successful operator, beginning with the study of the Morse code. From descriptions of the instruments used and their adjustment to and through the general routine work of a telegraph office, taken step by step. Contains cuts illustrating instruments and numerous diagrams. Complete index to the whole. The description and curriculum of Dodge's Institute of Telegraphy at the end of the of Dodge's Institute of Telegraphy at the end of the book will be found of great interest to those desirous of choosing this line of work as their profes-

CARE AND HANDLING OF ELECTRIC PLANTS. By Schneider. Cloth; 66 original drawings; limp leather. Price, \$1. New American book just out. The most attractive work of its kind. Deals in a practical way with dynamos, motors, wiring, storage batteries, switchboards, gal-



vano-meters, electrical testing and incandescent lamps. Has a special chapter on the oil engine. Full of valuable information, wrinkles, hints, ta-bles, diagrams for engineers, superintendents, help-ers and all those in charge of electric light and power plants.

ELECTRIC BELL FITTING AND ELECTRIC GAS LIGHTING HANDBOOK. By Edward Tre-


vert. Cloth; 16mo. Price, 50c.

ELECTRIC TOY MAKING, DYNAMO BUILDING AND ELECTRIC MOTOR CONSTRUCTION.
By J. O'Conor Sloane. 12mo.; illustrated; cloth. By J. O'Conor Sloane. Price, \$1.

Price, \$1.

TELEPHONES, THEIR CONSTRUCTION AND FITTING. By F. C. Allsop. 184 pages; 156 illustrations and folding plates; cloth. Price, \$1.25. Treats in a practical way of the maintenance of telephones and the auxiliary apparatus, including receivers, transmitters, switch bells, complete instruments, batteries, etc. Also of erecting telephone wires, different methods of arranging instruments, private exchange systems. private exchange systems, public exchange systems, faults, their testing and removing.

PRACTICAL ELECTRICITY 4th edition. Price, \$2. Twenty chapters, carrying the reader from the fundamental principles of electricity on through the various branches to a point where he comprehends the complete designing, care and operation of a dynamo motor. Each subject carefully written and to the point, and the questions at the end of each crys-



tallize just the points he needs to know on that subject. A dictionary in back of book enables him to learn the meaning of any electrical word, term or phrase used in this book, as well as hundreds of others in common use. All required tables necessary to the study are to be found.

ELECTRICAL INSTRUMENT MAKING FOR AMATEURS By S. R. Bottone. 12mo.; cloth. Price, 75c. Contains plain instructions by help of which anyone moderately handy with tools can make for his own entertainment or for use in the study of a great science all the instruments now employed in theoretical or practical electricity from Torsian Balances, Holtz machines, and induction coils, to dynamos, electric motors, telephones, phonographs and micrographs Likewise contains all the experiments of the great leaders in these studies—Wheatstone, Bell, Price, Hughes and Editors and the contains and attentive person of this son, which can, after an attentive perusal of this book, be understood and repeated.

ELECTRO-MOTORS, HOW MADE AND HOW USED. By S. R. Bottone and A. M. A. Beale. 12mo.; cloth. Price, 75c. A complete and simple explanation of the source of the power in a dynamo and the method of applying the same, commencing with a simple motor, and proceeding to an exposition of the Siemens, Thompson's, Walker's, Grison, and other motors. In addition three special chapters by an American author follow, in which the information embraces a!! American improvements. The work is probably the most complete and easily understood of any published. and easily understood of any published.

BOOKS OF TABLES. BOOKS OF RECEIPTS

CALCULATOR. pages. Actual size, 5%x9½ inches. Cloth. Price, \$1.50. Pocket size, \$1.00. Sustains the same relation to the commercial world that the new Century Dictionary does to the literary world. Fully abreast with



the age of air ships, submarine boats and wireless telegraphy. Designed for and adapted to the par-ticular wants of bankers, accountants, mechanics, farmers, manufacturers, merchants, miners, etc., etc., and must prove of incalculable value to them—unless the book itself can calculate its own worth—for it calculates almost everything that is calculated. lable.

lable.

QUESTIONS AND ANSWERS. Based upon the Standard Code of Train Rules. By G. E. Collingwood, Ed. Revised edition. So pages. Diagrams. Cloth. Price, \$1. Intended for use in the examination of trainmen. The general rules, train rules, train orders, and the whole handling of trains is set forth in so simple and at the same time comprehensive manner that a careful reading of the book will fit any one with sufficient knowledge to meet any contingency that may arise in the conduct of a train. Endorsed by high railway officials from all sections of the country Every transportation man should have a copy. man should have a copy.

FERRIC AND HELIOGRAPHIC PROCESS: A Handbook for Photographers, Draughtsmen and Sun Printers. By George E. Brown. 149 pages. Diagrams. Cloth. Price, \$1. For architects, surveyors, draughtsmen, engineers and others who find the reproduction of tracings a matter of everyday necessity. It embraces: The ferro-prussiate process, toning blue prints, uses of blue prints; ferro-prussite in tri-color work; the kallitype process; the Obernettor process; the wranotype process; prints on fabrics, prints in dyes; hellographic processes compared; preparation of hellographic processes compared; preparation of hellographic papers, making tracings for sun-copying; outfit for heliographic printing; ferro-prussiate or white line on blue ground; pellet or blue line on white ground; ferro-gallic, or black line on white ground; brown line on white ground; minor heliographic processes. A comprehensive little bibliography at the end of the volume and an index add greatly to its value and interest.

THE LOCOMOTIVE UP TO DATE. By Charles McShane. 736 pages. 380 illustrations. Cloth. Price, \$2.50. Covers the whole range of locomotive construction and management down to the present day, including its latest development and all mod-ern appliances, together with a classification and comparison of all kinds of locomotives, both simple comparison of all kinds of locomotives, both simple and compound. It is a book culled from the mechanical books and papers of the world and so contains all the really valuable information to be found in a complete mechanical library. Every subject is fully illustrated and the descriptions given of all new devices were prepared by the inventors themselves. The contents include: Compound locomotives; combustion; air brake; breakdowns; locating blows and pounds; incrustation; injectors; inspirators and boiler checks; slide valves; valve gears: blows and pounds; incrustation; injectors; inspirators and boiler checks; slide valves; valve gears; errors by the link motion; locomotive valve setting; steam indicator; modern locomotives; extraordinary fast runs; lubricators; metallic packings; general information; locomotive construction-erecting department; machine work; metric system; steam and air gauges; compressed air; modern counter-balancing and the history of the locomotive.

ONE THOUSAND POINTERS for Machinists and Engineers. By Charles McShane. 342 pages. 187 illustrations. Cloth. Price, \$1.50. Includes articles from the best authorities on each subject.

Embraces the most modern and approved practice in the construction, care and economical management of the locomotive. Written in plain language and condensed form, no mathematical demonstrations being given or required.

JOHNSON'S HANDY MANUAL. Price, \$1.

JOHNSON'S HANDY MANUAL. Price, \$1. An authority on steam, hot-water heating and ventilating, plumbing and gas fitting. A valuable reference book for architects, those in pipe trades, engineers, janitors and those intending to install or alter heating or plumbing systems. All kinds of measurements arranged in tables. Fully illustrated with cuts and complete working plans.

FIFTY-CFNT SERIES

HANDICRAFT SERIES—A Series of Practical Manuals. Edited by Paul N. Hasluck. Price, each, 50c.

BOOT-MAKING AND MENDING Including repairing, lasting and finishing. Illustrated. 179 engravings and diagrams. Price, 50c. Contents: Repairing heels and half-soling; patching boots and shoes; re-welting and re-soling; boot-making; lasting the upper; sewing and stitching; making the heel; knifing and finishing; making riveted boots and shoes.

Others of the set are:

HOUSE DECORATION. Price HOW TO WRITE SIGNS, POSTERS. Price, 50c. Price, 50c. GNS, TICKETS AND

WOOD FINISHING. Price 50c.

DYNAMOS ELECTRIC AND MOTORS.

Price, 50c.
CYCLE BUILDING AND REPAIRING. Price,

DECORATIVE DESIGNS OF ALL AGES FOR

ALL PURPOSES. Price, 50c. OUNTING AND FRAMIN MOUNTING FRAMING Price, 50c.

Price, 50c.

SMITH'S WORK. Price, 50c.

GLASS WORKING BY HEAT AND ABRASION. Price, 50c.

BUILDING MODEL BOATS. Price, 50c.

ELECTRIC BELLS: HOW TO MAKE AND FIT THEM. Price, 50c.

BAMBOO WORK. Price, 50c.

TAXIDERMY. Price, 50c.

TAILORING. Price, 50c.

PHOTOGRAPHIC CAMERAS AND ACCESSORIES. Price, 50c.

OPTICAL LANTERNS. Price, 50c.

ENGRAVING METALS. Price, 50c.

OPTICAL LANTERNS. Price, 50c.
ENGRAVING METALS. Price, 50c.
BASKET WORK. Price, 50c.
BOOKBINDING. Price, 50c.
BENT IRON WORK. Price, 50c.
PHOTOGRAPHY. Price, 50c.
UPHOLSTERY. Price, 50c.
READY SHORTLY.
LEATHER WORKING. Price, 50c.
HARNESS MAKING. Price, 50c.
SADDLERY. Price, 50c.
TECHNICAL INSTRUCTION. Important new series. Edited by Paul N. Hasluck. With numerous illustrations of the text. Each book contains about 160 pages. Crown 8vo. 'Cloth. Each, 1.1.
PRACTICAL DRAUGHTSMAN'S WORK. Price, \$1.

PRACTICAL GASFITTING. Price, \$1.
PRACTICAL STAIRCASE JOINERY. Price,
PRACTICAL METAL PLATE WORK. P Price,

PRACTICAL GRAINING AND MARBLING.

Price. OTHER VOLUMES IN PREPARATION.

SPON'S MECHANICS' OWN BOOK. 702 pages. 1420 illustrations. Half leather. Price, \$2.50. General method of treatment of each subject is first, the raw materials worked upon, its characteristics, variations and suitability; secondly, the tools used, the sharpening and use; thirdly, devoted to typical examples of work to be done, materials and how to do similar work. Nearly all of the mechanical trades are here included and some of the professions. sions.

Boards. 50c. each. Amply illustrated when the subject demands. Put up in a uniform, neat and attractive manner. Subjects are of an eminently scientific character and embrace a wide range of topics. The following citations may be noted as types of this notable set:

CHIMNEYS FOR FURNACES AND STEAM BOILERS. R. Armstrong, C. E. 3rd American edition. Revised and partly re-written, with an appendix on "Theory of Chimney Draught," by F. Idell, M. E. VAN NOSTRAND SCIENCE SERIES.

burn, New edition, Revised by Prof. R. H. Thurston. Price, 50c.

FATIGUE OF METALS UNDER REPEATED STRAINS. Price, 50c. With Various Tables of Results and Experiments. From the German of Prof. Ludwig Spangenburgh, with a preface by S. T. Shreve, A. M.

TRANSMISSION OF POWER BY WIRE ROPES. Price, 50c. By Albert W. Stahl, U. S. N. Second edition. Revised. STRAINS. Price, 50c.

ROPES.

Second edition.

TRANSMISSION OF POWER BY TRANSMISSION OF POWER BY Albert Zahner, PRESSED AIR.

M. E. New edition in press.

GAS-LIGHTING AND GAS-FITTING. Specifications and Rules for Gas-Piping. Price, 50c. Notes on the Advantages of Gas for Cooking and Heating, and Useful Hints to Gas Consumers. 2nd edition. Re-written and enlarged. By Wm. Paul Gerhard, C. E.

TWENTY-FIVE CENT SERIES

STUDY OF ELECTRICITY FOR BEGINNERS. Comprising the Elements of Electricity and Mag-netism as applied to Dynamos, Motors, Wiring, and netism as applied to Dynamos, Motors, Wiring, and to all Branches of Electrical Work. By Norman Schneider. 54 illustrations and 6 tables. Price,

DRY BATTERIES. Especially adapted for Automobile, Launch and Gas Engine Work; Medical Coils, Bells, Annunciators, Burglar Alarms, Telephones, Electrical Experiments, and all purposes requiring a good battery. 30 illustrations. 25c.

SMALL ELECTRIC MOTORS. How to make and use them, including design, examples of small motors and their applications, speed controllers, starters, fuses, etc. 48 illustrations. Price, 25c.

SIMPLE SCIENTIFIC EXPERIMENTS. How to perform entertaining and instructive experiments

to perform entertaining and instructive experiments with simple home-made apparatus. 59 illustrations.

MODEL BOILER MAKING. Contains full instructions for designing and making Model Station-

Marine and Locomotive Boilers, d. Price, 25c. Fully illus-

METAL WORKING TOOLS AND THEIR USES.

METAL WORKING TOOLS AND THEIR USES. A Handbook for Young Engineers and Apprentices. Shows how to use simple tools required in Metal Working and Model Making. Illustrated. 25c. 4 THE LOCOMOTIVE, SIMPLY EXPLAINED. A first introduction to the study of the Locomotive Engine, their Design, Construction and Erection, with a short catechism. 26 illustrations. 25c. ACETYLENE GAS, HOW TO MAKE AND USE IT. A practical handbook on the uses of Acetylene Gas, suitable apparatus for its generation, hints on fitting up, etc. 34 illustrations. Price, 25c.

JOINT WIPING. Practical hints on, for beginners in plumbing, describing in detail the various operations and fully illustrating them from actual work. Price, 25c.

Price, 25c.

WOODWORK JOINTS. How make where to use them. Mortise and tenon joints, lap joints, dovetail joints, glue joints, scarfing joints, circular work, with 137 illustrations. Price, 25c.

DIAGRAM OF THE CORLISS ENGINE. A large engraving giving full particulars. Explanation of figures. 13x19 in. Price, 25c.

figures. 13x19 in. Price, 25c. ELECTRICAL CIRCUITS AND DIAGRAMS. Illustrated and explained. New and original drawings comprising Alarms, Annunciators, Automobiles, Bells, Dynamos, Gas Lighting, Motors, Storage Batteries, Street Railways, Telephone, Telegraph, Wireless Telegraphy. By Norman Schneider. 25c.

HOW TO INSTALL ELECTRIC BELLS, AN-NUNCIATORS AND ALARMS, including Batteries, Wires and Wiring, Circuits, Bushes, Bells, Burglar Alarms, Fire Alarms, Thermostats, Annunciat and the Location and Remedying of Troubles. Annunciators, Norman Schneider. Price, 25c.

MISCELLANEOUS

ELEMENTARY FORGE PRACTICE. By John Lord Bacon, Instructor in Forge Work, Lewis Institute, Chicago. 262 pages. Cloth. Price, \$1.50. Stitute, Chicago. 262 pages. Cloth. Frice, \$1.50. Contents: General description of forge and tools; welding, calculation of stock for bent shapes; upsetting, drawing out and bending; simple forged work; calculation of stock and making of general forging; steam hammer work; duplicate work; manufacture of iron and steel; tool-steel work; tool forging and temporing statements. forging and tempering; miscellaneous work; tables.

LOCOMOTIVE OPERATION. By G. A. Henerson. 536 pages; illustrations. Cloth. Price, derson. 536 pages; illustrations. Cloth. Price, \$3.50. The object of this work is to give a complete and systematic discussion of the theory and practice of locomotive operation with the results accomplished and the effect of the action upon the various parts, as well as the amount of fuel and water needed to perform such needed work, rather than an avaluation treatism upon the mere manipulathan an exclusive treatise upon the mere manipulation of the machine. The order of contents is: Inertia, steam action, resistance, slipping, braking, steam capacity, hauling capacity, water consumption, fuel consumption.

TEXT BOOK ON ROOFS. By Mansfield Merriman. Part I. Sixth edition rewritten and enlarged. 326 pages; illustrations. Cloth. Price, \$2.50. The contents include treatises on stresses in roof trusses, highway bridge trusses, railroad bridge trusses, miscellaneous trusses, deflection and internal work, historical and critical notes,

WIRELESS TELEGRAPHY. By A. F Collins, 500 pages; illustrations. Cloth. Price, \$3. Describes the history, theory and practice of wireless telegraphy in a way to rouse the enthusiasm of the layman, as well as the professional. A happy regard for details and minor points makes the whole a remarkably clear and interesting account of the Science.

MODERN ELECTRICITY. By Henry and Hora. 355 pages; 150 illustrations. Cloth Price, \$1. Thoroughly accurate and scientific in its explanation of X-rays, wireless telegraphy, radium, transmission and distribution, power stations, wiring, and written in ulain English. An essentially practical handbook for students, apprentices and electrical engineers.

ARITHMETIC SELF TAUGHT. By Spangenberg. 228 pages. Price, 55c. Undoubtedly the best book published for students of arithmetic. Do not despair because through neglect you have forgotten what you once knew about this branch of mathematics. This new method requires no teacher.

YOUNG ENGINEER'S GUIDE. New edition revised and enlarged. 254 pages; illustrations. Price, \$1. Covers the entire subject of care, management, operation, repairing, engineer's license and various points of equal importance, and is endorsed by leading engineers in all parts of the country.

HOW TO RUN ENGINES AND BOILERS. By E. P. Watson; illustrated. Price, \$1. Written in plain language and well adapted for use as a text-

book by the engineer and boiler maker.

MODERN COTTAGE ARCHITEC ARCHITECTURE. M. B. Adams. Large quarto; 79 pages; illustrated. Cloth. Price, \$4.50. Contains an introductory essay on cottage building and notes on the subjects, illustrated from works of well known architects.

UNTECNICAL ADDRESS ON TECHNICAL SUBJECTS. By James Douglas. 90 pages. Cloth. Price, \$1. Contents: The characteristics and con-Price, \$1. Contents: The characteristics and conditions of the technical progress of the nineteenth century; the development of American mining and metallurgy and the equipments of a training school; wastes in mining and metallurgy.

CONSERVATIVE INVESTMENTS

COMPRISING

Chicago City Mortgages, High-Grade Industrial Bonds, Chicago Real Estate Bonds, Corporation & Railroad Bonds

=== NETTING ===

4% to 6%

These securities are in convenient denominations suitable for the investment of funds of all sizes, and because of their conservative and non-speculative character are especially desirable for the investment of savings and trust funds. ¶Investors who appreciate such securities are invited to send for our current lists of bonds and mortgages, and other interesting investment literature, together with "Our Experience with Serial Bonds."

Peabody, Houghteling & Co.

1122 First National Bank Building, - - CHICAGO

EARN MONEY THIS SUMMER


Many of our readers will have spare time this summer.

If they wish to undertake a very pleasant and profitable line of work, to occupy either a portion or all of their time, they are invited to address for full particulars


POPULAR MECHANICS

JOURNAL BUILDING

CHICAGO, ILLINOIS



%-h. p. Gasoline Engine, 6 Light Generator, 200 feet Covered Wire, 36 feet Lamp Cord, 6 16-Candle Power Lamps, 6 Sockets, 6 Rosettes, 6 Porcelain Tubes, 50 Porcelain Knobs, 2 feet Cir. Loom, 1 Switch Fuse, Solder and Tape. The above complete and perfect outfit is offered at a price so low you cannot afford to burn oil. Send for descriptive circulars.



The most Perfect Small Engine Ever Built.....

STRONG DURABLE SIMPLE POWERFUL

Mounted on solid wood base. All connections made and ready to run.

JUNIOR ENGINE WORKS. .

907, 160 Washington Street,

Chicago

Dear Sir:-Would you be open for an investment which will yield, with reasonable assurance, from 50 per cent to 100 per cent each year?

It will average 75 per cent-which means 61/4 per cent a month.

When I say investment, please understand that I do not mean a gambling proposition, such as stocks and grain speculation, or horse-race betting, nor anything which requires you to buy what you do not want, or sell what you have not got.

I REFER TO A STRAIGHT INDUSTRIAL PROPOSITION, which has for its commodity products produced by nature, and in turn manufactured into commercial necessities, for which the demand always exceeds the supply.

As a representative business man, I fully realize the annoyance of receiving unso-

licited literature and advertising matter of unknown propositions.

Therefore, before placing before you, in full detail, the venture I refer to, I ask your consent, and for that purpose I attach this coupon, which explains itself. If agreeable, and you are open for a proposition which will produce all that I claim, kindly sign and mail it.

THIS COSTS YOU NOTHING BUT THE POSTAGE, AND PUTS YOU UNDER NO OBLIGATION.

In closing, permit me to say, that the men at the head of the corporation which I represent are men of great wealth and undisputed commercial integrity.


There is not a single questionable feature in the entire plan.


May I hope to hear from you by return mail?

Very sincerely,


L. C. WELTON, 59 Clark St., Chicago.

COUPON -	-
Dear Sir:—You may send to my address full details of the proposition you refer I will carefully consider the matter, and, if interested, will write you further. This the distinct understanding that I am under no obligations.	with
Name Postoffice	
County Street and No	
Date	









WRITE FOR CATALOG AND PRICES

ALLITH MANUFACTURING CO.

120 South Green Street, Chicago

(Dept. 68) R.H. Ingersoll & Bro., 51 Maiden Lane, N.Y.