Preface

The Motif User's Guide describes your interaction with the Motif® user environment. This guide provides information about manipulating windows on your screen, using application programs written for the Motif environment, and customizing your Motif environment to suit your own preferences. This guide assumes that the applications you are using are being run in a left—to—right language direction environment in an English locale.

Audience

This document is written for people who use the Motif user environment. The Motif User's Guide assumes that you are familiar with the basic commands for using a UNIX based operating system.

There is material in this guide for both novice and experienced Motif users. Users who are unfamiliar with Motif should concentrate initially on Chapters 1 through 4. Users who are already familiar with Motif will find Chapters 5 through 7 most helpful.

Applicability

This is Revision 2.0 of this document. It applies to Release 2.0 of the Motif software system.

The previous revision of this document (Revision 1.2) supported Release 1.2 of Motif.

Purpose

The purpose of this guide is to explain how to interact with applications based on Motif. After reading this guide, you should be able to do the following:

- $\bullet \xi$ se all of the standard features of the Motif Window Manager (mwm)
- ullet se all of the Motif widgets
- ullet ustomize mwm to suit your preferences
- $\bullet \mbox{\Large \ensuremath{\&}} ustomize$ your interaction with Motif applications

Document Usage

This document is organized into seven chapters and one appendix.

- $\bullet \mbox{\@scaledef{hapter}}$ hapter 1 provides an overview of the Motif user environment.
- •€hapter 2 describes basic window manager functionality.
- $\bullet \mbox{\@iff}$ hapter 3 explains how to interact with Motif applications.
- •€hapter 4 describes the principles of customization.
- •€hapter 5 explains how to customize **mwm**.
- •€hapter 6 introduces some advanced **mwm** customization techniques.
- •€hapter 7 provides information on how to customize Motif applications.
- Appendix A provides a list of keyboard and mouse operations.

Related Documents

For additional information about Motif, refer to the following documents:

- $\bullet \rlap{\ } \bullet \rlap{\ } \bullet he \textit{Motif Style Guide} \ explains the principles of user interface design for application developers.$
- $\bullet \rlap{\rlap{\@olive{40}}{$\tiny \@olive{40}$}} \text{ ℓ he $Motif Programmer's Reference} \text{ provides detailed reference information for programmers writing $Motif applications.}$
- $\bullet \P{\text{he Motif Widget Writer's Guide}} \text{ explains how to create Motif widgets.}$

What DocBook SGML Markup Means

This book is written in the Structured Generalized Markup Language (SGML) using the DocBook Document Type Definition (DTD). The following table describes the DocBook markup used for various semantic elements.

Table 1 DocBook SGML Markup

Markup Appearance	Semantic Element(s)	Example
AaBbCc123	The names of commands.	Use the ls command to list files.
AaBbCc123	The names of command options.	Use ls -a to list all files.
AaBbCc123	Command-line placeholder: replace with a real name or value.	To delete a file, type rm filename.
AaBbCc123	The names of files and directories.	Edit your .login file.
AaBbCc123	Book titles, new words or terms, or words to be emphasized.	Read Chapter 6 in <i>User's Guide</i> . These are called <i>class</i> options. You <i>must</i> be root to do this.

Typographic and Keying Conventions

This document uses the following typographic conventions:

[]

Brackets enclose optional items in format and syntax descriptions.

{ }

Braces enclose a list from which you must choose an item in format and syntax descriptions.

A vertical bar separates items in a list of choices.

< >

Angle brackets enclose the name of a key on the keyboard.

...

Horizontal ellipsis points indicate that you can repeat the preceding item one or more times. Vertical ellipsis points indicate that you can repeat the preceding item one or more times.

This document uses the following keying conventions:

```
< Ctrl - x >  or [caret ]x
```

The notation < Ctrl-x> or [caret]x followed by the name of a key indicates a control character sequence. For example, Ctrl-c means that you hold down the control key while pressing c.

Return

The notation Return refers to the key on your terminal or workstation that is labeled with the word Return or Enter, or with a left arrow.

Entering commands

When instructed to *enter* a command, type the command name and then press Return. For example, the instruction "Enter the *ls* command" means that you type the *ls* command and then press Return (enter = type command + press Return).

Componenents of the Motif user interface are represented by capital letters on each major word of the component, such as PushButton.

Keyboard Conventions

Since not all keyboards are the same, it is difficult to give style guidelines that are correct for every manufacturer's keyboard. To solve this problem, this guide describes keys using a *model keyboard* mechanism. Wherever keyboard input is specified, the keys are indicated by the engraving they have on the Motif model keyboard. The model keyboard does not correspond directly to any existing keyboard, rather it assumes a keyboard with an ideal set of keys.

 $In \ addition \ to \ the \ standard \ letter, \ number, \ and \ character \ keys, \ the \ Motif \ model \ keyboard \ is \ composed \ of \ the \ following \ special \ keys:$

- ullet the special printing characters /, \, and !
- $\bullet \mbox{\bf The}$ standard modifier keys Ctrl, Alt, and Shift
- €en function keys F1 through F10
- ullet the arrow keys [darr], [larr], [rarr], and [uarr]
- •**€**ackspace
- •€ancel
- •**⊉**elete
- •**E**nd
- •**E**scape

- •#elp
- Bither Home, Begin, or both
- ∙Ænsert
- •**M**enu
- •**₽**ageDown
- •**₽**ageUp
- •eturn
- •**€**pace
- •**≇**ab

The Motif model keyboard also contains the following optional keys, which, although useful, are either not necessary or can be created by combinations of other keys:

- •**€**apsLock
- •**€**opy
- ∙€ut
- ulletnter
- •**M**odeSwitch
- •₩umLock
- •**₽**ageLeft
- •**₽**ageRight
- •≹aste
- •€crollLock
- •**€**elect
- ∙**∉**ndo

Throughout this guide, behavior is described in terms of model keyboard keys. When a behavior takes advantage of an optional key from the model keyboard, it is also described in terms of the required special keys. Each of the keys described on the Motif model keyboard is available either as specified or by using other keys or key combinations if the specified key is unavailable. A few of the more important alternatives are described here for your convenience.

- •₭ Cancel does not exist, Escape can be used in its place.
- ₭ Help does not exist, F1 can be used in its place.
- ●€ Menu does not exist, Shift F10 can be used in its place.
- •₩ Home or Begin does not exist, Alt [larr] can be used in its place.
- •₩ End does not exist, Alt [rarr] can be used in its place

Mouse Conventions

On most systems, the mouse has either 2 buttons or 3 buttons. This guide assumes a 3-button mouse. Button 1 refers to the leftmost button. Button 2 refers to the middle button. Button 3 refers to the rightmost button. In general, you use Button 1 for selecting an item, Button 2 for data transfer, and Button 3 for Popup Menus. The functions associated with mouse buttons, however, can be reassigned. Check with your system administrator if you find that the mouse button actions do not correspond to the actions described in this guide.

Problem Reporting

If you have any problems with the software or documentation, please contact your software vendor's customer service department.