

Table S2. Map of wheat obtained by mapping individual chromosomes as assigned in GrainGenes, with correction by simulated annealing of ends.

Marker	Recombination Fraction	Deletion Frequency	Name
--------	------------------------	--------------------	------

70	11.505	64.000	Xbcd338-1B
----	--------	--------	------------

63

22.800

42

12.667

83

11.400

26.681

Xgwm247-3B

115	7.824	49.472	Xbcd809-3B
116	6.706		

89

11.032

61.130

Xgwm533-3B.1

16

8.341

61.560

Xksua6-3D

109	2.426	56.436	Xgwm3-3D
108	6.840	57.000	Xfbb316-3D
110	18.612	54.889	Xksue14-3D

0

6.577

46.444

Xfba78-4B

60	6.577	63.333	Xfbb58-4B
----------	-------	--------	-----------

33	2.478	55.925	Xwg583-5B
----------	-------	--------	-----------

88	11.097	67.593	Xbcd450-5B
----	--------	--------	------------

23	26.389	53.339	Xbcd1421-5D
----	--------	--------	-------------

51	21.509	68.602	Xbcd1670-5D
----	--------	--------	-------------

95	6.064	59.036	Xbcd1860-6A
94	2.714	54.000	

43	4.222	60.109	Xfbb59-6D
----	-------	--------	-----------

76	20.939	61.222	Xfbb189-7B
----	--------	--------	------------

