

presence and location of such materials no later than the end of the job.

* * * * *

206. On page 41086, in the third column, in § 1915.1001, paragraph (h)(1)(iii) is corrected to read:

* * * * *

(h) * * *

(1) * * *

(iii) During all Class II and III work which is not performed using wet methods, provided, however, that respirators need not be worn during removal of ACM from sloped roofs when a negative exposure assessment has been made and the ACM is removed in an intact state.

* * * * *

207. On page 41087, in the first column above Table 1, in § 1915.1001, paragraph (h)(2)(i), line 5 is corrected by adding the words "or in paragraph (h)(2)(iii) of this section," after the word "Table 1,".

208. On page 41087, in the third column above Table 1, in § 1915.1001, paragraph (h)(2)(iii)(A) is corrected to read:

* * * * *

(h) * * *

(2) * * *

(iii) * * *

(A) An employee chooses to use this type of respirator; and

* * * * *

209. On page 41087, in § 1915.1001, paragraph (h)(2), in Table 1, lines 1 through 3 under the heading "Airborne concentration of asbestos or conditions of use" are corrected to read "Not in excess of 1 f/cc (10 X PEL), or otherwise as required independent of exposure pursuant to paragraph (h)(2)(iv) of this section."

210. On page 41087, in the first column below Table 1, in § 1915.1001, paragraph (h)(2)(v), line 5, the word "auxiliar76y" is corrected to read "auxiliary".

211. On page 41087, in the second column below Table 1, in § 1915.1001, paragraph (h)(3)(iv), line 10, the word "employee" is corrected to read "employees".

212. On page 41087, in the second column below Table 1, in § 1915.1001, paragraph (h)(3)(iv), line 12 is corrected by adding a comma after the word "position".

213. On page 41087, in § 1915.1001, paragraph (h)(4)(ii), line 2 of the third column below Table 1, the word "of" is corrected to read "to".

214. On page 41087, in § 1915.1001, paragraph (h)(4)(ii), line 6 of the third column below Table 1, the number "(iii)" is corrected to read "(i)".

215. On page 41087, in the third column below Table 1, in § 1915.1001,

paragraph (i)(1), line 12, the word "and" is corrected to read "or".

216. On page 41088, in the first column, in § 1915.1001, paragraph (j)(1) introductory text, line 3 is corrected by adding the words "involving over 25 linear or 10 square feet of TSI or surfacing ACM and PACM" after the word "jobs".

217. On page 41088, in § 1915.1001, paragraph (j)(1)(i)(C), line 9 of the second column is corrected by removing the word "Such" and adding the words "Following showering, such" in its place.

218. On page 41088, in the third column, in § 1915.1001, paragraph (j)(2)(iii), line 1, the word "Workclothing" is corrected to read "Work clothing".

219. On page 41088, in the third column, in § 1915.1001, paragraph (k), line 2, the word "Note:" is removed and the text is correctly designated as paragraph (k)(1).

220. On page 41088, in the third column, in § 1915.1001, newly designated paragraph (k)(1), lines 15 and 16, the words "are required to treat" are corrected to read "shall identify".

221. On page 41088, in the third column, in § 1915.1001, newly designated paragraph (k)(1), line 19, the number "(4)" is corrected to read "(5)".

222. On page 41088, in the third column, in § 1915.1001, newly designated paragraph (k)(1), line 25, the words "paragraph (g), of this section" are corrected to read "paragraph (g)(8)(i)(I) of this section,".

223. On page 41089, 8 lines from the top of the first column, in § 1915.1001, paragraph (k)(1) is redesignated as paragraph (k)(2).

224. On page 41089, in the first column, in § 1915.1001, newly redesignated paragraph (k)(2)(i) is corrected to read:

* * * * *

(k) * * *

(2) * * *

(i) Before work subject to this standard is begun, building/vessel and facility owners shall determine the presence, location, and quantity of ACM and/or PACM at the work site pursuant to paragraph (k)(1) of this section.

* * * * *

225. On page 41089, 23 lines from the bottom of the first column, in § 1915.1001, paragraph (k)(2) is redesignated as paragraph (k)(3).

226. On page 41089, in the first column, in § 1915.1001, newly redesignated paragraph (k)(3)(i), line 5 is corrected by adding the words "pursuant to paragraph (k)(1) of this section" after the word "therein".

227. On page 41089, 15 lines from the top of the second column, in § 1915.1001, paragraph (k)(3) is redesignated as paragraph (k)(4).

228. On page 41089, 25 lines from the top of the second column, in § 1915.1001, paragraph (k)(4) is redesignated as paragraph (k)(5).

229. On page 41089, in the second column, in § 1915.1001, newly redesignated paragraph (k)(5)(i), line 11, the number "(4)" is corrected to read "(5)".

230. On page 41089, in the second column, in § 1915.1001, newly redesignated paragraph (k)(5)(ii) introductory text, line 3 is corrected by adding the words "more than 1%" after the word "contain".

231. On page 41089, in the second column, in § 1915.1001, newly redesignated paragraph (k)(5)(ii)(A), line 5 is corrected by adding the word "or" after the word "ACM;".

232. On page 41089, in the second column, in § 1915.1001, newly redesignated paragraph (k)(5)(ii)(B), line 3, the word "asbestos" is corrected to read "ACM".

233. On page 41089, in the second column, in § 1915.1001, newly redesignated paragraph (k)(5)(ii)(B), lines 5 through 7 are corrected to read, "analysis of bulk samples collected in the manner described in 40 CFR 763.86. The".

234. On page 41089, in the second column, in § 1915.1001, newly redesignated paragraph (k)(5)(ii)(B), line 17, the word "of" is corrected to read "or".

235. On page 41089, in the second column, in § 1915.1001, newly redesignated paragraph (k)(5)(ii)(B), line 19, the word "of" is corrected to read "or".

236. On page 41089, in the third column, in § 1915.1001, a new paragraph (k)(5)(iii) is added to read:

* * * * *

(k) * * *

(5) * * *

(iii) The employer and/or building/vessel owner may demonstrate that flooring material including associated mastic and backing does not contain asbestos, by a determination of an industrial hygienist based upon recognized analytical techniques showing that the material is not ACM.

* * * * *

237. On page 41089, 5 lines from the top of the third column, in § 1915.1001, paragraph (k)(5) is redesignated as paragraph (k)(6).

238. On page 41089, in the third column, in § 1915.1001, newly redesignated paragraph (k)(6), lines 4