Grade	General appearance	Percent maximum limits of—					
		Moisture <sup>1</sup>	Total de- fects (DKT, FM, CCL, & SP)	Total dam- aged	Foreign Mate- rial		
					Total	Stones	
U.S. No. 1	The Special Grade Off-Color May Be Applied After The Re-	18.0	4.0	2.0	0.5	0.2	
U.S. No. 2	moval of Total Defects.	18.0	6.0	4.0	1.0	0.4	
U.S. No. 3		18.0	8.0	6.0	1.5	0.6	
					Percent maximum limits		

U.S. No. 1	ng	
	2	Classes that Blend <sup>3</sup>
LLO NE O	0.5	5.0
U.S. No. 2	1.0	10.0
U.S. No. 3	2.0	15.0

U.S. Substandard ...... U.S. Substandard shall be beans which do not meet the requirements for the grades U.S. No. 1 through U.S. No. 3 or U.S. Sample grade. Beans which are not well screened shall also be U.S. Substandard, except for beans which meet the requirements for U.S. Sample grade.

U.S. Sample grade .....

U.S. Sample grade shall be beans which are musty, sour, heating, materially weathered, or weevily; which have any commercially objectionable odor; which contain insect webbing or filth, animal filth, any unknown foreign substance, broken glass, or metal fragments; or which are otherwise of distinctly low quality.

- <sup>1</sup> Beans with more than 18.0 percent moisture are graded High moisture.
- <sup>2</sup>Beans with more than 2.0 percent contrasting classes are graded Mixed beans. <sup>3</sup>Beans with more than 15.0 percent classes that blend are graded Mixed beans.
- 3. Section 868.140 is revised to read as follows:

## §868.140 Grades and grade requirements for the classes Baby Lima and Miscellaneous Lima beans.

Grade	General appearance	Percent maximum limits of—					
		Moisture <sup>1</sup>	Total de- fects (DKT, FM, & CCL)	Badly dam- aged	Foreign mate- rial		
					Total	Stones	
U.S. No. 1 U.S. No. 2 U.S. No. 3	The Special Grade Off-Color May Be Applied After The Removal of Total Defects.	18.0 18.0 18.0	2.0 4.0 6.0	1.0 1.5 2.0	0.5 1.0 1.5	0.2 0.3 0.6	

	Percent maximum limits of—					
Grade	Contrasting classes <sup>2</sup>	Blistered, wrinkled, and/or bro- ken	Splits	Classes that blend <sup>3</sup>		
U.S. No. 1	0.5 1.0 2.0	2.0 4.0 6.0	2.0 4.0 6.0	5.0 10.0 15.0		

U.S. Substandard .....

U.S. Substandard shall be beans which do not meet the requirements for the grades U.S. No. 1 through U.S. No. 3 or U.S. Sample grade. Beans which are not well screened shall also be U.S. Substandard, except for beans which meet the requirements for U.S. Sample grade.

U.S. Sample grade .....

U.S. Sample grade shall be beans which are musty, sour, heating, materially weathered, or weevily; which have any commercially objectionable odor; which contain insect webbing or filth, animal filth, any unknown foreign substance, broken glass, or metal fragments; or which are otherwise of distinctly low quality.

James R. Baker,

Administrator, Grain Inspection, Packers and Stockyards Administration.

[FR Doc. 95-16856 Filed 7-12-95; 8:45 am]

BILLING CODE 3410-EN-P

<sup>&</sup>lt;sup>1</sup> Beans with more than 18.0 percent moisture are graded High moisture.

<sup>&</sup>lt;sup>2</sup> Beans with more than 2.0 percent contrasting classes are graded Mixed beans. <sup>3</sup> Beans with more than 15.0 percent classes that blend are graded Mixed beans.

Dated: July 5, 1995.