

under subheadings 7304.10.10.20, 7304.10.50.20, 7304.31.60.50, 7304.39.00.16, 7304.39.00.20, 7304.39.00.24, 7304.39.00.28, 7304.39.00.32, 7304.51.50.05, 7304.51.50.60, 7304.59.60.00, 7304.59.80.10, 7304.59.80.15, 7304.59.80.20, and 7304.59.80.25 of the Harmonized Tariff Schedule of the United States (HTSUS).

The following information further defines the scope of this investigation, which covers pipes meeting the physical parameters described above:

Specifications, Characteristics and Uses: Seamless pressure pipes are intended for the conveyance of water, steam, petrochemicals, chemicals, oil products, natural gas and other liquids and gasses in industrial piping systems. They may carry these substances at elevated pressures and temperatures and may be subject to the application of external heat. Seamless carbon steel pressure pipe meeting the American Society for Testing and Materials (ASTM) standard A-106 may be used in temperatures of up to 1000 degrees fahrenheit, at various American Society of Mechanical Engineers (ASME) code stress levels. Alloy pipes made to ASTM standard A-335 must be used if temperatures and stress levels exceed those allowed for A-106 and the ASME codes. Seamless pressure pipes sold in the United States are commonly produced to the ASTM A-106 standard.

Seamless standard pipes are most commonly produced to the ASTM A-53 specification and generally are not intended for high temperature service. They are intended for the low temperature and pressure conveyance of water, steam, natural gas, air and other liquids and gasses in plumbing and heating systems, air conditioning units, automatic sprinkler systems, and other related uses. Standard pipes (depending on type and code) may carry liquids at elevated temperatures but must not exceed relevant ASME code requirements.

Seamless line pipes are intended for the conveyance of oil and natural gas or other fluids in pipe lines. Seamless line pipes are produced to the API 5L specification.

Seamless pipes are commonly produced and certified to meet ASTM A-106, ASTM A-53 and API 5L specifications. Such triple certification of pipes is common because all pipes meeting the stringent A-106 specification necessarily meet the API 5L and ASTM A-53 specifications. Pipes meeting the API 5L specification necessarily meet the ASTM A-53 specification. However, pipes meeting the A-53 or API 5L specifications do not

necessarily meet the A-106 specification. To avoid maintaining separate production runs and separate inventories, manufacturers triple certify the pipes. Since distributors sell the vast majority of this product, they can thereby maintain a single inventory to service all customers.

The primary application of ASTM A-106 pressure pipes and triple certified pipes is in pressure piping systems by refineries, petrochemical plants and chemical plants. Other applications are in power generation plants (electrical-fossil fuel or nuclear), and in some oil field uses (on shore and off shore) such as for separator lines, gathering lines and metering runs. A minor application of this product is for use as oil and gas distribution lines for commercial applications. These applications constitute the majority of the market for the subject seamless pipes. However, A-106 pipes may be used in some boiler applications.

The scope of this investigation includes all seamless pipe meeting the physical parameters described above and produced to one of the specifications listed above, regardless of application, and whether or not also certified to a non-covered specification. Standard, line and pressure applications and the above-listed specifications are defining characteristics of the scope of this investigation. Therefore, seamless pipes meeting the physical description above, but not produced to the A-335, A-106, A-53, or API 5L standards shall be covered if used in a standard, line or pressure application.

For example, there are certain other ASTM specifications of pipe which, because of overlapping characteristics, could potentially be used in A-106 applications. These specifications generally include A-162, A-192, A-210, A-333, and A-524. When such pipes are used in a standard, line or pressure pipe application, such products are covered by the scope of this investigation.

Specifically excluded from this investigation are boiler tubing and mechanical tubing, if such products are not produced to A-335, A-106, A-53 or API 5L specifications and are not used in standard, line or pressure applications. In addition, finished and unfinished OCTG are excluded from the scope of this investigation, if covered by the scope of another antidumping duty order from the same country. If not covered by such an OCTG order, finished and unfinished OCTG are included in this scope when used in standard, line or pressure applications. Finally, also excluded from this investigation are redraw hollows for

cold-drawing when used in the production of cold-drawn pipe or tube.

Although the HTSUS subheadings are provided for convenience and customs purposes, our written description of the scope of this investigation is dispositive.

Antidumping Duty Order

On July 26, 1995, in accordance with section 735(d) of the Act, the U.S. International Trade Commission (ITC) notified the Department that imports of seamless pipe from Italy materially injure a U.S. industry. Therefore, in accordance with section 736 of the Act, the Department will direct United States Customs officers to assess, upon further advice by the administering authority pursuant to section 736(a)(1) of the Act, antidumping duties equal to the amount by which the foreign market value of the merchandise exceeds the United States price for all entries of seamless pipe from Italy. These antidumping duties will be assessed on all entries of seamless pipe from Italy entered, or withdrawn from warehouse, for consumption on or after June 19, 1995, the date on which the Department published its final determination notice in the **Federal Register** (60 FR 31981).

On or after the date of publication of this notice in the **Federal Register**, U.S. Customs officers must require, at the same time as importers would normally deposit estimated duties, the following cash deposits for the subject merchandise:

Manufacturer/producer/exporter	Weighted-average margin percentage
Dalmine S.p.A.	1.84
All Others	1.84

This notice constitutes the antidumping duty order with respect to seamless pipe from Italy, pursuant to section 736(a) of the Act. Interested parties may contact the Central Records Unit, Room B-099 of the Main Commerce Building, for copies of an updated list of antidumping duty orders currently in effect.

This order is published in accordance with section 736(a) of the Act and 19 CFR 353.21.

Dated: July 28, 1995.

Susan G. Esserman,

Assistant Secretary for Import Administration.

[FR Doc. 95-19146 Filed 8-2-95; 8:45 am]

BILLING CODE 3510-DS-P