E. Storm Water Discharges Associated With Industrial Activity From Glass, Clay, Cement, Concrete, and Gypsum Product Manufacturing Facilities

1. Discharges Covered Under This Section. The requirements listed under this section shall apply to storm water discharges from the following activities: manufacturing flat, pressed, or blown glass or glass containers; manufacturing hydraulic cement; manufacturing clay products including tile and brick; manufacturing of pottery and porcelain electrical supplies; manufacturing concrete products; manufacturing gypsum products; nonclay refractories; and grinding or otherwise treating minerals and earths. This section generally includes the following types of manufacturing operations: flat glass, (SIC code 3211); glass containers, (SIC code 3221); pressed and blown glass, not elsewhere classified, (SIC code 3229); hydraulic cement, (SIC code 3241); brick and structural clay tile, (SIC code 3251); ceramic wall and floor tile, (SIC code 3253); clay refractories, (SIC code 3255); structural clay products not elsewhere classified (SIC code 3259); vitreous china table and kitchen articles (SIC code 3262); fine earthenware table and kitchen articles (SIC code 3263); porcelain electrical supplies, (SIC code 3264); pottery products, (SIC code 3269); concrete block and brick, (SIC code 3271); concrete products, except block and brick (SIC code 3272); readymix concrete, (SIC code 3273); gypsum products, (SIC code 3275); minerals and earths, ground or otherwise treated, (SIC code 3295); and nonclay refractories, (SIC code 3297).

Facilities engaged in the following activities are not eligible for coverage under this section: lime manufacturing (SIC 3274); cut stone and stone products (SIC 3281); abrasive products (SIC 3291); asbestos products (SIC 3292); mineral wool and mineral wool insulation products (SIC 3296).

When an industrial facility, described by the above coverage provisions of this section, has industrial activities being conducted onsite that meet the description(s) of industrial activities in another section(s), that industrial facility shall comply with any and all applicable monitoring and pollution prevention plan requirements of the other section(s) in addition to all applicable requirements in this section. The monitoring and pollution prevention plan terms and conditions of this multi-sector permit are additive for industrial activities being conducted at the same industrial facility (co-located industrial activities). The operator of the facility shall determine which other

monitoring and pollution prevention plan section(s) of this permit (if any) are applicable to the facility.

 Special Conditions. a. Prohibition of Non-storm Water Discharges. The discharge of pavement washwaters are only authorized where the permittee has minimized the presence of spilled materials in accordance with part XI.E.3.a.(3).(a).(i) of this permit.

3. Storm Water Pollution Prevention Plan Requirements. a. Contents of Plan. The plan shall include, at a minimum,

the following items:

(1) Pollution Prevention Team. Each plan shall identify a specific individual or individuals within the facility organization as members of a storm water Pollution Prevention Team that are responsible for developing the storm water pollution prevention plan and assisting the facility or plant manager in its implementation, maintenance, and revision. The plan shall clearly identify the responsibilities of each team member. The activities and responsibilities of the team shall address all aspects of the facility's storm water pollution prevention plan.

(2) Description of Potential Pollutant Sources. Each plan shall provide a description of potential sources that may reasonably be expected to add significant amounts of pollutants to storm water discharges or that may result in the discharge of pollutants during dry weather from separate storm sewers draining the facility. Each plan shall identify all activities and significant materials that may potentially be significant pollutant sources. Each plan shall include, at a

(a) Drainage.

(i) A site map indicating an outline of the portions of the drainage area of each storm water outfall that are within the facility boundaries, each existing structural control measure to reduce pollutants in storm water runoff, surface water bodies, locations where significant materials are exposed to precipitation, locations where major spills or leaks identified under Part XI.E.3.a.(2)(c) (Spills and Leaks) of this permit have occurred, and the locations of the following activities where such activities are exposed to precipitation: fueling stations, vehicle and equipment maintenance and/or cleaning areas, loading/unloading areas, locations used for the treatment, storage or disposal of wastes, liquid storage tanks, processing areas and storage areas. Facilities shall also identify, on the site map, the location of any: bag house or other dust control device; recycle/sedimentation pond, clarifier or other device used for the treatment of process wastewater and

the areas that drain to the treatment device. The map must indicate the outfall locations and the types of discharges contained in the drainage areas of the outfalls.

(ii) For each area of the facility that generates storm water discharges associated with industrial activity with a reasonable potential for containing significant amounts of pollutants, a prediction of the direction of flow, and an identification of the types of pollutants that are likely to be present in storm water discharges associated with industrial activity. Factors to consider include the toxicity of chemical; quantity of chemicals used, produced or discharged; the likelihood of contact with storm water; and history of significant leaks or spills of toxic or hazardous pollutants. Flows with a significant potential for causing erosion

shall be identified.

(b) Inventory of Exposed Materials.— An inventory of the types of materials handled at the site that potentially may be exposed to precipitation. Such inventory shall include a narrative description of significant materials that have been handled, treated, stored or disposed in a manner to allow exposure to storm water between the time of 3 years prior to the date of the submission of a Notice of Intent (NOI) to be covered under this permit and the present; method and location of onsite storage or disposal; materials management practices employed to minimize contact of materials with storm water runoff between the time of 3 years prior to the date of the submission of a Notice of Intent (NOI) to be covered under this permit and the present; the location and a description of existing structural and nonstructural control measures to reduce pollutants in storm water runoff; and a description of any treatment the storm water receives.

(c) Spills and Leaks—A list of significant spills and significant leaks of toxic or hazardous pollutants that occurred at areas that are exposed to precipitation or that otherwise drain to a storm water conveyance at the facility after the date of 3 years prior to the date of the submission of a Notice of Intent (NOI) to be covered under this permit. Such list shall be updated as appropriate during the term of the

(d) Sampling Data—A summary of existing discharge sampling data describing pollutants in storm water discharges from the facility, including a summary of sampling data collected during the term of this permit.

(e) Kisk Identification and Summary of Potential Pollutant Sources-A narrative description of the potential