

toxicity control options, and then confirm the reduction in effluent toxicity. If the treatment works is conducting a TRE as part of a NPDES permit requirement or enforcement order, then you only need to provide the date of the last progress report concerning the TRE in the area reserved for details of the TRE.

#### B.4. Summary of Submitted Biomonitoring Test Information

As stated above, applicants that have already submitted the results of biomonitoring test information over the past three years do not need to resubmit this data with Form 2A. Instead, indicate in question B.4. the date you submitted each report and provide a summary of the test results for each report. Include in this summary the following information: the outfall number and collection dates of the samples tested, dates of testing, toxicity testing method(s) used, and a summary of the results from the test (e.g. 100% survival in 40% effluent).

Note: After completing Part B, refer to the Application Overview section to determine which other sections of Form 2A you must complete. If you have completed all other required sections of Form 2A, you may proceed to the Certification Statement in question 19 of the Basic Application Information packet.

#### Part C. Industrial User Discharges, Pretreatment, and RCRA/CERCLA Wastes

*Paperwork Reduction Act Notice:* The public reporting and recordkeeping burden for this collection of information (Part C: Industrial User Discharges, Pretreatment, and RCRA/CERCLA Wastes) is estimated to average 4.3 hours per response. This estimate includes the time needed to review instructions; develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintaining information, and disclosing and providing information; adjust the existing ways to comply with any previously applicable instructions and requirements; train personnel to respond to a collection of information; search existing data sources; complete and review the collection of information; and transmit or otherwise disclose the information. An Agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number.

Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Chief, OPPE Regulatory Information Division, U.S. Environmental Protection Agency (2136), 401 M St., S.W., Washington, DC 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget,

725 17th St., N.W., Washington, DC 20503, Attention: Desk Officer for EPA. Include the OMB control number in any correspondence. Do not send the completed application form to these addresses.

All treatment works receiving discharges from significant industrial users (SIUs) or facilities that receive RCRA or CERCLA wastes must complete Part C.

A "categorical industrial user" is an industrial user that is subject to Categorical Pretreatment Standards under 40 CFR 403.6 and 40 CFR Chapter I, Subchapter N, which are technology-based standards developed by EPA setting industry-specific effluent limits. (A list of Industrial Categories subject to Categorical Pretreatment Standards is included in Appendix B.)

A "significant industrial user" is defined in 40 CFR 403.3(t) as an industrial user that:

(1) is subject to Categorical Pretreatment Standards under 40 CFR 403.6 and 40 CFR Chapter I, Subchapter N; and

(2) any other industrial user that: discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (excluding sanitary, non-contact cooling and boiler blowdown wastewater); contributes a process wastewater that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment works; or is designated as such by the Control Authority as defined in 40 CFR 403.12(a) on the basis that the industrial user has a reasonable potential for adversely affecting the treatment works operation or for violating any pretreatment standard or requirement (in accordance with 40 CFR 403.8(f)(6)).

An "industrial user" means any industrial or commercial entity that discharges wastewater that is not domestic wastewater. Domestic wastewater includes wastewater from connections to houses, hotels, non-industrial office buildings, institutions, or sanitary waste from industrial facilities. The number of "industrial users" is the total number of industrial and commercial users that discharge to the treatment works.

For the purposes of completing the application form, please provide information on non-categorical SIUs and categorical industrial users separately.

#### General Information

##### C.1. Number of Industrial Users

Provide the number of SIUs and the number of categorical industrial users only that discharge to your treatment works.

##### C.2. Average Daily Flow From Industrial Users

Provide an estimate of the daily flow of wastewater, in mgd, received from all industrial users, significant industrial users only, and categorical industrial users only.

##### C.3. Industrial User Contributions

Estimate the contribution (in terms of the percent of total daily influent) from all industrial users, significant industrial users only, categorical industrial users only, and domestic sources only.

##### C.4. Pretreatment Program

Indicate whether the treatment works has an approved pretreatment program. An "approved pretreatment program" is a program administered by a treatment works that meets the criteria established in 40 CFR 403.8 and 403.9 and that has been approved by a Regional Administrator or State Director. If the answer to question C.4. is no, go to C.5.

Note: If this treatment works has or is required to have a pretreatment program, you must also complete Parts A and B of the Supplemental Application Information packet.

If the treatment works has an approved pretreatment program, identify any substantial modifications to the POTW's approved pretreatment program that have not been approved in accordance with 40 CFR 403.18.

#### Significant Industrial User (SIU) Information

All treatment works that receive discharges from SIUs must complete questions C.5.–C.10.

If your treatment works receives wastewater from more than one SIU, complete questions C.5.–C.10. *once for each SIU.*

##### C.5. Significant Industrial User Information

Provide the name and mailing address of each SIU. Submit additional pages as necessary.

##### C.6. Industrial Processes

Describe the actual process(es) (rather than simply listing them) at the SIU that affect or contribute to the SIU's discharge. For example, in describing a metal finishing operation, include such information as how the product is cleaned prior to finishing, what type of plating baths are in operation (e.g., nickel, chromium), how paint is applied, and how the product is polished. Attach additional sheets if necessary.