DEPARTMENT OF COMMERCE U. S. COAST AND GEODETIC SURVEY

Doc

SUPERINTENDENT

GEODESY

THE CALIFORNIA-WASHINGTON ARC OF PRIMARY TRIANGULATION

BY

A. L. BALDWIN Computer, U. S. Coast and Geodetic Survey





JUN 9

WASHINGTON GOVERNMENT PRINTING OFFICE 1913



DEPARTMENT OF COMMERCE U. S. COAST AND GEODETIC SURVEY

O. H. TITTMANN SUPERINTENDENT

GEODESY

THE CALIFORNIA-WASHINGTON ARC OF PRIMARY TRIANGULATION

BY

A. L. BALDWIN Computer, U. S. Coast and Geodetic Survey

SPECIAL PUBLICATION No. 13



WASHINGTON GOVERNMENT PRINTING OFFICE 1913 Digitized by the Internet Archive in 2007 with funding from MicrosoftBCorporation 29/

164

1913

FEB

9151

SITY OF

http://www.archive.org/details/geodesycaliforni00uscouoft

CONTENTS.

	Page.
General statement.	5
Frogress of the triangulation:	
Season of 1903.	5
Season of 1904	(
Season of 1905	6
Season of 1906	7
Methods of observing employed	7
Program of occupation of stations	7
Stations occupied:	
Season of 1903 .	7
Season of 1904	8
Season of 1905	8
Season of 1906	9
Statement of costs	9
Statement of adjustments	ę
Abstract of horizontal directions and elevations of telescope above the station mark	g
Condition equations.	15
Accuracy as indicated by corrections to observed directions.	18
Table of corrections to observed directions.	18
Accuracy as indicated by corrections to angles and closures of triangles.	19
Table of triangles	20
Accord of bases	29
Accord of azimuths	30
Twist in triangulation	30
Explanation of positions lengths and azimuths and of the United States Standard Datum	31
Table of positions	33
Principal points	34
Sumplementary points	37
Descriptions of stations	49
Principal points	19
Sumplementary points	54
Computation adjustment and accuracy of the elevations	57
Thirty-ninth Parallel to Willamette hase	59
Puret Sound to Tagoma base	61 61
Willa motto hase not to Tacoma hase	60
Whathette Date liet of factha Date.	62
Accuracy of vortical angle results in the United States	69
Repetitors	00 64
The of elevations:	04
Table of elevations:	C A
Willsmotte here not to Tracama here	04
Pacement base net to faconia base.	06
racoma base to ruget Sound	67
ckettenes.	68
Index to positions, descriptions, sketches, and elevations.	75

ILLUSTRATIONS.

1.	Index map	68
2.	Index map	69
3.	Thirty-ninth Parallel to Bally-Round	70
4	Bally-Bound to Onion-Rust	71
5.	Onion-Rust to Mary-Peterson	72
6.	Mary-Peterson to Davis-Red.	73
7	Davis-Red to Puget Sound	74

.

**

.

By A. L. BALDWIN.

Computer, United States Coast and Geodetic Survey.

GENERAL STATEMENT.

In the spring of 1903 the United States Coast and Geodetic Survey began the reconnoissance for an arc of primary triangulation to extend from the primary triangulation in northern California to Puget Sound. The work of reconnoissance was not done continuously in any one season, but was done a little at a time, in order to interfere as little as possible with the observations. It was usually done slightly in advance of the triangulation, but at times simultaneously with it, and so the two can not be discussed separately. The observing was completed in four summer seasons, beginning in June, 1903, and ending in July, 1906.

The length of the primary triangulation of this arc, along the axis of the scheme, is 577 miles (929 kilometers) and the length of the subsidiary schemes, secondary in character, is about 30 miles (48 kilometers). Fifty-seven stations constitute the main scheme. The mean latitude of the three old stations of the Thirty-ninth Parallel triangulation, from which the arc started, is 39° 05', and the northernmost point lies in latitude 47° 23'. The triangulation follows closely the meridian of $122^{\circ}30'$.

The positions and descriptions were prepared for publication by Mr. C. H. Swick.

The greater portion of the work of making the difficult least square adjustments was done by Mr. E. H. Bowen and Mr. M. H. Doolittle, the adjustment of the elevations from the vertical measures having been made by the latter.

The engineer intent only upon securing the necessary information to enable him to extend his triangulation or to base other surveys upon it will find the information hc desires on pages 31-78, commencing with the explanation of the table of positions, lengths, and azimuths. The index printed on pages 75-78, used in connection with the sketches at the end of the publication, will enable him to find quickly the data for any given locality.

There were used to control the lengths in this triangulation the Yolo base in California, the Willamette base, near Eugene, Oreg., and the Tacoma base, near Tacoma, Wash.

The Yolo base was measured in 1881 by Assistant George Davidson, who published his report as Appendix No. 8 in the Report of the Coast and Geodetic Survey for 1882. The Willamette and Tacoma bases were measured by the party of Assistant O. B. French in 1906.¹ During this season of 1906 six primary bases were measured, the other four being a part of the Ninety-eighth Meridian triangulation. Complete measurements were made on each base with 50-meter steel tapes and also with invar tapes of the same length.

PROGRESS OF THE TRIANGULATION.

SEASON OF 1903.

Early in 1903 Assistant O. B. French was placed in charge of the field work and in April organized at Eugene, Oreg., a reconnoissance and building party, consisting of a foreman and four men, with a wagon and four horses. With this party Mr. French conducted a recon-

 $\mathbf{5}$

¹ See Appendix 4, U. S. Coast and Geodetic Survey Report for 1907, "Six primary bases measured with steel and invar tapes.

noissance through the Willamette Valley to connect with the triangulation of the Columbia River. By the latter part of May this was so far advanced that the observing could be started and a party, consisting of Mr. French, a recorder, and four other men, with two wagons and seven horses, started out from Eugene for the first station, Roman, leaving the first party to build signals. The work was pushed toward the Columbia River as far as the reconnoissance had been completed. Before the end of September both parties returned to Eugene, where a base and its connections with the main scheme were laid out and a part of the stations were occupied by the middle of October. Throughout the season the signal-building party was always in advance of the observing party, erecting signals, cutting lines, opening trails, and preparing camping grounds. The weather during the whole season was very disagreeable and uncertain and the cause of much lost time, especially by the observing party, as it was rare that all the signals to be observed at a station were visible at one time. There were frequent long intervals of many days when no observations eould be made.

Between the middle of October and the middle of November Mr. French and the foreman of the signal party made a reconnoissance southward to connect with the triangulation of the Thirty-ninth Parallel, developing the scheme that with few changes was carried out in 1904.

SEASON OF 1904.

In the season of 1904 the organization of the parties and the method of conducting the work were about the same as in 1903. Assistant J. S. Hill was also assigned to the work, thus enabling Assistant French to devote more time to reconnoissance without delaying the progress of the observing party. The parties were organized in April, when some additions were made to the reconnoissance to complete the scheme between the Thirty-ninth Parallel triangulation and the work of the previous season, and a few stations were prepared for observations. The observing started at Marysville Butte soon after May 1 and the season's work closed about the middle of November. During this time the whole scheme between the old triangulation of the Thirty-ninth Parallel and the work of the previous season was completed. Between July 9 and August 10 Assistant French made a reconnoissance to connect the work of the Columbia River with that of Puget Sound, which practically settled the scheme of work for 1905.

Many difficulties were encountered during the season. During April and May snow and very strong winds greatly delayed the work. At station Soda smoke delayed the party at one time for six weeks. Many stations were difficult of access. Five stations were reached by pack trains over distances from 10 to 25 miles and along difficult and dangerous trails. In each of two cases special trails had to be made for a distance of 4 miles and they were so steep that in one case two horses went over backwards and the outfit had to be packed by men. In order to reach station Mears it was necessary to use ladders and hand lines.

SEASON OF 1905.

During the season of 1905 the organization of the parties and method of conducting the work were the same as during the previous season. The field work began about the middle of April and closed about the middle of October.

The region between the Columbia River and Puget Sound is a very difficult one through which to earry a primary triangulation. Many of the peaks that must be used are flat and heavily timbered and the roads and trails are almost impassable. It is also a region of very bad weather and this faet, together with the prevalence of forest fires, made the delays in observing very great. The scheme that was laid out the preceding season proved to be entirely too expensive, on account of the very high signals required and the great amount of eutting of timber necessary. Further reconnoissance was therefore required and both parties took part in it. About June 1 the observing party began work in Oregon, completing the occupation of four stations in the Willamette base net. This party then moved to the vicinity of the Taeoma base and was engaged the rest of the month in signal building. Observing was resumed on July 1. In spite of every effort the work connecting the Columbia River triangulation with that of Puget Sound was not completed during this season. Assistant French reported that the weather conditions during this season were the most unpropitious for such work that he had ever experienced.

At three stations signals over 100 feet high were built, one being 130 feet high. At several stations the instrument was mounted on a high tree. In such cases the tree was guyed with iron wires and a staging was built about the tree. At one station over 200 trees 4 feet or more in diameter and 200 feet high, besides many smaller ones, were cut to open lines. Long and dangerous trails had to be constructed and several accidents happened on them, which fortunately were not serious except to the horses. At the last station the party was caught in the snow and had difficulty in getting out.

SEASON OF 1906.

During this season the work was in charge of Assistant J. S. Hill, who organized a party on June 11 and finished the last station on July 26, completing the primary triangulation between the Columbia River and Puget Sound. He also made the connection between the primary triangulation and the Columbia River work. Between June 18 and July 26 the observing party occupied seven primary stations and incidentally traveled 250 miles by boat, 315 miles by wagon, and 130 miles by trail with pack animals.

METHODS OF OBSERVING EMPLOYED.

The observations for the primary horizontal angles were made in accordance with the General Instructions for Primary Triangulation, as given on pages 170–174 of Appendix 4, Report for 1911.

All the horizontal angle measures were made by the direction method, using the 12-inch (30-centimeter) theodolites made in the Instrument Division of the Survey. These instruments are described in Appendix 8, Report for 1904. The telescope used has a clear aperture of 61 millimeters and its focal length is 74 centimeters. The circle is graduated to five-minute spaces and is read by the micrometer microscopes to single seconds.

PROGRAM OF OCCUPATION OF STATIONS.

In the following three tables the primary stations occupied during the several seasons are arranged in the order of their occupation. The second column of each table indicates the days on which primary horizontal observations were made, and the third column the number of such days. The letters (az.) after the name of a station indicates that observations for primary astronomic azimuth were made at that station.

Stations occupied.

Assistant O. B. FRENCH, chief of party and observer.

SEASON OF 1903.

RomanJune 17, 18, 19, 20, 23, 25, 26, 28, 299Spencer (az.)July 7, 8, 9; Oct 12, 13, 146PetersonJuly 14, 15, 163Mary (az.)July 25, 2622Yam (az.)July 31; Aug. 3, 4, 8, 95HultAug. 11, 12, 13, 1644Barnes (az.)Aug. 27, 28, 30; Sept. 1, 25	Station	Days on which observations of primary horizontal directions were made	Number of days
Larch Sept. 8, 13, 14, 15 4 Rauch Oct. 1, 2, 6 3 Willamette south Oct. 7, 8, 10, 11 4	Roman Spencer (az.) Peterson Mary (az.) Yam (az.) Hult Barnes (az.) Larch Rauch Willamette south base	June 17, 18, 19, 20, 23, 25, 26, 28, 29 July 7, 8, 9; Oct 12, 13, 14 July 14, 15, 16 July 25, 26 July 31; Aug. 3, 4, 8, 9 Aug. 11, 12, 13, 16 Aug. 27, 28, 30; Sept. 1, 2 Sept. 8, 13, 14, 15 Oct. 1, 2, 6 Oct. 7, 8, 10, 11	9 6 3 2 5 4 5 4 3 4 3 4

Stations occupied—Continued.

Assistant O. B. FRENCH, chief of party and observer, and Assistant J. S. HILL, observer.

SEASON OF 1904.

Station	Days on which observations of primary horizontal directions were made	Number of days
Marysville Butte S n o w Mountain east Kent (az.) Lyous (az.) Round (az.) Bally Mears Spur Gazelle (az.) Boliver Sterling Soda Rust (az.) Black Onion (az.) White Scott (az.) Yellow Fairview	May 3, 4, 5, 6, 10 May 16, 18 May 25, 26, 27 June 3, 4, 5, 6 June 11, 12, 13 June 16, 17, 18, 19 June 24 June 29, 30; July 1, 2 July 4, 5, 6, 8 July 12, 13, 16, 18 July 26, 27, 30 Aug. 3, 4, 12; Sept. 24, 25 Sept. 28, 29 Oct. 3, 4 Oct. 12 Oct. 18, 19 Oct. 21, 22 Oct. 31	52 3434 1444 3522 1221 1



e

SEASON OF 1905.

Station	Days on which observations of primary horizontal directions were made	Number of days
Ridge Willamette north	June 6, 7 June 8	$2 \\ 1$
Twin Peterson Noill 2	June 10, 11, 12 June 13, 14 July 1	
Wash Smelt	June 27, July 6, 7 July 7 July 10	311
Gull Kin Tacoma astro-	July 10 July 11 June 21, 22	$\hat{1}$ 1 2
nomic station (az.) Bos	July 13	1
Burn Tacoma south base	July 14 July 26, 27, 28, 29, 30	1 5
Tacoma uorth base Hurst	July 31, Aug. 2, 3 Aug. 5	3 1
Pen Bel (az.) Huck	Aug. 6, 7, 8, 9 Aug. 18, 19, 20, 21 Sept. 6, 11	4 4 2
Hal Rain Toutle Hurst	Sept. 1, 3, 4, Aug. 30, 31 July 22, Sept. 14, 15 Sept. 21 July 24, 25, Aug. 28	5 3 1 3

Stations occupied-Continued.

Assistant J. S. HILL, chief of party and observer.

SEASON OF 1906.

Station	Days on which observations of primary horizontal directions were made	Number of days
Barnes	June 14, 16, 17, 18	4
Red	June 23, 24, 25	3
Larch	June 30	1
Star	July 4, 5	2
Davis	July 10, 11, 12, 13	4
Lam (az.)	July 15, 16	2
Len	July 23, 24, 25, 26	4

STATEMENT OF COSTS.

The difficulty of separating the cost of the reconnoissance from that of the triangulation, where the two operations were carried on simultaneously, forbids an accurate statement of the cost of the former. It may fairly be stated that the time spent on the reconnoissance during the first three seasons was approximately 6. 2 months and the cost between \$2500 and \$3000. This makes the progress 93 miles per month and the unit cost not far from \$4.80 per mile.

The following statement of eosts for the triangulation may be considered correct. These costs are computed for the whole are and include the salaries of the observers while in the field and during the limited times before and after each season while planning and reporting the work.

Number of months of observations	14.9	Cost per point determined	\$192
Number of primary stations occupied	59	Number of miles of progress.	577
Stations occupied per month	4	Cost per mile of progress	\$61
Total field expenses	\$35029	Area in main scheme in square miles	22100
Cost per station occupied	\$594	Cost per square mile	\$1.58
Total number of points determined	183		

STATEMENT OF ADJUSTMENTS.

No local adjustments were made, these having become unnecessary since the adoption of the present method of supplying missing observations in broken series.¹

The line Snow Mountain west-Mount Helena had been fixed in length, direction, and position by the Thirty-ninth Parallel triangulation, and the result is published on page 539 of Appendix 9, Report for 1904. Similarly, the length, direction, and position of the line Marysville Butte-Mount Helena is published on page 540 of the same report. Marysville Butte was determined from eight stations of the Thirty-ninth Parallel triangulation, using six side equations, the angle equations being entirely lacking. The remaining parts of the triangle Snow Mountain west-Marysville Butte-Mount Helena were computed, and it was found that the two angles measured in 1904 required eorrections of $-0^{\prime\prime}.71$ and $+1^{\prime\prime}.32$, respectively, to eonform to the fixed computed angles. A single least square adjustment served for the entire primary scheme. The measured bases, Willamette and Taeoma, compelled the use of two length equations, and the Laplace azimuths ² computed at Gazelle, Willamette, and Taeoma made three azimuth equations necessary.

ABSTRACTS OF HORIZONTAL DIRECTIONS AND ELEVATION OF TELESCOPE ABOVE THE STATION MARK.

All observed directions in the triangulation have been given equal or unit weight. Those directions were reduced to center where either the instrument or the object observed was not coincident with the center of the station mark.

¹ See Appendix 4, U. S. Coast and Geodetic Survey Report for 1911, p. 171.

^{*} A Laplace azimuth (also called a true geodetic azimuth), as used in this publication, is one computed at a station of the triangulation from conneident longitude and azimuth observations, using the Laplace equation: (Astronomic azimuth—Laplace azimuth) + sine of latitude (astronomic longitude—geodetic longitude) = zero. (See pp. 17 and 18 of the Supplementary Investigation in 1909 of the Figure of the Earth and Isostasy.)

The horizontal directions are reduced to sea level. The correction expressed in seconds is given by

$$\frac{e^2h\,\sin 2\alpha\,\cos^2\!\phi}{2\,\rho\,\sin\,1^{\prime\prime}}$$

where $e^2 = \frac{(a^2 - b^2)}{a^2}$, h = height of station sighted, $\rho =$ the radius of curvature in a plane normal to the meridian, $\phi =$ the latitude, and $\alpha =$ the azimuth counted from the south westward.

In the following table are also given the elevations of the telescope of the theodolite above the station mark at each of the primary stations. These elevations enable the reader to judge of the amount of building done and they permit the engineer or surveyor who uses the stations to form an estimate of the probable amount of building required to make any particular line clear.

Station occupied and elevation of instrument above station mark	Number of direction	Object observed	Observed direction reduced to sea level	Final seconds after figure adjustment
Marysville Butte 3.73 meters	16 17 18	Snow Mountain east Kent Lyons Mount Helena Snow Mountain west	0 00 00.00 33 11 28.15 83 06 42.00 305 58 17.33 359 25 17.60	$\begin{array}{c} 00.\ 64\\ 28.\ 82\\ 42.\ 64\\ 16.\ 60\\ 18.^{\circ}33 \end{array}$
Snow Mountain east 1.58 meters	5 1 2 3 4	Snow Mountain west Kent Lyons Marysville Butte Mount Helena	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	58.54 12.30 24.78 31.93 31.55
Snow Mountain west	20	Marysville Butte Mount Helena Snow Mountain east	0 00 00.00 69 11 10.85 295 09 07.62	00.36 10.50 09.10
Mount Helena	19	Mount Diablo Snow Mountain west Snow Mountain east Marysville Butte	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00. 110 11. 151 42. 89 14. 922
Gazelle astronomic sta- tion. 1.95 meters	45b 45a	Spur Soda	0 00 00.00 242 13 53.98	59.49 54.50
Kent 1.51 meters	$21 \\ 22 \\ 23 \\ 24 \\ 25$	Bally Round Lyons Marysville Butte Snow Mountain east	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 00.\ 04\\ 24.\ 14\\ 55.\ 69\\ 32.\ 60\\ 58.\ 07\end{array}$
Lyons 1.44 meters	$15 \\ 11 \\ 12 \\ 13 \\ 14$	Round Marysville Butte Snow Mountain east Kent Bally	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 01.\ 03\\ 24.\ 84\\ 61.\ 25\\ 61.\ 62\\ 12.\ 03 \end{array}$
Bally 3.06 meters	28 29 30 26 27	Round Lyons Kent Boliver Mears Spur	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 00.\ 10\\ 00.\ 79\\ 10.\ 77\\ 32.\ 69\\ 04.\ 51\\ 12.\ 69 \end{array}$
Round 1.54 meters	10 6 7 8 9	Spur Lyons Kent Bally Mears	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	00. 19 48. 30 33. 17 08. 46 19. 12
Mears 1.59 meters	34 31 32 33	Boliver Spur Round Bally	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	59. 99 06. 94 13. 87 15. 24

1

Station occupied and elevation of instrument above station mark	Number of direction	Object observed	Observed direction reduced to sea level	Final seconds after figure adjustment
Sterling 1.50 meters	53 54 55 51 52	Soda Spur Boliver Onion Rust	$\begin{array}{c} \circ & \prime & \prime \\ 0 & 00 & 00, 03 \\ 60 & 51 & 45, 03 \\ 92 & 55 & 29, 41 \\ 258 & 26 & 02, 01 \\ 312 & 26 & 01, 22 \end{array}$	59.90 44.83 29.09 02.12 01.78
Spur 1.67 meters	43 43a 44	Boliver Gazelle astronomic sta- tion Sterling	0 00 00.10 50 48 06.40 71 55 04 68	00. 11 07. 29 04. 85
	$ \begin{array}{c} 45 \\ 40 \\ 41 \\ 42 \end{array} $	Soda Round Bally Mears	$\begin{array}{c} 11 & 50 & 64. & 68 \\ 95 & 06 & 45. & 90 \\ 269 & 20 & 27. & 85 \\ 310 & 33 & 59. & 83 \\ 318 & 00 & 44. & 57 \end{array}$	45. 88 27. 44 59. 57 44. 19
Boliver 2.54 meters	37 38 39 35 36	Spur Mears Bally Sterling Soda	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 00.\ 10\\ 40.\ 06\\ 28.\ 23\\ 39.\ 25\\ 31.\ 26 \end{array}$
Soda 1.55 meters	48 49 50 46 46a	Sterling Onion Rust Spur Gazelle astronomic sta-	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 00.\ 25\\ 59.\ 72\\ 08.\ 05\\ 19.\ 66\\ 39.\ 63 \end{array}$
	47	Boliver	294 30 14.20	14.10
Rust 1.74 meters	67 68 69 70 66	Sterling Onion White Black Soda	$\begin{array}{c} 0 & 00 & 00. & 00\\ 62 & 50 & 46. & 25\\ 101 & 03 & 13. & 56\\ 137 & 15 & 51. & 99\\ 336 & 11 & 00. & 72\\ \end{array}$	59.23 46.38 13.83 53.07 00.01
Onion 1.61 meters	56 57 58 59 60	White Black Rust Soda Sterling	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 00.\ 45\\ 25.\ 55\\ 31.\ 27\\ 48.\ 10\\ 57.\ 66\end{array}$
White 6.67 meters	$ \begin{array}{c} 63\\ 64\\ 65\\ 61\\ 62\\ 62a \end{array} $	Black Rust Onion Yellow Scott Fairview	$\begin{array}{ccccccc} 0 & 00 & 00. & 00 \\ 49 & 58 & 50. & 86 \\ 113 & 55 & 02. & 30 \\ 243 & 41 & 43. & 82 \\ 271 & 11 & 38. & 91 \\ 306 & 34 & 37. & 83 \end{array}$	59.6350.9801.7744.1239.3437.88
Black 1.53 meters	71 72 73 74 75	Rust Onion White Scott Fairview	$\begin{array}{c} 0 & 00 & 00. & 00 \\ 59 & 31 & 56. & 35 \\ 93 & 48 & 34. & 84 \\ 125 & 01 & 47. & 92 \\ 171 & 08 & 16. & 94 \end{array}$	58. 6457. 0535. 2648. 8916. 20
Fairview 1.72 meters	80a 81 82 83 84 80	White Scott Yellow Roman Spencer Black	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{r} \overline{59.\ 48} \\ 02.\ 22 \\ 23.\ 34 \\ 25.\ 12 \\ 46.\ 59 \\ 56.\ 40 \end{array}$
Scott 1.74 meters	78 79 76 77	Black White Yellow Fairview	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$58.70 \\ 28.12 \\ 22.97 \\ 26.91$
Yellow 2.00 meters	89 85 86 87 88	White Roman Spencer Fairview Scott	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	59.7738.7048.0009.7848.00

 ϵ

Station occupied and elevation of instrument above station mark	Number of direction	Object observed	Observed direction reduced to sea level	Final seconds after figure adjustment
Roman 1.65 meters	103 104 105 100 101 102	Spencer Fairview Yellow Mary Peterson Twin	0 00 00.00 31 04 11.58 65 12 45.72 291 34 34.04 321 25 23.53 330 41 33.42	00. 19 11. 80 45. 52 33. 07 23. 77 33. 93
Peterson 1.80 meters	112 113 114 115 116 117 118 119 120	Twin Spencer Willamette south base Rauch Roman Ridge Mary Yam Hult	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 00.\ 21\\ 17.\ 02\\ 24.\ 53\\ 37.\ 26\\ 25.\ 63\\ 39.\ 22\\ 22.\ 10\\ 32.\ 68\\ 36.\ 48 \end{array}$
Mary 1.68 meters	110 111 106 107 108 109	Spencer Willamette south base Roman Yam Hult Peterson Twin Ridge	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	59.30 10.01 17.72 18.85 34.88 57.18 40.72 44.40
Spencer 1.77 meters	98 99 90 91 92 93 94 95 96 97	Peterson Twin Fairview Yellow Roman Rauch Willamette south base Mary Ridge Willamette north base	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 00.04\\ 19.94\\ 04.21\\ 26.36\\ 37.59\\ 27.64\\ 10.22\\ 00.36\\ 01.02\\ 41.57\end{array}$
Rauch 6.22 meters	140 141 136 137 138 139	Willamette south base Spencer Ridge Willamette north base Peterson Twin	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	59.7619.9112.6751.3609.68 36.36
Ridge 2.54 meters	135 129 130 131 132 133 134	Rauch Mary Peterson Twin Willamette north base Spencer Willamette south base	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 00.\ 05\\ 23.\ 90\\ 56.\ 94\\ 10.\ 54\\ 59.\ 92\\ 39.\ 34\\ 17.\ 59 \end{array}$
Willamette north base 12.84 meters	$ \begin{array}{r} 151 \\ 152 \\ 153 \\ 149 \\ 150 \end{array} $	Rauch Ridge Twin Spencer Willamette south base	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 00.\ 27\\ 22.\ 13\\ 46.\ 91\\ 41.\ 72\\ 09.\ 27\end{array}$
Willamette south base 12.83 meters	$ \begin{array}{r} 142 \\ 143 \\ 144 \\ 145 \\ 146 \\ 147 \\ 148 \\ \end{array} $	Rauch Mary Ridge Willamette north base Peterson Twin Spencer	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} \overline{59.59} \\ (2.56) \\ 30.84 \\ 00.61 \\ 57.91 \\ 46.53 \\ 01.94 \end{array}$
Twin 1.79 meters	$ \begin{array}{r} 121\\ 122\\ 123\\ 124\\ 125\\ 126\\ 127\\ 128\\ \end{array} $	Spencer Willamette south base Rauch Willamette north base Roman Ridge Mary Peterson	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{r} \overline{59.\ 69}\\ 35.\ 46\\ 25.\ 71\\ 27.\ 84\\ 55.\ 91\\ 14.\ 38\\ 26.\ 10\\ 23.\ 09\\ \end{array}$

Station occupied and elevation of instrument above station mark	Number of direction	Object observed	Observed direction reduced to sea level	Final seconds after figure adjustment
Yam 1.58 meters	$156 \\ 157 \\ 158 \\ 154 \\ 155$	Hult Peterson Mary Barnes Larch	0 00 00.00 59 23 41.58 99 51 59.90 282 51 50.59 309 30 21.02	00. 19 41. 57 59. 90 50. 88 20. 54
Hult 11.13 meters	$ \begin{array}{r} 161 \\ 162 \\ 163 \\ 159 \\ 160 \end{array} $	Yam Barnes Larch Peterson Mary	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	59, 92 05, 39 50, 23 40, 21 09, 43
Larch 1.65 meters	166 167 168 164 165 165	Barnes Star Red Hult Yam	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	59.89 06.81 55.86 22.88 59.76
Barnes 4.63 meters	$171 \\ 172 \\ 173 \\ 169 \\ 170$	Larch Hult Yam Davis Star	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00. 66 47. 04 37. 56 29. 94 21. 71
Star 1.29 meters	182 179 180 181	Barnes Davis Red Larch	0 00 00.00 76 04 01.19 178 14 18.61 274 49 42.99	59.65 01.64 19.10 42.39
Davis 1.56 meters	186 187 188 183 184 185	Red Star Barnes Toutle Lam Len		$\begin{array}{c} 00.\ 12\\ 31.\ 49\\ 42.\ 23\\ 42.\ 71\\ 52.\ 07\\ 19.\ 39 \end{array}$
Red 1.31 meters	$175 \\ 176 \\ 177 \\ 178 \\ 174$	Star Davis Lam Len Larch	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	59.05 13.96 33.74 41.49 08.81
Lam 1.53 meters	201 202 203 200	Len Red Davis Toutle	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 00.\ 11\\ 39.\ 26\\ 13.\ 94\\ 45.\ 14 \end{array}$
Len 1.64 meters	193 194 189 190 191 192	Huck Bel Red Davis Lam Toutle	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 01,00\\ 48,57\\ 37,85\\ 35,57\\ 54,88\\ 28,59 \end{array}$
Toutle 2.93 meters	199 195 196 197 198	Davis Huck Rel Len Lam	$\begin{array}{ccccccc} 0 & 00 & 00, 00 \\ 184 & 30 & 34, 45 \\ 213 & 54 & 10, 59 \\ 258 & 32 & 26, 86 \\ 331 & 54 & 39, 27 \end{array}$	$ \begin{array}{r} 59.25 \\ 35.49 \\ 11.00 \\ 26.33 \\ 39.09 \\ \end{array} $
Bel 1.97 meters	$211 \\ 212 \\ 213 \\ 214 \\ 215 \\ 210$	Toutle Huck Hal Rain Hurst Len	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 00.\ 46\\ 44.\ 89\\ 37.\ 67\\ 11.\ 31\\ 26.\ 51\\ 31.\ 60\\ \end{array}$
Huck 1.54 meters	205 206 207 208 209 204	IIal IIurst Bel Len Toutle Rain	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00. 66 18. 84 44. 97 48. 84 29. 38 12. 21

r

Station occupied and elevation of instrument above station mark	Number of direction	Object observed	Observed direction reduced to sea level	Final seconds after figure adjustment
Hal 1.65 meters	216 217 218 219 220 221 222	Rain Hurst Tacoma north base Tacoma south base Pen Bel Huck	0 00 00.00 50 18 17.55 58 37 25.30 58 55 27.83 77 24 46.84 138 07 49.09 203 53 12.96	00. 34 17. 52 25. 42 27. 92 46. 77 49. 22 12. 36
Rain 3.99 meters	228 229 223 224 225 226 227	Hal Huck Hurst Tacoma north base Tacoma south base Pen Bel	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	59. 73 23. 35 58. 25 48. 93 29. 81 00. 32 20. 83
Pen 33.34 meters ,	242 238 239 240 241	Tacoma north base Hal Rain Hurst Tacoma south base Burn	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	59.79 29.83 45.89 18.96 32.13 57.78
Hurst 32.55 meters	231 232 233 234 235 236 237 230	Tacoma north base Tacoma south base Pen Bel Huck Hal Rain Burn	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 00.\ 28\\ 18.\ 42\\ 01.\ 54\\ 01.\ 38\\ 57.\ 71\\ 44.\ 80\\ 27.\ 79\\ 08.\ 32 \end{array}$
Tacoma south base 32.33 meters	$248 \\ 243 \\ 244 \\ 245 \\ 246 \\ 247$	Tacoma north base Pen Hal Rain Hurst Burn	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 00.\ 00\\ 00.\ 98\\ 40.\ 94\\ 45.\ 23\\ 04.\ 74\\ 37.\ 54 \end{array}$
Tacoma north base 38.28 meters	$262 \\ 249 \\ 250 \\ 251 \\ 252 \\ 253 \\ 254 \\ 261$	Kin Pen Tacoma south base Hal Rain Hurst Burn Wash	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 00.\ 55\\ 22.\ 07\\ 53.\ 78\\ 32.\ 25\\ 58.\ 71\\ 40.\ 56\\ 22.\ 05\\ 47.\ 59 \end{array}$
Burn 13.42 meters	259 260 255 256 257 258	Wash Kin Tacoma north base Pen Tacoma south base Hurst	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00. 14 48. 98 43. 63 41. 70 53. 04 10. 39
Kin 20.05 meters -	$268 \\ 263 \\ 264 \\ 265 \\ 266 \\ 267$	Bos Tacoma north base Burn Wash Dron Gull	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	59.9208.9535.8857.6609.3518.69
Wash 13.34 meters	269 270 271 272 273 274 275 276	Smelt Neill 2 Dron Gull Bos Kin Tacoma north base Burn	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\overline{ 59.83} \\ 02.28 \\ 21.40 \\ 35.27 \\ 03.96 \\ 06.00 \\ 04.42 \\ 55.45 \\ $

10

.

	Station occupied and elevation of instrument above station mark	Number of direction	Object observed	Observed direction reduced to sea level	Final seconds after figure adjustment
ta i	Bos 1.84 meters	277 278 279 280	Kin Wash Dron Gull	 <i>i</i> <i>i</i>	59. 92 55. 69 39. 09 04. 58
	Gull 1. 54 meters	281 282 283	Bos Kin Tacoma astronomic sta- tion	0 00 00.00 36 32 13.92 63 27 46.89	59.82 13.97 47.50
	Dron 2.56 meters	284 285 286 287 288 288 289	Wash Bos Kin Wəsh Smelt Neill 2	98 56 22.77 0 00 00.00 34 39 30.06 94 11 34.19 135 13 54.80 182 13 53.00	$\begin{array}{r} 22.\ 29\\ \hline 59.\ 92\\ 30.\ 24\\ 34.\ 03\\ 54.\ 63\\ 53.\ 24\end{array}$
	Smelt 3.84 meters	290 291 292	Neill 2 Dron Wash	0 00 00.00 53 37 13.04 100 49 31.16	
	Neill 2 1.66 meters	296 293 294 295	Smelt Dron Tacoma astronomic sta- tion Wash	0 00 00.00 280 37 12.98 304 14 12.70 323 21 34.56	00. 33 12. 66 12. 88 34. 39
	Tacoma astronomic sta- tion 5.40 meters	297 298	Neill 2 Gull	0 00 00.00 40 46 19.32	$\overline{59.81} \\ 19.50$

CONDITION EQUATIONS.

No

**0.		
1.	0 = +5.65 - 0	(4)+(5)+(19)-(20)
2.	0 = +2.38 - 0	(3)+(5)+(16)-(20)
3.	0 = +0.02 - 0	(1)+(3)-(16)+(17)-(24)+(25)
4.	0 = +0.91 - 0	(1)+(2)-(12)+(13)-(23)+(25)
5.	0 = +0.14 - 0.000	(11)+(13)-(17)+(18)-(23)+(24)
6.	0 = -2.78 - 0	(13)+(14)-(21)+(23)-(29)+(30)
7.	0 = -0.82 - 0.000	(6)+(8)-(14)+(15)-(28)+(29)
8.	0 = -0.17 - 0.000	(7)+(8)-(21)+(22)-(28)+(30)
9.	0 = -0.47 - 0.47 - 0.000	(8)+(10)-(27)+(28)-(40)+(41)
10.	0 = +1.79 - 0	(9)+(10)-(31)+(32)-(40)+(42)
11.	0 = +0.91 - 0.	(26)+(27)-(37)+(39)-(41)+(43)
12.	0 = -0.66 + 0.000	(31) - (34) - (37) + (38) - (42) + (43)
13.	0 = +0.59 - 0.59 - 0.000	(35)+(37)-(43)+(44)-(54)+(55)
14.	0 = +2.33 - 0	(43a)+(45)-(45a)+(45b)-(46)+(46a)
15.	0 = -0.11 - 0.000	(44)+(45)-(46)+(48)-(53)+(54)
16.	0 = +0.49 - 0.49 - 0.000	(35)+(36)-(47)+(48)-(53)+(55)
17.	0 = +0.23 - 0.000	(48) + (50) - (52) + (53) - (66) + (67)
18.	0 = -1.95 - 0	(49)+(50)-(66)+(68)-(58)+(59)
19.	0 = -1.89 - 0.000	(51)+(52)-(67)+(68)-(58)+(60)
20.	0 = -3.13 - 0	(57)+(58)-(68)+(70)-(71)+(72)
21.	0 = +1.25 - 0	(56) + (57) - (63) + (65) - (72) + (73)
22.	0 = -3.09 - 0	(63)+(64)-(69)+(70)-(71)+(73)
23.	0 = +2.88 - 1000	(62a) + (63) - (73) + (75) - (80) + (80a)
24.	0 = +6.35 - 0	(74)+(75)-(77)+(78)-(80)+(81)
25.	0 = +2.64 - 0.00	(62) + (62a) - (77) + (79) - (80a) + (81)
26.	0 = -0.30 - 0.00	(01) + (02) + (70) - (79) - (80) + (89)
27.	0 = -2.00 - 1.	(70) + (77) - (81) + (82) - (87) + (80)
28,	0 = -1.89 - 0.47	(02) + (04) - (00) + (07) - (00) + (01)
29.	0 = -0.47 - 0.	(85) + (80) - (01) + (02) - (102) + (105)
30.	0 = +1.22 = 0	(3)+(30)-(31)+(32)-(103)+(103)
20	0 = -2.01 = 0	$(92) \pm (93) = (100) \pm (103) = (110) \pm (116)$
22.	0 = -1.30 = 0	$(100) \pm (101) \pm (108) \pm (111) \pm (116) \pm (118)$
24	0 = -0.12 - 0.02 - 0.	(100) + (101) - (100) + (111) - (110) + (110)
25	0 = -0.66 = 0	(100) + (100) - (112) + (116) - (125) + (128)
36	0 = -0.55 - 0.00 = 0.00 = 0.00 = 0.00 = 0.00 = 0.0000 = 0.00000 = 0.00000 = 0.00000000	(98)+(99)-(112)+(113)-(121)+(128)
37	0 = -0.95 - 0.	(96) + (99) - (121) + (126) - (131) + (133)
38	0 = -0.08 - 0.	(112)+(117)-(126)+(128)-(130)+(131)
000	0.00	

16

-

No.		
39.	0 = +0.47 - (93) + (96) - (133) + (135) - (136) + (141)	
40.	0 = -1.79 - (110) + (117) - (130) + (130) + (130) - (130) +	•
42	0 = +0.90 - (114) + (115) - (138) + (140) - (142) + (146)	
43.	0 = +0.62 - (93) + (94) - (140) + (141) + (142) - (148)	•
44.	0 = -0.13 - (134) + (135) - (136) + (140) - (142) + (144)	
45.	0 = -0.36 - (122) + (123) - (139) + (140) - (142) + (147)	
46.	0 = -1.28 - (132) + (134) - (144) + (140) - (150) + (152)	
47.	0 = -0.22 - (137) + (140) - (142) + (143) - (150) + (151) 0 = +0.19 - (04) + (07) - (145) + (148) - (149) + (150)	
40.	0 = +1.39 - (122) + (124) - (145) + (147) + (150) - (153)	
50.	0 = -1.70 - (106) + (108) - (118) + (119) - (157) + (158)	
51.	0 = -0.70 - (106) + (107) - (156) + (158) - (160) + (161)	4 N.
52.	0 = -0.44 - (119) + (120) - (156) + (157) - (159) + (161)	
53.	0 = -0.67 - (154) + (156) - (161) + (162) - (172) + (173)	
54.	0 = +1.01 - (104) + (100) - (100) + (100) - (171) + (170) - (171) + (170) - (171) + (170) - (171) + (172)	
56	0 = -1.51 - (166) + (167) - (170) + (171) - (181) + (182)	•
57.	0 = -2.00 - (169) + (170) + (179) - (182) - (187) + (188)	
58.	0 = +2.27 - (167) + (168) - (174) + (175) - (180) + (181)	
59.	0 = -0.15 - (175) + (176) - (179) + (180) - (186) + (187)	
60.	0 = -1.74 - (176) + (178) - (185) + (186) - (189) + (190)	
61.	0 = +0.03 - (1/6) + (1/7) - (184) + (100) - (202) + (203)	
63	0 = -0.30 - (183) + (184) - (198) + (199) + (200) - (203)	
64.	0 = +0.08 - (191) + (192) - (197) + (198) - (200) + (201)	
65.	0 = +1.70 - (192) + (193) - (195) + (197) - (208) + (209)	
66.	0 = +3.20 - (192) + (194) - (196) + (197) - (210) + (211)	
67.	0 = +5.26 - (193) + (194) - (207) + (208) - (210) + (212)	
60	0 = +1.01 - (203) + (207) - (212) + (213) - (221) + (222) - (208) + (229) - (208) + (229)	
70	0 = -1.79 - (213) + (214) - (216) + (221) - (227) + (228)	
71.	0 = +1.70 - (204) + (206) - (223) + (229) - (235) + (237)	
72.	0 = +5.62 - (214) + (215) - (223) + (227) - (234) + (237)	
73.	0 = +2.22 - (216) + (217) - (223) + (228) - (236) + (237)	
74.	0 = +0.34 - (217) + (220) - (233) + (236) - (238) + (240)	
76	0 = +1.49 - (223) + (220) - (233) + (257) - (259) + (240) - (243) + (240) - (243) + (244)	•
77	0 = +0.11 - (213) + (220) - (233) + (241) - (243) + (243) + (245) 0 = +1.59 - (225) + (226) - (239) + (241) - (243) + (245)	
78.	0 = +1.31 - (232) + (233) - (240) + (241) - (243) + (246)	
79.	0 = +2.11 - (218) + (219) - (244) + (248) - (250) + (251)	
80.	0 = +0.11 - (224) + (225) - (245) + (248) - (250) + (252)	
81.	0 = +0.73 - (231) + (232) - (246) + (248) - (250) + (253)	
83	0 = -0.94 - (241) + (242) + (243) - (243) - (243) + (250) + (250) + (253) +	
84.	0 = -0.37 - (247) + (248) - (250) + (254) - (255) + (257)	
85.	0 = -1.04 - (254) + (255) - (260) + (262) - (263) + (264)	
86.	0 = -0.50 - (261) + (262) - (263) + (265) - (274) + (275)	
87.	0 = +0.48 - (259) + (260) - (264) + (265) - (274) + (276)	
88.	0 = +0.09 - (203) + (208) - (273) + (274) - (277) + (278) - (268) - (277) + (280) - (281) + (282)	
90.	0 = +0.37 - (272) + (273) - (278) + (280) - (281) + (284)	
91.	0 = -0.44 - (266) + (268) - (277) + (279) - (285) + (286)	
92.	0 = -0.19 - (271) + (273) - (278) + (279) - (285) + (287)	
93.	0 = +0.01 - (269) + (271) - (287) + (288) - (291) + (292)	
94.	0 = -1.53 - (269) + (270) - (290) + (292) - (295) + (296) - (296) + (296) - (296) + (296) - (296) + (296) - (296) + (296) - (296) + (296) - (296) + (296) - (296) + (296) - (296) + (296) - (296) + (296) - (296) + (296) - (296) + (296) - (296) + (296) - (296) + (296) - (296) + (296) - (296) + (296) - (296) + (296) - (296) +	
96.	0 = -0.33 - (270) + (272) + (283) - (284) - (294) + (295) +	(297) - (298)
97.	$0 = -641.3 \pm 207.1 \ (16) \pm 254.9 \ (19) \pm 3.0 \ (20)$	(201) (200)
98.	0 = +6.5 + 2.83 (1) - 2.37 (2) - 0.46 (3) + 1.15 (11) - 4.46	(12)+3.31(13)+3.22(16)-4.99(17)+1.77(18)
. 99.	0 = -0.4 - 0.19(6) - 3.17(7) + 3.36(8) + 2.26(13) - 4.54	(14)+2.28(15)+2.65(21)-3.77(22)+1.12(23)
100.	0 = +18.7 + 2.76(8) - 6.55(9) + 3.79(10) - 27.80(31) + 1	.62(32)+26.18(33)+1.85(40)-43.92(41)+42.07(42)
101.	$0 = -11.0 \pm 27.00$ (31) -32.30 (33) ± 4.30 (34) ± 1.88 (37) $0 = -2.6 \pm 5.32$ (35) -6.83 (36) ± 1.51 (37) -0.10 (42) -4.51	-0.01(30)+0.13(30)+43.32(41)-40.20(42)+2.34(43) 91(44)+510(45)+128(53)-117(54)-011(55)
103.	0 = -1.4 - 0.43(51) - 1.92(52) + 2.35(53) + 2.33(58) - 7	(.79(59)+5.46(60)+4.65(66)-4.77(67)+0.12(68)
104.	0 = -3.8 + 2.95(56) - 3.40(57) + 0.45(58) + 2.70(68) - 5	5.58(69) + 2.88(70) - 0.14(71) - 3.09(72) + 3.23(73)
105.	0 = +6.0 + 2.92(62) - 2.96(62a) + 3.47(73) - 5.50(74) +	2.03(75) + 0.66(80) - 4.85(80a) + 4.19(81) + 0.04(63)
106.	0 = +3.5 - 4.05 (61) + 7.01 (62) - 2.96 (62a) - 4.85 (80a) - 7.0 + 17 (82a) + 8.07 (82a) - 2.96 (62a) - 4.85 (80a) - 7.0 + 17 (82a) + 8.07 (82a) - 2.96 (62a) - 4.85 (80a) - 7.0 + 17 (82a) + 8.07 (82a) - 2.96 (62a) - 4.85 (80a) - 7.0 + 17 (82a) + 8.07 (82a) - 2.96 (62a) - 4.85 (80a) - 7.0 + 17 (82a) + 8.07 (82a) - 2.96 (82a) - 4.85 (80a) - 7.0 + 17 (82a) + 8.07 (82a) - 2.96 (82a) - 4.85 (80a) - 7.0 + 17 (82a) + 8.07 (82a) - 2.96 (82a) - 4.85 (80a) - 7.0 + 17 (82a) + 8.07 (82a) - 8.07 (82a) - 7.0 + 17 (82a) + 7.0	+8.29(81)-3.44(82)-2.56(87)+7.58(88)-5.02(89)
107.	0 = -7.9 - 4.17 (82) + 8.07 (83) - 3.90 (84) - 1.19 (85)	0)+2.47 (86)-1.28 (87)-0.93 (90)+2.44 (91)-1.51 (92)
108	0 = -1.1 - 0.92 (92) $+ 3.28$ (95) $- 2.36$ (98) $- 3.67$ (100)	+6.31(101) - 2.64(103) - 1.28(108) + 3.37(110) - 2.09(111)
	-3.22(113)+5.23(116)-2.01(118)	
109.	0 = -68.8 - 0.74 (92) - 105.90 (98) + 106.64 (99) + 12.90	(101) - 16.65 $(102) + 3.75$ $(103) + 53.87$ $(112) - 56.84$ (113)
110	+2.97 (116) 0 - 178 7 - 9.96 (05) 1 105 00 (02) 109 64 (00) 4 45	(100) 17.00 (100) 9.01 (110) 50.40 (110) 150.54 (110)
110.	0 = +76.7 - 2.20 (90) + 100.90 (98) - 103.64 (99) - 4.45 - 0.21 (118)	(100) + (.00) (109) - 3.21 (110) - 56.43 (112) + 56.74 (113)

 $\begin{array}{l} -0.31\ (118) \\ 111.\ 0 = -228.6 - 213.7\ (95) + 216.0\ (96) - 2.3\ (99) - 1.0\ (121) + 7.0\ (126) - 6.0\ (127) + 102.2\ (129) - 3.4\ (131) - 98.8\ (133) \\ 112.\ 0 = +1.3 + 2.56\ (112) - 6.23\ (117) + 3.67\ (118) + 6.84\ (126) - 6.01\ (127) - 0.83\ (128) + 2.01\ (129) + 1.35\ (130) - 3.36\ (131) \\ \end{array}$

1

No. $\begin{array}{l} 13. \ 0=+10.9+3.24(112)-5.80(115)+2.56(117)+3.77(130)-3.27(131)-0.50(135)+2.75(136)-12.68(138)+9.93(139)\\ 114. \ 0=+1.3-1.84\ (93)+1.86\ (96)-0.02\ (98)-6.55\ (113)+12.50\ (115)-5.95\ (117)+1.93\ (130)+3.57\ (133)-5.50\ (135)\\ 115. \ 0=-319.8+106.34\ (94)-108.15\ (95)+1.81\ (99)+7.10\ (121)-10.25\ (122)+3.15\ (127)+86.15\ (143)+3.05\ (147)\\ \end{array}$ -89.20(148)116. 0 = +219 = -4.07 (114) + 7.74 (117) - 3.67 (118) + 48.20 (129) - 1.35 (130) - 46.85 (134) - 83.65 (143) + 85.61 (144) - 83.65 (143) + 85.61 (144) - 83.65 (143) + 85.61 (144) - 83.65 (143) - 8-1.96 (146) 117. 0 = -20.3 - 14.34 (94) + 16.23 (96) - 1.89 (98) - 12.03 (113) + 16.10 (114) - 4.07 (117) + 0.59 (130) + 33.70 (133) + 16.10 (114) - 4.07 (117) + 0.59 (130) + 33.70 (133) + 16.10 (114) - 4.07 (117) + 0.59 (130) + 33.70 (133) + 16.10 (114) - 4.07 (117) + 0.59 (130) + 33.70 (133) + 16.10 (114) - 4.07 (117) + 0.59 (130) + 33.70 (133) + 16.10 (114) - 4.07 (117) + 0.59 (130) + 33.70 (133) + 16.10 (114) - 4.07 (117) + 0.59 (130) + 33.70 (133) + 16.10 (114) - 4.07 (117) + 0.59 (130) + 33.70 (133) + 16.10 (114) - 4.07 (117) + 0.59 (130) + 33.70 (133) + 16.10 (114) - 4.07 (117) + 0.59 (130) + 33.70 (133) + 16.10 (114) - 4.07 (117) + 0.59 (130) + 33.70 (133) + 16.10 (114) - 4.07 (117) + 0.59 (130) + 33.70 (133) + 16.10 (114) - 4.07 (117) + 0.59 (130) + 33.70 (133) + 16.10 (114) - 4.07 (117) + 0.59 (130) + 33.70 (133) + 16.10 (130) + 1-34.29(134) $\begin{array}{c} -34.29 \ (134) \\ 118. \ 0=+3.4+9.87 \ (112)-25.03 \ (114)+15.16 \ (115)+12.48 \ (122)-8.74 \ (123)-3.74 \ (128)+12.68 \ (138)-17.24 \ (139) \\ +4.56 \ (140)-2.33 \ (142)-13.16 \ (146)+15.49 \ (147) \\ 119. \ 0=+7.8-2.40 \ (93)+9.47 \ (94)-7.07 \ (97)-2.84 \ (137)+5.48 \ (140)-2.64 \ (141)-8.31 \ (149)+11.58 \ (150)-3.27 \ (151) \\ 120. \ 0=+26.5+16.23 \ (94)-29.24 \ (96)+13.01 \ (97)+6.27 \ (132)-39.97 \ (133)+33.70 \ (134)+5.84 \ (144)-2.31 \ (145) \\ -3.53 \ (148)+8.31 \ (149)-5.97 \ (150)-2.34 \ (152) \\ 121. \ 0=-2.8-5.41 \ (122)+10.17 \ (123)-4.76 \ (124)-7.28 \ (137)+10.12 \ (139)-2.84 \ (140)+0.79 \ (142)+2.22 \ (145) \\ 2.01 \ (147) \end{array}$ -3.01(147) $122. \ 0 = -1.9 - 4.56 (106) + 7.38 (107) - 2.82 (108) - 0.45 (118) + 3.52 (119) - 3.07 (120) - 1.25 (156) + 3.72 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 2.47 (158) + 3.52 (157) - 3.52 (157)$ -3.53(159)+4.99(160)-1.46(161)123. 0 = +10.6 - 4.20(154)+5.94 (155)-1.74 (156)-0.80 (161)+3.29 (162)-2.49 (163)-5.76 (164)+9.22 (165)0.06(171) + 3.22(172) - 3.16(173)-3.46 (166)-(168) - 2.08 (169) + 5.64 (170) - 3.56 (171) - 3.34 (174) + 5.92 (175)124. 0 = +11.9 - 1.02(166) + 2.72 (167) - 1.70 $-2.58 (176) - 2.63 (186) + 3.92 (187) - 1.29 (188) \\125. 0 = +10.4 - 6.63 (176) + 9.52 (177) - 2.89 (178) - 9.47 (184) + 10.59 (185) - 1.12 (186) - 0.30 (189) + 18.61 (190) \\$ -18.31(191)+49.41 (229) 129. 0 = -91.2 - 5.36 (204) + 9.89 (205) - 4.53 (206) + 0.27 (223) + 49.14 (228) - 49.41 (229) - 79.73 (235) + 83.06 (236)-3.33(237) $\begin{array}{c} 130. \ 0 = +4.6 - 4.78 \ (212) + 6.59 \ (214) - 1.81 \ (215) + 0.37 \ (223) + 3.65 \ (227) - 4.02 \ (229) - 2.13 \ (234) + 5.28 \ (235) - 3.15 \ (237) \\ 131. \ 0 = +11.2 - 1.75 \ (216) + 5.86 \ (217) - 4.11 \ (220) - 3.91 \ (223) + 4.71 \ (226) - 0.80 \ (228) - 0.95 \ (233) + 4.28 \ (236) - 3.33 \ (237) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240) \\ - 3.18 \ (238) + 4.72 \ (239) - 1.54 \ (240)$ 132. 0 = -4.1 - 12.16 (223) + 18.46 (225) - 6.30 (226) - 11.99 (232) + 11.28 (233) + 0.71 (237) - 1.27 (239) + 23.50 (240)-22.23(241)133. 0 = -22.2 - 13.89 (217) + 20.19 (219) - 6.30 (220) - 10.77 (232) + 11.28 (233) - 0.51 (236) + 0.09 (238) + 23.50 (240)-23.59(241) $134. \ 0 = -118.3 - 401.2 \ (218) + 407.5 \ (219) - 6.3 \ (220) + 0.1 \ (238) + 3.1 \ (241) - 3.2 \ (242) - 3.1 \ (249) + 128.6 \ (250) - 125.5 \ (251)$ 135. 0 = -15.2 + 0.81 (231) - 12.09 (232) + 11.28 (233) + 23.50 (240) - 26.66 (241) + 3.16 (242) + 3.10 (249) - 7.16 (250) + 3.16 (242) + 3.10 (242) + 3.10 (243) - 7.16 (250) + 3.16 (242) + 3.10 (243) - 7.16 (250) + 3.16 (25+4.06(253) $\begin{array}{c} +63.30\ (256)\ -3.88\ (257) \\ 138.\ 0=+26.6+0.09\ (230)+11.19\ (232)-11.28\ (233)-23.50\ (240)+23.50\ (241)+3.49\ (243)-3.49\ (247)-8.98\ (256) \\ \end{array}$ $\begin{array}{c} +14.88\ (257)-5.90\ (258)\\ 139.\ 0=+2.5-5.49\ (254)-1.78\ (255)-0.52\ (259)+2.30\ (260)+8.38\ (261)-2.89\ (262)-0.64\ (263)+3.02\ (264)-2.38\ (265)-2.38\ (265)-2.39\ (262)-0.64\ (263)+3.02\ (264)-2.38\ (265)-2.38\ (265)-2.39\ (266)-2.39\ ($ $\begin{array}{l} 143. \ 0 = -1.3 - 2.38 \ (293) + 4.12 \ (210) - 1.32 \ (211) - 2.42 \ (231) + 4.38 \ (285) - 1.36 \ (235) - 1.35 \ (220) + 3.30 \ (221) - 1.35 \ (232) \\ -2.28 \ (293) + 5.11 \ (295) - 2.83 \ (296) \\ 143. \ 0 = -5.7 - 0.46 \ (1) + 1.42 \ (3) - 0.96 \ (5) + 0.19 \ (6) - 0.21 \ (8) + 0.02 \ (10) - 1.15 \ (11) + 1.15 \ (13) + 2.28 \ (14) - 2.28 \ (15) \\ +1.77 \ (17) - 1.77 \ (18) + 0.99 \ (20) + 1.12 \ (21) - 1.12 \ (23) - 2.15 \ (24) + 2.15 \ (25) + 3.78 \ (26) - 3.78 \ (27) - 0.56 \ (29) \\ +0.56 \ (30) + 5.32 \ (35) - 5.32 \ (36) + 0.42 \ (37) - 0.42 \ (39) - 2.40 \ (40) + 2.40 \ (41) - 0.19 \ (43) + 0.19 \ (45) - 3.58 \ (46) \\ +3.58 \ (47) - 0.71 \ (48) + 0.71 \ (50) + 1.53 \ (51) - 1.53 \ (52) + 0.11 \ (55) + 0.45 \ (56) - 1.51 \ (58) + 1.06 \ (60) \\ +1.08 \ (61) - 1.08 \ (62a) - 1.03 \ (64) + 1.03 \ (65) - 4.77 \ (66) + 4.77 \ (67) + 2.88 \ (69) - 2.88 \ (70) + 0.14 \ (71) + 0.33 \ (73) \\ -0.47 \ (75) - 1.81 \ (80) + 1.81 \ (80a) + 1.47 \ (82) - 1.47 \ (84) + 1.19 \ (85) - 1.19 \ (86) - 1.11 \ (87) + 1.11 \ (89) - 0.93 \ (90) \\ +0.93 \ (91) + 1.32 \ (93) - 1.32 \ (97) + 0.83 \ (100) - 1.80 \ (103) + 0.97 \ (105) + 3.21 \ (109) - 5.31 \ (110) + 2.10 \ (111) + 3.24 \ (121) \\ -2.72 \ (124) - 0.52 \ (127) + 2.28 \ (137) - 2.84 \ (140) + 0.56 \ (141) + 0.79 \ (142) - 0.75 \ (149) + 0.75 \ (153) \ -0.48 \ (156) + 2.47 \ (157) - 2.47 \ (153) \ -0.31 \ (110) + 3.07 \ (119) + 3.07 \ (120) + 2.72 \ (121) - 2.72 \ (124) - 0.65 \ (127) + 0.65 \ (128) + 2.28 \ (137) - 2.47 \ (158) \ + 0.14 \ (159) - 0.14 \ (161) - 2.49 \ (162) + 2.49 \ (163) + 1.68 \ (164) - 2.70 \ (166) + 1.02 \ (167) - 2.08 \ (169) + 2.08 \ (170) \ + 3.16 \ (172) - 3.16 \ (173) + 2.58 \ (175) - 4.13 \ (176) + 1.55 \ (178) + 0.45 \ (179) - 0.45 \ (180) + 0.18 \ (181) - 0.18 \ (182) \ - 2.60 \ (183) + 2.60 \ (185) + 1.29 \ (187) - 1.29 \ (183) + 0.54 \ (189) - 0.54 \ (190) - 2.25 \ (193) + 2.25 \ (194) - 0.61 \ (195) \ + 0.18 \ (197) + 0.43 \ (199) - 2.01 \ (206) + 2.67 \ (208) - 2.67 \ (209) + 1.10 \ (210) - 2.91 \ (212) + 1.81 \ (215) \ - 4.28 \ ($ -2.28(293)+5.11(295)-2.83(296)

 $\begin{array}{l} +2.62 \ (242) +0.24 \ (243) -0.24 \ (243) +1.14 \ (243) -1.14 \ (253) \\ 145. \ 0 = -5.55 - (6) + (10) - (11) + (15) + (18) - (40) + (43a) \\ 146. \ 0 = -5.92 + (45a) - (45b) - (46a) + (50) - (66) + (70) - (71) + (75) - (80) + (84) - (90) + (94) \\ 147. \ 0 = -0.10 - (94) + (98) - (113) + (120) - (159) + (163) - (164) + (168) - (174) + (178) - (189) + (194) - (210) + (213) + (220) \\ - (221) - (238) + (242) - (249) + (262) - (263) + (268) - (277) + (280) - (281) + (283) \\ \end{array}$

77002°-13-2

ACCURACY AS INDICATED BY CORRECTIONS TO OBSERVED DIRECTIONS.

The corrections to observed directions resulting from the figure adjustments indicated by the preceding observation equations are as follows:

Number of direction	Correction to direction	Number of direction	Correction to direction	Number of direction	Correction to direction	Number of direction	Correction to direction
1 2 3 4 5	$\begin{array}{r} -0.040 \\ +0.681 \\ +0.085 \\ +0.736 \\ -1.461 \end{array}$	52 53 54 55 56	+0.556 -0.134 -0.202 -0.327 +0.452	105 106 107 108 109	$\begin{array}{r} -0.197 \\ -0.203 \\ +0.506 \\ +0.858 \\ -1.110 \end{array}$	160 161 162 163 164	$\begin{array}{r} -0.\ 266 \\ -0.\ 084 \\ +0.\ 108 \\ +0.\ 708 \\ -0.\ 130 \end{array}$
6 7 8 9 10	$-1.075 \\ -0.142 \\ +0.114 \\ +0.807 \\ +0.297$	57 58 59 60 61	$\begin{array}{r} -0.355 \\ -0.236 \\ -0.167 \\ +0.306 \\ +0.299 \end{array}$	110 111 112 113 114	$\begin{array}{c} -0.703 \\ +0.653 \\ +0.214 \\ -0.086 \\ -0.033 \end{array}$	$165 \\ 166 \\ 167 \\ 168 \\ 169$	$\begin{array}{r} -0.443 \\ -0.109 \\ +0.388 \\ +0.294 \\ -0.160 \end{array}$
11 12 13 14 15	-1. 160 +0. 187 -0. 729 +0. 626 +1. 077	62 62a 63 64 65	$\begin{array}{r} +0.\ 431 \\ +0.\ 051 \\ -0.\ 369 \\ +0.\ 123 \\ -0.\ 535 \end{array}$	115 116 117 118 119	-0.280 +0.384 -0.237 -0.494 +0.137	170 171 172 173 174	$\begin{array}{c} -0.\ 100 \\ +0.\ 663 \\ -0.\ 491 \\ \div0.\ 088 \\ +0.\ 135 \end{array}$
16 17 18 19 20	+0. 643 +0. 674 +0. 643 -1. 976 +1. 478	66 67 68 69 70	$\begin{array}{r} -0.707 \\ -0.771 \\ +0.132 \\ +0.267 \\ +1.079 \end{array}$	120 121 122 123 124	$\begin{array}{r} +0.396\\ -0.311\\ -0.118\\ +0.415\\ -0.340\end{array}$	175 176 177 178 179	$\begin{array}{r} -0.954 \\ +0.038 \\ +0.499 \\ +0.282 \\ +0.453 \end{array}$
$21 \\ 22 \\ 23 \\ 24 \\ 25$	$\begin{array}{r} +0.\ 023 \\ -0.\ 210 \\ +0.\ 481 \\ -0.\ 059 \\ -0.\ 235 \end{array}$	71 72 73 74 75	$\begin{array}{r} -1.363 \\ +0.701 \\ +0.424 \\ +0.974 \\ -0.736 \end{array}$	125 126 127 128 129	$\begin{array}{r} -0.195 \\ +0.243 \\ +0.285 \\ +0.021 \\ -0.050 \end{array}$	180 181 182 183 184	+0. 490 -0. 597 -0. 346 +0. 370 +0. 616
26 27 28 29 30	$\begin{array}{r} +0.\ 618 \\ -0.\ 094 \\ +0.\ 051 \\ -0.\ 770 \\ +0.\ 196 \end{array}$	76 77 78 79 80	$\begin{array}{r} +0.\ 105 \\ +1.\ 422 \\ -1.\ 304 \\ -0.\ 224 \\ +0.\ 782 \end{array}$	130 131 132 133 134	$\begin{array}{r} -0.591 \\ +0.162 \\ -0.231 \\ +0.554 \\ +0.103 \end{array}$	185 186 187 188 189	$\begin{array}{r} -0.740 \\ +0.124 \\ -0.755 \\ +0.385 \\ -0.328 \end{array}$
$31 \\ 32 \\ 33 \\ 34 \\ 35$	$\begin{array}{c} +0.494 \\ -0.816 \\ +0.200 \\ +0.122 \\ +0.617 \end{array}$	80a 81 82 83 84	$\begin{array}{r} -0.518 \\ -1.133 \\ -0.344 \\ +0.582 \\ +0.626 \end{array}$	135 136 137 138 139	+0.053 -0.514 +0.562 +0.589 -0.095	190 191 192 193 194	$\begin{array}{r} +0.\ 306 \\ +0.\ 331 \\ +0.\ 167 \\ +0.\ 994 \\ -1.\ 470 \end{array}$
36 37 38 39 40	-0.024 -0.009 -0.106 -0.478 -0.406	85 86 87 88 89	$\begin{array}{c} +0.070 \\ +0.196 \\ +0.035 \\ -0.070 \\ -0.231 \end{array}$	140 141 142 143 144	-0.237-0.305-0.415+2.026-0.513	195 196 197 198 199	+1.042 +0.414 -0.526 -0.181 -0.748
41 42 43 43a 44	$\begin{array}{c} -0.261 \\ -0.381 \\ +0.008 \\ +0.891 \\ +0.169 \end{array}$	90 91 92 93 • 94	$\begin{array}{r} -1.016 \\ +0.060 \\ -0.898 \\ +0.729 \\ +0.335 \end{array}$	145 146 147 148 149	$\begin{array}{c c} -0.144 \\ -0.243 \\ -0.447 \\ -0.264 \\ -0.291 \end{array}$	$200 \\ 201 \\ 202 \\ 203 \\ 204$	$\begin{array}{r} +0.376 \\ +0.115 \\ -0.247 \\ -0.245 \\ +0.696 \end{array}$
45 45a 45b 46 46a	$\begin{array}{r} -0.\ 020 \\ +0.\ 514 \\ -0.\ 514 \\ -0.\ 123 \\ -0.\ 514 \end{array}$	95 96 97 98 99	$\begin{array}{r} -0.800 \\ +0.550 \\ +0.447 \\ +0.038 \\ +0.555 \end{array}$	$150 \\ 151 \\ 152 \\ 153 \\ 154$	$\begin{array}{r} -0.475 \\ +0.273 \\ +0.102 \\ +0.391 \\ +0.293 \end{array}$	205 206 207 208 209	$\begin{array}{c} +0.\ 657\\ -0.\ 126\\ +0.\ 865\\ -0.\ 566\\ -1.\ 525\end{array}$
47 48 49 50 51	$\begin{array}{r} -0.100 \\ +0.244 \\ -0.275 \\ +0.767 \\ +0.109 \end{array}$	$ \begin{array}{r} 100 \\ 101 \\ 102 \\ 103 \\ 104 \end{array} $	$\begin{array}{r} -0.966 \\ +0.237 \\ +0.511 \\ +0.191 \\ +0.224 \end{array}$	155 156 157 158 159	$\begin{array}{r} -0.479 \\ +0.192 \\ -0.007 \\ +0.001 \\ -0.465 \end{array}$	210 211 212 213 214	$\begin{array}{r} +1.079 \\ +0.457 \\ -0.285 \\ -0.777 \\ +0.477 \end{array}$

**

Table of corrections to observed directions.

~	Number of direction	Correction to direction	Number of direction	Correction to direction	Number of direction	Correction to direction	Number of direction	Correction to direction
	215 216 217 218 219	$\begin{array}{c} -0.952 \\ +0.342 \\ -0.027 \\ +0.123 \\ +0.095 \end{array}$	240 241 .242 243 244	$\begin{array}{r} +0.\ 435 \\ -0.\ 440 \\ -0.\ 213 \\ +0.\ 150 \\ +1.\ 064 \end{array}$	$ \begin{array}{r} 260 \\ 261 \\ 262 \\ 263 \\ 264 \\ 264 \end{array} $	-0.365+0.376+0.550-0.503+0.294	280 281 282 283 283 284	$\begin{array}{r} -0.036 \\ -0.183 \\ +0.050 \\ +0.610 \\ -0.478 \end{array}$
	220 221 222 223 224	$\begin{array}{r} -0.069 \\ +0.132 \\ -0.595 \\ +1.634 \\ +0.044 \end{array}$	245 246 247 248 249	$\begin{array}{r} -0.753 \\ -0.161 \\ -0.300 \\ 0.000 \\ -0.146 \end{array}$	265 266 267 268 269	$\begin{array}{r} +0.115 \\ -0.128 \\ +0.300 \\ -0.078 \\ -0.167 \end{array}$	285 286 287 288 289	-0.082 +0.177 -0.166 -0.173 +0.244
	225 226 227 228 229	$\begin{array}{r} +0.\ 210 \\ -0.\ 237 \\ -1.\ 022 \\ -0.\ 276 \\ -0.\ 353 \end{array}$	250 251 252 253 254	$\begin{array}{c} +0.\ 416 \\ -0.\ 603 \\ -0.\ 613 \\ -0.\ 339 \\ +0.\ 358 \end{array}$	270 271 272 273 273 274	$\begin{array}{r} +0.360 \\ +0.068 \\ +0.331 \\ +0.361 \\ -0.287 \end{array}$	290 291 292 293 294	-0. 409 +0. 324 +0. 086 -0. 325 +0. 182
	230 231 232 233 234	$\begin{array}{c} +0.\ 113 \\ +0.\ 282 \\ +0.\ 146 \\ +0.\ 022 \\ +1.\ 303 \end{array}$	255 256 257 258 259	$\begin{array}{r} -0.314 \\ +0.619 \\ -0.187 \\ +0.110 \\ +0.136 \end{array}$	275 276 277 278 279	$\begin{array}{c} -0.579 \\ -0.086 \\ -0.082 \\ +0.068 \\ +0.050 \end{array}$	295 296 297 298	-0. 173 +0. 325 -0. 182 +0. 182
	235 236 237 238 239	$\begin{array}{r} -1.341 \\ -0.291 \\ -0.233 \\ +0.419 \\ -0.201 \end{array}$						

Table of corrections to observed directions—Continued.

The maximum correction to an observed direction on the California-Washington arc is 2''.03, the correction at station Willamette south base on station Mary.

The probable error of an observed direction is

$$d = 0.674 \sqrt{\frac{\Sigma v^2}{c}}$$

in which Σv^2 is the sum of the squares of the corrections to directions, and c is the number of conditions.

The probable error of an observed direction for this arc is $\pm 0^{\prime\prime}.53$. Referring to the table on pages 63 and 64 of Special Publication No. 11, where the 63 sections of primary triangulation in the United States have been arranged according to accuracy, this triangulation would belong in the less accurate portion between numbers 52 and 53.

ACCURACY AS INDICATED BY CORRECTIONS TO ANGLES AND CLOSURES OF TRIANGLES.

The correction to each angle is the algebraic sum of the corrections to two directions. In order to make it possible to study the corrections to the separate angles they are shown in the following table for every triangle in the primary scheme. There are also shown the errors of closures of the triangles, the corrected spherical angles and the spherical excess for each triangle. The plus sign prefixed to the error of closure of a triangle indicates that the sum of the angles is less than 180° plus the spherical excess. The spherical excess is a convenient indication of the size of the triangle, since it is proportional to the area.

Table of triangles.

Station	Correction to angles from figure adjust- ment	Error of closure of triangle	Corrected spherical angles	Spherical excess
Snow Mountain west Marysville Butte Mount Helena	-0.71 +1.32		69 11 10. 14 53 26 61. 73 57 21 63. 77	" 15. 64
Snow Mountain east Marysville Butte Mount Helena	+0.65 +0.64 +1.98	+3.27	69 04 59.62 54 01 44.04 56 53 32.03	15,69
Snow Mountain east Marysville Butte Snow Mountain west	-1.54 + 0.64 - 1.48	-2.38	$\begin{array}{c} 114 \ \ 34 \ \ 26. \ 61 \\ 0 \ \ 34 \ \ 42. \ 31 \\ 64 \ \ 50 \ \ 51. \ 26 \end{array}$	0.18
Snow Mountain east Mount Helena Snow Mountain west	-2.19 -1.98 -1.48	-5.65	45 29 26.99 0 28 31.74 134 02 01.40	0.13
Kent Marysville Butte Snow Mountain east	-0.18 + 0.03 + 0.13	-0.02	44 22 25.46 33 11 28.18 102 26 19.64	13.28
Lyons Marysville Butte Snow Mountain east	$+1.35 \\ 0.00 \\ -0.60$	+0.75	36 05 36.41 83 06 42.00 60 48 07.15	25, 56
Lyons Marysville Butte Kent	$+0.43 \\ -0.03 \\ -0.54$	-0.14	61 23 36.78 49 55 13.82 68 41 36.91	27.51
Lyons Snow Mountain east Kent	-0.92 +0.72 -0.71	-0.91	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15.23
Bally Lyons Kent	+0.97 +1.35 +0.46	+2.78	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	16.03
Round Lyons Kent	$+0.93 \\ +1.81 \\ +0.69$	+3.43	61 30 44.87 85 39 59.41 32 49 31.55	15.83
Round Lyons Bally	+1.19 +0.45 -0.82	+0.82	95 04 20.16 42 42 49.00 42 12 60.69	9.85
Round Kent Bally	$+0.26 \\ -0.23 \\ +0.14$	+0.17	33 33 35.29 29 12 24.10 117 14 10.66	10.05
Mears Round Bally	$^{+1.02}_{+0.69}$		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7.62
Spur Round Bally	+0.15 +0.18 +0.14	+0.47	41 13 32.13 90 39 54.73 48 06 47.41	11.27
Spur Round Mears	$+0.03 \\ -0.51 \\ -1.31$	-1.79	$\begin{array}{r} 48 \ 40 \ 16.75 \\ 29 \ 04 \ 41.07 \\ 102 \ 15 \ 06.93 \end{array}$	4.75
Spur Bally Mears	-0.12 -0.29		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.10
Boliver Spur Mears	$ \begin{array}{r} -0.10 \\ +0.39 \\ +0.37 \end{array} $	+0.66	48 10 39.96 41 59 15.92 89 50 06.95	2.83

d'

Table of triangles-Continued.

-7g

Station	Correction to angles from figure adjust- ment	Error of closure of triangle	Corrected spherical angles	Spherical excess
Boliver Spur Bally	-0.47 + 0.27 - 0.71		01 25 28.13 49 25 60.54 29 08 40.00	" 8.67
Boliver Mears Bally	$-0.37 \\ -0.08$		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4.74
Gazelle astronomic sta- tion Soda Spur	$-1.03 \\ -0.39 \\ -0.91$	-2.33	117 46 04.99 17 55 19.97 44 18 38.59	3.55
Soda Spur Boliver	$^{+0.02}_{-0.03}_{+0.02}$.	+0.01	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9.06
Sterling Soda Spur	-0.07 + 0.37 - 0.19	+0.11	605144.93955640.59231141.03	6.55
Sterling Soda Boliver	-0.19 + 0.34 - 0.64	-0.49	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7.34
Sterling Spur Boliver	-0.12 + 0.16 - 0.63	-0.59	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9.85
Rust Soda Sterling	-0.06 +0.52 -0.69	-0.23	23 48 59.22 108 37 07.80 47 33 58.12	5. 14
Onion Rust Soda	+0.07 +0.84 +1.04	+1.95	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11. 53
Onion Rust Sterling	+0.54 +0.90 +0.45	+1.89	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	13.20
Onion Soda Sterling	$+0.47 \\ -0.52 \\ -0.24$	-0.29	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6.81
Black Rust Onion	$^{+2.06}_{+0.95}_{+0.12}$	+3.13	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10.82
White Black Rust	$+0.49 \\ +1.79 \\ +0.81$	+3.09	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7.22
White Black Onion	$ \begin{array}{r} -0.16 \\ -0.28 \\ -0.81 \end{array} $	-1.25	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5.45
White Rust Onion	-0.66 + 0.14 - 0.69	-1.21	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9.05
Scott Black White	+1.08 +0.55 -0.80	+0.83	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3.34
Fairview Black White	-1.30 -1.16 -0.42	-2.88	49 15 03.08 77 19 40.94 53 25 21.75	5.77

Station	Correction to angles from figure adjust- ment	Error of closure of trianglo	Corrected spherical angles	Spherical excess
Fai rview Black Scott		-6.35	$\begin{array}{c} & , & , & , \\ & 72 & 41 & 05.82 \\ & 46 & 06 & 27.31 \\ & 61 & 12 & 31.79 \end{array}$	" 4.92
Fairview White Seott	-0.61 -0.38 -1.65	-2.64	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2,49
Yellow Fairview Scott	-0.11 +0.79 +1.32	+2.00	39 29 38.22 31 27 21.13 109 03 03.94	3, 29
Yellow Fairview White	-0.27 +0.17 -0.24	-0.34	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7.62
Yellow Seott White	$ \begin{array}{r} -0.16 \\ +0.33 \\ +9.13 \end{array} $	+0.30	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.84
Spencer Fairview Yellow	+1.08 +0.97 -0.16	+1.89	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7.17
Roman Speneer Fairview	+0.03 +0.12 +0.05	+0.20	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6.46
Roman Spencer Yellow	$ \begin{array}{r} -0.39 \\ -0.96 \\ +0.13 \end{array} $	-1.22	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5, 86
Roman Fairview Yellow	$ \begin{array}{r} -0.42 \\ +0.93 \\ -0.04 \end{array} $	-+0.47	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6. 57
Mary Speneer Roman	+1.35 +0.10 +1.16	+2.61	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8, 31
Peterson Speneer Mary	-0.41 +0.84 -1.56	-1.13	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6.88
Peterson Spencer Roman	+0.47 +0.94 -0.05	+1.36	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7.48
Peterson Roman Mary	-0.88 + 1.20 - 0.20	+0.12	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	7.71
Twin Speneer Roman	+0.12 +1.45 -0.32	+1.25	41 19 56.23 109 21 42.34 29 18 26.26	4. 83
Twin Spencer Mary	+0.59 +1.36 +0.41	+2.36	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4.57
Twin Speneer Peterson	+0.33 +0.52 -0.30	+0.55	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.11
Twin Roman Mary	+0.48 +1.48 +1.76	+3.72	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8. 05

Table of triangles-Continued.



. .

Station	Correction to angles from figure adjust- ment	Error of closure of triangle	Corrected spherical angles	Spherical excess
Twin Roman Peterson	$ \begin{array}{c} '' \\ +0.22 \\ +0.27 \\ +0.17 \end{array} $	" +0.66	135 24 27.18 9 16 10.16 35 19 25.42	2. 76
Twin Mary Peterson	-0.27 -1.96 -0.71	-2.94	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2.42
Ridge Mary Peterson	-0.54 -0.26		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3.14
Ridge Mary Twin	+0.21 +0.04		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2.04
Ridge Peterson Twin	+0.75 -0.45 -0:22	+0.08	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.32
Ridge Peterson Spencer	$+1.14 \\ -0.15 \\ -0.51$	+0.48	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3.62
Ridge Twin Spencer	+0.39 +0.55 +0.01	+0.95	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2.41
Ridge Spencer Mary	-0.60 + 1.35		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0. 12
Rauch Ridge Peterson	+1.11 +0.64 +0.04	+1.79	28 01 57.01 132 30 03.11 19 28 01.96	2.08
Rauch Ridge Twin	+0.42 -0.11 -0.17	+0.14	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.88
Rauch Ridge Spencer	+0.21 -0.50 -0.18	-0.47	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1. 33
Rauch Peterson Twin	-0.68 -0.49 -0.40	-1.57	9 25 26.69 19 56 37.05 150 37 57.38	1. 12
Rauch Peterson Spenccr	-0.90 -0.19 -0.69	-1.78	72 48 10.23 17 49 20.24 89 22 32.40	2.87
Rauch Twin Spencer	$ \begin{array}{r} -0.21 \\ +0.73 \\ -0.18 \end{array} $	+0.34	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.86
Willamettc south base Mary Ridge	-2.54 -0.15		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0. 20
Willamettc south base Mary Peterson	-2.27 -0.46		50 21 55.35 59 59 12.83 69 38 57.57	5. 75
Willamette south base Mary Twin	-2.47 +0.40	-	58 06 43.97 34 38 29.29 87 14 50.64	3.90

Station	Correction to angles from figure adjust- ment	Error of closure of triangle	Corrected spherical angles	Spherical excess
Willamette south base Mary Spencer		17	172 17 59.38 1 21 10.71 6 20 50.14	,. 0. 23
Willamette south base Ridge Peterson	+0.27 +0.69 -0.20	+0.76	47 05 27.07 105 32 20.65 27 22 14.69	2. 41
Willamette south base Ridge Twin	$+0.07 \\ -0.06 \\ +0.36$	+0.37	54 50 15.69 76 21 07.05 48 48 38.92	1.66
Willamette south base Ridge Spencer	$+0.25 \\ -0.45 \\ +0.22$	+0.02	169 01 31.10 3 34 38.25 7 23 50.80	0.15
Willamette south base Peterson Twin	$ \begin{array}{r} -0.20 \\ -0.25 \\ +0.14 \end{array} $	-0.31	7 44 48.62 12 02 24.32 160 12 47.63	0. 57
Willamette south base Peterson Spencer	-0.02 +0.06 -0.30	-0.26	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	1.36
Willamette south base Twin Spencer	+0.19 +0.19 +0.22	+0.60	114 11 15.42 16 31 35.77 49 17 09.71	0.90
Willamette south base Spencer Rauch	-0.15 -0.40 -0.07	-0.62	100 11 57.65 41 13 42.58 38 34 20.15	0. 38
Willamette south base Rauch Ridge	-0.10 + 0.28 - 0.05	+0.13	90 46 31.25 62 15 47.09 26 57 42.46	0. 80
Willamette south base Rauch Peterson	+0.17 -0.82 -0.25	-0.90	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1. 13
Willamette south base Rauch Twin	$-0.03 \\ -0.14 \\ +0.53$	+0.36	145 36 46.94 24 48 23.40 9 34 50.24	0. 58
Willamette north base Spencer Willamette south base	-0.18 + 0.11 - 0.12	-0.19	14 13 27.56 16 35 31.34 149 11 01.33	0. 23
Willamette north base Spencer Rauch	+0.56 -0.28 -0.87	-0.59	47 02 18.55 57 49 13.93 75 08 28.55	1.03
Willamette north base Spencer Ridge	$+0.39 \\ -0.10 \\ +0.78$	+1.07	152 15 40.41 9 11 40.55 18 32 39.42	0.38
Willamette north base Willamette south base Rauch	+0.75 +0.27 -0.80	+0.22	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.42
Willamette north base Willamette south base Ridge	$+0.58 \\ +0.37 \\ +0.33$	+1.28	138 02 12.86 19 50 29.77 22 07 17.67	0. 30
Willamette north base Rauch Ridge	-0.17 +1.08 +0.28	+1.19	105 13 21.86 25 41 38.69 49 04 60.13	0. 68

, *

Station	Correction to angles from figure adjust- ment	Error of closure of triangle	Corrected spherical angles	Spherical excess
Willamette north base Twin Spencer	-0.68 -0.03 +0.11		09 30 54.81 37 47 28.15 32 41 38.37	" 1. 33
Willamette north base Ridge Twin	+0.29 -0.39 +0.58	+0.48	98 13 24.78 54 13 49.38 27 32 46.54	0. 70
Willamette north base Twin Rauch	$ \begin{array}{r} -0.12 \\ -0.75 \\ -0.66 \end{array} $	-1.53	156 33 13.36 11 41 02.14 11 45 45.00	0. 50
Willamette north base Twin Willamette south base	$ \begin{array}{c c} -0.87 \\ -0.22 \\ -0.30 \end{array} $	-1.39	123 44 22.36 21 15 52.38 34 59 45.92	0.66
Yam Peterson Mary	$\begin{array}{c} +0.01 \\ +0.63 \\ +1.06 \end{array}$	+1.70	40 28 18.33 77 57 10.58 61 34 38.33	7. 24
Hult Peterson Mary	+0.20 +0.89 +0.35	+1.44	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5.90
Hult Peterson Yam	+0.38 +0.26 -0.20	+0.44	86 08 19.71 34 28 03.80 59 23 41.38	4. 89
Hult Mary Yam	+0.18 +0.71 -0.19	+0.70	55 19 50.49 24 48 16.03 99 51 59.71	6.23
Barnes Hult Yam	+0.58 +0.19 -0.10	+0.67	33 40 50.52 69 11 05.47 77 08 09.31	5. 30
Larch Hult Yam	$ \begin{array}{r} -0.31 \\ +0.79 \\ +0.67 \end{array} $	+1.15	20 04 36.88 109 25 50.31 50 29 39.65	6. 84
Larch Hult Barnes	+0.02 +0.60 -1.15	-0.53	51 25 37.01 40 14 44.84 88 19 46.38	8. 23
Larch Yam Barnes	+0.33 -0.77 -0.57	-1.01	31 20 60.13 26 38 29.66 122 00 36.90	6. 69
Star Larch Barnes	+0.25 +0.50 +0.76	+1.51	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3. 13
Davis Star Barnes	+1.14 +0.80 +0.06	+2.00	58 32 10.74 76 04 01.99 45 23 51.77	4. 50
Red Larch Star	$ \begin{array}{r} -1.09 \\ -0.09 \\ -1.09 \end{array} $	-2.27	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2. 58
Red Star Davis	+0.99 +0.04 -0.88	+0.15	39 10 14.91 102 10 17.46 38 39 31.37	3. 74
Lam Red Davis	$\begin{array}{c} 0.00 \\ +0.46 \\ -0.49 \end{array}$	-0.03	100 18 34.68 17 37 19.78 62 04 08.06	· 2. 52

Station	Correction to angles from figure adjust- ment	Error of closure of triangle	Corrected spherical angles	Spherical excess
Len Red Davis	"+0.64 +0.24 +0.86	• " +1.74	75 30 57.72 53 39 27.53 50 49 40.73	" 5. 98
Len Red Lam	$+0.66 \\ -0.22 \\ -0.36$	+0.08	81 58 17.02 36 02 07.75 61 59 39.15	3. 92
Len Davis Lam	+0.03 -1.36 -0.36	-1.69	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.46
Toutle Len Lam	+0.35 -0.17 -0.26	-0.08	73 22 12.76 33 06 33.71 73 31 14.97	1. 44
Toutle Len Davis	-0.22 -0.14 -1.11	-1.47	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2. 62
Toutle Lam Davis	-0.57 +0.62 +0.25	+0.30	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.72
Huck Len Toutle	$ \begin{array}{r} -0.96 \\ +0.83 \\ -1.57 \end{array} $	-1.70	38 16 40.54 67 41 32.41 74 01 50.84	3. 79
Bel Len Toutle	$ \begin{array}{r} -0.62 \\ -1.64 \\ -0.94 \end{array} $	-3.20	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4. 17
Bel Len Huck	-1.36 -2.47 -1.43	-5.26	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4. 73
Bel Toutle Huck	$ \begin{array}{r} -0.74 \\ -0.63 \\ -2.39 \end{array} $	-3.76	37 44 44.43 29 23 35.51 112 51 44.41	4. 35
Hal Bel Huck	-0.73 -0.49 +0.21	-1.01	65 45 23.14 3 20 52.78 110 53 44.31	0. 23
Rain Bel Hal	+0.75 +1.25 -0.21	+1.79	27 30 38.90 14 21 33.64 138 07 48.88	1.42
Rain Bel Huck	+0.67 +0.76 +0.17	+1.60	29 57 02. 52 17 42 26. 42 132 20 32. 76	1. 70
Rain Hal Huck	-0.08 +0.94 -0.04	+0.82	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0. 05
Hurst Bel "* Huck	$\begin{array}{r} -2.64 \\ -0.67 \\ +0.99 \end{array}$	-2.32	44 39 56.33 49 20 41.62 85 59 26.13	4. 08
Hurst Bel Hal	-1.59 -0.18 +0.16	-1.61	46 10 43.42 45 59 48.84 87 49 31.70	3. 96
Hurst Bel Rain	-1.53 -1.43 -2.66	-5.62	78 27 26.41 31 38 15.20 69 54 22.57	4. 18

)



Station	Correction to angles from figure adjust- ment	Error of closure of triangle	Corrected spherical angles	Spherical excess	
Hurst Huck Hal	+1.05 -0.78 -0.57		1 30 47.09 24 54 18.18 153 34 54.84	" 0. 11	
Hurst Huck Rain	+1.11 -0.82 -1.99	-1.70	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1. 80	
Hurst Hal Rain	+0.06 -0.37 -1.91	-2.22	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1. 64	
Pen Hal Rain	-0.62 -0.41 -0.04	-1.07	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1, 89	
Pen Hal Hurst	+0.01 -0.04 -0.31	-0.34	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.64	
Pen Rain Hurst	$+0.63 \\ -1.87 \\ -0.25$	-1.49	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1. 39	
Tacoma south base Pen Hal	$+0.91 \\ -0.86 \\ -0.16$	-0.11	69 10 39.96 92 20 02.30 18 29 18.85	1. 11	
Tacoma south base Pen Rain	-0.90 -0.24 -0.45	-1.59	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.00	
Tacoma south base Pen Hurst	-0.31 -0.88 -0.12	-1.31	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0. 05	
Tacoma south base Hal Rain	$-1.82 \\ -0.25 \\ -0.48$	-2.55	33 29 04.28 58 55 27.58 87 35 29.92	. 1.78	
Tacoma south base Hal Hurst	-1.22 +0.12 -0.44	-1.54	95 07 23.80 8 37 10.40 76 15 26.38	0. 58	
Tacoma south base Rain Hurst	$+0.59 \\ -1.42 \\ -0.38$	-1.21	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.44	
Tacoma north base Pen Tacoma south base	+0.56 +0.23 +0.15	+0.94	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	0. 35	
Tacoma north base Pen Hal	-0.46 -0.63 -0.19	-1. 28	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1. 49	
Tacoma north base Pen Rain	-0.47 -0.01 -0.28	-0.76	59 52 36.64 92 33 13.90 27 34 11.39	1.93	
Tacoma north base Pen Hurst	$ \begin{array}{r} -0.19 \\ -0.65 \\ -0.26 \end{array} $	-1.10	61 37 18.50 38 48 40.82 79 34 01.26	0.58	
Tacoma north base Tacoma south base Hal	-1.02 -1.06 -0.03	-2.11	$\begin{array}{c} 0 \ 57 \ 38. 47 \\ 178 \ 44 \ 19. 06 \\ 0 \ 18 \ 02. 50 \end{array}$	0. 03	

Station	Correction to angles from figure adjust- ment	Error of closure of triangle	Corrected spherical angles	Spherical excess
Tacoma north base Tacoma south base Rain	$ \begin{array}{c} '' \\ -1.03 \\ +0.75 \\ +0.17 \end{array} $	" —0. 11	25 39 04.93 145 15 14.77 9 05 40.88	
Tacoma north base Tacoma south base Hurst	-0.75 +0.16 -0.14	-0.73	27 23 46.79 83 36 55.26 68 59 18.13	0. 18
Tacoma north base Hal Rain	$ \begin{array}{r} -0.01 \\ -0.22 \\ -0.32 \end{array} $	-0.55	24 41 26.46 58 37 25.08 96 41 10.79	2. 33
Tacoma north base Hal Hurst	+0.26 +0.15 -0.57	-0.16	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	0. 73
Tacoma north base Rain Hurst	$+0.27 \\ -1.59 \\ -0.51$	-1.83	1 44 41.85 0 43 50.68 177 31 27.51	0. 04
Burn Tacoma north base Pen	+0.93 +0.50		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.06
Burn Tacoma north base Tacoma south base	$+0.13 \\ -0.06 \\ +0.30$	+0.37	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.14
Burn Tacoma north base Hurst	+0.42 +0.70 +0.17	+1.29	48 07 26.76 108 20 41.49 23 31 51.96	0.21
Burn Pen Tacoma south base	-0.80 +0.45		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.43
Burn Pen Hurst	-0.51 -0.09		$\begin{array}{c} 40 \ 38 \ 28. \ 69 \\ 36 \ 15 \ 38. \ 82 \\ 103 \ 05 \ 53. \ 22 \end{array}$	0.73
Burn Tacoma south base Hurst	+0.30 -0.14 +0.03	+0.19	19 39 17.36 67 49 32.80 92 31 10.09	0.25
Kin Tacoma north base Burn	+0.80 +0.19 +0.05	+1.04	73 06 26.93 57 01 38.50 49 51 54.65	0.08
Wash Kin Tacoma north base	$ \begin{array}{c} -0.29 \\ +0.62 \\ +0.17 \end{array} $	+0.50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.09
Wash Kin Burn	$+0.20 \\ -0.18 \\ -0.50$	-0.48	62 24 49.45 41 32 21.78 76 02 48.84	0.07
Wash Tacoma north base Burn	+0.49 +0.02 -0.45	+0.06	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	0.06
Bos Kin Wash	+0.15 -0.19 -0.65	-0.69	59 34 55.77 85 44 02.26 34 41 02.04	0.07
Gull Bos Kin	+0.23 +0.05 -0.38	-0.10	36 32 14.15 100 01 04.67 43 26 41.23	0.05

Station	Correction to angles from figure adjust- ment	Error of closure of triangle	Corrected spherical angles	Spherical excess	
Gull Bos Wash	"-0.29 -0.11 +0.03	-0.37	$\begin{array}{c} \circ & i & i \\ 98 & 56 & 22.48 \\ 40 & 26 & 08.89 \\ 40 & 37 & 28.69 \end{array}$	" 0.06	
Gull Kin Wash	-0.53 + 0.19 - 0.62	-0.96	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	0.08	
Dron Bos Kin	+0.26 +0.13 +0.05	+0.44	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.06	
Dron Bos Wash	$-0.08 \\ -0.02 \\ +0.29$	+0.19	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.07	
Dron Kin Wash	$-0.34 \\ -0.24 \\ -0.36$	-0.94	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.08	
Smelt Dron Wash	$-0.24 \\ -0.01 \\ +0.24$	-0.01	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.05	
Neill 2 Dron Wash	+0.15 +0.40 -0.29	+0.26	42 44 21.73 88 02 19.21 49 13 19.12	0.06	
Neill 2 Dron Smelt	+0.65 +0.42 +0.73	+1.80	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.06	
Neill 2 Wash Smelt	+0.50 +0.53 +0.50	+1.53	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.05	
Gull Wash Neill 2	-0.03		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.07	
Tacoma astronomic sta- tion Neill 2 Gull	+0.37		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.05	

The maximum correction $(-2^{\prime\prime}.73)$ to any angle is to the angle at Scott between the stations Fairview and Black. The mean error of an angle $a = \sqrt{\frac{\Sigma A^2}{3 n}}$, in which ΣA^2 is the sum of the squares of the elosing errors of the triangle and *n* is the number of triangles in the scheme, is for this arc $+0^{\prime\prime}.97$. The average elosing error of a triangle for the 148 triangles is 1''.22. There are 11 triangles with elosing errors greater than 3''.00 and the maximum is 6''.35.

ACCORD OF BASES.

There are three bases which serve to fix the length in the triangulation discussed in this report.

The Yolo base in the Thirty-ninth Parallel triangulation fixed the length of the line Snow Mountain West-Mount Helena and also the other two sides of the triangle Snow Mountain West-Marysville Butte-Mount Helena. The Willamette and Taeoma bases furnish two important tests of the aceuracy of the triangulation. In solving the normal equations in each section of the figure adjustment the length equation was, as usual, assigned to the last place, so that after all the conditions relating to triangle closures and ratios of length had been satisfied the discrepancy in length became known. In the following table the discrepancies developed between bases are given in terms of the seventh place of logarithms and are also expressed as ratios. A plus sign before the discrepancy expressed in terms of logarithms means that the first base mentioned is longer as measured than as computed through the intervening triangulation from the second base mentioned.

Bases	Discrepancy in seventh place of loga- rithms	Discrepancy expressed as a ratio	
Mount Helena-Snow Mountain West to Willamette Willamette to Tacoma	$^{+79}_{-19}$	1/55000 1/229000	

ACCORD OF AZIMUTHS.

Laplace azimuths were computed at three stations of this triangulation, viz, at Gazelle astronomic, Eugene astronomic, and Taeoma astronomic. It was so certain that the Laplace azimuth at each of these stations was more accurate than the geodetic azimuth computed through the triangulation that the existing discrepaney was distributed by means of three azimuth equations. These azimuth equations were assigned positions next preceding the length equations in the solution of the normal equations, so that after all the conditions relating to closures of triangles and ratios of sides had been satisfied, the discrepancy in azimuth became known. At Gazelle astronomic the discrepaney in azimuth amounted to 3".14, the Laplace azimuth being larger than the United States standard azimuth by that amount. At Eugene astronomic the discrepancy in azimuth amounted to 2".98, the Laplace azimuth being again greater than the geodetie azimuth computed through the triangulation.

Similarly, at Tacoma astronomic the discrepancy in azimuth ameunted to 3".95 and again the Laplace azimuth was larger than the geodetic azimuth computed through the triangulation. It is evident therefore that if the United States standard azimuth at the Thirty-ninth Parallel is without twist, this entire arc has developed a twist amounting to the sum of these three discrepancies, a total of 10".07.

The nearest Laplace stations in the Thirty-ninth Parallel triangulation are at Salt Lake City and at Ogden,¹ where the corrections to the United States standard value are -2''.85 and -2''.74, respectively. The nearest Laplace station in the California triangulation southward is at San Diego, where the correction to the United States standard value is -8''.77. From these corrections it might be inferred that the United States standard azimuth at Mount Helena requires also some correction of a minus sign, between 2''.8 and 8''.8, and the total twist of 10''.07 would then be increased. Additional Laplace stations nearer the junction at Mount Helena might add to our knowledge, but the azimuth observations made at Mount Tamalpais in 1859 and again in 1882 showed that a movement of the earth had taken place between those dates which was large enough to increase the azimuth nearly eight seconds,² and the line Mount Helena-Snow Mountain west is not too far from the disturbed area, to declare with certainty that its azimuth may not have been affected by the same cause.

TWIST IN TRIANGULATION.

The errors which are to be expected in computed geodetic azimuths are very much smaller than those which actually develop when tested by the Laplace azimuths. The expected error in this California-Washington are is only 2".3, as computed by a formula involving the minimum number of lines with which the azimuth may be carried (19 in this case), the probable error of

See Supplementary Investigation in 1909 of the Figure of the Earth and Isostasy, p. 20.
 See p. 99 of Appendix 3, U. S. Coast and Geodetic Survey Report for 1907.

an observed direction and the number of conditions and directions.¹ The amount actually developed was 10".1. In the California arc, of which the California-Washington arc is a continuation, the error in azimuth expected at its extremity, near San Diego, was ± 2 ".9, even though the azimuth was carried through 1,250 miles (2,000 kilometers) in the transcontinental triangulation and 500 miles (800 kilometers) through the California arc. The actual accumulated error in azimuth found at San Diego was 8".8. At San Diego the correction to reduce to Laplace or true azimuth was minus, whereas at Tacoma the required correction was plus.

Confronted with these values for twist, the writer suggests that they may be caused by the unequal heating of the theodolite by the sun, even though the theodolite is protected from the direct rays. On triangulation extending in a north and south direction, as this arc does, where the observations were mainly made in the late afternoon, the west side of the instrument is undoubtedly warmer than the east side and the resulting angles opening to the west and to the east should be subject to systematic errors of opposite signs, and therefore twist would develop. If this theory is correct, an cast and west arc should develop only a small amount of twist, well within the limits for the expected error. Arcs on which the observing was done at night should develop no twist exceeding that allowed by the probable error, for the temperature of the east and west sides of the instrument would be equal. It is expected that this theory will be tested in the near future on all of the arcs of primary triangulation now existing in the United States.

EXPLANATION OF POSITIONS, LENGTHS, AND AZIMUTHS, AND OF THE UNITED STATES STANDARD DATUM.

The lengths, as already fully explained in connection with the adjustments, all depend upon the Yolo, Willamette, and Tacoma bases. The lengths as given are all reduced to sea level. If the actual length of a line simply reduced to the horizontal is desired, it may be obtained with all the accuracy ordinarily needed by adding to the sea-level length as given a correction = (length of line as given) $\left[\frac{\text{mean elevation of the two ends of the line in meters}}{6370000}\right]$. The maximum value of this correction does not exceed $\frac{1}{2400}$ for the length of any portion of the triangulation here published. The maximum error made in the use of the above approximate formula for the correction does not exceed $\frac{1}{800000}$ for the length of any portion of this triangulation.

The positions—that is, the latitudes, longitudes, and azimuths—need special explanation.

All of the positions and azimuths have been computed upon the Clarke spheroid of 1866, as expressed in meters, which has been in use in the United States Coast and Geodetic Survey for many years.

After a spheroid has been adopted and all the angles and lengths in a triangulation have been fully fixed, it is still necessary, before the computation of latitudes, longitudes, and azimuths can be made, to adopt a standard latitude and longitude for a specified station and a standard azimuth of a line from that station. For convenience, the adopted standard position (latitude and longitude) of a given station, together with the adopted standard azimuth of a line from that station, is called the geodetic datum.

The primary triangulation in the United States was commenced at various points and existed at first as a number of detached portions, in each of which the geodetic datum was necessarily dependent only upon the astronomic stations connected with that particular portion. As examples of such detached portions of triangulation there may be mentioned the early triangulation in New England and along the Atlantic coast, a detached portion of the transcontinental triangulation centering on St. Louis and another portion of the same triangulation in the Rocky Mountain region, and three separate portions of triangulation in California in the latitude of San Francisco, in the vicinity of Santa Barbara Channel, and in the vicinity of San Diego. With the lapse of time these separate pieces have expanded until they have touched or overlapped.

¹ See Figure of the Earth and Isostasy from Measurements in the United States, p. 120.

The transcontinental triangulation, of which the office computation was completed in 1899, joins all of the detached portions mentioned and makes them one continuous triangulation. As soon as this took place the logical necessity existed of discarding the old geodetic data used in these various pieces and substituting one for the whole country, or at least for as much of the country as is covered by continuous triangulation. To do this is a very heavy piece of work and involved much preliminary study to determine the best datum to be adopted. On March 13, 1901, the superintendent adopted what is now known as the United States Standard Datum, and it was decided to reduce the positions to that datum as rapidly as possible. The datum adopted was that formerly in use in New England, and therefore its adoption did not affect the positions which had been used for geographic purposes in New England and along the Atlantic coast to North Carolina, nor those in the States of New York, Pennsylvania, New Jersey, and Delaware. The adopted datum does not agree, however, with that used in The Transcontinental Triangulation and in The Eastern Oblique Arc of the United States, publications which deal primarily with the purely scientific problem of the determination of the figure of the earth and which were prepared for publication before the adoption of the new datum.

As the adoption of such a standard datum is a matter of considerable importance, it is in order here to explain the desirability of this step more fully.

The main objects to be attained by the geodetic operations of the United States Coast and Geodetic Survey are, first, the control of the charts published by the Survey; second, the furnishing of geographic positions (latitudes and longitudes), of accurately determined elevations, and of distances and azimuths, to officers connected with the United States Coast and Geodetic Survey and to other organizations; third, the determination of the figure of the earth. For the first and second objects it is not necessary that the reference spheroid should be accurately that which most closely fits the geoid within the area covered, nor that the adopted geodetic datum should be absolutely the best that can be derived from the astronomic observations at hand. It is simply desirable that the reference spheroid and the geodetic datum adopted shall be, if possible, such a close approximation to the truth that any correction which may hereafter be derived from the observations which are now or may become available shall not greatly exceed the probable errors of such corrections. It is, however, very desirable that one spheroid and one geodetic datum be used for the whole country. In fact, this is absolutely necessary if a geodetic survey is to perform fully the function of accurately coordinating all surveys within the area which it covers. This is the most important function of a geodetic survey. To perform this function it is also highly desirable that when a certain spheroid and geodetic datum have been adopted for a country they be rigidly adhered to, without change, for all time, unless shown to be largely in error.

In striving to attain the third object, the determination of the figure of the earth, the conditions are decidedly different. This problem concerns itself primarily with astronomic observations of latitude, longitude, and azimuth, and with the geodetic positions of the points at which the astronomic observations were made, but is not concerned with the geodetic positions of other points fixed by the triangulations. The geodetic positions (latitudes and longitudes) of comparatively few points are therefore concerned in this problem. However, in marked contrast to the statements made in preceding paragraphs, it is desirable in dealing with this problem that, with each new important accession of data, a new spheroid fitting the geoid with the greatest possible accuracy, and new values of the geodetic latitudes, longitudes, and azimuths of the highest degree of accuracy, should be derived.

The United States Standard Datum was adopted with reference to positions furnished for geographic purposes, but has no reference to the problem of the determination of the figure of the earth. It is adopted with reference to the engineer's problem of furnishing standard positions and does not affect the scientist's problem of the determination of the figure of the earth.

The principles which guided in the selection of the datum to be adopted were: First, that the adopted datum should not differ widely from the ideal datum for which the sum of the station errors in latitude, longitude, and azimuth should each be zero; second, it was desirable that the adopted datum should produce minimum changes in the publications of the Survey, including its charts; and, third, it was desirable, other things being equal, to adopt that datum which allowed the maximum number of positions already in the office registers to remain unchanged, and therefore necessitated a minimum amount of new computation. These considerations led to the adoption as the United States standard of the datum which had been in use for many years in the northeastern group of States and along the Atlantic coast as far as North Carolina.

An examination of the station errors available in 1903, on the United States Standard Datum, at 246 latitude stations, 76 longitude stations, and 152 azimuth stations, seattered widely over the United States from Maine to Louisiana and to California, indicated that this datum approaches elosely the ideal with which the algebraic sum of the station errors of each elass would be zero.¹

The adopted United States Standard Datum, upon which the positions and azimuths given in this publication depend, may be defined in terms of the position of the station Meades Ranch as follows:

$$\phi = 39$$
 13 26.686
 $\lambda = 98$ 32 30.506
 α to Waldo = 75 28 14.52

Points are then said to be upon the United States Standard Datum when they are conneeted with the station Meades Ranch by a continuous triangulation, through which the corresponding latitudes, longitudes, and azimuths have been computed on the Clarke spheroid of 1866, as expressed in meters, starting from the above data.

The principal lists of geographic positions heretofore published on the United States Standard Datum throughout the whole United States are contained in the following publications of the United States Coast and Geodetic Survey and of other organizations:

Appendix 8 of the Report for 1885, positions in Massachusetts and Rhode Island; Appendix 8 of the Report for 1888, positions in Connecticut; Appendix 8 of the Report for 1893, positions in Pennsylvania, Delaware, and Maryland; Appendix 10 of the Report for 1894, positions in Massachusetts; Appendix 6 of the Report for 1901, positions in Kansas and Nebraska; Appendix 3 of the Report for 1902, positions in Kansas, Missouri, Nebraska, and Colorado; Appendix 4 of the Report for 1903, positions in Kansas, Oklahoma, and Texas; Appendix 9 of the Report for 1904, positions in California; Appendix 5 of the Report for 1905, positions in Texas; Appendix 3 of the Report for 1907, positions in California; Appendix 5 of the Report for 1910, positions in California; Appendix 4 of the Report for 1911, positions in Nebraska, Minnesota, North Dakota, and South Dakota; Appendix 5 of the Report for 1911, positions in Texas; Appendix 6 of the Report for 1911, positions in Florida; Special Publication No. 11, positions in Texas, New Mexico, Arizona, and California; in Appendix EEE, pages 2905–3031, Annual Report of the Chief of Engineers, 1902, positions of points on or near the Great Lakes; in the publications of the Massachusetts Harbor and Land Commission; and in various bulletins of the United States Geologieal Survey.

TABLE OF POSITIONS.

In the tables of positions the latitude and longitude of each point are given on the United States Standard Datum (see p. 31), also the length and azimuth of each line observed over, whether in one or both ways. Along with the latitude and longitude of each point the lengths and azimuths are given of lines from that point to other points of the triangulation. No lengths or azimuths are repeated, and for a given line the length and azimuth will generally be found opposite the position of the last mentioned of the two stations involved.

For the convenience of the draftsman a column of "seconds in meters" is given, in which is placed the length (in meters) of each small are of a meridian or parallel corresponding to the

¹ This is further borne out in the reduction of 765 astronomic stations in connection with the "Supplementary investigation in 1909 of the figure of the earth and isostasy," by J. F. Hayford, published by the U. S. Coast and Geodetic Survey.

^{77002°-13-3}

seconds of the given latitude or longitude. To facilitate further the use of the tables, a column is given of the logarithms of the lengths. It must be remembered that it is the logarithm which is derived first from the computation, the lengths given in this table being then derived from the corresponding logarithms.

The rule followed in recent publications of this Office has been to give latitudes and longitudes to thousandths of seconds for all points the positions of which are fixed by fully adjusted triangulation. Points, the positions of which are given to hundredths of seconds only, are marked by footnotes as being without check (observed from only two stations) or checked by verticals only.

In the columns giving azimuths, distances, and logarithms of distances, the accuracy is indicated to a certain extent by the number of decimal places given, it being understood that in each case two doubtful figures are given. In some cases there is very little doubt of the correctness of the second figure from the right, while in a few cases some doubt may be cast on the third figure from the right.

These tables may be conveniently consulted by using as finders the seven sketches at the end of this appendix, and the index on pages 75 to 78. In the third column of the index will be found for each point a reference to the page on which its description is given, in the fourth column the number of the sketch on which it appears, and in the fifth column the page on which its elevation above sea level will be found.

For the convenience of those who wish to convert the distances given in this table or the elevations given later on from meters into feet the following conversion table is here inserted:

Meters	Feet	Feet	Meters
1 2	3. 280833 6. 561667	$\frac{1}{2}$	0. 3048006 0. 6096012
3 4 5	9,842500 13,123333 16,404167	3 4 5	$\begin{array}{c} 0.9144018\\ 1.2192024\\ 1.5240030 \end{array}$
6 7 8	$\begin{array}{c} 19.\ 685000\\ 22.\ 965833\\ 26.\ 246667\end{array}$	6 7 8	$\begin{array}{c}1.\ 8288037\\2.\ 1336043\\2.\ 4384049\end{array}$
9 10	29. 527500 32. 808333	9 10	2. 7432055 3. 0480061

Station	Latitude and longitude	Sec- onds in meters	Azimuth	Back azimuth	To station	Distance	Loga- rithm
Principal points				B / //		24.4	
Mount Helena 1876	38 40 11.080 122 37 57.817	341.6 1397.7	245 56 18.019 324 01 34.822 269 20 15.615	67 22 03.416 144 28 18.913 90 58 57.203	Mount Lola Mount Diablo Round Top	213873.23 107728.96 229100.84	$\begin{array}{c} 5.33015644\\ 5.03233246\\ 5.3600267 \end{array}$
Marysville Butte 1876	39 12 22.361 121 49 11.540	689.6 276.9	50 03 28.78 103 30 30.51	229 32 49.63 282 54 51.87	Mount Helena Snow Mountain west	92269.81 83129.44	4.9650596 4.9197549
Snow Mountain west 1892	39 22 38.452 122 45 28.619	$\frac{1185.8}{685.0}$	352 06 02.01 18 03 03.98	172 10 45.86 197 49 26.49	Mount Helena Ross Mountain	79298.64 101704.73	4.8992657 5.0073412
Snow Mountain east 1876	39 23 02.008 122 45 04.847	61.9 116.0	283 29 49.08 352 34 48.70 38 04 15.69	104 05 12.82 172 39 17.60 218 04 00.61	Marysville Butte Mount Helena Snow Mountain west	82741.44 79942.78 922.76	4. 9177231 4. 9027792 2. 9650893
Kent 1904	39 58 01,752 122 44 14,449	54.0 342.8	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	137 16 41.00 181 03 29.44	Marysville Butte Snow Mountain east	$115540.16\\64768.60$	5.0627330 4.8113645
Lyons 1904	40 18 06.101 121 38 21.007	188.2 496.1	7 18 50.85 43 24 27.26 68 42 27.63	187 11 54.82 222 41 41.92 247 59 59.25	Marysville Butte Snow Mountain east Kent	$\begin{array}{c} 122611.05\\ 139446.43\\ 100696.76 \end{array}$	5.0885296 5.1444074 5.0030155
Bally 1904	40 36 11.939 122 39 00.370	368.3 , 8.7	291 00 16.70 6 01 26.68	111 39 38.03 185 58 03.60	Lyons Kent	92064.79 71026.97	4.9640936 4.8514233
Round 1904	40 48 19.882 121 57 26.873	613.3 629.8	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	154 22 27.03 215 10 27.70 248 47 16.01	Lyons Kent Bally	$\begin{array}{r} 62103.91\\ 114242.48\\ 62695.07\end{array}$	4.7931190 5.0578276 4.7972334
Spur 1904	41 24 14.648 122 14 54.491	451.9 1265.7	339 42 45.15 20 56 17.28	159 54 13.91 200 40 28.60	Roun Baily	70823.50 95128.60	4.8501774 4.9783111
Station	Latitude and · longitude	Sec- onds in meters	Azimuth	Back azimuth	To station	Distance	Loga- rithm
------------------------------------	--	---------------------------	---	---	--	---	--
Principal points-Contd.							
Mears 1904	41 07 29.538 122 26 52.260	911.3 1219.1	208 15 08.51 310 30 15.44 16 28 16 81	28 23 01.90 130 49 32.84 196 20 20 42	Spur Round	Meters 35221.98 54422.85	4.5468137 4.7357813
Boliver (Cal.) 1904	41 15 35.575 122 46 46.811	1097.5 1089.8	250 01 14.88 298 11 54.84 351 26 43.00	70 22 17.82 118 25 01.56 171 31 48.60	Spur Mears Bally	47264. 02 31618. 27 73724. 24	4. 6745307 4. 6745307 4. 4999381 4. 8676103
Soda (Oreg.) 1904	42 03 54.670 122 28 41.648	1686. 8 957. 5	345 19 52.95 15 46 47.39	165 29 03.58 195 34 46.02	Spur Boliver	75875.33 92897.87	4.8801006 4.9680058
Gazelle astronomic station 1904	41 31 36.248 122 31 08.281	1118.3 192.0	183 13 35.19 300 59 40.18	$\begin{array}{c} 3 \ 15 \ 12.92 \\ 121 \ 10 \ 24.99 \end{array}$	Soda Spur	59900.25 26386.99	4.7774286 4.4213899
Sterling (Oreg.) 1904	42 01 03.864 122 53 11.434	119. 2 263. 1	261 00 09.26 321 51 54.19 353 55 38.45	81 16 33.53 142 17 22.56 173 59 54.01	Soda Spur Boliver	$\begin{array}{r} 34213.03\\ 86401.66\\ 84640.63\end{array}$	4.5341916 4.9365221 4.9275789
Rust 1904	42 37 10.930 122 20 50.147	337.3 1142.9	9 58 58.92 33 47 58.14	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Soda Sterling	62533.30 80293.46	$\begin{array}{c} 4.\ 7961114 \\ 4.\ 9046802 \end{array}$
Onion 1904	42 41 31.762 123 13 46.921	980. 1 1068. 1	276 02 52.70 318 07 09.53 339 12 19.09	96 38 45.29 138 37 33.00 159 26 11.48	Rust Soda Sterling	72802.92 93169.15 80071.78	4.8621488 4.9692721 4.9034795
Black 1904	43 09 37.503 122 27 48.236	1157.3 1089.8	350 59 07.43 50 31 05.83	$\begin{array}{c} 171 \ 03 \ 51.98 \\ 229 \ 59 \ 46.98 \end{array}$	Rust Onion	60812.13 81362.20	4.7839902 4.9104227
. White 1904 ·	43 07 14.428 [•] 123 02 14.761	445. 3 333. 7	264 24 10.96 314 23 02.31 18 19 13.10	84 47 44.04 134 51 12.74 198 11 21.87	Black Rust Onion	46910.01 79232.11 50126.59	$\begin{array}{r} 4.\ 6712655\\ 4.\ 8989012\\ 4.\ 7000681 \end{array}$
Scott 1904	43 22 21.758 123 03 50.517	671.5 1137.3	295 36 15.65 355 34 45.07	$\begin{array}{c} 116 \ \ 00 \ \ 57. \ 67 \\ 175 \ \ 35 \ \ 50. \ 67 \end{array}$	Black White	54169.15 28083.48	4. 7337520 4. 4484509
Falrview 1904	43 35 10.459 122 39 08.622	322. 8 193. 4	341 59 37.72 31 14 40.80 54 40 43.54	162 07 24.98 210 58 49.21 234 23 43.86	Black White Scott	49726. 19 60413. 38 40889. 41	4.6965851 4.7811331 4.6116108
Yellow 1904	43 32 48.849 123 24 09.568	1507.5 214.9	265 37 03. 17 305 06 41. 39 327 50 53. 15	86 08 04.66 125 20 39.92 148 05 55.44	Fairview Scott White	60770.94 33550.08 55853.69	4. 7836960 4. 5256936 4. 7470519
Spencer 1903	43 59 00.715 123 05 41.248	22. 1 919. 3	$\begin{array}{c} 320 \ 57 \ 05. 87 \\ 27 \ 10 \ 28. 02 \end{array}$	141 15 27.90 206 57 41.38	Fairview Yellow	56716.00 54479.49	4. 7537056 4. 7362330
Roman 1903	43 54 45.041 123 44 14.987	$1390.1 \\ 334.5$	261 04 53.49 292 09 05.10 326 17 38.82	81 31 39.25 112 54 06.43 146 31 32.08	Spencer Fairview Yellow	52195. 22 94618. 63 48763. 89	4.7176307 4.9759767 4.6880983
Mary 1903	44 30 17.369 123 33 05.732	$536.1 \\ 126.6$	$\begin{array}{c} 327 \ 37 \ 54. 62 \\ 12 \ 47 \ 13. 03 \end{array}$	$\begin{array}{c} 147 \ 57 \ 02.02 \\ 192 \ 39 \ 26.37 \end{array}$	Spencer Roman	68458.53 67471.43	4. 8354276 4. 8291199
Peterson 1903	44 30 38.293 122 58 05.537	1182.0 122.8	9 50 19.67 43 02 28.28 89 24 24.75	189 45 01.69 222 30 17.06 268 59 52.49	Spencer Roman Mary	59436.11 90538.25 46396.18	4.7740504 4.9568321 4.6664822
T win 1905	44 19 31.401 123 00 11.426	969. 3 253. 2	$\begin{array}{c} 10 \ 57 \ 11.34 \\ 52 \ 17 \ 07.57 \\ 114 \ 43 \ 37.75 \\ 187 \ 41 \ 34.73 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Spencer Roman Mary Peterson	38685, 83 74563, 88 48015, 44 20772, 15	$\begin{array}{c} 4.5875519\\ 4.8725285\\ 4.6813809\\ 4.3174815\end{array}$
R1dge 1905	44 16 02.051 123 19 55.940	63.3 1240.7	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Mary Peterson Twin Spencer	$\begin{array}{r} 31664.07\\ 39658.11\\ 27042.78\\ 36807.85\end{array}$	4. 5005667 4. 5983320 4. 4320513 4. 5659404
Rauch 1903	44 00 50.965 123 19 42.158	1573. 0 939. 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Ridge Peterson Twin Spencer	$\begin{array}{c} 28122.\ 31\\ 62214.\ 07\\ 43271.\ 64\\ 19042.\ 44 \end{array}$	4. 4490510 4. 7938886 4. 6362034 4. 2797227
Willamette south base 1903	44 04 06.905 123 11 17.933	213. 1 399. 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Rauch Mary Ridge Peterson Twin Speucer	$\begin{array}{c} 12751.\ 68\\ 56484.\ 64\\ 24893.\ 17\\ 52166.\ 74\\ 32144.\ 90\\ 12063.\ 61\end{array}$	$\begin{array}{c} 4.\ 1055673\\ 4.\ 7519303\\ 4.\ 3960802\\ 4.\ 7173937\\ 4.\ 5071120\\ 4.\ 0814772 \end{array}$
Wlliamette north base 1905	44 11 37.076 123 12 41.921	1144.4 931.0	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	205 04 16.61 310 17 28.19 48 44 39.50 158 11 43.21 172 21 16.55	Rauch Ridge Twin Spencer Willamettc south base	$\begin{array}{c} 22023.\ 74\\ 12636.\ 24\\ 22169.\ 74\\ 25150.\ 86\\ 14019.\ 38 \end{array}$	$\begin{array}{r} 4.3428910\\ 4.1016178\\ 4.3457607\\ 4.4005529\\ 4.1467287\end{array}$
Seavies 2 1908	44 06 24.663 123 00 09.593	761.2 213.3	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	208 17 12.93 253 58 37.54	Spencer Willamette south base	15565.01 15464.74	4.1921494 4.1893425
Pisgah 1908	44 00 19.836 122 57 51.568	61 2. 2 1148. 8	$\begin{array}{c} 76 \ 54 \ 39. 61 \\ 111 \ 24 \ 00. 79 \\ 164 \ 45 \ 06. 65 \end{array}$	256 49 13.38 291 14 40.27 344 43 30.67	Spencer Willamette south base Scavies 2	10746.63 19274.05 11671.80	$\begin{array}{r} 4.\ 0312723 \\ 4.\ 2849731 \\ 4.\ 0671380 \end{array}$
Eugene astronomic station 1894	44 03 30.319 123 05 28.438	935.8 633.0	$\begin{array}{c} 232 \ 47 \ 15.95 \\ 299 \ 58 \ 42.95 \\ 1 \ 57 \ 54.04 \end{array}$	52 50 57.77 120 04 00.50 181 57 45.14	Seavles 2 Pisgah Spencer	8904.00 11750.21 8326.04	3.9495852 4.0700458 3.9204384

Station	Latitudo and longitudo	Sec- onds in meters	Azimuth	Back azimuth	To station	Distance	Loga- rithm
Principal points-Could.							
Yam 1903	45 03 44.993 123 08 34.292	$1388.9 \\ 750.3$	347 14 12.38 27 42 30.71	$\begin{array}{c} 167 \ 21 \ 35.33 \\ 207 \ 25 \ 14.16 \end{array}$	Peterson Mary	Meters 62864. 86 69907.19	4. 7984079 4. 8445219
Hult 1903	44 57 48.151 122 42 45.524	1486.2 997.8	22 00 26.69 52 48 55.91 108 08 46.40	201 49 39.13 232 13 30.19 287 50 31.00	Peterson Mary Yam	54230. 41 83742. 39 35658. 40	$\begin{array}{r} 4.7342429\\ 4.9229453\\ 4.5521619\end{array}$
Barnes (Oreg.) 1903	45 31 36.526 122 45 00.031	1127.6 0.7	357 18 16.35 30 59 06.87	177 19 51.87 210 42 21.69	Hult Yam	$62686.70 \\ 60103.71$	4.7971754 4.7789013
Larch (Oreg.) 1903	45 31 59.615 122 05 13.018	1840.4 282.5	38 01 16.39 58 05 53.27 89 26 53.40	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Hult Yam Barnes	80147.83 97962.33 51802.18	4.9038918 4.9910591 4.7143480
Star (Wash.) 1906	45 44 47.711 122 14 16.246	1473.0 351.1	333 33 31.93 58 43 49.19	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Larch Barnes	$\begin{array}{c} 26471.61 \\ 46811.84 \end{array}$	4. 4227804 4. 6703557
Davis (Wash.) 1906	45 59 37.452 122 35 44.667	1156.3 961.1	$\begin{array}{c} 314 \ 32 \ 26.39 \\ 13 \ 04 \ 37.13 \end{array}$	134 47 51.18 192 57 59.25	Star Barnes	39075.00 53266.40	4. 5918990 4. 7264533
Red (Wash.) 1906	45 56 07.249 121 49 12.344	223.8 265.9	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Larch Star Davis	49284. 42 38644. 78 60473. 22	$\begin{array}{r} 4.6927096 \\ 4.5870908 \\ 4.7815631 \end{array}$
Warren (Oreg.) 1903	45 48 33.229 122 52 08.679	1025.9 187.4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{r} 46 \ 03 \ 54.50 \\ 116 \ 59 \ 49.58 \\ 163 \ 34 \ 28.69 \end{array}$	Davis Larch Barnes	$\begin{array}{c} 29504.23\\ 68230.27\\ 32731.73 \end{array}$	$\begin{array}{r} 4.4698843\\ 4.8339771\\ 4.5149689 \end{array}$
Lam 1906	46 07 57.903 122 27 42.295	1787.8 908.0	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Red Davis	54305.40 18607.75	4.7348430 4.2696939
Len 1906	46 18 45.173 122 08 00.508	1394.8 10.9	329 52 16.76 45 23 14.48 51 50 33.78	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Red Davis Lam	48420.72 50309.34 32263.10	$\begin{array}{r} 4.6850313\\ 4.7016486\\ 4.5087061 \end{array}$
Toutle 1905	46 17 10.419 122 33 02.971	$\begin{array}{c} \textbf{321.7}\\\textbf{63.6} \end{array}$	264 39 01.27 338 01 14.03 6 06 34.19	84 57 07.49 158 05 05.52 186 04 37.60	Len Lam Davis	32288, 32 18392, 59 32696, 06	4, 5090454 4, 2646430 4, 5144954
Huck 1905	46 42 45.136 122 26 04.593	1393.8 97.6	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	152 38 39.90 190 37 10.43	Len Toutle	50110.83 48221.32	4.6999316 4.6S32391
Bel 1905	46 47 04.983 121 56 22.841	153.9 484.6	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Len Toutle Huck	$\begin{array}{c} 54550.97\\72585.28\\38661.55\end{array}$	$\begin{array}{r} 4.7368025\\ 4.8608486\\ 4.5872792 \end{array}$
Hal 1905	46 43 52.344 122 27 08.201	$\begin{array}{r} 1616.3\\174.1\end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 81 \ 33 \ 00.02 \\ 146 \ 56 \ 45.18 \end{array}$	Bel Huck	39612.33 2476.21	4.5978304 3.3937882
Rain 1905	46 50 07.065 122 41 09.422	218.1 199.7	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	95 54 33.66 123 02 46.85 125 29 56.74	Bel Hal Huck	57237.74 21267.75 23553.23	4.7576825 4.3277217 4.3720505
11urst 1905	47 05 02.549 122 30 44.966	78.7 948.5	$\begin{array}{c} 307 & 07 & 42. 31 \\ 351 & 47 & 38. 64 \\ 353 & 18 & 25. 73 \\ 25 & 35 & 08. 72 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Bel Huck Hal Rain	54863.28 41723.67 39491.49 30643.15	$\begin{array}{r} 4.7392818\\ 4.6203825\\ 4.5965035\\ 4.4863335 \end{array}$
Pen 1905	47 02 05.064 122 17 11.732	156.4 247.7	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	200 27 33.28 233 45 34.39 287 37 42.47	Ilal Rain Hurst	36029.17 37635.66 18016.34	$\begin{array}{r} 4.5566543 \\ 4.5755995 \\ 4.2556667 \end{array}$
Tacoma south base 1905	47 04 38.837 122 26 05.422	1199.3 114.4	$\begin{array}{c} 292 \ 48 \ 20.30 \\ 1 \ 59 \ 00.26 \\ 35 \ 28 \ 04.55 \\ 97 \ 06 \ 24.06 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Pen Hal Rain Hurst	$\begin{array}{c} 12223.72\\ 38514.80\\ 33016.51\\ 5942.41\end{array}$	$\begin{array}{c} 4.\ 0872032\\ 4.\ 5856276\\ 4.\ 5187312\\ 3.\ 7739623 \end{array}$
Tacoma north base 1905	47 11 09.189 122 25 58.206	283.8 1225.5	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 146 & 36 & 18, 63 \\ 180 & 43 & 19, 32 \\ 181 & 40 & 11, 93 \\ 206 & 11 & 23, 00 \\ 208 & 03 & 41, 21 \end{array}$	Pen Tacoina south base Hal Rain Hurst	$\begin{array}{c} 20138, 56\\ 12055, 570\\ 50568, 14\\ 43468, 90\\ 12834, 17 \end{array}$	$\begin{array}{r} 4.3040283\\ 4.0811877\\ 4.7038770\\ 4.6381786\\ 4.1083677\end{array}$
Burn 1905	47 13 50,673 122 29 43,535	1564.9 915.7	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Tacoma north base Pen Tacoma south base Hurst	$\begin{array}{r} 6881.62\\ 26941.63\\ 17650.12\\ 16360.54 \end{array}$	$\begin{array}{c} 3.\ 8376905\\ 4.\ 4304238\\ 4.\ 2467477\\ 4.\ 2137976 \end{array}$
Kin 1905 -	47 14 02.319 122 24 57.219	71.6 1203.6	$\begin{array}{c} 13 \ 30 \ 16.14 \\ 86 \ 36 \ 43.07 \end{array}$	$\begin{array}{c} 193 \ 29 \ 31. 38 \\ 266 \ 33 \ 12. 88 \end{array}$	Tacoma north base Burn	5498, 45 6033, 54	3.7402404 3.7805720
Wash 1905	47 16 14.398 122 29 04.374	444.6 91.9	308 06 03.35 337 25 01.77 10 30 52.80	128 09 04.85 157 27 18.42 190 30 24.04	Kin Tacoma north base Burn	$\begin{array}{c} 6606.\ 58\\ 10206.\ 74\\ 4514.\ 25\end{array}$	$\begin{array}{c} 3.8199767 \\ 4.0088869 \\ 3.6545858 \end{array}$
Bos 1905	47 15 59.493 122 23 01.599	1837.2 33.6	33 54 32.01 93 29 27.78	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Kin Wash	4359.53 7639.85	3.6394393 3.8830851
Gull 1891	47 17 52.574 122 25 54.219	$1623.6 \\ 1139.2$	313 53 29.85 350 25 44.00 52 49 52.33	$\begin{array}{c} 133 \ 55 \ 36, 67 \\ 170 \ 26 \ 25, 88 \\ 232 \ 47 \ 32, 62 \end{array}$	Bos Kin Wash	5035.48 7211.04 5016.11	$\begin{array}{c} 3.7020410\\ 3.8579978\\ 3.7003670 \end{array}$
Dron 1905	47 18 00.812 122 26 28.511	25.1 599.0	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Bos Kin Wash	5739, 79 7611, 11 4639, 82	3.7588960 3.8814482 3.6665016

Station	Latitude and longitude	Sec- onds in meters	Azimuth	Back azimuth	To station	Distance	Loga- rithm
Principal points-Contd.							
Smelt	47 17 46.283 122 31 28.575	1429.3 600.4	265 53 53.35 313 06 11.23	85 57 33.87 133 07 57.18	Dron Wash	Meters 6320.14 4151.58	3.8007266 3.6182138
Neill 2 1905	47 19 55.014 122 29 28.963	1699.0 608.1	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	132 57 32.48 175 39 59.63 212 16 39.57	Dron Wash Smelt	5177.06 6832.69 4702.78	$\begin{array}{c} 3.\ 7140833\\ 3.\ 8345920\\ 3.\ 6723549 \end{array}$
Tacoma astronomic station 1892	47 15 47.911 122 26 51.446	1479.6 1081.6	156 34 15.80 197 20 35.49	336 32 20.05 17 21 17.53	Neill 2 Gull	8317.79 4033.36	3.9200079 3.6056668
Supplementary points.							
Mount St. John ¹ 1904	39 26 03.17 122 41 32.14	97.8 768.7	176 16 31 288 19 10	356 14 48 108 52 20	Kent Marysville Butte	59296. 6 79376. 0	4.773030 4.899689
Corning tower 1904	39 55 40.774 122 10 44.008	1257.6 1044.9	95 23 05.04 227 46 57.18 338 49 44.76	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Kent Lyons Marysville Butte	47923.97 61958.90 85868.67	4.6805528 4.7921037 4.9338347
Corning astronomic station 1908	39 55 40.48 122 10 44.92	1248.5 1066.6	247 24 10	67 24 11	Corning tower	23.41	1.36933
Mount Linn, top of peak 1904	40 02 12.617 122 51 11.855	389.1 281.0	195 17 14.5 253 44 09.8 315 46 22.4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Bally Lyons Marysville Butte	65228.9 107523.9 127977.0	4.814440 5.031505 5.107132
Lassen Peak 1904	40 29 18.614 121 30 15.513	574. 1 365. 4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	190 38 25.4 208 51 14.1 240 43 16.5	Marysville Butte Lyons Kent	$\begin{array}{c} 144911.5\\ 23693.5\\ 119851.7\end{array}$	5. 161103 4. 374630 5. 078644
Bully Choop 1904	40 33 20.346 122 45 58.884	627.6 1385.4	241 41 39.9 286 03 36.6 357 49 40.2	61 46 12.1 106 47 28.1 177 50 47.7	Bally Lyons Kent	$\begin{array}{c} 11176.\ 0\\ 99722.\ 2\\ 65392.\ 2\end{array}$	4.048286 4.998792 4.815526
Redding courthouse 1908	40 34 58.278 122 23 44.281	1797.6 1041.5	96,06 13.3 236 07 45.1	$\begin{array}{c} 275 \ 56 \ 17.2 \\ 56 \ 24 \ 53.6 \end{array}$	Bally Round	21661.1 44531.8	4.335680 4.648670
Redding astronomic station 1904	40 34 19.354 122 23 38.684	597.0 909.8	99 11 08.7 173 44 41.4 234 46 13.9	279 01 09.1 353 44 37.8 55 03 18.7	Bally Redding courthouse Round	21951.3 1207.8 45104.3	4.341461 3.082013 4.654218
Redding south base	40 34 28,152	868.3 585.9	50 02 58.9	230 02 49.9	Redding astronomic station	422.6	2.625930
			91 29 00.2 153 53 14.2	271 28 50.5 333 53 01.6	Hill Redding courthouse	351.4 1034.9	2.545762 3.014915
Redding north base 1908	40 34 42.167 122 23 27.340	1300.7 643.0	352 28 22.7 20 46 04.0	172 28 24.2 200 45 56.6	Redding south base Redding astronomic station	436.1 752.6	2.639542 2.876541
			34 47 58.0 141 17 01.8	214 47 49.9 321 16 50.8	Hill Redding courthouse	515.4 637.0	2.712126 2.804122
Hill 1908	40 34 28.446 122 23 39.845	877.4 937.2	354 26 27.4 173 31 58.0	174 26 28.2 353 31 55.1	Redding astronomic station Redding courthouse	281.8 926.1	2.449913 2.966656
Crater Peak 1904	40 41 54.374 121 37 05.274	1677.2 123.8	2 19 29.9 83 26 10.3 124 23 11.6	182 18 40.7 262 45 50.1 303 50 35.4	Lyons Bally Mears	44091. 3 87920. 3 84433. 2	4. 644353 4. 944089 4. 926513
Thompson Peak 1 1904	40 56 37.67 122 52 19.33	1162.0 452.1	225 27 58 240 26 59	45 52 36 60 43 42	Spur Mears	73149.8 40949.0	4.864213 4.612243
Saw Tooth 1904	40 58 21.995 123 00 05.396	678.4 126.2	232 35 06.1 249 52 27.8 324 01 15.2	53 04 51.4 70 14 16.7 144 15 01.6	Spur Mears Bally	79280, 8 49517, 9 50626, 0	4. 899168 4. 694762 4. 704374
Mount Eddy, cairn 1904	41 19 12.449 122 28 42.470	384.0 987.8	75 14 54.3 180 00 47.0 244 04 37.5	255 02 58.9 0 00 47.6 64 13 44.6	Boliver Soda Spur	$\begin{array}{c} 26103.3\\82750.8\\21384.1\end{array}$	4. 416695 4. 917772 4. 330090
Black Butte, cairn 1904	41 22 00.307 122 20 49.936	9.5 1160.6	148 20 23.9 141 07 26.9	327 58 52.5 321 00 37.6	Sterling Gazelle astronomic	85107.9 22841.3	4.929970 4.358721
			243 19 08.0 172 02 30.6	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Spur Soda	9240.3 78335.2	3.965684 4.893957
Mount Shasta, top of 1904	41 24 33.797 122 11 38.482	1042.7 893.8	343 25 01.5 23 21 05.6 34 01 48.5 71 28 59.0 139 46 03.1 162 06 35.9	$\begin{array}{c} .163 & 34 & 21.4 \\ 203 & 03 & 08.3 \\ 213 & 51 & 45.8 \\ 251 & 05 & 46.5 \\ 319 & 18 & 24.3 \\ 341 & 55 & 14.8 \end{array}$	Round Bally Mears Bollver Sterling Soda	69943.8 97392.4 38089.6 51760.1 88806.4 76578.7	4.844749 4.988525 4.580807 4.713995 4.948444 4.884108
China Mountain, not the cairn 1904	41 22 41.420 122 34 31.102	1277.8 722.7	4 12 29.0 52 33 09.7 186 00 38.1 263 53 09.2	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Bally Boliver Soda Spur	86279.2 21572.8 76730.5 27486.9	4. 935906 4. 333907 4. 884968 4. 439125
Russian Peak, north point 1904	41 16 59.106 122 57 03.164	1823.4 73.6	183 44 19.2 256 53 40.8 280 07 36.0	3 46 53.2 77 21 31.2 100 14 22.5	Sterling Spur Bollver	81770, 4 60306, 8 14575, 5	4.912596 4.780366 4.163622

¹ Checked by vertical angles only.

....

37

•

Station	Latitudo and iongitudo	Sec- onds in meters	Azimuth	Back azimuth	To station	Distance	Loga- rithm
Supplementary points-)	
Russian Peak, south point ¹ 1904	41 16 58.70 122 57 03.24	1810. 8 75. 4	256 53 00 292 25 38	77 20 51 112 45 31	Spur Mears	Meters 60311.2 45701.9	4.780398 4.659934
Marble Mountain 1904	41 34 46.625 123 05 27.947	1438.4 647.4	199 11 35.3 223 09 00.2 285 12 26.0	19 19 46.2 43 33 31.4 105 45 55.8	Sterling Soda Spur	51540.5 74170.1 73017.5	4.712199 4.870229 4.863427
Little Shasta 1904	41 43 14.240 122 13 18.490	439.4 427.4	42 30 04.4 121 06 02.3 151 00 27.3	222 07 53.9 300 39 25.2 330 50 10.8	Boliver Sterling Soda	69201.4 64299.7 43789.9	4.840115 4.808209 4 641374
Goose Nest, tali tree (Cai.) 1904	41 48 58.928 122 14 19.005	1818.0 438.8	36 03 53.7	215 52 42.6	Gazelle astronomic sta- tion	39747.9	4.599314
			$\begin{array}{r} 36 \ 19 \ 45.5 \\ 144 \ 21 \ 42.8 \\ 112 \ 48 \ 33.3 \end{array}$	215 58 13.8 324 12 06.2 292 22 35.1	Boliver Soda Sterling	76540.3 34039.0 58217.6	4.883890 4.531977 4.765054
Preston Peak (Cal.)	41 50 07.93 123 36 39.82	244.7 918.8	198 10 15 251 08 55	18 25 38 71 37 58	Onion Sterling	$\begin{array}{c} 100218.3 \\ 63415.7 \end{array}$	5.000947 4.802197
Greyback (Oreg.) 1904	42 06 37.101 123 18 41.721	1144.7 958.5	185 55 39.3 210 31 32.8 286 08 49.7	$\begin{array}{c} 5 58 58.1 \\ 31 06 01.1 \\ 106 25 54.9 \end{array}$	Onion Black Sterling	64982.4 135820.7 36655.3	4.812796 5.132966 4.564137
Pflot Rock 1904	42 01 51.653 122 33 36.073	1593.7 829.8	$\begin{array}{c} 12 \ 08 \ 01.3 \\ 86 \ 59 \ 17.2 \\ 240 \ 41 \ 59.1 \\ 339 \ 28 \ 26.6 \end{array}$	$\begin{array}{c} 191 \ 59 \ 15.8 \\ 266 \ 46 \ 10.4 \\ 60 \ 45 \ 16.4 \\ 159 \ 40 \ 53.0 \end{array}$	Boliver Sterling Soda Spur	87578.8 27080.5 7762.2 74302.4	4.942399 4.432656 3.889986 4.871003
Siskiyou ¹ 1904	42 03 44.11 122 45 49.09	$1361.0 \\ 1128.7$	$\begin{array}{c} 151 \ 24 \ 26 \\ 269 \ 06 \ 50 \end{array}$	331 05 35 89 18 18	Onion Soda	79806.8 23625.0	4.902040 4.373372
Kerby 1 1904	42 13 14.81 123 27 36.84	$ 456.9 \\ 844.9 $	199 49 51 243 48 38	19 59 12 64 33 41	Onion Rust	55688.7 101757.6	4.745767 5.007567
Ashland Peak, cairn 1904 .	42 04 52.547 122 42 57.867	1621.3 1330.0	$\begin{array}{c} 148 \ 14 \ 12.4 \\ 206 \ 48 \ 39.6 \\ 275 \ 06 \ 14.9 \\ 332 \ 29 \ 50.9 \\ 3 \ 20 \ 37.4 \end{array}$	327 53 25.9 27 03 34.1 95 15 48.7 152 48 31.8 183 18 05.3	Onion Rust Soda Spur Boliver	79960.0 67086.5 19763.9 84676.5 91380.6	$\begin{array}{r} 4.902873\\ 4.826635\\ 4.295873\\ 4.927763\\ 4.960854 \end{array}$
Wagner 1904	42 07 05.737 122 46 24.287	177.0 558.0	149 38 40.8 192 10 58.1 212 04 35.7 283 28 19.0	329 20 13.1 12 29 34.1 32 21 49.6 103 40 11.4	Onion Black Rust Soda	73992.2 118526.6 65838.1 25122.6	4.809186 5.073816 4.818477 4.400065
Aspen Peak 1904	42 18 57.286 122 05 12.427	1767.6 284.6	49 23 40.7 114 22 07.9 147 40 45.0	229 07 54.2 293 35 47.8 327 30 11.8	Soda Onion Rust	42675.5 102819.1 39970.8	4.630179 5.012074 4.601743
Mount Pitt 1904	42 26 41.964 122 18 54.365	1294.8 1242.5	17 45 10.0 110 23 28.0 171 22 17.4 172 15 27.2	197 38 35.2 289 46 20.7 351 16 14.7 352 14 09.0	Soda Onion Black Rust	44283, 2 79960, 0 80395, 0 19586, 5	$\begin{array}{r} 4.646239 \\ 4.902873 \\ 4.905232 \\ 4.291956 \end{array}$
Lost Peak ¹ 1904	42 30 50.92 122 08 42.90	1571.2 979.3	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	282 09 35 305 11 14	Onion Rust	91166.2 20313.9	4.959834 4.307793
Central Point astronomie station 1904	42 23 51.581 122 56 23.451	1591.7 536.3	242 56 29.8 313 56 45.8	63 20 31.3 134 15 22.8	Rust Soda	54593.6 53065.7	4.7371413 4.7248137
Central Point latitude sta- tion	42 23 51.512 122 56 23.265	1589.6 532.1	116 41	296 41	Central Point astro- nomic station	4.77	0.6785
Union Peak 1903	42 49 53.546 122 13 21.078	1652.2 478.7	$\begin{array}{r} 23 \ 30 \ 40.6 \\ 79 \ 42 \ 19.8 \\ 157 \ 31 \ 38.4 \end{array}$	203 25 35.9 259 01 18.0 337 13 58.9	Rust Onion Fairview	25654.5 83885.9 90829.7	$\begin{array}{c} 4.\ 409163\\ 4.\ 923689\\ 4.\ 958228 \end{array}$
Mount Scott 1904	42 55 24.019 122 00 55.549	741.2 1259.7	38 57 11.5 75 54 57.5 125 57 47.4	218 43 40.3 255 05 26.9 305 39 26.7	Rust Onion Black	43304.8 102589.1 45013.3	4.636536 5.011101 4.653341
Liao Rock 1904	42 57 08.096 122 10 06.336	249.8 143.0	$\begin{array}{c} 21 \ 40 \ 13.7 \\ 71 \ 56 \ 52.6 \\ 105 \ 05 \ 45.2 \\ 134 \ 00 \ 04.6 \\ 151 \ 00 \ 38.6 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Rust Onion White Black Fairview	39734.3 91471.1 73249.6 33351.2 80652.2	4.599165 4.961284 4.864805 4.523112 4.906616
High Rock 1904	43 03 02.950 122 29 05.670	91.0 128.3	99 58 29.9 188 10 33.3 346 43 45.8	279 35 51.2 8 11 26.2 166 49 22.7	White Black Rust	45656.3 12300.9 49196.5	$\begin{array}{c} 4.659501 \\ 4.089936 \\ 4.691934 \end{array}$
Old Bailey 1904	43 09 19.956 122 13 09.098	615.8 205.6	58 22 56.4 86 56 58.3 91 38 41.9 143 52 40.2	$\begin{array}{c} 237 \ 41 \ 39. 0 \\ 266 \ 23 \ 24. 2 \\ 271 \ 28 \ 40.6 \\ 323 \ 34 \ 49. 3 \end{array}$	Onion White Biack Fairview	97243.4 66684.7 19869.5 59349.0	$\begin{array}{r} 4.987860 \\ 4.824026 \\ 4.298188 \\ 4.773418 \end{array}$
Walker Peak ¹ 1904	$\begin{array}{r} 43 \ 11 \ 33.68 \\ 122 \ 02 \ 18.18 \end{array}$	1039.4 410.5	84 13 22 131 31 15	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Black Fairview	$34743.1\\66233.1$	4.540868 4.821075

¹ No cheek on this position.

4

.

Statlon	Latitude and longitude	Sec- onds in meters	Azimuth	nuth Back To sta		Distance	Loga- rithm
Supplementary points-							
Dodson (U. S. G. S.) 1904	43 07 10.136 123 14 35.150	312.8 794.6	207 16 30.9 269 28 35.0	307 36 20.1 27 23 52.6 89 37 01.2	Burg Seott White	Meters 7706.1 31669.4 16738.3	$\begin{array}{c} 3.886832 \\ 4.500640 \\ 4.223711 \end{array}$
Rose 1904	43 14 09.038 123 19 18.555	278.9 418.8	233 53 46.81 298 51 36.64	54 04 23.33 119 03 17.19	Scott White	25859.68 26426.56	4.4126232 4.4220406
Burg 1904	43 09 42.607 123 19 05.198	1314.8 117.4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	357 53 53.30 41 27 05.61 101 25 11.18	Rose Scott White	8227.53 31214.99 23288.13	3.9152697 4.4943632 4.3671347
Roseburg latitude station 1904	43 12 40.769 123 21 13.849	$1258.1 \\ 312.6$	223 40 38.71 332 08 06.89	43 41 57.67 152 09 34.93	Rose Burg	3767.03 6218.42	3.5759994 3.7936802
Quar ⁺ z 1904	43 09 51.770 122 40 14.595	1597.6 329.7	80 52 53.4 181 48 31.6 271 25 29.2	260 37 50.6 1 49 16.9 91 33 59.7	White Fairview Black	30226.3 46891.4 16866.9	4. 480385 4. 671093 4. 227036
Diamond Peak 1904	43 31 16.014 122 08 54.659	494. 2 1227. 5	$\begin{array}{c} 32 \ 36 \ 47.1 \\ 100 \ 14 \ 59.1 \\ 109 \ 18 \ 18.1 \\ 124 \ 18 \ 40.2 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Black Fairview Roman Spencer	47516. 3 41354. 7 135233. 7 91913. 4	$\begin{array}{c} 4.\ 676843\\ 4.\ 616525\\ 5.\ 131085\\ 4.\ 963379 \end{array}$
Mount Zion 1 1903	43 47 29.576 122 43 24.335	912.8 544.1	99 42 38.7 125 41 05.6	279 00 29.5 305 25 38.8	Roman Spencer	82638.6 36682.3	4.917183 4.564457
Russian Church, cross 1908	44 03 18 487 123 10 36 088	570.6 803.2	$\begin{array}{c} 148 \ 04 \ 20.1 \\ 247 \ 32 \ 11.5 \\ 287 \ 52 \ 19.2 \\ 320 \ 26 \ 05.3 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Willamette south base Seavies 2 Pisgah Spencer	1760.8 15077.3 17895.6 10316.1	$\begin{array}{c} 3.\ 245722\\ 4.\ 178324\\ 4.\ 252746\\ 4.\ 013515 \end{array}$
Springfield, Methodist Church	44 02 53.545 123 01 20.032	$1652.6 \\ 445.9$	39 01 16.7 101 37 24.9	$\begin{array}{c} 218 \ 58 \ 15.1 \\ 281 \ 34 \ 32.2 \end{array}$	Spencer Eugene astronomic sta-	9246. 3 5644. 9	3.965968 3.751653
1908			193 31 04.2	13 31 53. 2	tion Seavies 2	6701.9	3.826199
Springfield, Christian Church 1908	44 02 51.552 123 01 11.024	1591.1 245.4	40 13 27.9 101 49 52.3	220 10 10.0 281 46 43.3	Spencer Eugene astronomic sta- tion	9326.1 5853.9	3.969699 3.767444
The same Dander Hall most	(1.00.10.175	1505.0	191 43 56.5	11 44 39.2	Seavles 2	6719.0	3.827305
tover 1908	44 02 45 4 5 123 04 32.924	732.9	135 34 35.0 221 23 39.0	315 33 56,4 41 26 42.1	tion Seavies 2	1765.3 8856.9	3. 240821 3. 947284
Eugene, Geary School spire	44 03 22.161	684.0	101 29 14.4	281 25 41.5	Willamette south base	6952.0	3.838099
1908	123 06 11.803	202.1	296 45 11.7	116 50 59.3	tion Pisgah	12480.2	4. 096223
Eugene, United Brethren Church 1908	44 02 53.966 123 05 02.786	1665.6 62.0	105 07 28.9 153 01 50.8	285 03 08.1 333 01 33.1	Willamette south base Eugene astronomic sta- tion	8648.2 1259.0	3.936928 3.100014
			225 03 47.3 296 18 37.8	45 07 11.3 116 23 37.6	Seavies 2 Pisgah	9211.4 10716.9	3.964328 4.030071
Eugene, Patterson School	44 02 47.636 123 04 46.593	1470.3 1037.3	9 51 58.2 144 44 27.6	189 51 20.2 324 43 58.6	Spencer Eugene astronomic sta-	7108.8 1613.5	$3.851794 \\ 3.207756$
1908			222 35 32.0	42 38 44.7	tion Seavies 2	91 02. 7	3.959172
Eugene, Baptist Church	44 03 05.830 123 05 19.023	179.9 423.5	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	283 14 32.7 344 30 02.6	Willamette south base Eugene astronomic sta-	8207.9 784.3	3.914232 2.894509
1200			$\begin{array}{c} 228 \ 15 \ 28.8 \\ 297 \ 10 \ 01. 0 \end{array}$	48 19 04.1 117 15 11.9	Seavles 2 Pisgah	9223.0 11204.5	$\begin{array}{c} 3.964873 \\ 4.049392 \end{array}$
Engene, W. O. W. Hall spire	44 03 05 553 123 05 46.259	171.4 1029.8	207 25 29.7	27 25 42.1	Eugene astronomic sta- tion	861.2	2.935103
1908			230 36 09.7 295 46 25.7	$50 \ 40 \ 03.9$ 115 51 55.6	Seavies 2 Pisgah	9689.2 11743.5	3.986290 4.069796
Engene, courthouse, flag- pole	44 03 06.273 123 05 24.041	$193.6 \\ 535.2$	103 23 55.9 172 29 22.8	283 19 49.7 352 29 19.7	Willamette south base Eugene astronomic sta- tion	8096.0 748.6	3.908272 2.874247
1000			228 46 41.9 296 58 08.6	48 50 20.6 117 03 23.0	Seavies 2 Pisgah	9297. 7 11310. 2	$3.968374 \\ 4.053471$
Eugene, Methodist Church 1908	44 02 56.857 123 05 31.498	1754.8 701.2	105 41 44.6 183 46 22.9	$ \begin{array}{r} 285 37 43.6 \\ 3 46 25.0 \end{array} $	Willamette south base Eugene astronomic sta-	8008.4 1035.0	3.903543 3.014948
			228 07 33.9 295 16 37.7	48 11 17.8 115 21 57.2	Seavies 2 Pisgah	9614.6 11331.3	3.982933 4.054279
Seavles (U. S. G. S.) 2	44 06 31.970 122 59 54.656	986.8 1215.5	29 01 13.7 73 39 13.6	208 57 12.7 253 31 18.2	Spencer Willamette south base	$\begin{array}{c} 15922.3 \\ 15846.5 \end{array}$	4. 202007 4. 199933
Bail Butte 1903	43 58 47.550 121 41 15.765	1467.6 351.4	60 56 47.4 88 06 26.2 90 41 41.0	$\begin{array}{c} 240 \ 16 \ 44.4 \\ 266 \ 41 \ 05.0 \\ 269 \ 43 \ 03.5 \end{array}$	Fairvlew Roman Spencer	89125.1 164724.4 112893.8	$\begin{array}{c} \textbf{4.950000} \\ \textbf{5.216758} \\ \textbf{5.052670} \end{array}$

¹ No check on this position.

²Checked by vertical angles only.

1

•

Station	Latitude and longltude	Sec- onds in mcters	Azimuth	Back azimuth	· To station	Distance	Loga- rithm
Supplementary points- Continued.			4				
St. Mary Butte 1903	44 05 00.402 121 41 54.992	12. 4 1223. 5	54 34 20.3 84 05 04.6 84 49 15.3	$\begin{array}{c} 233 \ 54 \ 42. \ 2\\ 262 \ 40 \ 05. \ 7\\ 263 \ 51 \ 01. \ 6 \end{array}$	Fairview Roman Spencer	94533. 8 164637. 6 112470. 9	4.975587 5.216529 5.051040
South Sister 1903	44 06 14.251 121 46 08.254	439.9 183.6	51 18 35.7 83 00 38.4 83 17 03.4 115 41 46.4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Fairview Roman Spencer Petcrson	91410.3 159294.6 107102.8 105823.7	4.960995 5.202201 5.029801 5.024583
Middle Sister 1903	44 08 55.768 121 46 59.750	1721.3 1328.0	$\begin{array}{r} 48 \ 29 \ 01. \ 0 \\ 80 \ 32 \ 32. \ 2 \\ 81 \ 09 \ 56. \ 6 \\ 113 \ 27 \ 24. \ 0 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Fairview Spencer Roman Peterson	93746.9 106670.4 158846.6 102708.7	4. 971957 5. 028044 5. 200978 5. 011607
North Sister 1903	44 10 01.464 121 46 17.183	45. 2 381. 8	47 57 31.4 79 34 17.3 80 30 32.5 112 13 06.1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Fairview Spencer Roman Peterson	95803.0 107952.1 160103.2 102793.1	4.981379 5.033231 5.204400 5.011964
Nebo 1 1903	44 09 27.05 122 42 05.14	834.9 114.2	356 25 48 58 36 38	176 27 50 238 20 13	Fairview Spencer	63596.0 36970.6	4. 803430 4. 567857
Herman Peak, wooded summit 1 1903	44 07 29.14 124 00 43.71	899. 4 971. 8	220 51 52 316 51 55	41 11 10 137 03 22	Mary Roman	55978.7 32266.6	4. 748023 4. 508753
Prairie Peak, west tree 1903	44 16 42.307 123 36 28.771	1305.8 638.0	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	194 15 52.7 10 08 50.8 128 45 35.9	Roman Mary Spencer	41958.9 23556.2 52540.8	4. 622824 4. 407496 4. 720497
Alsea Peak, partiy cleared wooded summit 1904	44 25 27.821 123 40 22.746	858.7 503.1	$\begin{array}{c} 227 \ 11 \ 02.2 \\ 260 \ 03 \ 23.6 \\ 5 \ 12 \ 21.3 \end{array}$	$\begin{array}{r} 47 \ 16 \ 08.3 \\ 80 \ 33 \ 01.0 \\ 185 \ 09 \ 39.5 \end{array}$	Mary Peterson Roman	13160.6 56896.3 57111.2	4. 119275 4. 755084 4. 756721
Cannibal Peak, highest wooded snmmit ¹ 1903	44 28 33.48 123 50 09.03	1033. 4 199. 6	261 49 41 352 48 28	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Mary Roman	22836, 9 63099, 9	4.358638 4.800029
Mount Washington 1903	44 19 57.346 121 50 15.638	1770. 1 346. 5	$\begin{array}{r} 38 & 32 & 25.7 \\ 69 & 20 & 51.5 \\ 73 & 35 & 56.4 \\ 98 & 34 & 49.1 \\ 102 & 47 & 18.1 \end{array}$	217 58 29.8 248 28 18.8 252 16 34.7 277 22 50.5 281 59 49.4	Fairview Spencer Roman Mary Peterson	$\begin{array}{c} 105607.3\\ 107781.9\\ 159065.5\\ 137832.6\\ 92180.5 \end{array}$	$\begin{array}{c} 5.\ 023694\\ 5.\ 032546\\ 5.\ 201576\\ 5.\ 139352\\ 4.\ 964639\end{array}$
Hayrick 1903	44 28 46.040 121 50 31.724	1421.1 701.1	33 29 07.0 61 36 02.5 68 05 14.2 91 47 12.2	212 55 19.5 240 43 36.8 246 45 57.3 270 35 19.1	Fairview Spencer Roman Mary	118610.5 114246.8 164090.3 136000.3	$\begin{array}{c} 5.074123\\ 5.057844\\ 5.215083\\ 5.133540\end{array}$
Left Nipple 1903	44 29 49.672 122 34 33.718	1533.2 745.0	$\begin{array}{r} 36 & 09 & 59.1 \\ 90 & 58 & 23.5 \\ 92 & 54 & 31.7 \\ 144 & 40 & 08.0 \end{array}$	215 48 15.8 270 17 21.8 272 37 01.5 324 16 10.6	Spencer Mary Peterson Yam	70527.6 77591.1 31223.8 77201.2	$\begin{array}{r} 4.848359\\ 4.889812\\ 4.494486\\ 4.887624\end{array}$
Lehanon, tail brick chim- ney ¹ 1903	44 32 58 43 122 54 14 18	1803.6 313.0	49 46 03 84 42 42	229 43 21 264 15 27	Peterson Mary	6694.0 51724.6	3. 825683 4. 713697
Corvalis closed cupoia 1 1903	44 33 59.92 123 16 23.92	$1849.5 \\ 527.8$	284 17 14 72 50 39	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Peterson Mary	25035.6 23160.8	4.398558 4.364754
Corvaiis open cupola ¹ 1903	44 33 55.89 123 16 46.16	1725.2 1018.6	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	$\begin{array}{c} 103 \ 57 \ 28 \\ 252 \ 35 \ 00 \end{array}$	Peterson Mary	25481.7 22655.2	4. 406228 4. 355167
Aibany courthouse cupoia ¹ 1903	44 38 05.82 123 06 24.31	179.6 535.8	321 24 27 67 54 06	141 30 17 247 35 22	Peterson Mary	17662.0 38180.6	4.247040 4.581843
Forest Peak, taliest trees 1903	44 40 22.978 123 20 52.841	709.3 1163.9	40 55 31.0 200 27 53.5 237 04 37.3	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Mary Yam Hult	24714.5 46215.9 59720.7	$\begin{array}{r} 4.392952 \\ 4.664792 \\ 4.776125 \end{array}$
Round Peak 1903	44 37 52.709 122 34 54.345	1627.0 1197.9	66 32 19.8 80 00 05.7 137 24 19.3 172 28 37.1	246 16 03.4 259 19 15.6 317 00 34.8 352 21 28.2	Peterson Mary Yam Barnes	33498.2 78313.7 65297.7 100397.3	$\begin{array}{r} 4.525021 \\ 4.893838 \\ 4.814898 \\ 5.001722 \end{array}$
Thomas, cairn 1903	44 38 10.938 122 34 19.315	337.6 425.7	66 11 53.3 79 42 15.8 136 34 51.0	245 55 12.3 259 01 01.0 316 10 41.7	Peterson Mary Yam	34431.0 79172.8 65412.8	4.536950 4.898576 4.815663
Mount Jefferson 1963	44 40 29.156 121 47 55.280	899.9 1217.6	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	232 56 16.5 258 28 43.7 261 39 34.1 291 36 11.6 321 19 33.6 346 31 14.3	Spencer Peterson Mary Y am Barnes Larch	128789.4 94639.6 140470.1 114632.8 120717.4 98063.9	$\begin{array}{c} 5.\ 109880\\ 4.\ 976073\\ 5.\ 147584\\ 5.\ 059309\\ 5.\ 081770\\ 4.\ 991509 \end{array}$
Monmouth Peak 1903	44 47 51.810 123 32 31.994	1599.3 703.2	$\begin{array}{c} 226 \ 50 \ 08.6 \\ 254 \ 01 \ 14.1 \\ 1 \ 18 \ 42.3 \end{array}$	47 07 03.9 74 36 21.4 181 18 18.6	Yam Huit Mary	43124.9 68082.6 32556.7	4.634728 4.833036 4.512641
Salem Capitol, dome ¹ 1903	44 56 19.47 123 01 43.50	601.0 953.8	146 50 53 263 37 32	326 46 02 83 50 56	Yam Iluit	16434.8 25095.6	4.215764 4.399597

¹ Checked by vertical angles only.

á

Statlon	Latitude and longitude	Sec- onds in meters	Azimuth	h azimuth To station		Distance	Loga- rithm
Supplementary points- Continued.							
Chemawa tank ¹ 1903	45 00 11.41 122 59 36.91	$352.2 \\ 808.4$	° / ″ 119 19 23 281 11 15	299 13 03 101 23 10	Yam Hult	Meters 13485.0 22595.5	4.129850 4.354021
Table Rock, cairn 1903	44 58 14.226 122 18 33.078	439.2 724.9	$\begin{array}{c} 62 \ 41 \ 39.8 \\ 88 \ 41 \ 38.0 \\ 99 \ 07 \ 35.3 \\ 150 \ 54 \ 46.0 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Mary Hult Yam Barnes	111189.6 31840.9 66503.7 70841.4	5.046064 4.502985 4.822846 4.850287
Arquett, cairn 1903	$\begin{array}{r} 45 \ 04 \ 19, 542 \\ 122 \ 15 \ 32, 310 \end{array}$	603.3 706.8	71 29 32.7 89 26 06.6 142 51 42.3	251 10 17.5 268 48 33.9 322 30 45.8	Hult Yam Barnes	37746.4 69619.7 63539.5	4.576875 4.842732 4.803044
White church spire, west of Brooks ¹ 1903	45 07 25.83 122 56 30.05	797.4 656.7	314 34 45 66 46 53	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Hult Yam	25370.3 17241.9	$\begin{array}{c} \textbf{4.404325} \\ \textbf{4.236586} \end{array}$
Fairdale Peak ¹	$\begin{array}{r} 45 \ 15 \ 09. 97 \\ 123 \ 14 \ 10. 05 \end{array}$	$307.8 \\ 219.2$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 128 & 09 & 44 \\ 160 & 54 & 19 \end{array}$	Hult Yam	52265.0 22381.3	4.718211 4.349885
Sheridan Peak, highest green tree ¹ 1903	45 16 53.64 123 26 49.37	1655.9 1076.0	301 12 17 315 24 22	121 43 31 135 37 19	Hult Yam	67744.5 34125.7	4. 830874 4. 533082
Squaw, cairn 1903	45 13 51.206 122 02 24.710	$1580.8 \\ 539.0$	78 12 49.8 120 51 29.4 173 47 48.4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Yam Barnes Larch	$\begin{array}{c} 88717.2\\ 64596.7\\ 33800.2 \end{array}$	4.948008 4.810210 4.528919
Eagle cairn ¹ 1903	45 16 25.38 122 04 54.19	783.6 1181.5	$\begin{array}{c} 118 \ 29 \ 55.3 \\ 179 \ 11 \ 18.5 \end{array}$	298 01 22.3 359 11 05.1	Barnes Larch	59406.9 28844.4	4.773837 4.460062
Mount Hood 1903	45 22 27.122 121 41 48.696	837.3 1059.6	73 33 10.7 102 00 29.2 102 50 31.3 120 13 06.7	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Yam Barnes Balch Larch	$118745.2 \\84113.8 \\81053.5 \\35263.2$	5.074616 4.924867 4.908772 4.547322
Fir 1903	45 31 23.055 122 44 46.238	711.8 1003.6	$\begin{array}{c} 295 \ 11 \ 01.5 \\ 8 \ 09 \ 29.8 \end{array}$	$\begin{array}{c} 115 \ 11 \ 39.9 \\ 188 \ 09 \ 23.5 \end{array}$	Cem Hill	1293.0 1343.7	3.111594 3.128313
Monument, General Land Survey 1903	45 31 11.933 122 44 34.806	368.4 755.4	23 58 29.5 144 09 14.0	203 58 15.0 324 09 05.8	Hill Fir	1079.9 423.6	3.033393 2.626968
H 111 1903	45 30 39.970 122 44 55.023	1234.0 1194.3	176 26 18.0 240 10 43.2	356 26 14.4 60 11 27.9	Barnes Cem	$1749.4 \\ 1568.4$	3.242892 3.195468
Cem 1903	45 31 05.230 122 43 52.328	161.5 1135.8	123 20 05.0 ·198 44 43.5	$\begin{array}{c} 303 \ 19 \ 16.7 \\ 18 \ 45 \ 53.8 \end{array}$	Barnes River	$1758.5 \\ 6640.3$	3.245153 3.822185
River 1903	45 34 28.89 122 42 13.91	891.9 301.6	$\begin{array}{c} 285 \\ 34 \\ 07 \\ 13.5 \end{array}$	105 48 25.4 214 05 14.9	Rocky Butte Barnes	$11258.5 \\ 6426.7$	4.0514797 3.8079902
Oregonian 1903	45 31 13.21 122 40 38.97	407.8 845.8	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	341 09 55.6 71 16 14.4	River Rocky Butte	6382.8 9273.7	3.8050088 3.9672517
Portland longitude station 1887	$\begin{array}{r} 45 \ 31 \ 08.82 \\ 122 \ 40 \ 39.75 \end{array}$	$272.3 \\ 862.7$					
Portland latitude station 1887	$\begin{array}{r} 45 \ 31 \ 08.83 \\ 122 \ 40 \ 39.84 \end{array}$	272.6 864.5	187 56 52	7 56 53	Oregonian	136.6	2.13537
Portland bench mark (U. S. G. S.)	45 31 09.07 122 40 39.77	$280.0 \\ 863.1$			Oregonian	128.7	2.10969
Rocky Butte (Oreg.) 1889	45 32 49.861 122 33 54.303	1539.3 1177.8	81 09 27.93 140 59 23.21 177 15 37.04	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Barnes Warren Davis	14620, 66 37539, 95 49689, 84	$\begin{array}{r} 4.1649670 \\ 4.5744937 \\ 4.6962679 \end{array}$
Harney (Wash.) 1881	45 37 21.734 122 37 53.538	671.0 1159.9	$\begin{array}{c} 328 \ 15 \ 53.08 \\ 40 \ 59 \ 24.33 \end{array}$	148 18 43.96 220 54 19.74	Rocky Butte Barnes	9866.53 14110.22	3.9941643 4.1495337
Balch (Oreg.) 1881	45 31 54.574 122 42 30.763	1684.8 667.4	80 15 16.28 210 43 44.61 261 17 15.30	260 13 29.77 30 47 02.60 81 23 23.91	Barnes Harney Rocky Butte	3286.69 11753.53 11334.39	3.5167584 4.0701684 4.0543981
Vancouver Barracks flag- staff west ³ 1903 .	45 37 37.91 122 39 36.04	$ \begin{array}{r} 1170.5 \\ 781.0 \end{array} $	282 39 59.2 32 13 36.7	102 41 12.5 212 09 45.3	Harney Barnes	2276, 1 13184, 2	3.357196 4.120055
Warren schoolhouse cupola ³ 1903	45 48 47.53 122 51 13.32	$\begin{array}{c}1467.3\\287.6\end{array}$	345 42 09.3 69 43 50.8	165 47 36.3 249 43 11.1	Barnes Warren	32840.1 1274.2	4.516405 3.105229
Mitchell ¹ 1903	46 01 53.001 122 11 31.940	$\begin{array}{c} 1636.4\\ 687.0\end{array}$	$\begin{array}{c} 37 \ 55 \ 26.5 \\ 65 \ 03 \ 28.8 \end{array}$	217 31 27.4 244 34 18.3	Barnes Warren	70902.3 58025.5	4.850660 4.763619
Mount Adams 1903	46 12 12.133 121 29 24.899	374.6 533.8	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	211 40 11.3 231 17 41.3 231 59 59.1 331 44 15.5	Larch Balch Barnes Bel	87719.5 120500.8 123384.6 73257.2	4.943096 5.080990 5.091261 4.864850
Mount St. Helens 1903	46 11 53.028 122 11 25.864	1637.3 554.5	353 45 05.3 30 24 56.9 161 21 14.0 196 21 43.7	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Larch Barnes 11al Bel	$74331.7\\86336.8\\62582.2\\67997.0$	4.871174 4.936196 4.796451 4.832490

¹ Checked by vertical angles only.

² No check on this position.

41

Station	Latitude and longitude	Sec- onds in meters	Azimuth	Back azimuth	To station	Distance	Loga- rithm
Supplementary points- Continued	46 18 55.031 122 07 49 822	1699.2	° / // 36 54 48.26 195 35 51 98	° ' '' 216 54 40.53 15 44 10 73	Len Bel	Meters 380.7 54196-2	2,5805528
Deschutes Peak 1905	46 39 25.252 122 21 54.262	779.8	$\begin{array}{c} 141 \ 03 \ 59.3 \\ 166 \ 44 \ 01.2 \\ 246 \ 15 \ 51.1 \end{array}$	321 00 10.8 346 37 33.9 66 34 26.0	Hal Hurst Bel	10607.4 48784.1 35486.1	4.025608 4.688278 4.550058
Mineral Peak 1905	46 38 56.26 122 09 27.44	$1737.2 \\ 583.5$	150 54 20 227 45 19	330 38 47 47 54 50	Hurst Bel	55420.9 22481.8	$\begin{array}{r} 4.743674 \\ 4.351832 \end{array}$
High Rock. 1905	46 41 05.848 121 54 01.859	180.6 39.5	97 08 52.2 133 47 15.3 164 54 33.5	276 44 46.4 313 20 27.1 344 52 50.9	Hal Hurst Bel	$\begin{array}{r} 42506.0\\ 64374.5\\ 11486.7\end{array}$	4.628450 4.808714 4.060194
Goat Mountain 1905	$\begin{array}{r} 46 \ 46 \ 23.948 \\ 121 \ 53 \ 47.263 \end{array}$	739.5 1002.8	83 54 43.7 111 01 08.5	263 30 26.2 290 59 15.1	Hal Bel	$\begin{array}{r} 42726.6\\ 3535.4\end{array}$	$\begin{array}{c} 4.630698\\ 3.548435\end{array}$
Mount Ranier, high peak 1905	$\begin{array}{r} 46 \ 51 \ 09. \ 215 \\ 121 \ 45 \ 25. \ 562 \end{array}$	284.5 541.5	75 59 36.2 114 23 27.3	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Hal Hurst	54766.4 62984.3	$\begin{array}{c} 4.738514 \\ 4.799232 \end{array}$
Mount Ranier, bare summit 1905	46 51 11.106 121 45 47.001	342.9 995.7	75 48 48.0 114 30 34.9	$\begin{array}{c} 255 & 18 & 39.5 \\ 293 & 57 & 42.7 \end{array}$	Hal Hurst	54339.9 62546.5	$\begin{array}{c} 4.\ 735119\\ 4.\ 796203 \end{array}$
Sharp Peak 1905	47 01 04.392 121 53 20.964	135.6 442.8	8 27 57.5 53 37 01.4 99 03 14.7	188 25 44.7 233 12 21.8 278 35 52.2	Bel Hal Hurst	$\begin{array}{c} 26205.\ 4\\ 53466.\ 3\\ 47932.\ 2\end{array}$	4. 418390 4. 728080 4. 680627
Tacoma City Hall 1905	47 15 28,463 122 26 20,264	879.0 426.0	$\begin{array}{c} 177 \ 53 \ 26.9 \\ 187 \ 00 \ 33.5 \\ 257 \ 03 \ 27.6 \\ 326 \ 42 \ 26.2 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Dron Gull Bos Kin	$\begin{array}{r} 4708.1\\ 4484.0\\ 4285.2\\ 3182.3\end{array}$	$\begin{array}{r} 3.672844\\ 3.651667\\ 3.631972\\ 3.502746\end{array}$
Tacoma courthouse 1905	47 15 12.780 122 26 43.527	394.7 915.2	122 44 24.8 191 51 19.7 314 12 45.2	302 42 41.3 11 51 55.9 134 14 03.3	Wash Guli Kin	3519.8 5042.5 3119.9	3.546524 3.702643 3.494135
Smelter stack, 300 feet high 1905	47 17 51.813 122 30 23.274	1600.1 489.0	196 ⁴¹ 00.6 247 07 19.4 331 07 48.6	$\begin{array}{r} 16 \ 41 \ 40.6 \\ 67 \ 10 \ 45.5 \\ 151 \ 08 \ 46.6 \end{array}$	Neill 2 Dash Wash	3972.1 6390.9 3435.1	3.599017 3.805562 3.535934
Brown Point Lighthouse 1906	47 18 23.031 122 26 36.330	711.3 763.2	38 04 48.2 128 05 49.9 169 04 31.7	218 02 59.4 308 03 43.0 349 04 03.4	Wash Neill 2 Piner 2	5045.6 4605.8 4271.9	$\begin{array}{c} 3.\ 702914\\ 3.\ 663308\\ 3.\ 630626 \end{array}$
Dash 1857	47 19 12.171 122 25 42.896	375.9 901.0	37 39 18.36 105 35 50.58	$\begin{array}{c} 217 \ 36 \ 50.30 \\ 285 \ 33 \ 04.37 \end{array}$	Wash Neill 2	6932, 54 4928, 00	3.8408923 3.6926708
Piner 2 1905	47 20 38.852 122 27 14.898	1199.9 312.8	324 10 34.26 15 44 13.69 64 19 31.98	144 11 41.91 195 42 53.22 244 17 53.39	Dash Wash Neill 2	$\begin{array}{r} 3301.11 \\ 8484.54 \\ 3123.19 \end{array}$	$\begin{array}{c} 3.5186600\\ 3.9286282\\ 3.4945984 \end{array}$
Robinson 2 1867	$\begin{array}{c} 47 \ 23 \ 11.720 \\ 122 \ 22 \ 31.984 \end{array}$	362, 0 670, 9	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	208 25 15.86 231 28 37.75	Dash Piner 2	8413.28 7584.71	3,9249652 3,8799391

DESCRIPTIONS OF STATIONS.

This list may be conveniently consulted by reference to the illustrations at the end of this publication or to the index. All azimuths given in these descriptions are reekoned continuously from true south around by west to 360° , south being 0° , west 90° , north 180° , and east 270° . Where magnetic azimuths are given they are indicated as such.

In general the surface and underground marks are not in contact, so that a disturbance of the surface mark will not necessarily affect the underground mark. The underground mark should be resorted to only in cases where there is evidence that the surface mark has been disturbed.

The dates and initials given in each description immediately after the county refer to the date of establishment of the station, the man by whom it was established, and the date when the station was last visited.

Any person who finds that one of the stations herein described has been disturbed, or that the description no longer fits the facts, is requested to send such information to the Superintendent, U. S. Coast and Geodetie Survey, Washington, D. C.

MARKING OF STATIONS.

The old type of station mark referred to in the following notes and descriptions consists of a disk and shank made of brass and east in one piece. The disk is about 85 mm. in diameter and has a polished center surrounded by the raised letters "U. S. C. & G.S." and a raised flange around the edge. The shank is 25 mm. in diameter and 75 mm. long, with a slit at the lower end into which a wedge is inserted so that when it is driven into a drill hole in the rock, it will bulge at the bottom and so hold the mark securely in place.

GENERAL NOTES IN REGARD TO STATION MARKS.

NOTE 1.—A three-eighths-inch copper bolt 3 inches long is cemented into a drill hole in the rock, and directly above the bolt in the same drill hole is cemented an old-type station mark, described in the preceding paragraph. A cross in the top of the copper bolt and another in the polished center of the disk mark the station.

NOTE 2.—This marking is similar to that described in note 1, except that the copper bolt and the disk are in separate bowlders and the bowlder containing the bolt is at some distance beneath the surface. The cross on the disk is directly above the one on the bolt. The dimensions of the bowlders are given in the description of the station.

NOTE 3.—The station is marked by an old-type station mark, described above, cemented into a drill hole in the rock. No underground mark was used.

REFERENCE MARK.

NOTE 4.—This mark is a drill or punch hole in the top of a three-eighths-inch copper bolt 3 inches long, which is leaded or cemented into a drill hole in a rock with the top of the bolt flush with the surface.

PRINCIPAL POINTS.

Mount Helena (Napa County, Cal., W. E., 1876; 1908).—On the summit of Mount Helena, about 12 miles to the northward of Calistoga. The station was originally marked by a fine drill hole and cross in the top of a one-half-inch copper bolt 5 inches long, which was cemented in a drill hole in bedrock, and by a brick pier 3 bricks square and 43 inches high, built over the bolt. When visited in 1908 it was found that the pier had been dynamited. Other instrument piers are at the following distances and directions from the station: Collimator pier, 2 bricks square and 61 inches high, 2.27 meters northwest; transit pier, 2 by 3 bricks and 39 inches high, 17.04 meters southwest; latitude pier, 2 by $2\frac{1}{2}$ bricks and 36 inches high, 17.74 meters southwest of the station and 1.68 meters east of the transit pier; vertical angle pier, 2 bricks square and 44 inches high, 33.31 meters southwest of the station and 16.92 meters a little south of east of the latitude pier. A boundary mark between Lake and Napa Counties, a large drill hole in a basaltic rock, is 2.18 meters northwest of the station.

Marysville Butte (Sutter County, Cal., W. E., 1876; 1904).—About 15 miles west of Marysville on the southeastern summit of the south butte of the Marysville Buttes, about 6 meters northeast of the highest part of the summit, and near the steep cliff on the north side. The station is marked by an old-type station mark, described on page 42, set in a drill hole in a small rock embedded in the concrete that fills a depression in the solid rock. Below the concrete and directly under the station mark is a three-eighths-inch copper bolt 3 inches long set in a drill hole in the solid rock. Three reference marks, each of which is a three-eighths-inch copper bolt 3 inches long set in a drill hole in the rock, are at the following distances and azimuths from the station: 2.470 meters, 246° 48'; 2.635 meters, 5° 06'; and 2.915 meters, 103° 07'.

Snow Mountain west (Glenn and Lake Counties, Cal., E. F. D., 1892; 1904).—On the highest point of the southwest summit of Snow Mountain. The summit is about 300 meters long in a northwest and southeast direction and about 50 meters wide at the station and is covered with small broken stones. There are a few scrub pines just below the pitch of the ridge about 100 meters southeast of the station. The station is marked by a one-half-inch brass bolt 3 inches long in a drill hole in the solid outcropping rock, and by a concrete pier 12 inches square and 44 inches high having embedded in its top a brass bolt directly above the one in the solid rock.

Snow Mountain east (Glenn County, Cal., W. E., 1876; 1904).—On the northernmost rock-croppings at the edge of the summit of the eastern peak of Snow Mountain, about 5 miles south of Mount St. John and near the corner of Lake, Colusa, and Glenn Counties. The station is marked by a half-inch copper bolt elemented in a drill hole in a hollow at about the middle of the highest point of rocks, with the top of the bolt about a half inch above the surface and marked by a cross. The reference marks are all drill holes in rocks, the first being distant 5.16 meters in azimuth 59° 57', the second 3.33 meters in azimuth 165° 39', and the third 6.89 meters in azimuth 248° 38'.

Kent (Tehama County, Cal., O. B. F., 1904).—On a high ridge about 8 or 10 miles east by south from Mount Linn and about 18 miles by road in a northwesterly direction from Paskenta, on a peak locally known as Bald Rock, on a ledge on the east side of the summit and about 8 or 9 feet lower than its highest part. Four or five hundred feet to the westward of the station and about 50 or 60 feet lower is a large, prominent, rocky knob. The station is marked according to note $1.^1$ The reference marks are described in note $4.^1$ The first one is in a large rock distant 5.01 meters in azimuth $212^{\circ} 40'$, the second in a flat ledge distant 70.19 meters in azimuth $285^{\circ} 50'$, and the third on the largest part of the ledge distant 47.72 meters in azimuth $5^{\circ} 17'$.

Lyons (Tehama County, Cal., O. B. F., 1904).—About 5 miles east of Lyonsville post office on a ridge known locally as Bald Hill, about 300 yards from the summit of the ridge on the shoulder extending toward Lyonsville and in the middle of a large group of bowlders. A lone fir tree stands about 50 meters south by east from the station. The station is marked according to note $1.^1$ Two reference marks described in note $4,^1$ are in large rocks and at the following distances and azimuths from the station: 29.69 meters, 126° 59'; and 20.22 meters, 332° 22'.

Bally (Shasta County, Cal., O. B. F., 1904).—On the northernmost of the two main peaks on the summit of Bally Mountain, a prominent and well-known mountain about 15 miles by road west of Redding. The station mark, described in note $1,^1$ is in the top of a rock on the north side of the most prominent group of rocks on the peak and 5 or 6 feet below the top of the group. Two reference marks, described in note $4,^1$ are at the following distances and azimuths from the station: 4.29 meters, 247° 07'; and 10.62 meters, 154° 49'.

Round (Shasta County, Cal., O. B. F., 1904).—On the highest part of what is known as Round Mountain just north of the post office of the same name. The station mark, described in note $1,^1$ is in a large bowlder which projects about 6 inches out of the ground. Two reference marks, described in note $4,^1$ are at the following distances and azimuths from the station: 28.72 meters, 345° 30'; and 6.43 meters, 57° 13'. The south reference mark is in the most eastern rock of a prominent group of rocks near the south end of the summit.

Spur (Siskiyou County, Cal., O. B. F., 1904).—On the west slope of Mount Shasta at an elevation of about 9,100 feet, in a position best identified by approaching the summit from Igema, by the road leading through Kite Canyon. In ascending this route several prominent peaks are discerned ahead and from the right-hand one a narrow shoulder extends in a westerly direction, or toward Black Butte. The station is about 50 meters below an abrupt ehange of slope of the ridge of this shoulder, and about 1 mile from the peak mentioned above. The station mark, described in note $1,^1$ is in the top of a large rock flush with the ground. Two reference marks described in note $4,^1$ are at the following distances and azimuths from the station: 13.77 meters, $165^{\circ} 53'$; and 8.10 meters, $228^{\circ} 47'$.

Mears (Shasta County, Cal., O. B. F., 1904).—About 4 or 5 miles west by south from Castella and about southwest from Castle Crags, on the southern summit of the highest rocky peaks in the region known locally as Gray Rocks. The station is about 20 feet below the highest part of the peak and near the bluff on the south and east sides, with a ledge 3 or 4 feet higher about 10 feet distant toward the southeast. The peak was approached from the south and the 30-foot bluff near the station surmounted by means of ladders. The station

¹ See p. 43.

4

is marked according to note $1.^{1}$ Two reference marks, described in note $4,^{1}$ are located as follows: The first in a bowlder near the trail to the station, and distant 7.92 meters in azimuth 70° 50'; and the second, on a low bowlder cast of a high pointed rock, and distant 17.77 meters in azimuth 143° 03'.

Boliver (Siskiyou County, Cal., O. B. F., 1904).—On the north side of a large group of bowlders about 60 yards northeast of the highest part of the summit of Mount Scott, known locally as Old Craggy or Boliver, which is the high peak about 5 miles in a southerly direction from Callahan. The station is marked according to note $1.^1$ Two reference marks, described in note $4,^1$ are at the following distances and azimuths from the station: 6.57 meters, $272^{\circ} 41'$; and 9.88 meters, 107° , 47'.

Soda (Jackson County, Oreg., O. B. F., 1904).—On a peak known locally as Old Baldy, in the Siskiyou range of mountains, about 20 miles by road and trail southeast of Ashland and 5 miles east by north from Pilot Rock, a prominent peak in the same range. The best approach is from Ashland via Soda Springs and Davis' ranch. The station mark, described in note 1,¹ is in a large rock whose upper surface is flush with the ground. Two reference marks, described in note 4,¹ are in bowlders whose tops are but slightly above ground and at the following distances and azimuths from the station: 12.91 meters, 299° 53'; and 23.95 meters, 35° 36'.

Gazelle astronomic station (Siskiyou County, Cal., O. B. F., 1904; 1908).—About 250 yards north by east from the Gazelle railroad station near the center of the top of a very prominent knoll and about 40 feet northeast of the largest bowlder on the knoll. The station mark, described in note $1.^1$ is in a rock below the surface of the ground. Three reference marks, dcscribed in note $4,^1$ are at the following distances and azimuths from the station: 19.20 meters, 290° 12'; and 6.40 meters, $137^{\circ}39'$.

Sterling (Jackson County, Oreg., O. B. F., 1904).—In the Siskiyou range of mountains, about 25 miles southwest of Ashland and 2 miles west of Mount Sterling, on the northernmost summit of a ridge just south of the Silver Fork basin and at the western end of the long east-and-west valley which is just north of Mount Sterling. The station is about 80 or 90 meters southeast of the highest point of the summit in the center of a group of small bowlders. The station mark, described in note $1,^1$ is in the top of a large rock. Two reference marks, described in note $4,^1$ are at the following distances and azimuths from the station: 34.85 meters, $18^{\circ} 13'$; and 20.44 meters, $136^{\circ} 03'$.

Rust (Jackson County, Oreg., O. B. F., 1904).—On the highest summit of the peaks known locally as the Black Buttes (Rustler on U. S. Geological Survey maps), about 20 miles north of Mount Pitt and 26 miles by road and trail from Big Butte post office via Parker's ranch. The station is marked according to note $1.^1$ Two reference marks, described in note $4,^1$ are at the following distances and azimuths from the station: 11.995 meters, 264° 33'; and 10.12 meters, 337° 53'.

Onion (Douglas County, Oreg., O. B. F., 1904).—On the highest part of the bare summit of Onion Springs Mountain, about 1 mile south of the Onion Springs, and best reached from Glendalc via Galesville and Gilpatrick's ranch. The station mark, described in note $1,^1$ is in a rocky ledge. Two reference marks, described in note $4,^1$ are located as follows: One in a prominent ledge and 24.62 meters from the station in azimuth 91° 50', and the other in an inconspicuous, low bowlder at the western edge of the summit and distant 47.22 meters in azimuth $182^\circ 47'$.

Black (Douglas County, Oreg., O. B. F., 1904).—Ncar the northeast corner of the highest part of the summit of Black Rock, a high, prominent, rocky peak about 40 miles in a direct line east of Roseburg and north and northwest of some near-by higher wooded peaks. The station mark, described in note $1,^1$ is in the solid rock of the summit. Two reference marks, described in note $4,^1$ are also in solid rock and at the following distances and azimuths from the station: 13.78 meters, $4^\circ 55'$; and 6.47 meters, $297^\circ 45'$.

45

1 See p. 43.

White (Douglas County, Oreg., O. B. F., 1904).—On the highest part of the summit of White Rock, a prominent peak about 15 miles east of Roseburg. The station mark, described in note $1,^1$ is in a large bowlder. A reference mark, described in note $4,^1$ is in a large bowlder just cast of a prominent ledge and is 34.44 meters from the station, in azimuth 353° 11'.

Scott (Douglas County, Oreg., O. B. F., 1904).—On the highest part of the summit of Mount Scott, about 20 miles northeast of Roseburg. The station mark, described in note $1,^1$ is in a large bowlder. Two reference marks, described in note $4,^1$ are located as follows: One in a white rock at about the middle of a prominent ledge and 32.71 meters from the station in azimuth 195° 02'; and the other in a rocky ledge near the edge of the brush and 18.17 meters distant in azimuth 305° 42'.

Fairview (Lane County, Oreg., O. B. F., 1904).—On the west side of the summit of Fairview Peak in the Bohemia Mountains, about 25 miles southeast of Cottagegrove and 6 miles by road from Mineral post office. The station mark, described in note $1,^1$ is in a bowlder. Three reference marks described in note $4,^1$ are in rock ledges and at the following distances and azimuths from the station: 6.69 meters, 74° 29'; 2.92 meters, 181° 39'; and about 175 feet, 266° 09'.

Yellow (Douglas County, Oreg., O. B. F., 1904).—On the highest summit of the timbered ridge about 10 miles west of Yonealla. The station is marked according to note $2,^1$ the subsurface mark in a bowlder 8 by 12 by 16 inches placed 18 inches beneath the surface, and the surface mark in a bowlder 10 by 20 by 30 inches, the top of which is flush with the surface of the ground. A reference mark, described in note $4,^1$ is in a rock ledge and 22.62 meters from the station in azimuth $334^\circ 37'$. Two other reference marks, consisting of three-sixteenths inch copper wires 3 inches long set in bowlders, are at the following distances and azimuths from the station: 21.04 meters, $197^\circ 31'$; and 20.70 meters, $107^\circ 02'$.

Spencer (Lane County, Oreg., O. B. F., 1903).—This station is near a United States Geologieal Survey station. It is on tho south end and highest point of the summit of Spencer Butte, about 4 miles south of Eugene. Two trees used by the Geological Survey are at the north end of the summit, which is in the form of a ridge. The station is marked according to note $1.^1$ Two reference marks, described in note $4,^1$ are in rocks near the station, one distant 5.338 meters in azimuth 175° 02′, and the other 4.570 meters in azimuth 328° 51′. The Geologieal Survey station is 7.970 meters from the station in azimuth 176° 12′.

Roman (Douglas County, Oreg., O. B. F., 1903; 1908).—On the most westerly of the two summits of the highest peak of the Coast Range, known as Roman Nose or Saddle Mountain, situated near the north line of Douglas County about 5 miles southwest of the junction of Wild Cat Creek with the Siuslaw River. It is on the highest point of the summit, about 6 feet from the southern edge of the bluff and 20 feet from the steep part of the slope east of the station. The peak is bare except for a few low shrubs, and has a steep bluff on the south side and a gentle grassy slope on the north side. The station is marked according to note 2,¹ the subsurface mark in a bowlder 12 by 12 by 24 inches, 18 inches below the surface, set with the axis east and west, and the surface mark in a bowlder measuring about a foot on each side. Two reference marks, described in note 4,¹ are located as follows: One in the nearest outcropping of the solid rock 14.760 meters from the station in azimuth 148° 06', and the other in a projecting bowlder 6.775 meters from the station in azimuth 205° 33'. Arrows pointing to the reference marks are cut in the rock near each mark. An old burned stump is about 5 feet from the station in azimuth 232°.

Mary (Benton County, Orcg., O. B. F., 1903; 1908).—On the highest point of the grassy summit of Mary Peak, about south-southwest from Corvallis. The station is marked according to note 2,¹ the subsurface mark in a flat stone 4 inches thick and 19 inches in diameter 22 inches below the surface, and the surface mark in a bowlder 16 by 18 by 30 inches, the top of which is flush with the surface of the ground. Two reference marks, described in note 4,¹ are in bowlders, and at the following distances and azimuths from the station: 13.77 mcters, $326^{\circ} 22'$; and 29.36 meters, $58^{\circ} 11'$.

¹ See p. 43.

Peterson (Linn County, Oreg., O. B. F., 1903).—About 4 miles southwest of Lebanon on the highest part of the most westerly of the two summits known as Peterson Butte. The station is marked according to note $1.^1$ Two reference marks, described in note $4,^1$ are located as follows: One in the lower part of the northerly sloping face of the largest rock on the south side of the summit, and 4.645 meters from the station in azimuth 7° 30'; and the other in the ledge just east of the largest rock on the north side of the summit, and 3.270 meters distant in azimuth 185° 00'.

Twin (Linn County, Oreg., O. B. F., 1905).—On the farm of Mr. Gentry near the southwest corner of sec. 24, T. 14, R. 3 W., about 6 or 7 miles from Rowland. It is on the highest summit of a partly wooded ridge, the south slope being bare and the north slope wooded, and about 8 or 10 meters southeast of the highest point of the summit. The station is marked according to note 2,¹ the underground mark in a stone about 2 feet below the surface and the surface mark in a large stone about 6 inches below the surface. Three reference marks, described in note 4,¹ are at the following distances and azimuths from the station: 6.66 meters, $314^{\circ} 42'$; 6.39 meters, $53^{\circ} 57'$; and 6.87 meters, $155^{\circ} 44'$. The last-mentioned reference mark is near the highest point of the summit.

Ridge (Lane County, Oreg., O. B. F., 1905).—On the highest part of a ridge on land owned by Mr. J. J. Winn, about $1\frac{1}{2}$ miles north of his residence, and about 10 miles by road in a northwesterly direction from Junction City. The station is marked according to note 2,¹ with the subsurface mark 1.5 feet below the surface. Three reference marks, described in note 4,¹ are in inconspicuous bowlders flush with the surface of the ground, and at the following distances and azimuths from the station: 4.86 meters, 164° 32'; 30.69 meters, 278° 43'; and 9.73 meters, 356° 15'. A triangular blaze in a large maple tree is 11.63 meters from the station in azimuth 92° 16', and a similar blaze in a large fir tree is 8.45 meters distant in azimuth 213° 33'.

Rauch (Lane County, Oreg., O. B. F., 1903).—About 12 miles west by south from Eugene, $2\frac{1}{2}$ miles southwest of Llewellyn post office and about one-half mile west of the road leading from Llewellyn to Crow post office, on land belonging to Mrs. Frances Rauch. It is about 150 meters east of the summit on the north side of a sloping ridge about 300 feet higher than the valley through which the road runs, the first prominent ridge encountered in going from Llewellyn to Crow and the only ridge in the vicinity from which Willamette south base can be seen. The station is about 200 feet west of a point where the ridge becomes steeper. The station was marked according to note 2,¹ the underground mark in a small flat stone 2 feet below the surface and the surface mark in a rock about 12 by 12 by 18 inches flush with the surface. Two reference marks, described in note 4,¹ are located as follows: One in a rock 10 by 10 by 18 inches on the highest part of the ridge and 11.96 meters from the station in azimuth 286° 02', and the other in a rock 6 by 8 by 14 inches distant 12.22 meters in azimuth 51° 46'.

Willamette south base (Lane County, Oreg., O. B. F., 1903; 1908).-About 5 miles from Eugene and 220 meters south of the Eugene-Elmira road on land belonging to William Nelson. It is about 100 meters north of a large gravel pit, 78 meters from the line fence between William Nelson and M. Nelson, and about in line with the west face of the barn belonging to William Nelson which is 86.79 meters north of the station. The station is marked with old-type station mark described on page 42, placed in the center of a 6-inch drain tile and both embedded in a pillar of concrete 2 feet long, 36 inches in diameter at the base, 18 inches in diameter at the top, and set in the ground so that the tops of the pillar and tile and station mark are all flush with the surface of the ground. Six inches below the foot of this pillar a cross in the top of a $\frac{1}{2}$ -inch copper bolt, cmbedded in a block of concrete 10 by 24 by 24 inches, forms the subsurface mark. In 1906 a concrete pillar $2\frac{1}{2}$ feet high, 18 inches square at the base and 12 inches square at the top, with the letters "U.S.C.S." on the south side, was set over the surface mark. The first reference mark is a $\frac{1}{2}$ -inch copper bolt in a concrete block 12 by 12 by 18 inches, the top of which is flush with the ground with a similar block and bolt directly beneath it as subsurface mark, distant 212.29 meters from the station in azimuth 177° 32' 02''. The second mark, similar to the first, is at the junction of the road fence and that dividing the farms of

¹ See p. 43.

William Nelson and M. Nelson, and 225.16 meters from the station in azimuth $200^{\circ} 19' 30''$. The third reference mark, similar to the preceding two but with no subsurface mark, is in the line of the boundary fence 78.38 meters from the station in azimuth $265^{\circ} 16' 42''$. The fourth mark is a $\frac{1}{2}$ -inele eopper bolt leaded into a drill hole in a large stone in the southwest eorner of the foundation of the main part of William Nelson's barn, and is 86.79 meters from the station in azimuth $181^{\circ} 30' 16''$.

Willamette north base (Lane County, Oreg., O. B. F., 1905; 1908) .- One and one-half miles south and one-half mile west of Junction City in the east center of see. 7, T. 16, R. 4 W., on land owned by Mr. William M. Pittney of Junction City. It is in the northeast corner of a field on the south side of the main east-and-west road, about 71 yards from the north-andsouth fence to the east and 4 or 5 yards from the fence on the south side of the road, and almost opposite the main gate which leads into the barnyard corral of the farm across the road. The subsurface station mark is a three-eighths inch copper bolt 6 inches long, set in a block of conerete $3\frac{1}{2}$ by 4 feet and 10 inches deep, placed 3 feet below the surface. The surface mark is an old-type station mark described on page 42, set in the top of a concrete pier $3\frac{1}{2}$ feet square at the base, 11 feet square at the top, and 2 feet 5 inches deep, the top of which is flush with the surface of the ground. Surrounding the station mark and embedded in the concrete is an 8-ineh drain tile 1 foot long with its rim about flush with the top of the pier. Each of the three reference marks consists of two three-eighths inch copper bolts, 3 inches long, each set in the top of a concrete post 1 foot square, the subsurface post being 9 inches long and $2\frac{1}{2}$ to 3 feet below the surface, and the surface mark about 2 feet long, with its top 4 inches below the surface. The first reference mark is 6 inches south of the fence on the south side of the road and about in the prolongation of the fence line on the west side of the corral mentioned above, and is 32.058 meters from the station in azimuth 97° 10'. The second mark is in the corral across the road. about 10 inches from the road fence and 6 or 8 feet east of the east end of the main road gate, and is 19.876 meters from the station in azimuth 186° 24'. The third mark is on the south side of the main road, 12 or 15 feet from the road fenee, and 6 inches west of the north-and-south fence, at a distance from the station of 65.076 meters in azimuth 271° 26'.

Seavies 2 (Lane County, Oreg., W. H. B., 1908).—In the same locality as Seavies (U. S. G. S.). (See p. 56.) It is on the south slope of the peak near the lower edge of the first timber from the top and almost in line with Spencer (see p. 46) and the tangent line to the west bank of the MeKensie River at the big eurve in the flat below the station. The station is marked by a drill hole in the rock and by piles of rock around the tripod erected at the station.

Pisgah (Lane County, Oreg., W. H. B., 1908).—Loeated north and east from Goshen on a hill known as Mount Pisgah, about 200 feet southwest, or toward Speneer Butte, from the highest point of the hill. The station is on top of a rock about 4 by 6 feet in area, projecting 16 inches above the ground, the largest one of a eluster of rocks and, with the exception of a large rock on the west slope about 175 feet to the north, the largest rock in the vicinity. Station is marked by a one-half inch drill hole $1\frac{1}{4}$ inches deep, 6 inches from the west edge of the rock and 23 inches from its south point.

Eugene astronomic station (Lane County, Oreg., O. B. F., 1904; 1908).—This station is identical with the United States Geological Survey station. It is on the east end of Skinners Butte, near Eugene, Oreg., just above the reservoir and north of the railroad station, on the site of the old observatory of Oregon State University. It was learned in 1908 that the land was to be converted into a park and that the station would be demolished, so two marble reference stones, projecting 2 inches above the surface and bearing on the top the letters "U. S." with a cross between, were set to preserve the station. The first 5 by 5 by 18 inches is 18.294 meters from the station in azimuth 119° 59', and the second, 4 by 7 by 14 inches in size is on the south brow of the hill 12.211 meters from the station in azimuth 52° 47'. A large conerete "O" on the brow of the hill overlooking the railroad station is in azimuth 2° from the station. The distance between the two reference marks is 17.625 meters, and from the first reference mark the Patterson School spire is in azimuth 315° 28', and the spire of the Humphrey Memorial Methodist Church is in azimuth 353° 53'.

Yam (Polk County, Oreg., O. B. F., 1903; 1908).—On the highest point of the highest of a group of hills about 12 miles northwest of Salem, and about 10 meters south of a wire fence which passes over the summit. A slightly lower wooded hill is about a half mile northwest of the station and a group of hills is about halfway between the station and Salem. The station is marked according to note 2,¹ the surface mark in a bowlder 15 by 18 by 18 inches with its top flush with the surface of the ground, and the subsurface mark in a bowlder 8 by 16 by 16 inches and 23 inches below the surface mark. Two reference marks, described in note 4,¹ are in bowlders about 14 by 18 by 18 inches with their tops flush with the surface of the ground, and with a few loose stones piled about them for identification. One is in the line of the wire fence, 11.06 meters from the station in azimuth 197° 10', and the other 8.59 meters from the station in azimuth 329° 07'.

Hult (Marion County, Oreg., O. B. F., 1903).—On a prominent bare hill about 6 miles by road and 4 miles in a straight line southeast of Silverton, just south of the road from Silverton to Hult post office and on the farm of Ai Porter. It is on the northeast side of the hill and slightly lower than the summit, 17 feet from a line fence on the west, and 8 feet from another fence on the south. The surface and underground marks at this station are crosses cut in the tops of one-half inch copper bolts embedded in bowlders, the underground mark being in a bowlder about 12 by 14 by 14 inches, with its top 1.9 feet below the surface mark, which is in a bowlder about 14 by 18 by 24 inches, with its axis north and south. Two reference marks, described in note 4,¹ are located as follows: One in a bowlder about 14 by 16 by 16 inches, set in the fence line 5.79 meters from the station in azimuth 108° 55', and the other in a bowlder about 14 by 16 by 24 inches, set in the fence line 7.125 meters from the station in azimuth 304° 40'.

Barnes (Multnomah County, Oreg., O. B. F., 1903).-On a cleared hill about 4 miles west of Portland, between the Barnes and Cornell roads, and just east of the highest hill in this range which hill is still densely wooded. It is on the south edge of the hill about 100 feet southeast of a fir tree and some small maple trees, and close to the north side of a large stump. The station is marked according to note 2,¹ the surface mark in a stone 8 by 14 by 18 inches with its top flush with the surface of the ground, and the subsurface mark in a stone 6 by 12 by 18 inches 11 feet below the surface mark. Two reference marks, described in note 4,1 and set at the roots of stumps on the sides facing the station are located as follows: One in a bowlder 15 inches in diameter, distant 15.80 meters from the station in azimuth 156° 11'; and the other in a bowlder 12 inches in diameter 7.02 mcters from the station in azimuth 233° 23'. A third reference mark consists of a cross in the top of a bowlder 10 inches in diameter buried 15 inches beneath the surface and of a copper bolt directly above the cross, in a bowlder 14 by 14 by 18 inches set with its top flush with the surface of the ground. It is about 3 feet north of the main east-and-west fence line, about 30 feet cast of where this fence crosses the highest part of the ridge, about 3 feet east of a fence extending northward from this fence and 44.95 meters from the station in azimuth 184° 35'.

Larch (Multnomah County, Oreg., O. B. F., 1903).—Southcast of Bridal Veil, a town on the Columbia River, on the highest peak of Larch Mountain and on the west point of a small rock ledge which is on the north end of a spur from the main summit. The ledge is about 20 feet higher than the spur of which it forms the end, and descends abruptly on the north in a cliff about 100 feet high. It can be reached either from Bridal Veil or Latourell via Donahue's logging camp. The station is marked according to note $1.^1$ Two reference marks, described in note $4,^1$ arc in the cast summit of the ledge, one in rather a low place 10.89 meters from the station in azimuth 298° 51', and the other near the cast end of the summit 15.01 meters from the station in azimuth 287° 02'.

Star (Clark County, Wash., J. S. H., 1906).—On the most southerly of the two summits of Silver Star Mountain, on the line between Clark and Skamania Counties, about 35 miles northcast of Vaneouver. The station was marked according to note 3.¹ Two reference marks, described

in note 4,¹ are at the following distances and azimuths from the station: 5.910 meters, $305^{\circ} 43'$; and 5.160 meters, $26^{\circ} 11'$.

Davis (Cowlitz County, Wash., J. S. H., 1906).—About 14 miles northeast of Woodland on the highest point of a hill on a north-and-south ridge which may be reached from Woodland by following the road up the Lewis River to the Fisher place and packing from there. The station is marked according to note $3.^1$ Two reference marks, described in note $4,^1$ are at the following distances and azimuths from the station: 5.61 meters, 15° 02'; and 5.37 meters, 96° 51'.

Red (Skamania County, Wash., J. S. H., 1906).—On the highest point of a bald, red hill near the sources of the Little White Salmon and Lewis Rivers and not far from Kliekitat Pass. It is best reached from White Salmon on the Columbia River via Guler post office, Ice Cave, Peterson's prairie, Goose Lake, Steamboat Lake, and the Indian race track, being about 1 mile southwest from the last place and $1\frac{1}{2}$ miles west of Steamboat Lake. The station is marked according to note 3.¹ Two reference marks, described in note 4,¹ are at the following distances and azimuths from the station: 7.400 meters, 96° 14'; and 5.422 meters, 188° 46'.

Warren (Columbia County, Oreg., O. B. F., 1903).—About a mile southwest of Warren, a station on the Northern Pacific Railway, on a slight elevation or ridge near the west side of a pasture owned by Mr. E. Harnes and about 250 meters north of an east-and-west road. The station is marked according to note 2,¹ the surface mark in a bowlder 8 by 24 by 24 inches with the letters "U. S." eut in the north side and the subsurface mark in a stone 6 by 12 by 18 inches buried 18 inches below the ground. Three reference marks, described in note 4,¹ are in the north-and-south fence line to the west of the station. The middle reference mark of the three is 246.7 meters north of the north road fence and the other two are each about 30 meters distant from the middle mark, one north and the other south. They are at the following distances and azimuths from the station: 23.67 meters, 93° 15'; 37.46 meters, 41° 26'; and 37.95 meters, 142° 46'.

Lam (Cowlitz County, Wash., J. S. H., 1906).—On the highest part of the heavily wooded summit of Elk Mountain, about 35 miles northeast of Woodland. The station is marked according to note $3.^1$ Two reference marks, described in note $4,^1$ are at the following distances and azimuths from the station: 6.28 meters, $36^\circ 56'$; and 10.84 meters, $319^\circ 02'$.

Len (Skamania County, Wash., J. S. H., 1906).—In the northwestern part of Skamania County, about 10 miles north of Mount St. Helens and a short distance northeast of Spirit Lake. Spirit Lake ean be reached by stage road from Castle Rock via Toutle and St. Helens, and from the south landing on this lake the peak on which the station is located appears as a rocky summit through a gap almost due north. The station is marked according to note $3.^{1}$ Two reference marks, described in note $4,^{1}$ are at the following distances and azimuths from the station: 3.260 meters, 215° 15'; and 12.220 meters, 138° 04'.

Toutle (Cowlitz County, Wash., O. B. F., 1905).—On the top of a eonieal hill, the highest point of a long ridge, known loeally as Gum Mountain, between the north and south forks of the Toutle River and about 20 miles east of Castle Roek. The summit was heavily timbered in 1905 and lines of sight were eleared. The station is reached from Castle Roek via Toutle and St. Helens and the main road left at a point about $2\frac{1}{2}$ miles east of St. Helens at Muniker's place, from where the station is about 3 miles distant in a southerly direction. The station is marked according to note $2,^1$ the underground mark in a stone 12 inches in diameter 2 feet below the ground and the surface mark in a bowlder 12 by 18 by 24 inches. The reference marks are copper bolts set in the center of triangular blazes on each of three stumps on the sides facing the station, the first being 9.24 meters from the station in azimuth $104^\circ 22'$, the second 9.13 meters, in azimuth $165^\circ 16'$, and the third 7.90 meters, in azimuth $345^\circ 34'$. Two blazed trees are at the following distances and azimuths from the station: 18.24 meters, $152^\circ 52'$; and 26.44meters, $257^\circ 50'$.

Huck (Lewis County, Wash., O. B. F., 1905).—On a high, bald summit, known locally as Huckleberry Mountain, and about 8 miles northwest of the highest point of the Deschutes Mountains in this region. The station is on a level place on the summit and about 60 feet north of a sharp rocky point of about the same height. The station is marked by a one-half ineli drill hole 1 ineh deep in the top of a bowlder 8 by 8 by 10 inehes set flush with the surface of the ground. The reference marks, three in number, are similar drill holes in solid ledges along the west side of the ridge a little below its top, and at the following distances and azimuths from the station: 13.65 meters, 40° ; 7.30 meters, 60° ; and 5.60 meters, 136° .

Bel (Pierce County, Wash., O. B. F., 1905).—On a high rocky peak known as "Bel Jaeket," about 10 or 12 miles a little south of west of Mount Taeoma, and about $9\frac{1}{2}$ miles by road from Ashford. From Ashford there is a wagon road leading to Messler's place about 5 miles distant, then a trail in the direction of Bald Rock and Eagle Rock, which leads to a small lake from where the peak may be seen about one-half mile distant a little to the west of north. The station is marked according to note $3.^1$ Three reference marks, described in note $4.^1$ are at the following distances and azimuths from the station: 7.26 meters, $328^\circ 46'$; 5.24 meters, $16^\circ 22'$; and 5.94 meters, $188^\circ 29'$. A drill hole is 16.89 meters from the station in azimuth $15^\circ 01'$.

Hal (Lewis County, Wash., O. B. F., 1905).—On the highest point of the most western one of the high, bald summits of the Deschutes Mountains near the northern line of Lewis County and due south of Taeoma. From the north the mountain appears as a symmetrical cone and is best approached from Yelm, a town on the Northern Pacific Railway, via Peter Stone's ranch, which is about 14 miles southeast of Yelm and a short distance north of the station. The station is near the south point of the hilltop and marked according to note $3.^1$ Three reference marks, described in note $4,^1$ are located as follows: The first in a large bowlder, 10.55 meters from the station in azimuth 166° 24', the second in a broad sloping ledge 4.81 meters distant in azimuth 333° 35', and the third in about the highest point of rocks 2.71 meters distant in azimuth 13° 07'.

Rain (Thurston County, Wash., O. B. F., 1905).—About 10 meters northwest of the highest point of a prominent high hill about 4 miles south-southeast of the town of Rainier, about 1,200 feet above it, and just visible over the top of the timber from the town. It is probably in see. 33, T. 16, R. 1 E., and it is about a mile west-northwest of the ranch on the top of the ridge owned by N. N. Bungard. The station is marked according to note 2,¹ the subsurface mark in a bowlder about 10 by 12 by 12 inches and 15 inches below the surface of the ground, and the surface mark in a bowlder 12 by 20 by 20 inches. Two reference marks, described in note 4,¹ are located as follows: One in a large bowlder at the highest part of the hill, 8.75 meters from the station in azimuth 8° 54', and the other in a bowlder at some distance down the slope of the hill and 13.78 meters from the station in azimuth 218° 42'.

Hurst (Pierce County, Wash., O. B. F., 1905).—Near the north end and highest part of the timbered hill about 400 meters slightly south of west from the railroad station at Hillhurst, a town on the Northern Paeifie Railway, and about one-half mile southwest of the storo and post office. The hill is across the road south from the Cottage Grove farm, owned by Mr. Bueholtz. The station is marked at the surface with an old-type station mark, described on page 42, set in a concrete block 12 inches square and 18 inches deep, and underground by a one-half inch copper bolt 4 inches long set in the solid ground or native element 3 feet beneath the surface. There are two reference marks, one of which is a copper bolt set in the only large rock in the neighborhood, 40.34 meters from the station in azimuth 252° 40', and the other is a similar copper bolt in a bowlder 10 by 12 by 12 inches flush with the surface of the ground, with a smaller bowlder 8 by 10 by 10 inches directly below it, and is 13.52 meters from the station in azimuth 150° 41'.

Pen (Pieree County, Wash., O. B. F., 1905).—About one-half mile south of Graham, a station on the Taeoma Eastern Railroad, about one-half mile northwest of Mr. Hansen's house, and 75 or 100 meters to the westward of the highest part of a flat, partly cleared summit. The station is marked according to note 2.¹ Three reference marks, described in note $4,^1$ are at the following distances and azimuths from the station: 18.93 meters, 242° 50'; 17.80 meters, $37^{\circ} 58'$; and 23.15 meters, $160^{\circ} 53'$.

Tacoma south base (Pierce County, Wash., O. B. F., 1905).-About 10 miles south of Tacoma and 2 miles south of Spanaway Lake, on land belonging to William Sekor, in the prolongation of Pacific Avenue of Tacoma. From the top of the hill in South Tacoma this street is nearly a straight line and Tacoma base line lies along it. The station is on the highest bench near the south side of Sckor's property and near the highest point of the bench, being about 10 feet west of a small but prominent knoll. It is 178.5 meters from the fence on the south side of the field and 154.8 meters from the fence on the west side. The station is marked underground by a cross in the head of a one-half inch copper bolt 3 inches long set in a block of concrete $2\frac{1}{2}$ fcet square and 6 inches thick 3 feet beneath the surface, and at the surface by an old-type station mark, described on page 42, set in the top of a concrete cube 21 feet on an edge which has a 4-inch drain tile 2 feet long at the center with its top flush with the surface of the concrete. There are three reference marks, each consisting of a copper bolt set in a concrete block 18 inches square and 6 inches thick buried 3 fect below the surface, and of a similar bolt above it in a concrete block 18 inches square and 30 inches deep, its top 2 inches below the surface of the ground. They are at the following distances and azimuths from the station: 49.658 meters, 263° 50'; 38.938 meters, 347° 25'; and 61.153 meters, 173° 25'.

Tacoma north base (Pierce County, Wash., O. B. F., 1905).—On Fern Hill, 4 miles south of Tacoma and about one-fourth mile north of the crossing of Pacific Avenue and the Puyallup Electric Railway. It is on a prominent knoll just south of the house owned and occupied by H. A. Wilhelmi, 8.5 meters south of his south line and 19 meters east of the east line of Pacific Avenue. The subsurface mark at the station is a cross in the head of a one-half inch copper bolt 3 inches long set in a block of concrete 30 by 30 inches and 6 inches thick, 3 feet beneath the surface. The surface mark is an old-type station mark, described on page 42, set in a concrete cube 21 feet on an edge which has a 4-inch drain tile 2 feet long at the center with its top flush with the surface of the concrete. There are three reference marks, each consisting of a oneeighth inch copper wire embedded in an underground block of concrete 14 by 14 inches and 6 inches thick set 3 feet below the surface, and of a surface mark consisting of a similar wire in a block 14 by 14 by 30 inches set with the top flush with the surface of the ground. They are located as follows: The first, just north of Dr. Rynning's north fence and 4 feet east of the east line of Pacific Avenue, 92.325 meters from the station in azimuth 10° 19'; the second, south of the back part of Wilhelmi's house and just south of his south fence, 47.757 meters from the station in azimuth 259° 51'; and the third just south of Wilhelmi's south fence and 2 feet east of the east line of Pacific Avenue, 19.672 meters from the station in azimuth 117° 04'.

Burn (Pierce County, Wash., O. B. F., 1905).—On a prominent ridge 2 or 3 miles southwest of the central part of the city of Tacoma, west of that part of the valley which is traversed by the Northern Pacific Railway in an east-and-west direction and almost in line with the east-and-west portion of the track, about three-fourths of a mile from its western end. It is on a summit about one-half mile west of a prominent schoolhouse, about 300 meters southeast of a house, and about 30 meters north of a private road leading from the house to the schoolhouse. The station is marked according to note 2,¹ with the subsurface bowlder about 2 feet below the surface. Three reference marks, described in note 4,¹ are located as follows: The first near a trail along the ridge and 23.53 meters from the station, in azimuth 160° 44'; the second on the north edge of the road 25.13 meters distant, in azimuth 320° 00'; and the third near the beginning of a slope 25.47 meters distant, in azimuth 85° 34'.

Kin (Pierce County, Wash., O. B. F., 1905).—On the top of a prominent hill in the southeastern part of Tacoma, just south of McKinley Park, in the block between Thirty-second Street and Wright Avenue and K and L Streets and very nearly halfway between Thirtysecond Street and Wright Avenue. It is directly in line with the gable ends of the N. P. B. A. Hospital, a large brick building a couple of hundred yards to the westward of the station. The station is marked according to note 2.¹ Two reference marks, described in note 4,¹ are at the following distances and azimuths from the station: 24.55 meters, 215° 48'; and 18.47 meters, 294° 50'.

52

¹ See p. 43.

.

Wash (Pieree County, Wash., O. B. F., 1905).—In the northwestern part of Tacoma, near the middle of Twenty-fifth Street and about 5 yards east of the east line of Washington Street projected across Twenty-fifth Street at their intersection. The station is marked by an old-type station mark, described on page 42, in a bowlder 18 by 24 by 30 inches, which is buried with its top about 5 inches below the surface of the ground. Two reference marks, each consisting of a punch mark in the head of a copper slug in a stone 2 feet below the surface and of a similar slug in a stone directly above the lower mark and about 3 inches beneath the surface, are located as follows: One at the northeast intersection of Twenty-fifth and Washington Streets, about $1\frac{1}{2}$ feet east of the east line of Washington Street, 1 foot north of the north line of Twenty-fifth Street and 9.634 meters from the station, in azimuth 153° 20'; and the other at the southeast intersection of the same streets, about 3 feet from Washington Street, 1 foot south of the south line of Twenty-fifth Street and 17.713 meters from the station, in azimuth $12^{\circ} 22'$.

Bos (Pieree County, Wash., O. B. F., 1905).—In the flat about 2 miles east of Taeoma and one-third of a mile south of the trestle leading from the city aeross the marsh to the mills on the east side of the valley. It is about 75 meters northeast of a small white house at the north end of the strip of fast land which extends farthest into the marsh and on a very slight elevation, clear of trees and buildings, on the edge of a slough. The station is marked according to note 2,¹ the lower mark in a small bowlder 15 inches below the surface and the upper mark in a bowlder about 10 inches in diameter projecting 3 inches above the surface of the ground. There are no reference marks, but a broken-topped fir tree is about 60 meters from the station, in azimuth $331^{\circ} 44'$, and the west corner of the small white house is 77.72 meters distant, in azimuth $13^{\circ} 54'$.

Gull (King County, Wash., J. J. G., 1891; 1905).—On Commencement Bay, north of Taeoma, and about 1 mile southeast from Brown Point Lighthouse, on the bold bluff about 125 feet high, which is conspicuous on approaching the point from Taeoma. The station is about 15 feet from the edge of the bluff and in range with the tower of the Lowell School in Taeoma and the left tangent of the tall, dark, eylindrical building with a dome roof, which belongs to the Taeoma Lumber Co.'s mill, and bears about southwest from the station. The station is marked by a bottle buried $2\frac{1}{2}$ feet below the surface and by a nail in a pine stub at the surface of the ground.

Dron (King County, Wash., O. B. F., 1905).—On Commencement Bay, about one-half mile southeast of Brown Point Lighthouse and about one-half mile west of station *Gull*. It is on the highest part of a bluff point about 60 feet above the water and 20 or 25 feet inland from the edge of the bluff, in a thicket of madrona trees, some of which were felled to elear the line to station *Neill*. The station is marked according to note 2.¹ Two reference marks, described in note 4,¹ are at the following distances and azimuths from the station: 4.42 meters, 175° 08'; and 5.01 meters 308° 03'.

Smelt (Pierce County, Wash., O. B. F., 1905).—On a ridge in the extreme northwestern part of Taeoma just south of Point Defiance Park. To reach the station follow the electric line, which runs to the smelter, to a point about 300 yards beyond where the ears make the last turn at Highland Park, and there take the road which leads toward the west, following it until the top of the ridge is reached. From there keep along the ridge toward the north until the Brown Point lighthouse and the left tangent to the second smelter chimney to the north of the 300-foot smelter stack are in range, then follow this range to within 5 or 10 yards of the edge of the plateau. The station is not far from the west end of the main ridge, considerably below the highest point, and at about the same elevation as a small knoll some 300 feet to the west. The station is marked according to note 2,¹ except that the subsurface mark is a one-half inch drill hole in a stone 18 inches below the surface. The surface mark is in a bowlder 10 by 18 by 18 inches set flush with the surface of the ground. One reference mark consists of punch holes in the heads of eopper slugs set in each of two stones, one 15 inches underground and the other at

53

1 See p. 43.

the surface, 28.55 meters from the station in azimuth 27° 38'. The other reference mark is a copper slug set in a stone in place 53.16 meters from the station in azimuth 236° 33'.

Neill 2 (Pierce County, Wash., O. B. F., 1905).—On Neill Point at the southeast end of Vashon Island, about 6 or 8 feet above high-water mark and 15 feet inland from it. The station is marked only by a tack in the top of a pine stub.

Tacoma astronomic station (Pierce County, Wash., J. F. P., 1892; 1905).—A stone pier near the north end of Wrights Park, Tacoma. A brick pier 17 inches square and 5½ feet long, used for latitude observations in 1894, is 12 feet 3 inches due east of the station.

SUPPLEMENTARY POINTS.

Corning tower (Tehama County, Cal., O. B. F., 1904).—The tower at the south end of the Maywood Colonization Building, a wood and plaster structure, just across the street from the Maywood Hotel and southwest from the railroad station.

Corning astronomic station (Tehama County, Cal., W. H. B., 1908).—On the vacant lot just west of the Maywood Colonization Building at Corning. (See Corning tower, above.) The station is not marked but the following distances and azimuths to different parts of the Maywood Colonization Building were measured. Tower, 23.40 meters, 247° 24'.2; northwest corner of the porch-like part of the building known as the Arcade, 31.40 meters, 207° 55'.2; and southwest corner of the same Arcade, 16.64 meters, 242° 17'.8.

Redding courthouse (Shasta County, Cal., O. B. F., 1904; 1908).—The center of the top of the dome of the courthouse upon which stands the statue of justice. The statue is eccentric to the center of the dome by about $1\frac{1}{2}$ feet. A triangle with a small hole at the center is cut in the floor of the dome directly below the center of the dome and may be used as the station.

Redding astronomic station (Shasta County, Cal., O. B. F., 1904; 1908).—On a prominent hill about three-fourths of a mile south by west from the railroad station at Redding. To reach the station follow the railroad track south to milepost 259, which is marked at present by a board nailed to a telegraph pole, where will be found a United States Geological Survey bench mark, a metal tube with a brass top, and from here the station is west about one-fourth of a mile. The station is on the brow of a hill somewhat toward the south edge and not quite at the highest point. A live oak about 6 inches in diameter is on the edge of the hill just north of the line to the Geological Survey bench mark and a leaning pine tree about a quarter of a mile distant is in line with the Redding courthouse. The station is marked according to note $1,^1$ in the top of a large bowlder projecting 4 inches above the ground. Two reference marks, described in note $4,^1$ are at the following distances and azimuths from the station: 20.22 meters, $115^{\circ} 49'$; and 9.99 meters, $188^{\circ} 17'$.

Redding south base (Shasta County, Cal., W. H. B., 1908).—About 15 feet cast of the railroad track at Redding and opposite a large steel oil tank. The station is marked only by a nail in the top of a wooden stub and by the three instrument stubs.

Redding north base (Shasta County, Cal., W. H. B., 1908).—Near the northwest corner of the cemetery south of the railroad station at Redding and about 15 feet east of the track. The station is marked only by a nail in a wooden stub and by the three instrument stubs around it.

Hill (Shasta County, Cal., W. H. B., 1908).—On the cast brow of a ridge just north of the ridge on which *Redding astronomic station* is located (see above), and almost on the line between that station and the courthouse at Redding. The station is marked only by a wooden stub and the three instrument stubs surrounding it.

Central Point astronomic station (Jackson County, Orcg., O. B. F., 1904; 1908).—About 2 miles north of Central Point, near the intersection of the Southern Pacific Railway and the county road and in the northwest corner of the field which is just east of the county road and south of the private road leading to the house occupied by George Mims. The station is about 30 meters from the railroad. (See *Central Point latitude station*, below). The underground mark at the station is a three-fourths inch drill hole in the top of a triangular granite

¹ See p. 43.

rock, set in element 15 inches below the surface of the ground. The surface mark is an old-type station mark, described on page 42, set in the top of a granite rock which projects 2 inches above the surface and which is embedded in a mass of concrete 30 inches square and 12 inches dcep. The reference mark, a United States Geological Survey bench mark, is at the intersection of the railroad and the county road, just east of the rail on the east side of the road and 28.15 meters from the station in azimuth 31° 55'.

Central Point latitude station (Jackson County, Oreg., W. H. B., 1908).—Near Central Point astronomic station (see above) and marked only by a wooden pier. The following distances and azimuths were measured: Astronomie station, 4.77 meters, 116° 41'; United States Geological Survey bench mark (reference mark of astronomie station), 28.82 meters, 41° 18'. The north and west fences of the field are, respectively, 6.18 meters and 15.55 meters from the station.

Rose (Douglas County, Oreg., O. B. F., 1904).—On the highest point of the highest bald summit of a ridge about $1\frac{1}{2}$ miles north of Roseburg. The station is marked according to note 2,¹ the underground mark in a mass of concrete 1 foot below the surface and the surface mark in a bowlder 9 by 14 by 18 inches flush with the surface of the ground. Two reference marks, described in note 4,¹ are at the following distances and azimuths from the station: 16.71 mctcrs, $12^{\circ} 24'$; and 7.49 meters, $125^{\circ} 23'$.

Burg (Douglas County, Oreg., O. B. F., 1904).—On a high, bald summit about 3 miles southeast of Roseburg. As seen from the iron bridge over the river just west of the railroad station, it is the highest and most distant peak visible up a small valley. The station is marked according to note 2,¹ the underground mark in a mass of concrete 13 inches below the surface, and the surface mark in a bowlder 10 by 12 by 14 inches set flush with the surface of the ground. The reference mark, described in note 4,¹ is in a bowlder just over the edge of the hill, 10.24 meters from the station in azimuth $112^{\circ} 45'$.

Roseburg latitude station (Douglas County, Oreg., O. B. F., 1904).—On the point of a spur aeross the river from the town of Roseburg, about 100 feet west from the end of the bridge and 60 feet above it. The station is marked aeeording to note $1,^1$ set in a ledge of rock. Two reference marks, described in note $4,^1$ are located as follows: One in a prominent ledge 18.18 meters from the station in azimuth 30° 17′, and the other in the side of a ledge flush with the ground, 32.30 meters from the station in azimuth 109° 05′.

Springfield Methodist Church (Lane County, Oreg., W. H. B., 1908).—The lower and lcss prominent of the two ehurehes at Springfield.

Springfield Christian Church (Lane County, Oreg., W. H. B., 1908).—The taller and more prominent of the two churches at Springfield.

Deady Hall, west tower (Lane County, Oreg., W. H. B., 1908).—Deady Hall is one of the two larger buildings of the University of Oregon at Eugene and has large square towers at both the east and west ends.

Geary School spire, Eugene (Lane County, Oreg., W. H. B., 1908).—The Geary School is the public school located at West Fourth and Madison Streets, Eugene.

United Brethren Church spire, Eugene (Lane County, Orcg., W. H. B., 1908).—At East Eleventh and Ferry Streets, Eugene.

Patterson School spire, Eugene (Lane County, Oreg., W. H. B., 1908).—The public school located one block west of the southwest corner of the campus of the University of Oregon, at Eugene.

Baptist Church spire, Eugene (Lane County, Oreg., W. H. B., 1908).-At East Eighth and Pearl Streets, Eugene.

W. O. W. Hall spire, Eugene (Lane County, Oreg., W. H. B., 1908).—The old Episeopal Church located at West Eighth and Lincoln Streets, Eugene, which is now being used as a hall by the Woodmen of the World.

Courthouse flagpole (Lane County, Oreg., W. H. B., 1908).-At East Eighth and Oak Streets, Eugene.

55

Methodist Church spire (Lane County, Oreg., W. H. B., 1908).—The Humphrey Memorial M. E. Church located at West Tenth and Willamette Streets, Eugene.

Seavies (U. S. G. S.) (Lane County, Oreg., O. B. F., 1904).—This station is identical with the United States Geological Survey station of the same name. It is on the most southern of the high hills, about 6 miles northeast of Eugene and about 30 or 40 feet southwest of and slightly lower than the highest part of the hill. The station is marked by a square stone 4 by 4 by 24 inches with its top a little below the surface. The old Geological Survey signal was still standing in 1904, anchored in place by rocks, and was not disturbed.

Monument, General Land Survey (Multnomah County, Oreg., O. B. F., 1903).—The initial intersection of the First Standard Parallel and the Willamette Meridian, a short distance southeast of *Barnes*. (See p. 49.) The station is in a fence corner and is marked by a stone post projecting 1½ feet above the ground.

River (Multnomah County, Oreg., O. B. F., 1903).—Near the junction of the two suburbs of Portland known as Arbor Lodge and Peninsula, on the east bank of the Willamette River about a mile east of Columbia University. It is on a slight elevation, the highest in the vieinity, and in the fenee line on the north side of the boulevard along the river bank. It was placed as far east as possible and still keep the Oregonian Building in view. The station is marked by crosses eut in the tops of two bowlders, one placed near the surface of the ground and the other directly beneath at a depth of 1.7 feet, each stone bearing the letters "U. S. C. S." eut in the top.

Oregonian (Multnomah County, Oreg., O. B. F., 1903).—The tall iron pole at the southeast corner of the tower of the Oregonian Building at the northwest corner of Sixth and Adler Streets, Portland.

Portland longitude station (Multnomah County, Oreg., C. H. S., 1887; 1905).—This station has been destroyed.

Portland latitude station (Multnomah County, Oreg., C. H. S., 1887; 1905).—This station has been destroyed.

Rocky Butte (Multnomah County, Oreg., C. R., 1889; 1903).—On the north side of the highest part of the brush-eovered summit of the butte, about 2 miles northeast of Montavilla. The station is marked by a hole drilled in a large round-topped bowlder.

Harney (Clarke County, Wash., C. R., 1881; 1903).—On the north bank of the Columbia River, about $1\frac{1}{2}$ miles above the United States wharf at Vaneouver, on the sloping bare bluff immediately above the road leading from Vaneouver up the river. It is almost in front of the "Harney House," on land formerly owned by Gen. Harney, and about 80 meters east of the fenee inclosing the race track. The underground mark consists of a glass bottle placed 3 feet below the surface, with the neek up, the center of the neek marking the station, and three other bottles placed on their sides at a depth of about 1 foot and at distances of about 6 feet from the center, with the neeks of the bottles pointing toward the center. The surface mark is a small drill hole 2 inches deep in a basaltic bowlder, weighing about 350 pounds, placed with its top flush with the surface of the ground. The following bearings to the right of magnetic north were read at the station: East chimney of Harney House, 27° 05'; triangle on tree 74° 28'; white house on south side of river, 172° 55'; ventilator on barn, 220° 06'; and corner of race track fenee, 276° 47'.

Balch (Multnomah County, Oreg., C. R., 1881; 1906).—This station was oeeupied for azimuth in 1886. It is immediately northwest of the eity limits of Portland, about a mile south of the Willamette River, on the first small level bench of the spur making out from the ridge west of the Cornell road, and about 255 feet above the road. The station is marked underground by a broken-necked bottle placed neck up 2 feet below the surface, and by a cross in the top of a copper bolt set in concrete 6 inches above the bottle, and at the surface by a cross on an old-type station mark described on page 42, set in concrete, which is inseribed with the letters "C. & G. S." The reference marks are the remains of two brick piers built in line to the west of the station, with their foundation about 20 inches below the surface, the nearest edge of the first pier being about 1 meter west of the station. Dash (King County, Wash., G. D., 1857; 1905).—On the sand spit called Dash Point, about 1 mile northeast of Brown Point Lighthouse and 10 or 12 feet back from the high-water mark. The station is inclosed within a wall of old timbers to protect it from the washing of the waves, and is marked by a one-half inch drill hole 2 inches deep in a stone buried a foot beneath the surface. Two reference marks, probably drill holes in bowlders, are at the following distances and azimuths from the station: 18.05 meters, 284° 34'; and 37.32 meters, 352° 21'. A blazed fir tree is about 60 meters distant in azimuth 324° 41'.

Piner 2 (King County, Wash., O. B. F., 1905).—On the southeast point of Maury Island, about 25 feet above high tide and 30 or 40 feet inland from high-water mark. A group of four piles is 30 or 40 meters east of the station, and a large rock, the largest in the vicinity, is in the water 50 or 60 meters south and a little west from the station. The station is marked by a three-fourths inch drill hole in a large stone set flush with the surface, and underground by a similar drill hole in a stone 2 fect below the surface of the ground. Two reference marks, each consisting of surface and subsurface stones, are at the following distances and azimuths from the station: 4.61 meters, $86^{\circ} 55'$; and 4.65 meters, $167^{\circ} 45'$.

Robinson 2 (King County, Wash., J. S. L., 1867; 1905).—On Robinson Point, on Maury Island, about 300 meters southwest of the scaffold light, on a bluff about 20 feet above high tide and 30 feet inland from high-water mark. The station is 95 meters southwest of the light keeper's dwelling, 42 meters southwest from the southeast corner of the light keeper's shed or barn, and about 2 meters west of the fence which extends southwest from the corner of the shed. A large madrona tree at the top of the bluff is 15 or 20 meters southwest of the station. The station is marked underground by a one-half inch drill hole in a stone buried 1 foot deep and at the surface by a similar hole in a stone, directly above the lower mark, set with its top flush with the surface of the ground. One reference mark is a one-half inch drill hole in a solid stone which is in line with the fence running southwest from the shed, and is 2.93 meters from the station in azimuth $26^{\circ} 25'$. The other reference mark consists of surface and subsurface stones, the lower one $1\frac{1}{2}$ feet beneath the surface, and is 10.62 meters from the station in azimuth $185^{\circ} 06'$.

COMPUTATION, ADJUSTMENT, AND ACCURACY OF THE ELEVATIONS.

The zenith distances directly observed at each station were first computed. These zenith distances were corrected for height of the object observed and of instrument so as to refer them all to the ground at each station or to the station marks.

The difference of elevation of each pair of stations in the main scheme was then computed from the observations over the line joining them by the formula

$$h_2 - h_1 = s \tan \frac{1}{2} (\zeta_2 - \zeta_1) \left[1 + \frac{h_2 + h_1}{2\rho} + \frac{s^2}{12\rho^2} \right]$$

in which h_2 and h_1 are elevations of the stations, ζ_2 and ζ_1 are the measured zenith distances as corrected for height of instrument and of object observed, s is the horizontal distance between the stations, and ρ is the radius of curvature.

As there are always two or more lines to each new station, many rigid conditions exist between the observed difference of elevation, even if the connections with the precise leveling were ignored, and the least square adjustment furnishes the readiest accurate means of deriving the required elevations.

The elevations of the primary scheme throughout the arc from the stations of the Thirtyninth Parallel triangulation to Puget Sound were adjusted in three sets of equations.

The first adjustment involved all stations of the primary scheme from the Thirty-ninth Parallel to the Willamette base.

The second adjustment fixed the elevations of the primary stations connecting the Tacoma base with the Puget Sound triangulation. The third adjustment fixed the elevations of the primary stations between the Willamette base net and the Tacoma base as well as the secondary stations connecting these with the Columbia River.

In the first adjustment the elevations of stations Redding astronomic, Gazelle astronomic, Central Point astronomic, and Roseburg latitude were held fixed at 202.16, 848.28, 369.92, and 165.24 meters, respectively. These elevations were determined directly from the leveling of the United States Geological Survey. The precise leveling over the base and over a side line 1 kilometer in length connected the terminal marks of the Willamette base with the bench mark 4 miles north of Irving, also established in 1903 by the United States Geological Survey. The elevation published for this bench mark ¹ was increased by 0.286 foot (0.087 meter) and the elevations 101.36 and 116.59 meters adopted for the Willamette north base and south base, respectively.

The elevations of Mount Helena and Snow Mountain West were held fixed by the adjustment published in Special Publication No. 4, page 279, as 1322.08 and 2145.66 meters, respectively. The zenith distances measured at these stations in 1876 and 1892 were used to fix the elevations of Snow Mountain East and Marysville Butte. They were first changed by eliminating all observations made near sunrise and sunset, as these have been proved unreliable. They were then treated as reciprocal observations in connection with the zenith distances measured in 1904 at the latter stations. The elevation of Snow Mountain East was held fixed at 2,150.56 meters as determined directly from Snow Mountain West, a line only 923 meters in length.

The elevations of the 26 remaining stations connected by the observations are unknowns, to be determined by least squares from the 82 observed differences of elevation indicated below.

In the following tabulation there are shown the observed differences of elevation treated in the first adjustment, together with their adjusted values. The weight p assigned to each observed difference of elevation is inversely proportional to the square of the length s of the line between stations in meters and was conveniently computed by the formula $\log p = 10-2$ $\log s$. The observed difference of elevation is given the sign of the elevation of the second station named minus the elevation of the first. The quantity contained in the last column but one is the correction to be added to an observed difference of elevation to obtain the adjusted difference of elevation.

Station 1	Station 2	Weight p	Observed difference of elevations h_2 - h_1	Adjusted difference of elevations h ₂ -h ₁	Adjusted minus observed v	pv^{q}
Mount Helena Snow Mountain east Marysville Butte Snow Mountain east Snow Mountain east Marysville Butte Kent Kent Lyons Redding Kent Lyons Bally Bally Bally Spur Round Spur	Marysville Butte Marysville Butte Kent Kent Lyons Lyons Bally Bally Bally Bally Round Round Round Spur Spur Boliver Boliver Mears Mears		$\begin{array}{r} Meters \\ - 679.36 \\ - 1509.66 \\ + 1400.46 \\ - 117.49 \\ - 113.31 \\ + 1401.75 \\ - 1.46 \\ - 140.12 \\ - 138.32 \\ + 1690.41 \\ - 984.69 \\ - 984.99 \\ - 849.51 \\ + 878.12 \\ + 1728.70 \\ + 561.09 \\ - 314.61 \\ + 1130.59 \\ - 593.20 \end{array}$	$\begin{array}{r} \textit{Mcters} \\ - \ 684.\ 06 \\ - \ 1512.\ 54 \\ + \ 1394.\ 88 \\ - \ 117.\ 66 \\ - \ 119.\ 17 \\ + \ 1393.\ 37 \\ - \ 1.51 \\ - \ 140.\ 49 \\ - \ 139.\ 03 \\ + \ 1690.\ 20 \\ - \ 989.\ 49 \\ - \ 988.\ 00 \\ - \ 848.\ 97 \\ + \ 874.\ 52 \\ + \ 1723.\ 49 \\ + \ 559.\ 17 \\ - \ 315.\ 35 \\ + \ 1130.\ 67 \\ - \ 592.\ 82 \end{array}$	$\begin{array}{c} \textit{Meters} \\ -4.70 \\ -2.88 \\ -5.58 \\ -0.17 \\ -5.86 \\ -8.38 \\ -0.05 \\ -0.37 \\ -0.71 \\ -0.21 \\ -4.80 \\ -3.01 \\ +0.54 \\ -3.60 \\ -5.21 \\ -1.92 \\ -0.74 \\ +0.08 \\ +0.38 \end{array}$	$\begin{array}{c} 26.\ 1\\ 12.\ 1\\ 23.\ 3\\ 0.\ 1\\ 17.\ 5\\ 47.\ 0\\ 0.\ 0\\ 3\\ 0.\ 6\\ 0.\ 9\\ 17.\ 7\\ 23.\ 5\\ 0.\ 7\\ 14.\ 3\\ 54.\ 3$ 54.\ 3 54.\ 3 54.\ 36.\ 36.\ 36.\ 36.\ 36.\ 36.\ 36.\ 36

Adjustment of elevations-Thirty-ninth Parallel to Willamette base.

¹See p. 134, Report for 1907.

Adjustment of elevations-Thirty-ninth Parallel to Willamette base-Continued.

Station 1	Station 2	Weight P	Observed difference of elevations $h_2 - h_1$	Adjusted difference of elevations h ₂ -h ₁	Adjusted minus observed v	pv ²
Boliver Spur Boliver Spur Boliver Sterling Soda Sterling Soda Sterling Soda Sterling	Mears Sterling Sterling Soda Soda Gazelle Gazelle Onion Onion Rust Rust Rust	$\begin{array}{c} 10,00\\ 1,34\\ 1,40\\ 1,70\\ 1,16\\ 8,55\\ 14,35\\ 2,79\\ 1,56\\ 1,15\\ 5,55\\ 2,56\\ 1,89\end{array}$	$\begin{array}{r} \begin{tabular}{lllllllllllllllllllllllllllllllllll$	$\begin{array}{r} Meters \\ - 277.\ 47 \\ - 527.\ 60 \\ - 212.\ 25 \\ - 909.\ 51 \\ - 594.\ 16 \\ - 381.\ 91 \\ - 1918.\ 60 \\ - 1009.\ 09 \\ - 642.\ 14 \\ - 260.\ 23 \\ - 348.\ 11 \\ + 33.\ 80 \\ + 294.\ 03 \end{array}$	$\begin{array}{c} \textit{Meters} \\ - 0.34 \\ + 1.47 \\ + 1.79 \\ + 0.71 \\ - 5.15 \\ + 0.12 \\ - 1.20 \\ - 0.78 \\ + 0.92 \\ + 5.65 \\ - 1.28 \\ - 0.59 \\ - 2.01 \end{array}$	$\begin{array}{c} 1.2\\ 2.9\\ 4.5\\ 0.8\\ 30.7\\ 0.1\\ 20.6\\ 1.7\\ 1.3\\ 36.7\\ 2.5\\ 0.9\\ 7.6\\ \end{array}$
Onion Rust Onion White Black White Scott Scott Scott Burg White Burg Rose White	nomic station White White Black Black Scott Scott Burg Burg Rose Rose Rose Rose Rose Rose Boseburg latitude station Fairview	$\begin{array}{c} 3. \ 30\\ 3. \ 98\\ 1. \ 59\\ 1. \ 51\\ 4. \ 54\\ 12. \ 71\\ 3. \ 40\\ 18. \ 45\\ 10. \ 26\\ 14. \ 96\\ 147. \ 60\\ 14. \ 32\\ 258. \ 80\\ 704. \ 70\\ 2. \ 74\end{array}$	$\begin{array}{r} -1485, 41\\ -378, 66\\ -666, 36\\ +280, 62\\ +650, 04\\ +70, 91\\ -579, 72\\ -614, 95\\ -685, 60\\ -842, 96\\ -155, 37\\ -770, 06\\ -443, 53\\ -288, 12\\ +585, 20\end{array}$	$\begin{array}{r} -1487.43\\ -374.42\\ -668.45\\ +276.97\\ +651.39\\ +71.91\\ -579.48\\ -614.02\\ -685.93\\ -841.32\\ -155.39\\ -769.41\\ -443.46\\ -288.67\\ +583.54\end{array}$	$\begin{array}{c} -2.04\\ +4.24\\ -2.09\\ -3.65\\ +1.35\\ +1.00\\ +0.24\\ +0.93\\ -0.33\\ +1.64\\ -0.02\\ +0.65\\ +0.07\\ +2.05\\ -1.66\end{array}$	$\begin{array}{c} 14.8\\ 71.6\\ 6.9\\ 20.1\\ 8.3\\ 12.7\\ 2.0\\ 16.0\\ 1.1\\ 40.2\\ 0.0\\ 6.0\\ 1.3\\ 1.8\\ 7.6\end{array}$
Black Scott White Scott Fairview Yellow Fairview Yellow Roman Roman Spencer Roman Spencer Mary Roman	Fairview Fairview Yellow Yellow Roman Boman Spencer Spencer Spencer Mary Mary Peterson Peterson Peterson Twin	$\begin{array}{c} 4.05\\ 5.98\\ 3.21\\ 8.89\\ 1.12\\ 4.21\\ 3.11\\ 3.37\\ 3.67\\ 2.20\\ 2.13\\ 1.22\\ 2.83\\ 4.64\\ 1.80\\ 0.80\end{array}$	$\begin{array}{c} - & 67.79 \\ + 511.90 \\ - 467.84 \\ - 547.63 \\ - 929.52 \\ + 124.23 \\ - 1179.64 \\ - 108.13 \\ - 245.30 \\ + 376.11 \\ + 620.63 \\ - 434.71 \\ - 188.71 \\ - 812.75 \\ - 484.93 \\ - 484.93 \\ \end{array}$	$\begin{array}{c} - & 67.85 \\ + & 511.63 \\ - & 476.38 \\ - & 548.29 \\ - & 933.98 \\ + & 125.94 \\ - & 1180.06 \\ - & 120.14 \\ - & 246.08 \\ + & 376.57 \\ + & 622.65 \\ - & 435.05 \\ - & 435.05 \\ - & 188.97 \\ - & 811.62 \\ - & 482.47 \end{array}$	$\begin{array}{c} - \ 0, 06 \\ - \ 0, 27 \\ - \ 8, 54 \\ - \ 0, 66 \\ - \ 4, 46 \\ + \ 1, 71 \\ - \ 0, 42 \\ - 12, 01 \\ - \ 0, 78 \\ + \ 0, 46 \\ + \ 2, 02 \\ - \ 0, 26 \\ + \ 1, 13 \\ + \ 2, 46 \end{array}$	$\begin{array}{c} 0.2\\ 0.4\\ 234.0\\ 3.9\\ 22.3\\ 12.3\\ 0.5\\ 486.0\\ 2.2\\ 0.5\\ 8.7\\ 0.1\\ 0.2\\ 5.9\\ 10.9\end{array}$
Spencer Mary Peterson Spencer Peterson Twin Ridge Spencer Twin Ridge Rauch Spencer Peterson Twin Ridge Rauch Spencer Peterson Twin	Twin Twin Twin Ridge Ridge Rauch Rauch Rauch Rauch Willamette north base Willamette north base Willamette north base Willamette south base Willamette south base Willamette south base Willamette south base	$\begin{array}{c} 6.\ 68\\ 4.\ 34\\ 23.\ 17\\ 7.\ 38\\ 6.\ 35\\ 13.\ 68\\ 27.\ 61\\ 2.\ 59\\ 5.\ 35\\ 12.\ 65\\ 15.\ 81\\ 20.\ 32\\ 62.\ 66\\ 20.\ 61\\ 68.\ 87\\ 3.\ 67\\ 9.\ 68\\ \end{array}$	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	$\begin{array}{c} - 236.39 \\ - 859.04 \\ - 47.42 \\ - 265.18 \\ - 76.21 \\ - 28.79 \\ - 423.96 \\ - 234.99 \\ - 187.57 \\ - 158.78 \\ - 524.84 \\ - 288.45 \\ - 259.66 \\ - 100.88 \\ - 509.61 \\ - 320.64 \\ - 273.22 \end{array}$	$\begin{array}{c} - \ 0.\ 46 \\ + \ 0.\ 03 \\ + \ 0.\ 02 \\ - \ 0.\ 17 \\ - \ 0.\ 42 \\ - \ 0.\ 17 \\ - \ 0.\ 42 \\ + \ 0.\ 92 \\ + \ 0.\ 43 \\ + \ 0.\ 54 \\ + \ 0.\ 54 \\ - \ 0.\ 71 \\ - \ 0.\ 41 \\ - \ 0.\ 20 \\ - \ 1.\ 05 \\ - \ 0.\ 21 \\ + \ 1.\ 08 \\ + \ 0.\ 97 \end{array}$	$\begin{array}{c} 1.4\\ 0.0\\ 0.0\\ 0.0\\ 1.1\\ 16.8\\ 2.2\\ 1.0\\ 3.7\\ 5.2\\ 3.5\\ 2.5\\ 22.7\\ 3.0\\ 4.3\\ 9.1\\ \end{array}$
Ridge Rauch	Willamette south base Willamette south base	$16.14 \\ 61.52$	-244.48 -85.84	-244.43 -85.65	+ 0.05 + 0.19	$0.0 \\ 2.2$

The probable error of an observation of weight unity derived from the preceding adjustment is ± 1.08 meters. In other words, the reciprocal observations over a line 31.7 kilometers (193 miles) long,¹ this being the length of line corresponding to unit weight, determined the difference of elevation of two points with such a degree of accuracy that it is an even chance whether the error is greater or less than 1.08 meters.

This probable error is unfair because of the fact that observations at the stations Roman and Spencer in June and July, 1903, were used in connection with those at Yellow and Fairview in October, 1904. The necessary assumption that the refraction is the same in the reciprocal observations was undoubtedly wrong in this case. The reason the four lines were retained in the adjustment was to connect the elevations of the two seasons. A rejection of the two lines, Yellow-Spencer and Yellow-White, reduces the probable error of an observation of unit weight from ± 1.08 to ± 0.77 meter. The latter is believed to represent more faithfully the value of the vertical angle results in this work.

The probable errors for lines of other than unit length were assumed to be proportional to their lengths.

The probable errors of the elevations of the six stations fixed by the spirit leveling done by the United States Geological Survey are doubtless well within ± 0.3 meter. The probable error approaches this value for stations adjacent to those fixed by the leveling and is greatest for the most remote stations. The probable error of the elevation of Mount Helena was computed as ± 0.62 meter and of Snow Mountain West as ± 1.14 meters.² Snow Mountain West may be considered as the least accurately determined and this probable error, derived from the old work, ± 1.14 meters, may be assumed to be as large as for any station in the entire arc.

The new elevation here computed for Marysville Butte, 638.0 meters, very properly supersedes that published on page 312 of Special Publication No. 4, which was determined solely from nonreciprocal observations from which the early morning and late evening observations were not eliminated.

The elevations of the stations of the main scheme from the Tacoma base to the connection with the Puget Sound triangulation were obtained from the second adjustment as shown in the tabulation below. The elevation of Tacoma City Hall, a bench mark of the United States Geological Survey, was held fixed at 33.518 meters, a published elevation derived from tidal observations by this Survey. In addition to this the observed difference of elevation, -1.93meters, between Tacoma north base and south base was superseded by the difference of elevation, -2.13 meters, from the precise levels run over the base line by the party measuring the base.

There is, then, in this section one fixed elevation and one fixed difference of elevation. The elevations of the 13 remaining stations connected by the observations are the unknowns to be determined by least squares from the 34 differences of elevation indicated in the following tabulation. They are shown in the same form used for the first adjustment, except that the weight p assigned to each difference of elevation was computed by the formula $\log p = 9-2 \log s$.

...

¹ This is the usual unit weight: A weight ten times as large was used in the above table. ²See p. 279, U. S. Coast and Geodetic Survey Special Publication No. 4.

-	Station I	Station 2	Weight p	Observed difference of elevations h_2-h_1	Adjusted difference of elevations h_2-h_1	Adjusted minus ob- served v	pv^2
	Tacoma City Hall Tacoma City Hall Kin Bos Tacoma City Hall Tacoma City Hall Tacoma City Hall Tacoma City Hall Tacoma City Hall Tacoma City Hall Dron Wash Sos Gull Dron Wash Smelt Wash Smelt Wash Neill 2 Piner 2 Wash Kin Tacoma north base Wash Burn Gull Neill 2 Burn Tacoma south base	Kin Bos Bos Gull Gull Dron Dron Dron Wash Wash Wash Smelt Smelt Smelt Smelt Neill 2 Neill 2 Neill 2 Neill 2 Neill 2 Neill 2 Piner 2 Dash Dash Dash Dash Dash Dash Dash Dash	$\begin{array}{c} 99\\ 54\\ 53\\ 19\\ 39\\ 50\\ 45\\ 17\\ 30\\ 23\\ 17\\ 40\\ 46\\ 58\\ 25\\ 37\\ 21\\ 45\\ 14\\ 21\\ 41\\ 92\\ 49\\ 28\\ 33\\ 10\\ 21\\ 62\\ 14\\ 3.2\\ 28\end{array}$	$\begin{array}{c} Meters \\ + 69,00 \\ - 30,96 \\ - 99,83 \\ - 50,87 \\ + 49,14 \\ + 18,09 \\ - 5,93 \\ - 74,95 \\ + 24,94 \\ + 113,94 \\ + 113,67 \\ + 64,57 \\ + 64,57 \\ + 64,57 \\ + 64,57 \\ + 64,57 \\ - 23,41 \\ - 112,11 \\ - 92,00 \\ - 104,47 \\ - 114,21 \\ - 1,33 \\ - 9,92 \\ + 5,81 \\ + 19,74 \\ - 22,27 \\ + 8,35 \\ + 2,62 \\ + 43,09 \\ + 90,86 \\ + 0,56 \\ + 6,66 \end{array}$	$\begin{array}{c} \hline \\ \hline $	$\begin{array}{c} \hline Meters \\ -0.054 \\ +0.035 \\ -0.041 \\ +0.081 \\ -0.058 \\ +0.067 \\ +0.007 \\ +0.007 \\ +0.076 \\ +0.057 \\ -0.126 \\ +0.015 \\ +0.033 \\ +0.168 \\ -0.110 \\ +0.048 \\ -0.157 \\ -0.145 \\ -0.115 \\ +0.033 \\ +0.065 \\ +0.039 \\ +0.065 \\ +0.056 \\ -0.006 \\ -0.063 \\ +0.022 \\ -0.096 \\ -0.133 \\ -0.025 \end{array}$	$\begin{array}{c} 0. \ 287 \\ 0. \ 065 \\ 0. \ 090 \\ 0. \ 125 \\ 0. \ 133 \\ 0. \ 225 \\ 0. \ 000 \\ 0. \ 090 \\ 0. \ 900 \\ 0. \ 990 \\ 0. \ 990 \\ 0. \ 990 \\ 0. \ 900 \\ 0. \ 990 \\ 0. \ 900 \\ 0. \ 990 \\ 0. \$
	Tacoma north base Burn Tacoma north base	Hurst Hurst Tacoma south base	$ \begin{array}{r} 6.1 \\ 3.7 \\ 6.9 \end{array} $	+ 4.77 + 6.43 - 1.93	$\begin{array}{r} + & 4.505 \\ + & 7.062 \\ - & 2.13 \end{array}$	-0.265 +0.632 -0.200	0. 428 1. 478 0. 276

Adjustment of elevations.—Puget Sound to Tacoma base.

The probable error of an observation of weight unity derived from the preceding adjustment is ± 0.61 meter. In other words, the reciprocal observations over a line 31.7 kilometers (193 miles) long, this being the length of the line corresponding to unit weight, determined the difference of elevation of two points with such a degree of accuracy that it is an even chance whether the error is greater or less than 0.61 meter. The probable errors for lines of other lengths were assumed to be proportional to their lengths.

The probable error of the elevation of the station fixed by connection with the mean tide at Tacoma may be safely assumed at ± 0.15 meter. The probable error approaches this value for stations adjacent to this station and is greatest for the most remote stations. The ends of the Tacoma base, connected as they are by precise levels, are the most remote and the probable error was computed for the base as a limiting value and was found to be ± 0.09 meter from the vertical angle measures alone. When combined with the probable error of the fixed elevation it becomes ± 0.17 meter.

In the third adjustment the elevations of the stations Mary and Peterson were held fixed as determined by the first adjustment, as 1248.82 and 437.22 meters, respectively. Similarly, the elevations of Tacoma north base, Tacoma south base, and Hurst were known from the second adjustment and their fixed elevations are 124.70, 122.57, and 129.20 meters, respectively. The secondary station Oregonian was fixed in elevation from a bench mark of the United States Geological Survey in Portland, Oreg. The elevation of top of tower is 69.22 meters.

The elevations of the 18 remaining stations connected by the observations are unknowns to be determined by least squares from the 52 observed differences of elevation indicated below. In this tabulation the observed differences of elevation are treated as in the first adjustment.

Station 1	Station 2	Weight p	Observed difference of elevations h ₂ h ₁	Adjusted difference of elevations h ₂ h ₁	Adjusted minus observed v.	pv ²
Mary Peterson Mary Peterson Yam Yam Yam Hult Yam Hult Barnes Barnes Barnes Barnes Rocky Butte Barnes Rocky Butte Barnes Rocky Butte River Barnes Kocky Butte River Barnes Larch Davis Larch Davis Star Davis Star Davis Star Davis Star Davis Red Lam Davis Lam Len Len Len Len Len Len Len Len Len Star Toutle Toutle Toutle Hal Huck Hal Bel Hal Rain Hurst Tacoma south base Tacoma north base	Yam Yam Hult Hult Hult Barnes Barnes Larch Larch Larch Larch Uarch Larch Earch Warren Rocky Butte Rocky Butte Rocky Butte Rocky Butte River Harney Oregonian Oregonian Oregonian Oregonian Oregonian Oregonian Oregonian Oregonian Davis Star Star Star Star Star Star Star Star	$\begin{array}{c} 2.\ 05\\ 2.\ 53\\ 1.\ 43\\ 3.\ 40\\ 7.\ 87\\ 2.\ 77\\ 2.\ 55\\ 1.\ 04\\ 7.\ 87\\ 2.\ 77\\ 2.\ 55\\ 1.\ 04\\ 1.\ 56\\ 3.\ 72\\ 9.\ 33\\ 2.\ 15\\ 46.\ 77\\ 7.\ 10\\ 242.\ 10\\ 78.\ 90\\ 50.\ 23\\ 102.\ 80\\ 116.\ 40\\ 245.\ 50\\ 3.\ 52\\ 11.\ 48\\ 4.\ 57\\ 14.\ 26\\ 6.\ 55\\ 4.\ 12\\ 2.\ 74\\ 6.\ 70\\ 28.\ 91\\ 3.\ 39\\ 3.\ 95\\ 4.\ 27\\ 9.\ 62\\ 9.\ 35\\ 29.\ 58\\ 9.\ 59\\ 3.\ 98\\ 4.\ 30\\ 1.\ 90\\ 6.\ 31\\ 18.\ 03\\ 22.\ 13\\ 3.\ 06\\ 6.\ 7.\ 71\\ 7.\ 76\\ 7.\ 76\\ 7.\ 76\\ 7.\ 76\\ 7.\ 76\\ 7.\ 76\\ 7.\ 76\\ 7.\ 76\\ 7.\ 76\\ 7.\ 76\\ 7.\ 76\\ 7.\ 76\\ 7.\ 77\\ 7.\ 76\\ 7.$	$\begin{array}{c} Meters \\ - & 896. \ 20 \\ - & 82. \ 62 \\ - & 826. \ 62 \\ - & 52. \ 48 \\ + & 29. \ 00 \\ + & 27. \ 45 \\ + & 0. \ 40 \\ + & 850. \ 41 \\ + & 853. \ 94 \\ + & 852. \ 41 \\ - & 344. \ 26 \\ - & 1197. \ 05 \\ - & 198. \ 36 \\ + & 1852. \ 41 \\ - & 333. \ 32 \\ - & 135. \ 21 \\ - & 344. \ 26 \\ - & 115. \ 94 \\ + & 19. \ 08 \\ + & 514. \ 86 \\ + & 860. \ 72 \\ + & 95. \ 20 \\ + & 427. \ 60 \\ + & 279. \ 93 \\ + & 19. \ 08 \\ + & 860. \ 72 \\ + & 95. \ 20 \\ + & 427. \ 60 \\ + & 279. \ 93 \\ + & 617. \ 64 \\ + & 189. \ 10 \\ + & 481. \ 99 \\ - & 137. \ 31 \\ + & 886. \ 21 \\ + & 269. \ 47 \\ + & 102. \ 09 \\ - & 382. \ 14 \\ + & 162. \ 61 \\ - & 624. \ 84 \\ + & 156. \ 61 \\ + & 664. \ 25 \\ - & 624. \ 84 \\ + & 156. \ 61 \\ + & 664. \ 25 \\ - & 570. \ 56 \\ - & 1132. \ 58 \\ - & 825. \ 37 \\ - & 255. \ 30 \\ + & 152. \ 41 \\ + & 159. \ 54 \\ + & 157. \ 87 \\ + & 415. \ 77 \\ + & 413. \ 37 \end{array}$	$\begin{array}{c} M = - 8 \\ - 894. 41 \\ - 82. 81 \\ - 865. 54 \\ + 29. 10 \\ + 28. 87 \\ + 29. 10 \\ + 0. 23 \\ + 850. 48 \\ - 851. 61 \\ + 851. 61 \\ + 851. 61 \\ + 851. 38 \\ - 344. 61 \\ - 1195. 92 \\ + 146. 39 \\ - 198. 222 \\ + 146. 39 \\ - 333. 366 \\ - 135. 14 \\ - 344. 82 \\ - 146. 60 \\ - 116. 07 \\ + 516. 81 \\ + 861. 42 \\ + 945. 15 \\ + 93. 77 \\ + 428. 34 \\ + 282. 42 \\ + 945. 15 \\ + 93. 77 \\ + 428. 34 \\ + 282. 42 \\ + 945. 15 \\ + 93. 77 \\ + 428. 34 \\ + 282. 42 \\ + 945. 15 \\ + 93. 77 \\ + 428. 34 \\ + 282. 42 \\ + 616. 61 \\ - 134. 23 \\ + 885. 30 \\ + 268. 31 \\ + 402. 54 \\ + 101. 38 \\ - 783. 92 \\ - 624. 72 \\ + 159. 20 \\ + 561. 61 \\ - 622. 91 \\ - 569. 46 \\ - 1131. 07 \\ - 825. 38 \\ + 152. 91 \\ + 159. 54 \\ + 157. 41 \\ + 415. 29 \end{array}$	$\begin{array}{c} & & \\ & & \\ & & \\ & & \\ & +1.79 \\ & -0.19 \\ & +1.32 \\ & -1.46 \\ & -0.13 \\ & +1.65 \\ & -0.17 \\ & -0.35 \\ & +1.06 \\ & +0.13 \\ & -0.35 \\ & +1.06 \\ & +0.14 \\ & -1.28 \\ & -0.04 \\ & +0.07 \\ & -0.13 \\ & -0.01 \\ & +1.95 \\ & +0.07 \\ & -0.13 \\ & +0.06 \\ & -0.13 \\ & -0.01 \\ & +1.95 \\ & +0.77 \\ & +2.49 \\ & +0.74 \\ & +2.49 \\ & +0.77 \\ & +2.49 \\ & +0.76 \\ & +0.77 \\ & +3.08 \\ & -0.91 \\ & +1.07 \\ & -0.35 \\ & +0.59 \\ & +0.50 \\ & -0.35 \\ & +0.50 \\ & -0.08 \end{array}$	$\begin{array}{c} 6.\ 6\\ 0.\ 1\\ 2.\ 5\\ 7.\ 2\\ 0.\ 1\\ 7.\ 5\\ 0.\ 1\\ 1.\ 2.\ 5\\ 7.\ 2\\ 0.\ 1\\ 8.\ 5\\ 3.\ 9\\ 1.\ 1\\ 2.\ 4\\ 0.\ 9\\ 1.\ 6\\ 0.\ 4\\ 0.\ 9\\ 0.\ 1\\ 0.\ 1\\ 0.\ 1\\ 0.\ 1\\ 0.\ 0.\ 1\\ 0.\ 0\ 0.\ 0\\ 0.\ 0\ 0.\ 0\ 0\ 0\ 0\ 0\ 0\ 0\ 0\ 0\ 0\ 0\ 0\ 0\$
Tacoma south base	Hal	3. 32 6. 74	+ 1542.54 + 986.18	+ 1539.86 + 984.88	-2.68 -1.30	23. 8 11. 4

Adjustment of elevations— Willamette base net to Tacoma base.

The probable error of an observation of weight unity derived from the preceding adjustment is ± 0.78 meter. The reciprocal observations, therefore, over a line 31.7 kilometers (19²/₃ miles) long determined the difference of elevation of two points with such a degree of accuracy that it is an even chance whether the error is greater or less than 0.78 meter. The probable errors for lines of other lengths were assumed to be proportional to their lengths.

The probable error of the Tacoma base was found to be ± 0.17 meter. The probable error of the stations Mary and Peterson, being directly connected with the Willamette base, probably does not exceed this, and the probable error of the bench mark Oregonian must be well within this same 0.17 meter. The probable error approaches this value for stations adjacent to these and is greatest for the most remote stations. It is a safe assumption that the probable error of the other stations nowhere exceeds 1 meter.

1

ELEVATION OF MOUNT SHASTA.

One of the results of the vertical angle adjustments was a new elevation of Mount Shasta. This elevation was computed from reciprocal observations over six lines varying from 38 to 97 kilometers in length. The first computation was made using a mean value of the coefficient, m, of 0.066, and the results had a range of 14.6 meters. A final computation was made using the value for the coefficient of refraction which was a mean of the values computed from the lines radiating from the observing station, but corrected for the mean elevation of the line. The following are the values for the height of Mount Shasta:

rom	Round .		 	 1043.36 + 32	272.69=	=4316.05	p = 2.0
rom	Bally		 	 1892.35 + 24	24.21 =	=4316.56	1.1
rom	Mears		 	 2174.00+23	142.55=	=4316.55	6.9
rom	Boliver		 	 2451.45 + 18	867.28=	=4318.73	3.7
From	Sterling.		 	 2239.03 + 20	070.00 =	=4309.03	1.3
From	Soda		 	 1857.11+23	558.37=	=4315.48	1.7
	Weighte	d mean	 	 		4316.5 n	eters
						(or 14162	feet).

ACCURACY OF VERTICAL ANGLE RESULTS IN THE UNITED STATES.

In the following table 25 sections of vertical angle results of triangulation in the United States having separate least square adjustments have been arranged in order of accuracy, the most accurate being-placed first. The best test of accuracy is believed to be the probable error of an observation of unit weight. Such an observation is here considered as the reciprocal nonsimultaneous observations over the length of line corresponding to unit weight, considered as 31.7 kilometers (19²/₃ miles).

Sec- tion	Season	Section of triangulation	Obser- vations	Un- known eleva- tions	Probable er- ror of an ob- servation
$\begin{array}{c}1\\2\\3\\4\\5\\6\\7\\8\\9\\10\\11\\12\\13\\14\\15\\16\\17\\18\\19\\20\\21\\22\\23\end{array}$	$\begin{array}{c} 1899-1900\\ 1902\\ 1900-1903\\ 1904-1905\\ 1902\\ 1902\\ 1902\\ 1902\\ 1902\\ 1902\\ 1902\\ 1905\\ 1908-1907\\ 1905\\ 1908-1909\\ 1873-1885\\ 1903-1904\\ 1903-1904\\ 1903-1904\\ 1904-1905\\ 1890-1899\\ 1899-1901\\ 1909-1910\\ 1873-1898\\ 1901-1902\\ \end{array}$	Ninety-eighth Meridian, Shelton-Page Ninety-eighth Meridian, El Reno-Duncan Ninety-eighth Meridian, Page to Brown Valley Ninety-eighth Meridian, Brown Valley-Duluth Ninety-eighth Meridian, Brown Valley-Duluth Ninety-eighth Meridian, Salina-Shelton Ninety-eighth Meridian, Salina-Shelton Ninety-eighth Meridian, Stephenville-Lampasas Ninety-eighth Meridian, Stephenville-Lampasas Ninety-eighth Meridian, Fergus Falls-Canada Ninety-eighth Meridian, Waukomis-El Reno California-Washington arc, Tacoma base northward Texas-California arc, Kyle-McClenny to Stanton California arc, Mount Toro-Santa Cruz. California washington arc, south end California-Washington arc, south end California-Washington arc, Willamette base to Tacoma base Ninety-eighth Meridian, Brown Valley base Ninety-eighth Meridian, Seguin to Laguna Madre California arc, San Pedro-Soledad Ninety-eighth Meridian, Thirty-ninth Parallel-Anthony Texas-California arc, Stanton-Deming California arc, Santa Cruz-San Pedro Ninety-eighth Meridian, Anthony-Waukomis	$\begin{array}{c} 39\\ 14\\ 74\\ 109\\ 41\\ 87\\ 22\\ 35\\ 86\\ 18\\ 34\\ 71\\ 28\\ 83\\ 52\\ 31\\ 57\\ 23\\ 53\\ 72\\ 106\\ 20\\ 16 \end{array}$	$15 \\ 7 \\ 28 \\ 48 \\ 15 \\ 29 \\ 10 \\ 11 \\ 29 \\ 8 \\ 11 \\ 26 \\ 9 \\ 27 \\ 18 \\ 10 \\ 29 \\ 7 \\ 19 \\ 26 \\ 38 \\ 7 \\ 6 \\ 10 \\ 29 \\ 7 \\ 19 \\ 26 \\ 38 \\ 7 \\ 6 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 $	$\begin{array}{c} \pm 0.23\\ \pm 0.24\\ \pm 0.39\\ \pm 0.42\\ \pm 0.42\\ \pm 0.55\\ \pm 0.55\\ \pm 0.58\\ \pm 0.61\\ \pm 0.77\\ \pm 0.77\\ \pm 0.77\\ \pm 0.78\\ \pm 0.88\\ \pm 0.88\\ \pm 0.88\\ \pm 0.91\\ \pm 0.91\\ \pm 0.92\\ \pm 1.05\\ \pm 1.09\\ \end{array}$
24 25	1878–1895 1859–1892	Thirty-ninth Parallel, Pikes Peak-Round Top Thirty-ninth Parallel, Point Arena-Mount Diablo	$71\\48$	$\frac{28}{15}$	${\pm 1.20 \atop {\pm 1.83}}$

Sections of triangulation in order of accuracy.

¹ Mean.

It has been declared to be "useless to aim at a high degree of accuracy in vertical measures since the irregular variation of the refraction from hour to hour and day to day produces changes in vertical angles which affect the tens of seconds and sometimes even the minutes."¹ Should not this declaration be modified ?

In considering the results in the above table it should be noted that the least accurate groups are those of the Transcontinental Are where the observations extended over a great many days but at hours of the day when the refraction was great. The most accurate of the sections are the ones of the Ninety-cighth Meridian where the observations were confined to the hours nearest the time of minimum refraction, 11 a. m. to 3 p. m. The indiscriminate mean of the probable errors, excluding the two least accurate sections, is ± 0.68 meter or an uncertainty of 4". 43 in the zenith distance. Zenith distances, which are affected by unusual refraction to the extent of "tens of seconds and sometimes minutes," would exceed $3\frac{1}{2}$ times the probable error and would be subject to rejection.

The sections where the lines are longest appear to have less accuracy, and this can be readily accounted for by the effect of the differences in the station errors between the ends of the line over which the zenith distances are observed. No effort has been made to correct the zenith distances for this difference in station errors. A second cause for the decrease in accuracy on the long lines is the necessarily longer interval between the observations at the ends of these lines allowing seasonal changes in the refraction to occur.

In conclusion, the results would indicate that the aim should be for a few accurate measures of the zenith distances on more than one day and between 12 and 2 p. m. (or better, between 10 and 12 a. m. if the lines are near the coast), with no long interval of time between the observations at the two ends of a line. (See pages 253 to 256 of Special Publication No. 4^2 for a discussion of the times of maximum and minimum refraction at coast and interior stations.)

ELEVATIONS

The datum for all the elevations is mean sea level.

The stations are in three classes: First, those fixed directly by the spirit leveling, and of which the elevations are subject to a probable error varying from 0.15 to 0.3 meters; second, the stations in the main scheme fixed by reciprocal measures of vertical angles and which are subject to probable errors varying from ± 0.2 to ± 1.1 meters, and, third, the intersection stations, of which the elevations are fixed by measurements of vertical angles which are not reciprocal, the intersection stations not being occupied, and whose elevations are subject to probable errors which may be great as ± 3 meters in some cases.

The accuracy with which each elevation in the main scheme is determined depends mainly upon the remoteness of that station from the nearest one of which the elevation is fixed by spirit leveling, as indicated in class 1 of the following table. Station Snow Mountain west is probably least accurately determined of all the stations in the main scheme.

For a table to be used in converting feet to meters, or vice versa, see page 34.

TABLE OF ELEVATIONS

Thirty-ninth Parallel to Willamette base

Station	Point to which elevation refers	Elevation
Class 1 Redding astronomic station Gazelle astronomic station Central Point astronomic station Roseburg latitude station Willamette north base Willamette south base	Station mark Station mark Station mark Station mark Station mark Station mark	Meters 202.16 848.28 369.92 165.24 101.36 116.59

¹See p. 282, Appendix 3, Report for 1902.

⁹ The Transcontinental Triangulation, by Chas. A. Schott, Special Publication No. 4, U. S. Coast and Geodetic Survey.

TABLE OF ELEVATIONS—Continued.

Thirty-ninth Parallel to Willamette base-Continued.

Station	Point to which elevation refers	Elevation
Class 2		16.4
Mount Helena	Station mark	Meters 1322 1
Snow Mountain west	Top of pier	2145. 7
Snow Mountain east	Station mark	2150.6
Marysville Butte	Station mark	638.0
Kent	Station mark	2032. 9
Lyons	Station mark	2031.4
Bany Bound	Station mark	1043 4
Spur	Station mark	2766.9
Boliver	Station mark	2451.5
Mears	Station mark	2174.1
Sterling	Station mark	2239.3
Soda	Station mark	1807.4
Rust	Station mark	1891.2
White	Station mark	1222.7
Black	Station mark	1874.1
Scott	Station mark	1294.6
Burg	Station mark	453 3
Fairview	Station mark	1806.3
Yellow	Station mark	746.3
Roman	Station mark	872.3
Spencer	Station mark	626.2
Mary	Station mark	1248.8
Twin	Station mark	389.8
Ridge	Station mark	361.0
Rauch	Station mark	202. 2
Marco R		
Cuiss 5		0100 0
Lassen Peak	Top	3189.9
Mount Linn	Top	2405. 8
Bully Choop	Top	2126.8
Crater Peak	Top	2646.5
Saw Tooth	Summit	2717.4
Thompson Peak	Top High out summit	2000.0
Russian Peak, north point	Summit	1803.9
China Mountain	Summit	2606.2
Ashland Peak	Summit	2296.7
Marble Mountain	Summit	2533.3
Mount Eddy	Summit	2704.8
Mount Shasta	Tree-top	2398.5
Redding Courthouse	Tangent to roof	198.2
Little Shasta	Top of peak	2532.9
Black Butte	Top of cairn	1933.8
Preston Peak	Top of peak	2149 5
Greyback	Top of peak	2178.4
Wagner	Highest summit	2211.4
Kerby	Тор	1689.5
Mount Pitt	Summit	2893.0
Lost Peak	Top	2502.0
Aspen Feak Mount Scott	Top of peak	2717.7
Liao Rock	Тор	2484.0
High Rock	Top	1893.8
Union Peak	Top	2547.9
Old Bailey	Top of peak	984.5
Dogson (U. S. G. S.) Diamond Peak	Top of peak	2679.7
Quartz	Top of peak	1686.4
Mount Washington	Top of peak	2368.0

77002°---13-----5

.

TABLE OF ELEVATIONS—Continued

Thirty-ninth Parallel to Williamette base-Continued

Station	Point to which elevation refers	Elevation
Class 3—Continued Mount Zion North Sister Hayriek Middle Sister Nebo South Sister Ball Butte St. Mary Butte Prairie Peak Alsea Peak Cannibal Herman Seavies (U. S. G. S.) Mount Jefferson Left Nipple Corvallis open eupola Corvallis open eupola Albany Courthouse Lebanon Capitol, Salem	Top of peak Top of tupola, top of roof Base, large cupola Top of tall brick chimney Top, large part of dome	Meters 1406. 4 3068. 4 2375. 2 3059. 6 1037. 4 3155. 2 2756. 6 2789. 6 1047. 6 100. 8 869. 4 634. 7 607. 3 3207. 2 1243. 4 96. 3 98. 2 4 88. 1 135. 3 100. 4

Willamette base net to Tacoma base

Class 1 Oregonian	Top of Tower	69. 22
Class 2 Yam Hult Barnes Larch Warren Roeky Butte River Harney Davis Star Red Lam Len Toutle Huek Hal Bel Rain Pen Cem Hill Fir Monument, General Land Survey	Station mark Station mark	$\begin{array}{c} 354.\ 4\\ 383.\ 3\\ 383.\ 5\\ 1234.\ 9\\ 38.\ 9\\ 185.\ 3\\ 50.\ 2\\ 38.\ 7\\ 900.\ 3\\ 1328.\ 7\\ 1517.\ 3\\ 1383.\ 1\\ 1785.\ 6\\ 1001.\ 7\\ 1160.\ 9\\ 1107.\ 5\\ 1669.\ 1\\ 538.\ 0\\ 282.\ 1\\ 825.\ 8\\ 296.\ 8\\ 345.\ 9\\ 289.\ 7\end{array}$
Class 3 Round Peak Thomas Forest Peak White church spire Monmouth Peak Table Rock Arquett, cairn Squaw Chemawa tank Sheridan Fairdale Mount Hood Mount Adams	Top of peak Top of peak Top of peak Top of square part Top of peak Top of peak Top of peak Foot of tank, top of tower Top of peak Top of peak Top of peak Top of peak Top of peak	$\begin{array}{c} 1312. \ 8\\ 1320. \ 5\\ 671. \ 9\\ 72. \ 0\\ 984. \ 6\\ 1487. \ 8\\ 1417. \ 4\\ 1455. \ 9\\ 77. \ 0\\ 941. \ 1\\ 780. \ 5\\ 3421. \ 2\\ 3757. \ 0\end{array}$

TABLE OF ELEVATIONS—Continued

Willamette base net to Tacoma base-Continued

te Station	Point to which elevation refers	Elevation
Class 3—Continued Mount St. Helens Deschutes Peak High Rock Sharp Peak Mineral Peak Mount Rainier Mount Rainier Goat Mountain Mitchell Eagle, cairn	Top of peak Top of peak Top of peak Top of peak Top of peak Bare summit Highest point Top of peak Top of peak Top of peak	<i>Meters</i> 2955. 6 1318. 8 1733. 5 1769. 4 1446. 5 4389. 5 4410. 7 1847. 8 1213. 7 1283. 0

Tacoma base to Puget Sound

Class 1	TRCSPM	99.50
racoma Oity Han	U.S.G.S.D.M.	33. 32
Class 2		•
Gull	Station mark	51.67
Dron	Station mark	27.59
Bos	Station mark	2.59
Kin	Station mark	102.46
Wash	Station mark	115.86
Smelt Noill 9	Station mark	96.14
Dash	Station mark	9.02
Piner 2	Station mark	12.30
Tacoma astronomic	Station mark	94.79
Tacoma north base	Station mark	124.70
Burn	Station mark	122.14
Tacoma south base	Station mark	122.57
Hurst	Station mark	12 9. 20
Class ?		
010000		
Smelter stack	Top of stack	132.7
Brown Point Lighthouse	Top of light shaft	8.5
Tacoma Courthouse	Top of cupola	153. 1



¥**

68



Index Map.



Thirty-ninth Parallel to Bally-Round.

.....


No. 4.

Bally-Round to Onion-Rust.



No. 5.

Onion-Rust to Mary-Peterson.

1

72



No. 6.

Mary-Peterson to Davis-Red.





Davis-Red to Puget Sound.

¥°.

Station	Position	Description	Sketch	Elevation
	Page	Page	Number	Page
Albany courthouse cupola	40		6	66
Alsea Peak, partly cleared, wooded summit	40		5	66
Arouett, cairn	41		6	66
Ashland Peak, cairn	38		4	65
Aspen Peak	38		Â	65
Astronomic station:			· ·	
Central Point.	38	54	4	64
Corning	37	54	3	01
Fugene	35	48	5	
Gazalla	35	45	4	6A
Bedding	37	54	Q Q	64
Tacoma	37	. 54	7	67
Raleh	41	56	6	01
Rall Rutto	30	00	5	ee.
Bally	24	A A	94	00
Bantiet Church aniza Fugano	20	55	0,4	60
Parmon	09	00	0	
Dames	30	49	07	00
Dense model. Denseland	30	1 01		00
Bench mark, Portland	41		6	
DIaCK.	35	40	ð	65
Black Butte, cairn.	37		4	65
Boliver (Cal.)	35	45	4	65
Bos	36	53	7	67
Brown Point Lighthouse.	42		7	67
Bully Choop	37		3	65
Burg.	39	55	5	65
Burn	36	52	7	67
Cannibal Peak, highest wooded summit	40		5	66
Cem.	41		Ğ	66
Central Point astronomic station.	38	54	4	64
Central Point latitude station	38	55	Å	0.
Chemawa tank	41	00	Â	66
('hing Mountain (not the cairn)	37		4	65
Christian Church spire Springfield	30	55	5	00
City Hall Tacoma	49	00	7	67
Corning estronomic station	97	5.4	9	01
Corning towor	27	54	0	* * * * * * * * * *
Commilia closed curple	40	04	0	
Convarias, conce cupola	40		0	00
Courthouse	40	•••••••	0	00
Courthouse:	20			
Eugene, nagpole.	39	00	6	
Teacma cumala	37	54	3	65
Tacoma, cupoia	42			67
Crater Peak	37		3, 4	65
Dash	42	57	7	67
Davis.	36	50	6,7	66
Deady Hall, west tower, Eugene	39	55	5	
Deschutes Peak	42		7	67
Diamond Peak.	39		5	65
Dodson (U. S. G. S.)	39		5	65
Dron	36	53	7	67
Eagle, cairn	41		6	67
Eugene:				
Astronomic station	35	48	5	
Baptist Church spire	39	55	5	
Courthouse flagpole	39	55	5	
Deady Hall, west tower.	39	55	5	
Geary School spire	39	55	5	
Methodist Church	39	56	5	
Patterson School spire.	39	55	5	
United Brethren Church spire	39	55	5	
W O W Hall spire	39	55	5	
		00	0	

Index to positions, descriptions, sketches, and elevations

75

Station	Position	Description	Sketch	Elevation
	Page	Page	Number	Page
Fairdale Peak	41		6	66
Fairview	35	46	, 5	65
Fir	41	• • • • • • • • • • •	, 6	66
Forest Peak, tallest trees	40		6	66
Gazelle astronomic station	35	45	4	64
Geary School spire, Eugene	39	55	5	
Goat Mountain.	42		1 - Y	67
Groupack	30	• • • • • • • • • • •	4	00
Gull	00	59	17	00
Hal	36	51	7	66
Harney	41	56	6	66
Havrick	40		5	66
Herman Peak, wooded summit	40		5	66
High Rock (Oreg.).	38		5	65
High Rock (Wash.)	42		7	67
Hill (Cal.).	37	54	3	
Hill (Oreg.)	41		6	66
Huck	36	50	7	66
Hult	36	49	. 6	66
H UISL	30	51	1	67
Kenby	34	44	3	00
Kin	30	59	4	00
Iam	36	50	7	66
Larch	36	40	6	66
Lassen Peak	37	-10	3	65
Latitude station:			0	00
Central Point	, 38	55	4	
Portland	41	56	6	
Roseburg	39	55	5	64
Lebanon, tall brick chimney	40		6	66
Left Nipple	40		5	66
Len	36	50	7	66
	38		5	65
Little Snasta	38		4	60
Longitude station, rortland	91	00	0	65
Lyong	34	44	3	65
Marble Mountain	38		4	65
Mary	35	46	5,6	65
Marysville Butte	34	43	3	65
Mears.	35	44	4	65
Methodist Church:				
Eugene	39	56	5	
Springneid, spire	39	66	5	
Mindale Sister	40	• • • • • • • • • •	0 7	00
Mineral Poak	42		7	67
Mitchell	41		6	67
Monmouth Peak	40		6	66
Monument, General Land Survey.	41	56	6	66
Mount Adams.	41		7	66
Mount Eddy, cairn.	37		4	65
Mount Helena	34	43	3	65
Mount Hood	41		6	66
Mount Jefferson	40		6	66
Mount Linn	37	• • • • • • • • • •	3	65
Mount Pairies have summit	38		4	65
Mount Rainier, bare summit.	42		1	67
Mount St. Holons	41	• • • • • • • • • • •	17	67
Mount St. John	37		2	65
Mount Scott	38		5	65
Mount Shasta, top of	37		4	65
Mount Washington.	40		5	65
Mount Zion	39		5	66
Nebo.	40		5	66
Neill 2	37	54	7	67

.

Index to positions, descriptions, sketches, and elevations-Continued.

.

.

THE CALIFORNIA-WASHINGTON ARC OF PRIMARY TRIANGULATION.

Station Position Description Sketch Elevation Number. 3 North base: Page. Page. Page. . 37 Redding..... . 54 Tacoma..... Willamette..... $\mathbf{5}$ 65 65 North Sister Old Bailey..... Onion.... $\mathbf{5}$ 4.5 Oregonian. Patterson School spire, Eugene..... $\mathbf{5}$ Pen..... Peterson.. 5, 6Pilot Rock. Piner 2..... $\overline{7}$ Pisgah Portland: Bench mark. Latitude station. Longitude station. . . Ĝ Prairie Peak, west tree. Preston Peak. $\mathbf{5}$ Quartz..... $\mathbf{5}$ Rain Rauch..... $\mathbf{5}$ Red..... Redding: 6,7 3 Astronomic station..... Courthouse..... 37 North base South base. $\frac{5}{6}$ 56 Ridge. 42 River. Robinson 2. Rocky Butte. $\begin{array}{c} 57\\56\end{array}$ 35 39 Roman Rose. Roseburg latitude station..... $\mathbf{5}$ 34 Round. 3, 4Round Peak ... Russian Church, cross. Russian Peak, north point. Russian Peak, south point. $\mathbf{5}$ 38 Rust.... 4,5 St. Mary Butte..... $\overline{\mathbf{5}}$ Salem Čapitol, dome..... 35 Saw Tooth. 5 5 Scott Seavies (U. S. G. S.). 35 Seavies 2..... 7 6 Sharp Peak..... Sheridan Peak, highest green tree..... Siskiyou..... $\frac{4}{7}$ $\frac{7}{3}$ Smelt..... Smelter stack, 300 feet high. Snow Mountain east. Snow Mountain west..... Soda..... South base: Redding. $\frac{3}{7}$ Tacoma. Willamette. $\begin{array}{c} 40\\ 35 \end{array}$ South Sister..... $\frac{5}{5}$ Spencer..... Springfield: Christian Church spire $\mathbf{5}$ Methodist Church spire $\mathbf{5}$ Spur..... Squaw, cairn..... Star..... Sterling. Table Rock, cairn.

Index to positions, descriptions, sketches, and elevations-Continued.

Station	Position	Description	Sketch	Elevation
Tacoma:	Page	Page	Number	Page
Astronomic station.	37	54	7	67
City Hall cupola	42		7	67
Courthouse cupola	42		7	67
North base	36	52	7	67
South base	36	52	7	67
Thomas, cairn	40		6	66
Thompson Peak	37		4	65
Toutle.	36	50	7	66
Twin	35	47	5	65
Union Peak	38		5	65
United Brethren Church spire, Eugene	39	55	5	
Vancouver Barracks flagstaff, west	41		6	
Wagner	38		4	65
Walker Peak	38		5	
Warren.	36	50	6	66
Warren Schoolhouse cupola	41		6	
Wash	36	53	7	67
White	35	46	5	65
White Church spire, west of Brooks	41		6	66
Willamette north base	35	48	5	64
Willamette south base	35	47	5	64
W. O. W. Hall spire, Eugene.	39	55	5	
Yam	36	49	6	66
Yellow	35	46	5	65

Index to positions, descriptions, sketches, and elevations-Continued.

0

.*

